

About AES, Products, Index and Dealer Information



Associated Energy Systems

A housewarming presence for every season.

The Industry's Complete Home, Hearth and Fireplace Furnishings Supplier

2025 - 2026

| <i>AES Contact and Terms</i> | <i>Page Number</i> |
|--|--------------------|
| About AES | b |
| Catalog Navigation - Products by Tab | c |
| Product Availability by State and Territory Map | e-i |
| Index | k-o |
| Standard Terms - Contact Information | q-r |
| Standard Terms - Distribution Center Locations | s |
| Standard Terms - Shipping | t |
| Standard Terms - Billing | u |
| Standard Terms - Product Terms and Returns | v |
| Standard Terms - Ordering Product & Pick Tickets | w |
| Standard Terms - Co-op Guidelines | x |
| Standard Terms - Display Guidelines | y |
| Standard Terms - Warranty Programs | z |
| Dealer Service Support Policy | aa-ab |
| POP Materials | ac-aj |
| AES Product Order Form | ak |
| Co-op and Display Forms | al-am |
| Warranty & Product Return Authorization Forms | an-ao |

We endorse



AES is a proud sponsor of these affiliate industry organizations:

- Arizona
- Midwest
- North Central
- Northwest
- Oregon
- Pacific
- Rocky Mountain
- South Central





Associated Energy Systems

A housewarming presence for every season.

Our Mission Statement

Associated Energy Systems is a high-spirited sales company based on integrity and great customer service. As a market leader, we consistently distribute the best products and values to select customers in the home and hearth industries. Our business partnerships insure mutual profitability and excellence both personally and professionally.

Who We Are

Associated Energy Systems (AES) is a two-step, third generation distribution company providing a wide variety of high quality domestic and imported products to specialty retailers in the hearth and home industry.

What We Do

As a two-step distribution company our goal is to provide retailer establishments with quality products that deliver strong margins and above average returns.

We strive to offer a “One Stop Shopping” experience by conveniently offering a wide selection of products to our valued customers.

This Product Catalog outlines nearly 7,500 items available to the home & hearth retailer. In addition to traditional hearth products, AES provides a mix of distinctive outdoor products for the warmer seasons of the year.

“*AES will continue to be measured by exceeding customer expectations as we enter a new generation of retailing.*”

Kirk Newby
President

About AES, Products, Index and Dealer Information

Catalog Navigation - Products by Tab

| | | |
|---|--|--|
| Section 100 Wood Chimney & Pipe | <ul style="list-style-type: none"> • Duravent Class A Venting • U.S. Fireplace Dampers • Reliance Chimney Caps • HYC Chimney Caps | <ul style="list-style-type: none"> • American Chimney Shrouds & Pots |
| Section 200 Pellet Venting | <ul style="list-style-type: none"> • Duravent Pellet Venting • Z Flex Pellet Venting • Misc. Pellet Venting Components | |
| Section 300 Wood Liner & Components | <ul style="list-style-type: none"> • Z Flex Wood Venting • Durablanket Insulation • Reliance Wood Venting Adapters • Reliance Masonry Liner System | <ul style="list-style-type: none"> • Duravent Wood Venting |
| Section 400 Gas Venting | <ul style="list-style-type: none"> • Duravent Gas Venting • Z Flex Gas Venting • RHP Gas Timer • Sturgis Gas Hoses | <ul style="list-style-type: none"> • Log Lighters, Connectors & Valves • Gastite & FlashShield Gas Piping • Condar Air Supply |
| Section 500 Gas Logs | <ul style="list-style-type: none"> • Real Fyre Gas Logs & Accessories • Hargrove Gas Logs & Accessories • Firegear • Fireglass Plus | |
| Section 600 Fireplace Accessories | <ul style="list-style-type: none"> • Graysen Woods Hearth Pads • Ember Guard (HYC) Steel Hearth Pads • HYC Firepit & Log Rack • Goods of the Woods Firestarters, Rugs | <ul style="list-style-type: none"> • & Accessories • Condar Totes, Baskets & Screens • Liberty Foundry Grates • Empire Heaters |
| Section 700 Fireplaces, Inserts & Stoves | <ul style="list-style-type: none"> • Real Fyre Gas Appliances • Kingsman Gas Appliances • True North Gas, Pellet and Wood Appliances | <ul style="list-style-type: none"> • Faber Gas Fireplaces • Plaza Gas Fireplaces • Nectre Wood Appliances • Empire Gas Appliances |
| Section 800 Maintenance & Installation | <ul style="list-style-type: none"> • Forrest Paint (Stove Bright) Paint, Cleaners & Accessories • Meeco Paint, Cleaners, Gasket, Silicone & Accessories. • Condar Thermometers, Cumbustors & Air Supply • HYC Stove Board • Speedy White Cleaner • AES Gasket Spools | <ul style="list-style-type: none"> • Rutland Gasket, Cement, Firestarters & Accessories • Soot eater Chimney Cleaning • Saver Systems Maintenance • Skytech Remotes, Valves & Accessories • Flame Tec • Robertshaw Thermostats & Thermocouples • SIT Regulators & Controls • Energex Chimney Fans • Greenfan Replacement Fans |
| Section 900 Electric Fireplaces | <ul style="list-style-type: none"> • Modern Flames Electric Fireplaces • Dimplex Electric Fireplaces • Faber Electric Fireplaces | |

Product Availability by State 2023

2
0
2
5
-
2
0
2
6



Alaska: American Chimney Shroud, American Fyre Designs, AOG, Barbara Jean, Big Green Egg, Butt Rub, Condar, Dante, Dimplex, DuraVent, Dwyer, Ember Guard, Empire, EnerVex, Enviro, Faber, Fire Magic, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Forrest Paint, Gastite, Goods of the Woods, Graysen Woods, GreenFan, HYC, Infratech, Jackson Grills, Kingsman, Le Bol, Liberty Foundry, Malco, Marquis, Modern Flames, Nectre, Plaza, Real Fyre, Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, Rutland, Saver Systems, SIT, Skamol, Skytech, Sturgis, TIF, U.S. Fireplace Products, Urbana, Z Flex

Arizona: American Chimney Shroud, Barbara Jean, Butt Rub, Condar, Dante, DuraVent, Dwyer, Ember Guard, Empire EnerVex, Faber, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Forrest Paint, Gastite, Goods of the Woods, Graysen Woods, GreenFan, HYC, Infratech, Jackson Grills, Kingsman, Le Bol, Liberty Foundry, Malco, Marquis, Modern Flames, Nectre, Pacific Energy, Plaza, Real Fyre, Reliance, Renaissance, Ritchie, Robertshaw, RSF, Rutland, Saver Systems, SIT, Skamol, Skytech, Sturgis, TIF, Town & Country, True North, U.S. Fireplace Products, Urbana, Z Flex

Arkansas: American Chimney Shroud, Barbara Jean, Butt Rub, Condar, Dante, Dimplex, DuraVent, Dwyer, Ember Guard, Empire, EnerVex, Enviro, Faber, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Gastite, Goods of the Woods, Graysen Woods, GreenFan, Hargrove, HYC, Infratech, Jackson Grills, Kingsman, Le Bol, Liberty Foundry, Malco, Marquis, Meeco, Modern Flames, Nectre, Pacific Energy, Plaza, Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, SIT, Skytech, Sturgis, TIF, Town & Country, True North, US Fireplace Products, Urbana, Z Flex

About AES, Products, Index and Dealer Information

Product Availability by State

California: American Chimney Shroud, American Fyre Designs (*no so-cal*), AOG (*no so-cal*), Barbara Jean, Butt Rub, Condar, Dante, Dimplex, Duravent, Dwyer, Ember Guard, Empire, Enervex, Enviro, Faber, Fire Magic (*no so-cal*), Firegear, Fireglass Plus, Flame Genie, Flame Tec, Forrest Paint, Gastite, Goods of the Woods, Graysen Woods, GreenFan, HYC, Infratech, Jackson Grills, Kingsman, Le Bol, Liberty Foundry, Malco, Marquis, Modern Flames, Nectre, Pacific Energy, Plaza, Real Fyre (*no so-cal*) Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, Rutland, Saver Systems, SIT, Skamol, Skytech, Sturgis, TIF, Town & Country, True North, U.S. Fireplace Products, Urbana, Z Flex

Colorado: American Chimney Shroud, American Fyre Designs, AOG, Barbara Jean, Butt Rub, Condar, Dante, Dimplex, Duravent, Dwyer, Ember Guard, Empire, Enervex, Enviro, Faber, Fire Magic, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Forrest Paint, Gastite, Goods of the Woods, Graysen Woods, GreenFan, HYC, Infratech, Jackson Grills, Kingsman, Le Bol, Liberty Foundry, Malco, Modern Flames, Nectre, Pacific Energy, Plaza, Real Fyre, Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, Rutland, Saver Systems, SIT, Skamol, Skytech, Sturgis, TIF, Town & Country, True North, U.S. Fireplace Products, Urbana, Z Flex

Hawaii: American Chimney Shroud, American Fyre Designs, AOG, Barbara Jean, Big Green Egg, Butt Rub, Condar, Dante, Dimplex, Duravent, Dwyer, Ember Guard, Empire, Enervex, Enviro, Faber, Fire Magic, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Forrest Paint, Gastite, Goods of the Woods, Graysen Woods, GreenFan, HYC, Infratech, Jackson Grills, Kingsman, Le Bol, Liberty Foundry, Malco, Marquis, Modern Flames, Nectre, Pacific Energy, Plaza, Real Fyre, Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, Rutland, Saver Systems, SIT, Skamol, Skytech, Sturgis, TIF, Town & Country, U.S. Fireplace Products, Urbana, Z Flex

Idaho: American Chimney Shroud, American Fyre Designs, AOG, Barbara Jean, Big Green Egg, Butt Rub, Condar, Dante, Dimplex, Duravent, Dwyer, Ember Guard, Enervex, Enviro, Faber, Fire Magic, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Forrest Paint, Gastite, Goods of the Woods, Graysen Woods, GreenFan, HYC, Infratech, Jackson Grills, Kingsman, Le Bol, Liberty Foundry, Malco, Marquis, Meeco, Modern Flames, Nectre, Plaza, Real Fyre, Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, Rutland, Saver Systems, SIT, Skamol, Skytech, Sturgis, TIF, U.S. Fireplace Products, Urbana, Z Flex

Illinois: American Chimney Shroud, Barbara Jean, Butt Rub, Condar, Dante, Dimplex, Duravent, Dwyer, Ember Guard, Empire, Enervex, Enviro, Faber, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Gastite, Goods of the Woods, Graysen Woods, GreenFan, Hargrove, HYC, Infratech, Jackson Grills, Kingsman, Le Bol, Liberty Foundry, Malco, Marquis, Meeco, Modern Flames, Nectre, Pacific Energy, Plaza, Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, SIT, Skytech, Sturgis, TIF, Town & Country, True North, US Fireplace Products, Urbana, Z Flex

Iowa: American Chimney Shroud, Barbara Jean, Butt Rub, Condar, Dante, Dimplex, Duravent, Dwyer, Ember Guard, Empire, Enervex, Enviro, Faber, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Gastite, Goods of the Woods, Graysen Woods, GreenFan, Hargrove, HYC, Infratech, Jackson Grills, Kingsman, Le Bol, Liberty Foundry, Malco, Marquis, Meeco, Modern Flames, Nectre, Pacific Energy, Plaza, Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, SIT, Skytech, Sturgis, TIF, Town & Country, True North, US Fireplace Products, Urbana, Z Flex

Kansas: American Chimney Shroud, Barbara Jean, Butt Rub, Condar, Dante, Dimplex, Duravent, Dwyer, Ember Guard, Empire, Enervex, Enviro, Faber, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Gastite, Goods of the Woods, Graysen Woods, GreenFan, Hargrove, HYC, Infratech, Jackson Grills, Kingsman, Le Bol, Liberty Foundry, Malco, Marquis, Meeco, Modern Flames, Nectre, Pacific Energy, Plaza, Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, SIT, Skytech, Sturgis, TIF, Town & Country, True North, US Fireplace Products, Urbana, Z Flex

Louisiana: American Chimney Shroud, Barbara Jean, Butt Rub, Condar, Dante, Dimplex, Duravent, Dwyer, Ember Guard, Empire, Enervex, Enviro, Faber, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Gastite, Goods of the Woods, Graysen Woods, GreenFan, Hargrove, HYC, Infratech, Jackson Grills, Kingsman, Le Bol, Liberty Foundry, Malco, Marquis, Meeco, Modern Flames, Nectre, Pacific Energy, Plaza, Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, SIT, Skytech, Sturgis, TIF, Town & Country, True North, US Fireplace Products, Urbana, Z Flex

Michigan (Upper): American Chimney Shroud, Butt Rub, Condar, Dante, Dimplex, Duravent, Dwyer, Ember Guard,

About AES, Products, Index and Dealer Information

Product Availability by State

Empire, Enervex, Enviro, Faber, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Gastite, Goods of the Woods, Graysen Woods, GreenFan, Hargrove, HYC, Infratech, Jackson Grills, Le Bol, Liberty Foundry, Malco, Meeco, Modern Flames, Nectre, Pacific Energy, Plaza, Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, SIT, Skytech, Sturgis, TIF, Town & Country, True North, US Fireplace Products, Urbana, Z Flex

Minnesota: American Chimney Shroud, Butt Rub, Condar, Dante, Dimplex, Duravent, Dwyer, Ember Guard, Empire, Enervex, Enviro, Faber, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Gastite, Goods of the Woods, Graysen Woods, GreenFan, Hargrove, HYC, Infratech, Jackson Grills, Le Bol, Liberty Foundry, Malco, Meeco, Modern Flames, Nectre, Pacific Energy, Plaza, Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, SIT, Skytech, Sturgis, TIF, Town & Country, True North, US Fireplace Products, Urbana, Z Flex

Missouri: American Chimney Shroud, Barbara Jean, Butt Rub, Condar, Dante, Dimplex, Duravent, Dwyer, Ember Guard, Empire, Enervex, Enviro, Faber, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Gastite, Goods of the Woods, Graysen Woods, GreenFan, Hargrove, HYC, Infratech, Jackson Grills, Kingsman, Le Bol, Liberty Foundry, Malco, Marquis, Meeco, Modern Flames, Nectre, Pacific Energy, Plaza, Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, SIT, Skytech, Sturgis, TIF, Town & Country, True North, US Fireplace Products, Urbana, Z Flex

Montana: American Chimney Shroud, American Fyre Designs, AOG, Barbara Jean, Big Green Egg, Butt Rub, Condar, Dante, Dimplex, Duravent, Dwyer, Ember Guard, Empire, Enervex, Enviro, Faber, Fire Magic, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Forrest Paint, Gastite, Goods of the Woods, Graysen Woods, GreenFan, HYC, Infratech, Jackson Grills, Kingsman, Le Bol, Liberty Foundry, Malco, Marquis, Modern Flames, Plaza, Real Fyre, Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, Rutland, Saver Systems, SIT, Skamol, Skytech, Sturgis, TIF, U.S. Fireplace Products, Urbana, Z Flex

Nebraska: American Chimney Shroud, Barbara Jean, Butt Rub, Condar, Dante, Dimplex, Duravent, Dwyer, Ember Guard, Empire, Enervex, Enviro, Faber, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Gastite, Goods of the Woods, Graysen Woods, GreenFan, Hargrove, HYC, Infratech, Jackson Grills, Kingsman, Liberty Foundry, Le Bol, Malco, Marquis, Meeco, Modern Flames, Nectre, Pacific Energy, Plaza, Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, SIT, Skytech, Sturgis, TIF, Town & Country, True North, US Fireplace Products, Urbana, Z Flex

Nevada: American Chimney Shroud, American Fyre Designs, AOG, Barbara Jean, Butt Rub, Condar, Dante, Dimplex, Duravent, Dwyer, Ember Guard, Empire, Enervex, Enviro, Faber, Fire Magic, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Forrest Paint, Gastite, Goods of the Woods, Graysen Woods, GreenFan, HYC, Infratech, Jackson Grills, Kingsman, Le Bol, Liberty Foundry, Malco, Marquis, Modern Flames, Nectre, Pacific Energy, Plaza, Real Fyre, Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, Rutland, Saver Systems, SIT, Skamol, Skytech, Sturgis, TIF, Town & Country, True North, U.S. Fireplace Products, Urbana, Z Flex

New Mexico: American Chimney Shroud, American Fyre Designs, AOG, Barbara Jean, Butt Rub, Condar, Dante, Dimplex, Duravent, Dwyer, Ember Guard, Empire, Enervex, Faber, Fire Magic, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Forrest Paint, Gastite, Goods of the Woods, Graysen Woods, GreenFan, HYC, Infratech, Jackson Grills, Kingsman, Le Bol, Liberty Foundry, Malco, Marquis, Modern Flames, Nectre, Pacific Energy, Plaza, Real Fyre, Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, Rutland, Saver Systems, SIT, Skamol, Skytech, Sturgis, TIF, Town & Country, True North, U.S. Fireplace Products, Urbana, Z Flex

North Dakota: American Chimney Shroud, Butt Rub, Condar, Dante, Dimplex, Duravent, Dwyer, Ember Guard, Empire, Enervex, Enviro, Faber, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Gastite, Goods of the Woods, Graysen Woods, GreenFan, Hargrove, HYC, Infratech, Jackson Grills, Le Bol, Liberty Foundry, Malco, Meeco, Modern Flames, Nectre, Pacific Energy, Plaza, Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, SIT, Skytech, Sturgis, TIF, Town & Country, True North, US Fireplace Products, Urbana, Z Flex

Oklahoma: American Chimney Shroud, Barbara Jean, Butt Rub, Condar, Dante, Dimplex, Duravent, Dwyer, Ember Guard, Empire, Enervex, Enviro, Faber, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Gastite, Goods of the Woods, Graysen Woods,

2
0
2
5
-
2
0
2
6

About AES, Products, Index and Dealer Information

Product Availability by State

GreenFan, Hargrove, HYC, Infratech, Jackson Grills, Kingsman, Le Bol, Liberty Foundry, Malco, Marquis, Meeco, Modern Flames, Nectre, Pacific Energy, Plaza, Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, SIT, Skytech, Sturgis, TIF, Town & Country, True North, US Fireplace Products, Urbana, Z Flex

Oregon: American Chimney Shroud, American Fyre Designs, AOG, Barbara Jean, Big Green Egg, Butt Rub, Condar, Dante, Dimplex, Duravent, Dwyer, Ember Guard, Empire, Enervex, Enviro, Faber, Fire Magic, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Forrest Paint, Gastite, Goods of the Woods, Graysen Woods, GreenFan, HYC, Infratech, Jackson Grills, Kingsman, Le Bol, Liberty Foundry, Malco, Marquis, Meeco, Modern Flames, Nectre, Plaza, Real Fyre, Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, Rutland, Saver Systems, SIT, Skamol, Skytech, Sturgis, TIF, U.S. Fireplace Products, Urbana, Z Flex

South Dakota: American Chimney Shroud, Butt Rub, Condar, Dante, Dimplex, Duravent, Dwyer, Ember Guard, Empire, Enervex, Enviro, Faber, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Gastite, Goods of the Woods, Graysen Woods, GreenFan, Hargrove, HYC, Infratech, Jackson Grills, Le Bol, Liberty Foundry, Malco, Meeco, Modern Flames, Nectre, Pacific Energy, Plaza, Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, SIT, Skytech, Sturgis, TIF, Town & Country, True North, US Fireplace Products, Urbana, Z Flex

Texas: American Chimney Shroud, Barbara Jean, Butt Rub, Condar, Dante, Dimplex, Duravent, Dwyer, Ember Guard, Empire, Enervex, Enviro, Faber, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Gastite, Goods of the Woods, Graysen Woods, GreenFan, Hargrove, HYC, Infratech, Jackson Grills, Kingsman, Le Bol, Liberty Foundry, Malco, Marquis, Meeco, Modern Flames, Nectre, Pacific Energy, Plaza, Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, SIT, Skytech, Sturgis, TIF, Town & Country, True North, US Fireplace Products, Urbana, Z Flex

Utah: American Chimney Shroud, American Fyre Designs, AOG, Barbara Jean, Butt Rub, Condar, Dante, Dimplex, Duravent, Dwyer, Ember Guard, Empire, Enervex, Faber, Fire Magic, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Forrest Paint, Gastite, Goods of the Woods, Graysen Woods, GreenFan, HYC, Infratech, Jackson Grills, Kingsman, Le Bol, Liberty Foundry, Malco, Marquis, Modern Flames, Nectre, Pacific Energy, Plaza, Real Fyre, Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, Rutland, Saver Systems, SIT, Skamol, Skytech, Sturgis, TIF, Town & Country, True North, U.S. Fireplace Products, Urbana, Z Flex


Washington: American Chimney Shroud, American Fyre Designs, AOG, Barbara Jean, Big Green Egg, Butt Rub, Condar, Dante, Dimplex, Duravent, Dwyer, Ember Guard, Empire, Enervex, Enviro, Faber, Fire Magic, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Forrest Paint, Gastite, Goods of the Woods, Graysen Woods, GreenFan, HYC, Infratech, Jackson Grills, Kingsman, Le Bol, Liberty Foundry, Malco, Marquis, Modern Flames, Nectre, Plaza, Real Fyre, Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, Rutland, Saver Systems, SIT, Skamol, Skytech, Sturgis, TIF, U.S. Fireplace Products, Urbana, Z Flex

Wisconsin: American Chimney Shroud, Butt Rub, Condar, Dante, Dimplex, Duravent, Dwyer, Ember Guard, Empire, Enervex, Enviro, Faber, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Gastite, Goods of the Woods, Graysen Woods, GreenFan, Hargrove, HYC, Infratech, Jackson Grills, Le Bol, Liberty Foundry, Malco, Meeco, Modern Flames, Nectre, Pacific Energy, Plaza, Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, SIT, Skytech, Sturgis, TIF, Town & Country, True North, US Fireplace Products, Urbana, Z Flex

Wyoming: American Chimney Shroud, American Fyre Designs, AOG, Barbara Jean, Butt Rub, Condar, Dante, Dimplex, Duravent, Dwyer, Ember Guard, Empire, Enervex, Enviro, Faber, Fire Magic, Firegear, Fireglass Plus, Flame Genie, Flame Tec, Forrest Paint, Gastite, Goods of the Woods, Graysen Woods, GreenFan, HYC, Infratech, Jackson Grills, Kingsman, Le Bol, Liberty Foundry, Malco, Marquis, Modern Flames, Nectre, Pacific Energy, Plaza, Real Fyre, Reliance, Renaissance, RH Peterson, Ritchie, Robertshaw, RSF, Rutland, Saver Systems, SIT, Skamol, Skytech, Sturgis, TIF, Town & Country, True North, U.S. Fireplace Products, Urbana, Z Flex

Associated Energy Systems Territory Map

|  AES Distribution Centers |
|--|
| Kent, WA |
| Sacramento, CA |
| Denver, CO |
| Dallas, TX |
| Rogers, MN |



**Territories and product availability subject to change without notice*

About AES, Products, Index and Dealer Information

| A | |
|--|-------------------------|
| Adapters, Insert to Liner | 304 |
| Air Circulation Systems | |
| Condair Air Supply Ventilator | 424, 813 |
| Air Freshener | |
| Condair Stove Scents | 611 |
| Aluminum Air Intake Ducting | 416 |
| Aluminum Chimney Liner Kits | 415 |
| Aluminum Flex | 406, 415 |
| Aluminum Tape | 212, 311 |
| Aluminum Tubing | 833 |
| American Chimney Shroud | |
| Decorative Shrouds and Pots | 147-151 |
| American Hearth Products "Reliance Liner" | |
| Air Basket | 311 |
| Base Conversion Adapters | 208 |
| Chimney Cap Stainless | 144 |
| Clamp Hanger | 307 |
| Drawband Cap | 209, 210 |
| Elbows | 209, 210 |
| Flat Plates | 209, 210, 307 |
| Flex Couplers | 306 |
| Flex Offsets | 306 |
| Increases | 141, 307 |
| Insert/Liner Adapters | 310 |
| Liner, "Zero-Zero" System | 311 |
| Nose Cones | 212, 300 |
| Oval Flex | 300-301 |
| Pipe Baffles | 142 |
| Pipe Lengths | 209, 210 |
| Rectangle to Round Adapter | 310 |
| Reducers | 129, 208, 209, 210, 307 |
| Rodent Screens | 208 |
| Square to Round Adapters | 310 |
| Star Clamp | 311 |
| Storm Collar | 209, 210 |
| Tees: | |
| Pellet Liner | 209-210 |
| Wood Liner (Universal) | 305-311 |
| Thimbles | 306 |
| Tile Caps | 209 |
| Weatherband Cap | 209, 210, 308 |
| Wind Directional Caps | 209, 210, 308 |
| Wind Hoods | 208 |
| Anchor Screws | 837 |
| Automatic Shut-off Valve, RH Peterson | 416 |
| Aviation Snips | 839 |
| Awl, Scratch | 840 |
| B | |
| Baffles, American Hearth Products "Reliance" | 142 |
| Base Conversion Adapters, Pellet | 208 |
| Baskets, Wood | See Section 600 |
| Dante Log Lighters | 417 |
| Brass Cleaner | |
| Flitz | 814 |
| Meeco | 806 |
| Rutland | 819 |
| Stove Bright | 805 |
| SS Flex Connectors | 418 |
| Brushes, Chimney | |
| Meeco | 810-811 |
| Rutland | |

| Burners | |
|---|--------------|
| Hargrove | Section 500 |
| RH Peterson | Section 500 |
| C | |
| Carbon Monoxide Monitors | 833 |
| Catalytic Combustors | 813 |
| Caulking, Perma-Chink | 814 |
| Ceramic Wool, Foil Faced | 309, 311 |
| Chimney | |
| Dura-Vent | |
| Direct-Vent Pro | 400-408 |
| Dura-Black Single Wall Stove Pipe | 136-138 |
| Dura-Chimney II | 139-140 |
| DuraPlus 2100° HT Class A | 117-121 |
| Duratech Chimney | 122-132 |
| DVL Close Clearance Connector | 133-135 |
| Pellet VentPro | 200-202 |
| Industrial Chimney Company | |
| EXCEL 103HT Class A | 100-107 |
| EXCELiner | 303-304 |
| EXCEL Direct Vent | 410-414 |
| EXCEL Pellet Vent | 203-206 |
| "RIS" Large Diameter | 108-113 |
| UltraBlack | 113 |
| EXCEL Prime | 114-115 |
| Chimney Brushes and Rods, Meeco | 810-811 |
| Chimney Brushes and Rods, Rutland | 821-824 |
| Chimney Cleaners | |
| Meeco | 806 |
| Rutland | 819 |
| SaverSystems | 825-826 |
| Soot eater | 824 |
| Chimney Covers and Hatches: | |
| HY-C, Big Top and Draft King | 132-133 |
| American Hearth Products "Reliance Liner" | 143-144 |
| Chimney Fans, Enervex | 841-843 |
| Chimney Lining and Parts: | |
| American Hearth "Reliance" | |
| Pellet | 207-210, 212 |
| Wood | 305-311 |
| Chimney Shrouds | |
| American Chimney Shroud | 147-151 |
| Class "A" Chimney and Parts | |
| DuraPlus 2100HT | 117-121 |
| Cleaning Products | |
| Flitz Polish | 814 |
| Meeco | 806-807 |
| Rutland | 819 |
| Speedy White | 815 |
| Stove Bright by Forrest Paint | 804-805 |
| SaverSystems | 825-826 |
| Cobalt Drill Bits | 838 |
| Color Cones, Goods of the Woods | 607-608 |
| Combo Snips | 839 |
| Concentric Flex Pipe, Duravent | 408-409 |
| Condair: | |
| Catalytic Combustors | 813 |
| Fireplace Accessories | 611 |
| ASV-90 Air Supply Ventilator | 424, 813 |
| Connectors | |
| Stainless Steel | 418 |
| Whistle Free, Firegear | 418 |

About AES, Products, Index and Dealer Information

| | | |
|--|--|--------------|
| Controls | | |
| Gas, Flame Tec | | 831 |
| Gas, SIT | | 834-835 |
| Remote, Skytech | | 827-830 |
| Corrugated Stainless Steel Flex Liner | | 211, 300-302 |
| Crimpers | | 839 |
| D | | |
| Dampers: | | |
| Chimney Top, US Fireplace | | 142-143 |
| Dante Valves | | 417 |
| Dimplex | | |
| Electric Fireplaces | | Section 900 |
| Electric Log Sets and Cassettes | | Section 900 |
| Direct Vent Gas Fireplaces | | |
| Faber | | Section 700 |
| Kingsman | | Section 700 |
| Plaza | | Section 700 |
| Direct Vent Gas Inserts | | |
| Kingsman | | Section 700 |
| Real Fyre | | Section 700 |
| Direct Vent Gas Stoves | | |
| Kingsman | | Section 700 |
| True North | | Section 700 |
| Multi Sided Direct Vent Gas Fireplaces | | |
| Faber | | Section 700 |
| Kingsman | | Section 700 |
| Plaza | | Section 700 |
| Direct Vent Pipe | | |
| Dura-Vent | | |
| DirectVent Pro | | 400-408 |
| Drill Bits | | 838 |
| Duct Holder | | 840 |
| Durablanket | | 309, 311 |
| Dura-Vent | | |
| Concentric Flex | | 408-409 |
| CVS | | 410 |
| Direct Vent Direct Vent Pro | | 400-409 |
| Dura-Black Single Wall Stove Pipe | | 136-138 |
| DuraChimney II | | 139-140 |
| DuraPlus 2100°HT Class A Chimney | | 117-121 |
| DuraTech Chimney | | 122-132 |
| DVL Close Clearance Connector | | 133-135 |
| PelletVent Pro | | 200-202 |
| Dwyer | | |
| Magnahelic Pressure Gauge | | 836 |
| E | | |
| Electrical Connectors | | 838 |
| Electric Fireplaces | | |
| Dimplex | | Section 900 |
| Faber E-Matrix | | Section 900 |
| Modern Flames | | Section 900 |
| Electric Logs | | Section 900 |
| EXCEL 103HT Chimney | | 100-107 |
| Empire Products | | |
| Gas Appliances | | Section 700 |
| Plaque Heaters | | 613-620 |
| EXCEL Direct Vent | | 410-414 |
| EXCELiner | | 303-304 |
| EXCEL Pellet Vent | | 200-202 |
| Energex Chimney Fans | | 841-843 |
| F | | |
| Fans | | |

| | | |
|-------------------------------------|--|-------------------|
| Energex | | 841-843 |
| GreenFan | | 845-847 |
| Fire Lighter/Starter | | |
| Goods of the Woods, Fatwood & Cones | | 607-608 |
| Rutland, Gelled & Solid | | 820 |
| Stove Bright, Gelled | | 804 |
| Fire Cones/Crystals | | |
| Goods of the Woods | | 607 |
| Rutland | | 820 |
| Fireplaces | | |
| Dimplex | | Section 900 |
| Empire | | Section 700 |
| Faber | | Section 700 |
| Kingsman | | Section 700 |
| Modern Flames | | Section 900 |
| Plaza | | Section 700 |
| RH Peterson | | Section 700 |
| Fireplace Grates | | |
| Liberty Foundry | | 612 |
| Fireplace Inserts | | |
| Empire | | Section 700 |
| Kingsman | | Section 700 |
| RH Peterson | | Section 700 |
| Flame Genie Pellet Fire Pit | | 606 |
| Flame Stick/Crystals, Rutland | | 820 |
| Flame Tec | | 831 |
| Flaring Tool | | 839 |
| FlashShield | | 421-423 |
| Flat Plates, Stainless | | 209-211, 302, 307 |
| Flex | | |
| Adapters | | 406-407 |
| Air Intake | | 208 |
| Aluminum Chimney Liner and Kits | | 406 |
| Aluminum Ducting | | 416 |
| Connectors, gas: | | |
| Brass | | 418-422 |
| Stainless Steel | | 418-422 |
| Couplers, Stainless | | 212, 306 |
| Fittings, Oval-to-Round | | 300 |
| Liner: | | |
| Outside Air | | 208, 212 |
| Pellet | | 207-210 |
| Stainless Steel Flex | | 300-302 |
| Wood | | 300-302 |
| Flitz Polish and Fiberglass Cleaner | | 814 |
| Floor Protectors | | |
| Graysen Woods | | 601-604 |
| HY-C | | 605, 814 |
| Rugs, Goods of the Woods | | 609-610 |
| Forrest Paint | | 801-805, 815 |
| Furnace Cement | | |
| Meeco | | 807 |
| Rutland | | 817 |
| G | | |
| Gas Controls, Flame Tec | | 831 |
| Gas Controls, SIT | | 834-835 |
| Gas Detectors/Testers | | 836 |
| Gas Fireplaces | | |
| Empire | | Section 700 |
| Kingsman | | Section 700 |
| Faber | | Section 700 |
| Plaza | | Section 700 |
| Gas Flexible Connectors | | 418 |

About AES, Products, Index and Dealer Information

| | | |
|---|--|-----------------|
| Gas Logs | | |
| Hargrove | | Section 500 |
| Real-Fyre, R.H. Peterson | | Section 500 |
| Gas Log Maintenance Materials | | |
| ACS Gas Log Cleaner | | 826 |
| Rutland, Log Bright | | 818 |
| Gas Piping | | |
| FlashShield | | 421-422 |
| Gastite | | 419-420 |
| Gas Pressure Testers | | |
| | | 836 |
| Gas Stoves | | |
| Kingsman | | Section 700 |
| True North | | Section 700 |
| Gas Valves | | |
| Dante | | 417 |
| Firegear | | 418 |
| Millivolt, Robertshaw | | 833 |
| Gas Vent | | |
| Dura-Vent | | |
| Direct VentPro | | 400-407 |
| Gas Vent Paint, Stove Bright by Forrest Paint | | |
| | | 802 |
| Gasket | | |
| AES | | 816 |
| Meeco | | 808-810 |
| Rutland | | 816 |
| Stovebright by Forrest Paint | | 815 |
| Gasket Cement, Meeco | | |
| | | 807 |
| Gasket Cement, Rutland | | |
| | | 816 |
| Gastite Corrugated Stainless Piping | | |
| | | 419-420 |
| Gelled Firestarter | | |
| Meeco | | 806 |
| Rutland | | 820 |
| Stove Bright by Forrest Paint | | 804 |
| Gift Baskets/Crates | | |
| | | 608 |
| Glass Cleaner | | |
| Meeco | | 806 |
| Rutland | | 819 |
| Stove Bright by Forrest Paint | | 804 |
| Gloves, Meeco | | |
| | | 807 |
| Gloves, Rutland | | |
| | | 606 |
| Goods of the Woods | | |
| Color Cones | | 607 |
| Firestarters | | 607-608 |
| Scented Cones & Potpourri | | 608 |
| Starter Crates & Samplers | | 608 |
| Hearth Rugs | | 609-610 |
| Log Carriers | | 608 |
| Grates | | |
| Liberty Foundry | | 612 |
| Coal, RH Peterson | | See Section 500 |
| Graysen Woods | | |
| Tile Hearth Pads and Extensions | | 601-604 |
| GreenFan | | |
| | | 845-847 |
| H | | |
| Hand Notcher | | |
| | | 840 |
| Hand Seamer | | |
| | | 840 |
| Hargrove | | |
| Vented Logs & Accessories | | 521-526 |
| Vent Free Logs & Accessories | | 526-534 |
| Hearth Pads, Ember Guard (HYC) | | |
| | | 605 |
| Hearth Pads, Graysen Woods | | |
| | | 601-604 |
| Hearth Rugs, Goods of the Woods | | |
| | | 609-610 |
| Heaters | | |

| | | |
|-----------------------------------|--|-------------|
| Empire, Plaque | | 613-620 |
| Hex Head Screws | | |
| | | 837 |
| Hex Key Set | | |
| | | 837 |
| Hole Cutter | | |
| | | 840 |
| HY-C | | |
| Ember Guard Hearth Pads | | 605 |
| Flame Genie Pellet Fire Pit | | 606 |
| Chimney Caps | | 144-145 |
| Log Holder/Log Rack | | 606 |
| Stove Board | | 814 |
| Wall Spacing Kit | | 814 |
| I | | |
| Industrial Chimney Company | | |
| Excel 103HT | | 100-107 |
| EXCEL Direct | | 410-414 |
| EXCELiner | | 303-304 |
| EXCEL Pellet | | 203-206 |
| Excel Prime | | 115-116 |
| "RIS", 10"-24" | | 108-113 |
| Ultrablack | | 114 |
| Increasesers | | |
| Black, Duravent | | 137-138 |
| Stainless, Reliance | | 307 |
| Inserts, Gas | | |
| Kingsman | | Section 700 |
| Inserts, Electric | | |
| Dimplex | | Section 900 |
| Modern Flames | | Section 900 |
| Inserts, Wood | | |
| True North | | Section 700 |
| Insert/Liner Adapters | | |
| | | 310 |
| Insulation | | |
| | | 309, 311 |
| Insulation Tie Bands | | |
| | | 311 |
| Interior Gas Piping, Gastite | | |
| | | 419-420 |
| K | | |
| Kettles | | |
| Condar | | 611 |
| Kingsman | | |
| B-Vent Gas Insert | | Section 700 |
| Direct Vent Gas Stoves | | Section 700 |
| Direct Vent Gas Fireplaces | | Section 700 |
| Direct Vent Gas Inserts | | Section 700 |
| Venting | | Section 700 |
| L | | |
| Liberty Foundry, Grates | | |
| | | 612 |
| Liner | | |
| EXCELiner | | 303-304 |
| Gas | | 406-407 |
| Outside Air Flex | | 208 |
| Pellet | | 200-212 |
| Reliance "Zero-Zero" Liner System | | 311 |
| Stainless Steel Flex, Pellet | | 211 |
| Stainless Steel Flex, Wood | | 300-302 |
| Log Holders/Carriers/Totes | | |
| Condar | | 611 |
| Goods of the Woods | | 608 |
| HYC | | 606 |
| Log Lighters, Dante | | |
| | | 417 |
| Logs, Electric | | |
| Modern Flames | | 907 |
| Logs, Gas | | |
| Hargrove | | Section 500 |

2
0
2
5
-
2
0
2
6

About AES, Products, Index and Dealer Information

| | |
|--|-------------|
| R.H. Peterson | Section 500 |
| M | |
| Malco Tools | 839-840 |
| Matches | |
| Rutland | 820 |
| Meeco | |
| Cleaners, Paints, Polishes & Firestarters | 806 |
| Gasket, Cement & Silicone Sealants | 807 |
| Thermometers, Ash Cleanup, Glass, Rope & Tape | 808-810 |
| Brushes & Rods | 810-811 |
| Millivolt Valves | 835-836 |
| Modern Flames Electric Fireplaces | |
| Landscape Pro Multi-Sided Series Fireplace | Section 900 |
| Landscape Pro Slim Fireplace | Section 900 |
| Landscape 2 Series Fireplace | Section 900 |
| CLX2 Series Recessed or Wall Mount Fireplace | Section 900 |
| Spectrum Series Slide-In/Flush Mount Fireplace | Section 900 |
| Spectrum Slimline Fireplace | Section 900 |
| Home Fire Series Built-In Fireplace | Section 900 |
| ZCR2 Series Insert | Section 900 |
| Builder Series Fireplace | Section 900 |
| Sunset Charred Oak Log Set | Section 900 |
| Mortar, Rutland | 817 |
| N | |
| Nectre Wood Appliances | Section 700 |
| O | |
| Orifice Drill Set | 837 |
| Outside Air Venting | |
| Pellet | 208 |
| Ovalizing | 300 |
| P | |
| Paint | |
| Stove Bright by Forrest Paint | 801-804 |
| Pellet Brushes, Rutland | 821 |
| Pellet Fire Pit, Flame Genie | 606 |
| Pellet Pressure Magnahelic Gauge | 835 |
| Pellet Relining Parts | 207-212 |
| Pellet Vent | |
| Dura Vent | 200-202 |
| EXCEL Pellet | 203-206 |
| Reliance | 207-210 |
| Z-Flex | 211-212 |
| Perma-Chink Texture Grout | 814 |
| Pilot Re-light Kit, Robertshaw | 832 |
| Pipe Deflectors/Baffles: | |
| American Hearth Products "Reliance Liner" | 141-142 |
| Polish | |
| Flitz | 814 |
| Rutland | 819 |
| Stove Bright | 804-805 |
| R | |
| Rainbow | |
| Color Cones, Goods of the Woods | 607 |
| Flame Crystals/Flame Stick | 820 |
| Real-Fyre Gas Logs, R.H. Peterson | Section 500 |

| | |
|-----------------------------------|--------------------------------|
| Reducers | |
| Regulators | |
| Hi-Lo Adjustable | 833 |
| Robertshaw | 833 |
| SIT | 833 |
| "Reliance Liner" | 141-142, 144, 207-210, 305-311 |
| Remote Controls, Skytech | 827-830 |
| R.H. Peterson | |
| Burners | Section 500 |
| Geo Shapes & Fyre stones | Section 500 |
| Real-Fyre Gas Logs | Section 500 |
| Ritchie Gas Test Kits | 836 |
| Robertshaw | |
| Automatic Pilot Relight Kit | 832 |
| Carbon Monoxide Detector/Alarms | 833 |
| Electrical Connectors | 838 |
| Lubricant | 838 |
| Thermocouples/Thermopiles | 832-833 |
| Thermostats | 832 |
| Valves | 833 |
| Rock Wool | 818 |
| Rock Wool, Hargrove | 525 |
| Rugs, Goods of the Woods | 609-610 |
| Rope Gasket, AES | 816 |
| Rope Gasket, Meeco | 808-810 |
| Rope Gasket, Rutland | 816 |
| Rutland Products | 816-824 |
| S | |
| Saf-T-Grates, Liberty Foundry | 612 |
| SaverSystems Products | 825-826 |
| Scratch Awl | 840 |
| Screws | |
| Misc. | 837 |
| Shrouds, Chimney | 147-151 |
| Shut-Off Valves | 416 |
| Silicone | |
| Forrest Paint | 815 |
| Meeco | 807 |
| Rutland | 818 |
| Single Wall Pipe Baffles | 142 |
| SIT Gas Regulators | 834-835 |
| Skamol | 844 |
| Skytech Remote Controls | 827-830 |
| Speedy White | 815 |
| Square-to-Round Adapters | 310 |
| Stainless Steel | |
| Cleaner, Forrest Paint | 805 |
| Connectors, Flex | 418 |
| ZF Light Flex | 211 |
| HP Flex, Type 304 | 300 |
| Star Clamps, Stainless | 307 |
| Steamers | |
| Condar | 611 |
| Steel Hearth Pads | |
| Ember Guard, HYC | 605 |
| Storm Collars, Stainless Reliance | 209-210 |
| Stoves, Gas | |
| Kingsman | Section 700 |
| True North | Section 700 |
| Stoves, Pellet | |
| True North | Section 700 |
| Stoves, Wood | |
| Nectre | Section 700 |
| True North | Section 700 |
| Stove Board, HYC | 814 |

About AES, Products, Index and Dealer Information

| | |
|---------------------------------------|--------------|
| Stove Bright by Forrest Paint | 801-805, 815 |
| T | |
| Tape & Self Adhesive Gasket | 815-816 |
| Tea Kettles | |
| Condar | 611 |
| Tensioning Tool | 838 |
| Thermocouples/Thermopiles | 832 |
| Thermometers | |
| Condar | 812 |
| Meeco | 808 |
| Thermostat, Robertshaw | 832 |
| Tiff Gas Detector | 836 |
| Tile Hearth Pads, Graysen Woods | 601-604 |
| Titeflex, Gastite Flexible Gas Piping | 419-420 |
| Top Sealing Fireplace Damper | |
| US Fireplace Products | 142-143 |
| Tube Benders | 839 |
| Tube Cutter | 840 |
| Tubing | |
| Flashshield | 421-423 |
| Gastite | 419-420 |
| U | |
| Underground Gas Piping, Gastite | 421 |
| US Fireplace Products | 142-143 |
| V | |
| Valves | |
| Dante | 417 |
| Firegear | 418 |
| Millivolt, Robertshaw | 832 |
| Regulators, SIT | 834-835 |
| Vent Free Appliances | |
| Hargrove, Gas Logs | Section 500 |
| R.H. Peterson, Gas Logs | Section 500 |
| W | |
| Wall Shield, HY-C | 814 |
| Wall Spacer Kits | 814 |
| Water Proofing/Repellent | |
| Saver Systems | 825 |
| Weatherband Caps | 210, 308 |
| White-off Glass Cleaner, Rutland | 819 |
| Wind Directional Caps, Stainless | 209-210, 308 |
| Wire Mesh Sleeve | 309, 311 |
| Wood and Log Holders | |
| Condar | 611 |
| HY-C | 606 |
| Wool, Rock | |
| Hargrove | Section 500 |
| Rutland | 818 |
| Z | |
| Zip Screws | 837 |
| Zip Snips | 839 |

2
0
2
5
-
2
0
2
6

About AES, Products, Index and Dealer Information

Standard Terms

General Information

HOW TO REACH US

Customer Service:

Toll-Free Customer Service Numbers

Business Office Phone: 800-682-8602

Sales & Service Phone: 800-682-9722

Local Service Numbers

Business Office, Local: 425-251-3901

Sales & Service, Local: 425-251-9190

| Sales & Technical Management - CALL 800-682-9722 | | | |
|---|---|------|------------------------|
| Name | Position | Ext. | Email |
| Don Pierce | Inside Sales and Technical Team Manager | 1005 | donp@aes4home.com |
| Our Inside Sales & Technical Team - CALL 800-682-9722 | | | |
| Name | Territory | Ext. | Email |
| Heather Smith | Alaska, Hawaii, Idaho, Oregon, Washington, Montana, Utah, W. Wyoming | 1006 | heathers@aes4home.com |
| Tony Klontz | Graysen Woods, Custom Outdoor & Inside Sales Support | 1026 | tonyk@aes4home.com |
| Mike Franks | Colorado, E. Wyoming, S. Utah, New Mexico, N. California, N. Nevada | 1011 | mikef@aes4home.com |
| Scott Robinson | Texas, Louisiana, Oklahoma, Arkansas, Nebraska, Oklahoma, Kansas, Missouri, Michigan, Minnesota, N. Dakota, S. Dakota, Wisconsin, Iowa, Illinois, & Midwest Technical | 3804 | scottr@aes4home.com |
| Jessica Lisk | Central California, Southern California & Arizona | 1007 | jessical@aes4home.com |
| Dustin Perasso | Internet Sales Manager | 1012 | dustinp@aes4home.com |
| Charlene Hern | Etail and Support | 1028 | charleneh@aes4home.com |
| Our Outside Sales Team - CALL 800-682-9722 | | | |
| Name | Territory | Ext. | Email |
| Dave Anderson | W. Montana, N. Idaho, E. Washington | - | davea@aes4home.com |
| Chuck Bigford | Pacific Northwest - Outdoor Products | - | chuckb@aes4home.com |
| Daniel Bunton | Texas, Louisiana, Oklahoma, Arkansas, Kansas & Missouri | - | danielb@aes4home.com |
| Jon Julian | S. Idaho, E. Montana, Utah, W. Wyoming | - | jonj@aes4home.com |
| Kevin Obee | NE. Arkansas, Iowa, Illinois, E. Missouri, Nebraska | - | kevino@aes4home.com |
| Jeremy Johnson | SW Washington, N. Oregon | - | jeremyj@aes4home.com |
| Lucretia Walker | Greater Dallas Area | - | lucretiaw@aes4home.com |
| Mario Allen | Central California, Southern California & Arizona | - | marioa@aes4home.com |
| Mike Adair | Michigan, Minnesota, N. Dakota, S. Dakota, Wisconsin | - | mikea@aes4home.com |
| Nic Crutchfield | Colorado, E. Wyoming, S. Utah, New Mexico | - | nicc@aes4home.com |
| Rick Lucas | W. Washington, Alaska & Hawaii | - | rickl@aes4home.com |
| Steve Clark | N. California, S. Oregon | - | stevec@aes4home.com |

2
0
2
5
-
2
0
2
6

About AES, Products, Index and Dealer Information

Standard Terms

General Information

HOW TO REACH US

Customer Service:

Payment Remittance Address:

Checks made Payable to:
Associated Energy Systems
8621 South 180th
Kent, WA 98032

Correspondence Address:

Associated Energy Systems
8621 South 180th
Kent, WA 98032

Hours Of Business:

Monday through Friday - *CA, CO, and TX*
8:00 AM to 5:00 PM - Local Time

Monday through Friday - *MN and WA*
7:00 AM to 4:00 PM - Local Time

Web Address:

www.aes4home.com
order.aes4home.com

ASSOCIATED ENERGY SYSTEMS IS A WHOLESALE DISTRIBUTOR

Possession of this catalog does not constitute an offer to sell and does not qualify the holder the ability to purchase at wholesale. We only sell our products to retail dealers with storefront displays operating during normal business hours and to legitimate contractors involved in the trades we serve. Prior to any sale, we require a *Customer Information Form* and Resale Card (if applicable) to be signed and completed in full. Upon completion, a determination will be made whether to set up an account for the applicant.

Please remember we are a wholesale business and do not sell to the public. Our business is to serve you. *Please do not give our telephone number or catalog to your customer.* Our customer service representatives will do their best to have answers to your technical questions at their fingertips. Sometimes, however, your questions may require some research. Please understand that we may have to return your call at a later time to allow for accurate research and answers. Advice is given at no charge and should be used at your own risk. AES does not assume the liability that a particular product or service is suitable under all conditions, but rather represents the best use in our judgment according to the given circumstances.

Standard Terms

General Information

DISTRIBUTION CENTER BRANCHES

To reduce the cost of freight for our customers, AES operates off-site distribution centers where product may be shipped from or picked-up via will call.

AES Distribution Center Locations

Kent, WA
 8621 South 180th
 Kent, WA 98032
 Phone: 800-682-9722
 Will-Call Pick-Up: 7a-4p M-F

Denver, CO
 6700 East Stapleton Drive South
 Denver, CO 80216
 Phone: 303-937-9014
 Will-Call Pick-Up: 8a-5p M-F

West Sacramento, CA
 3250 Reed Avenue
 West Sacramento, CA 95605
 Phone: 916-372-7070
 Will-Call Pick-Up: 8a-5p M-F

Rogers, MN
 20195 South Diamond Lake Road
 Suite 650
 Rogers, MN 55374
 Phone: 800-682-9722
 Will-Call Pick-Up: 7a-4p M-F

Dallas, TX
 14332 Gillis Rd
 Dallas, TX 75244
 Phone: 972-387-3473
 Will-Call Pick-Up: 8a-5p M-F

Frequently-Used Freight Carriers:

| | |
|---------------------|---------------------|
| <i>Kent</i> | <i>Phone Number</i> |
| Reddaway: | 253-872-1837 |
| Peninsula: | 206-762-3490 |
| Oak Harbor: | 800-888-5130 |
| CH Robinson: | 800-323-7587 |
| | |
| <i>Denver</i> | |
| Old Dominion: | 800-235-5569 |
| RAC Transport: | 303-289-5500 |
| Worldwide Express: | 800-785-7447 |
| | |
| <i>California</i> | |
| CH Robinson: | 800-323-7587 |
| Reddaway: | 800-456-3109 |
| | |
| <i>Dallas</i> | |
| World Wide Express: | 800-785-7447 |
| | |
| <i>Rogers</i> | |
| CH Robinson: | 800-323-7587 |
| | |
| <i>UPS</i> | |
| (All Locations): | 800-742-5877 |

WILL-CALL ORDERS

- It is our goal to have your order ready when you arrive.
- Depending on the season/activity level it may take up to 45 minutes from the time the order is placed to have it ready.
- For faster service, place your order ahead of time via phone or at order.aes4home.com and let us know of your planned arrival.
- Will call orders not picked up within 10 days are returned to stock.

DELIVERY

AES delivers to qualified dealers in some metropolitan areas. \$40.00 delivery service charge.

PRICING

This catalog lists individual items priced at retail unless noted on a specific page. This helps to make the catalog a useful sales tool for you and your customers. Prices are subject to change without notice. We will make every effort to inform you when a manufacturer expects to increase prices during the year between publications of our catalog. Notices of price increases are sent in e-mails or mailings. To protect yourself, you should mark your catalog with any increases we inform you of. Please download current pricing at order.aes4home.com

STOCK STATUS

For information on items regularly stocked at our distribution center locations please visit order.aes4home.com or call AES Inside Sales for more information. Stock status of an item may change at any given time without notice.

Standard Terms

Shipping

SHIPPING

All freight is shipped FOB all AES Distribution Centers. Same-day shipping is employed whenever possible and priority is given to orders placed *before*: 1pm (WA, CO), 2pm (CA) and 11am (MN, TX). Orders placed *after* that time are subject to the warehouse staff's ability to ship that day. It is crucial that a staff member is available at your store to accept deliveries. There is a significant charge added by the carrier to handle COD shipments; shipments may be prepaid to save the service charge.

Goods are sent via the "best" method as determined by AES under the freight program. If a specific carrier is preferred at other times, it should be designated at the time the order is placed. All orders are shipped at your option and risk. Certain items are subject to damage, particularly insulated chimney pipe and related fittings. We recommend ordering these goods in quantities that can be palletized for auto freight or will-call.

Freight quotes are offered as a tool to dealers without a guarantee of pricing unless in writing from AES. AES is subject to residential fees, delivery location fees and other additional charges incurred from the carrier, and these will be passed on to the dealer as applicable.

AES cannot guarantee stock of inventory in every distribution center location. If an item is in stock at an alternate distribution center, we will do our best to keep freight charges to the dealer at a minimum by including the item on an inter-company stock transfer. However, any additional freight charges to bring or ship product from another distribution center will be the responsibility of the dealer.

Should special packaging be required by the carriers or requested for shipping, a minimum service charge of \$7.00 per box will be applied to the invoice. A crating fee may apply for large diameter chimney pipe. Smaller steel grates may be shipped UPS, however, they require a \$7.00 handling charge and you are responsible for full shipping charges.

Some items may not be recommended to ship via UPS, despite being sized for UPS approval. These items will be noted as such on your sales order confirmation. In these instances, AES will NOT ship the item under our freight program. If the dealer requests in writing, the item may ship via UPS. The dealer then accepts liability for the product and any damage and costs that may be incurred.

Standard Terms
 Billing

COD OR OPEN ACCOUNT

Most customers pay COD and have the option of using Visa, Mastercard or Discover bank cards (3% CC processing fee) and business or cashier's checks. Open Account billing is available in most areas of the country to customers who can show a two year business history and are approved for credit. Approval takes one week from receipt of your completed application. A *Customer Information Form* is included at the end of this section for your convenience. Associated Energy Systems reserves the right to refuse credit to anyone.

TERMS OF SALE

Terms of sale are noted on each invoice, see (A) in the typical invoice below. Any applicable discounts are listed on the last lines of your invoice. Invoice due dates are calculated from date of shipping (B). Exceptions are noted on each invoice. Payment is to be made by invoices as statements are not issued unless requested. Payments are only to be made with business or cashier's checks; personal checks will not be accepted. Past due and disputed accounts will be placed on COD.

PAYMENT REMITTANCE ADDRESS: Checks made Payable to:
 Associated Energy Systems
 8621 South 180th Street
 Kent, WA 98032

Orders will not be processed for any account past due. Any account 60 days past due will lose its credit privilege. When the account is paid in full, future orders will be shipped on a "check-with-order" basis. To re-establish credit, a new credit application and credit report will be required.

Invoices past due are subject to a finance charge not to exceed 1-1/2% per month. In addition to such late payment charges, costs and expenses associated with collection of past due amounts, including reasonable attorney's fees, shall be added to amounts past due. Credits are to be used toward future purchases as a deduction on invoices due. Associated Energy Systems reports customer credit information on a regular basis as a member of the Hearth Products Credit Association.

RETURNED CHECKS

All returned checks will incur a \$40.00 service charge. Your account may be placed on a COD basis with prepayment required for a minimum of one year. Returned checks affect your credit rating.

ERRORS

Associated Energy Systems reserves the right to correct errors in quotes, orders, invoices or other documents.

| | | | | | | |
|--|------------|---|-----------------|--------------|--------|--------|
|  <p>Associated Energy Systems A housewarming presence for every season. 8621 South 180th, Kent, WA 98032 Phone: 425-251-9190 Toll Free: 800-682-9722 Toll Free: 800-682-8611</p> | | <p>INVOICE PLEASE PAY BY INVOICE PAGE NO. 1</p> | | | | |
| <p>INVOICE NO. 100000-IN DATE 03/17/08 ORDER NO. 9999999 SALESPERSON 0100 CUSTOMER NO. 00-USAABC</p> | | | | | | |
| <p>Sold WE WARM YOU 1122 Main Street To: Hearhtown, USA 99999</p> | | <p>Ship WE WARM YOU 1122 Main Street To: Hearhtown, USA 99999</p> | | | | |
| CUSTOMER PO | SHIP VIA | SHIP DATE | TERMS | | | |
| POBOZ0001793 | K-REDDAWAY | 03/17/08 (B) | NET 30 DAYS (A) | | | |
| ITEM NO. | UNIT | ORDERED | SHIPPED | BACK ORDERED | PRICE | AMOUNT |
| ICRM12RRC | EACH | 2.00 | 2.00 | 0.00 | 92.700 | 185.40 |
| RIS 12" Rain Cap | | | | | | |
| ICRM12RSC | EACH | 2.00 | 2.00 | 0.00 | 15.550 | 31.10 |
| RIS 12" Galvalume Storm Collar | | | | | | |
| ZZOFFRTERMS | EACH | 1.00 | 1.00 | 0.00 | .000 | .00 |
| Total Freight \$ 123.55 | | | | | | |
| Fuel Surcharge \$ 23.67 | | | | | | |
| Freight Allowance \$ 99.88 | | | | | | |
| \$99.88 is your freight allowance. | | | | | | |
| Deduct this amount \$ 99.88 if paid by 4/16/08 | | | | | | |

Standard Terms

Product Terms and Returns

CUSTOM AND SPECIAL ORDERS

Custom or special orders include custom cut, custom assembled, custom built, special order and orders of non-stock items. These items cannot be returned for credit.

To ensure accuracy, please have your order dimensions repeated back to you. Written confirmation is required. AES *cannot* accept returns or grant credit on custom cut or assembled products like Reliance, ACS or Graysen Outdoor. To protect all of us, we require an emailed order for these items. If the finished dimensions match our written invoice, any changes will be made at your expense.

Orders over \$500.00 or new accounts may be required to prepay rather than sending COD and you will be asked to mail payment to AES before the order is placed.

Special orders of non-stock items must be in case quantities, if applicable. Once special orders for non-stock products have been placed with the manufacturer, cancellation is subject to the manufacturer. Custom, Special Orders and Non-Stock goods cannot be returned for credit.

PRODUCT RETURNS

In order for us to properly credit your account, all merchandise must be pre-approved with a Return Authorization Number prior to shipping back to AES.

To request a Return Authorization Number, contact AES, either online at order.aes4home.com or by telephone. Please have the invoice number available for the item originally purchased; this will expedite your credit. If approved, a Return Authorization Number will be assigned. Ship pre-approved merchandise to AES accompanied by the Return Authorization Number; product will not be accepted without an accompanying "R.A." number.

Return Authorizations are void at 60 days from the issue date if product has not been returned. All merchandise must be unused and in the original carton. Special Order, Non-Stock and Discontinued merchandise will *not* be accepted for return. Freight charges to return product are *not* the responsibility of AES.

Only those goods purchased within 60 days may be returned for credit or exchange.

Defective merchandise must be shipped back to the corporate headquarters in Kent regardless if the product originated from another distribution center location, and freight must be pre-paid. Notify AES of your intention of returning defective goods by filing a *Warranty Service Authorization Form* with us prior to shipping. You can find this form online at order.aes4home.com

Goods cannot be accepted at the AES distribution center without a Return Authorization Number attached and the proper information received.

Credit for returned merchandise should be issued within two weeks of the return provided the above conditions are met. All credits are issued to accounts toward future purchases. Shipment must be prepaid or it will be refused at the distribution center. Freight charges cannot be credited.

All returns are subject to a minimum 20% restocking fee.

About AES, Products, Index and Dealer Information

Standard Terms

Ordering Product & Understanding Pick Tickets

Errors can cost all of us time and money, not to mention the inconvenience to your customer. That is why we ask that you be prepared by having the following ready when placing an order.

CUSTOMER NUMBER

Customer numbers are extremely helpful to us. Although we do our best to remember all customer numbers, we occasionally forget one. Customer numbers expedite the process of getting all your account information at our fingertips and ready to process your order as efficiently as possible.

PURCHASE ORDER NUMBER

If your company uses purchase order numbers, please have the number ready.

SHIPPING INFORMATION

If there is a specific mode of shipping you would like us to use regarding a specific order or all orders, please indicate this information at the time you are placing each order.

AES ITEM NUMBERS

Product item numbers are extremely important in preventing errors. All items in this catalog have item numbers associated with them unless they are a special order. AES *cannot* take responsibility for incorrect orders when item numbers are not used.

CONFIRMATION INFORMATION

Please remind us to read your order back to you and confirm that all is correct. Product orders may be placed by calling AES Inside Sales, visiting our online orders website orders.aes4home.com, emailed (to your AES Inside Sales Rep.) or mailed. Orders will ship same day if placed by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Orders to be shipped via the AES truck should be placed the *day prior* to your scheduled delivery (same times).

UPON RECEIPT OF YOUR ORDER

Immediately upon receipt of your order, please help us help you by following these steps:

- Before signing for product, inspect the shipment for damage or any sign of damage.**
- Note anything suspected of damage on the BOL.**
- Ask the driver if you may inspect items for damage.**
- Report any damage to the freight company and then contact AES. Together we can work through the freight claim.**
- Notification of errors in your order or shipping damage must be made to AES within 48 hours of receipt of merchandise.**
- Provide pictures when applicable.**

SHORTAGES

If an item was not received, please check the Packing Slip or Pick Ticket. Are all of the items you ordered itemized on the individual lines? If not, please call AES and we will reship the missing items as soon as possible.

In the center of the pick ticket is written the number of boxes which were shipped. Check that against the number of boxes you actually received. If you did not receive all the boxes noted on the pick ticket, it may have gotten separated during shipment and may be delivered the following day. If you do not receive the missing box the next day, call AES and we will be happy to trace the missing product with the carrier. Please have your pick ticket available, we will need information off of it to process a trace on the missing box. You may also check the pick ticket for any special notes concerning your order that might explain why you did not receive all of your products.

If an item is on the pick ticket but you did not receive it, it's possible it was out of stock and was back ordered for you. Back orders with ETA's are noted on the order confirmation. You can verify this by looking at the quantity ordered column vs. the quantity shipped column. First, make sure the quantity ordered is correct. Then check the quantity shipped, it will most likely be zero. This confirms that we did not have stock on the item and it was automatically back ordered for you.

About AES, Products, Index and Dealer Information

Standard Terms

General Co-op Advertising Guidelines

CO-OP ADVERTISING PROGRAMS

Many of the manufacturers whose products we represent offer co-op advertising programs as well as various discounts and incentives for displaying those products on your showroom floor. We highly encourage you to take advantage of these programs in your marketing efforts as they can greatly reduce your advertising costs. The type of advertising that the fund will support varies from manufacturer to manufacturer but generally covers radio and television advertising, newspaper and magazine advertisements, printing and phone book listings. Space rental at Home Shows and Fairs also qualifies for co-op reimbursement in some cases. For specific coverages, or if you are ever in doubt, call the AES Data Processing Department for details.

Various product literature is also available in limited quantities to help with your marketing efforts. AES carries literature and/or other marketing materials for a majority of products that we sell. In most cases, there is no charge for literature, however, freight charges do apply. Promotional materials that have a cost associated with them usually qualify for co-op under the regular program guidelines. To obtain these marketing and point of purchase materials, contact the AES Inside Sales Department.

ADVERTISING GUIDELINES:

"Proof" of advertising varies from media to media. Agency creative or production fees are not eligible for claim through the co-op advertising fund, nor are shipping, handling or freight charges. **Advertisements must prominently display the product name or logo in order to qualify for co-op reimbursement.** Credit for ads featuring multiple brands may be divided according to the proportion of brand representation.

Print Advertisements - Please send two copies of your original invoice showing the total you paid for the ad and two copies of a "tear sheet" (usually provided by the newspaper or magazine) or an original copy of the ad. The product name and logo must be displayed prominently in all printed forms of print advertising including Yellow Pages directory ads.

Broadcast Advertisements - Please send two copies of your script and two copies of your original invoice from the station. Television broadcast advertisements must display the product name/logo and the product itself twice to qualify for co-op advertising credit. Radio broadcast advertisements must mention the product name twice in a 30-second spot or four times in a 60-second spot to qualify. Live broadcasts must also provide photos of displays in showroom on the day of live remote.

Fair and Home Show Participation - Please send pictures of your booth clearly showing ALL items on display at the show, as well as an itemized list and a copy of the paid invoice for the booth. Credit is issued based on the percentage of space and/or products compared to the total number of products displayed and available co-op funds. Reimbursement will be based on the rental cost of the booth space only.

CO-OP CLAIM SCHEDULE:

Credit for cooperative advertising claims MUST be mailed into AES in a timely manner according to the following schedule.

Overdue claims will NOT be accepted for credit.

| | |
|------------------------------|--|
| January-March Advertising | Claims must be filed by May 31. |
| April-June Advertising | Claims must be filed by August 31. |
| July-September Advertising | Claims must be filed by November 30. |
| October-December Advertising | Claims must be filed by February 28 of the following year. |

TO OBTAIN ADVERTISING CREDIT:

Advertising claims must be submitted to AES, attention "Co-op Advertising", according to the claim schedule above. All claims must include a "Co-op Advertising Claim Form" and "proof" of advertising. All correspondence regarding co-op programs should be submitted to AES Correspondence Address and not the manufacturer. Co-op advertising credits are issued by AES to your account towards future purchases; cash refunds are not disbursed. Co-op claims can only be processed for current product.

EMAIL CLAIMS TO: Lisa Thompson
LisaT@aes4home.com

MAIL CLAIMS TO: Associated Energy Systems
Attn: Co-op Advertising
8621 South 180th
Kent, WA 98032

About AES, Products, Index and Dealer Information

Standard Terms

General Showroom Display Guidelines

DISPLAY PROGRAM

To help offset the cost of the products displayed on your showroom floor, AES offers a showroom display program for many product lines. A portion of your cost or a flat rate credit may be offered if the showroom display requirements are met.

In some cases, display credit may be granted for products shown at special events such as home shows, parade of homes and model homes, etc. For unusual situations such as these or other display requests outside of the manufacturer guidelines, contact your AES Outside Sales representative. Prior written approval must be obtained by AES before credit will be granted.

For details on specific coverage and requirements, please reference the individual manufacturer program guidelines, or contact the AES Data Processing Department.

DISPLAY GUIDELINES

The following is a list of guidelines that must be met in order to receive display credit:

- The unit must be a current, up-to-date model
- The unit must be a burning model
- The unit must be shown in a complete, finished display
- The unit must be properly installed according to the owner's manual and building codes
- The dealer must commit to keeping the display on the showroom floor for a minimum of 12 months

Rules for display credit:

- Credit will be granted ONCE per model per year.
- A specific model and serial number qualifies for ONE showroom display credit only, regardless of the number of years it is on the showroom floor.
- Generally, multiple burning displays of the same model qualify for ONE showroom display credit only

For example: TWO "Model A" fireplace units displayed in a showroom, one in black and the other in Porcelain Red, qualify for ONE showroom display credit only. ***This may not apply to certain fireplaces or inserts, where various fascias and front options create a defined, unique visual appeal for consumers.***

TO OBTAIN SHOWROOM DISPLAY CREDIT

Display claims must be submitted to AES, attention "Display." Requests must be accompanied by a "Display Program Claim Form" and a clear photo of the burning display model. Please submit one form and photo for each unit you are requesting credit.

All correspondence regarding display programs should be submitted to AES correspondence address and not the manufacturer. Display credits are issued by AES to your account towards future purchases; cash refunds are not disbursed.

EMAIL CLAIMS TO: Lisa Thompson
LisaT@aes4home.com

MAIL CLAIMS TO: Associated Energy Systems
Attn: Co-op Advertising
8621 South 180th
Kent, WA 98032

2
0
2
5
-
2
0
2
6

About AES, Products, Index and Dealer Information

Standard Terms

Warranty Programs

WARRANTY PROGRAMS

AES is proud to offer quality products from the industry's leading manufacturers. As a quality guarantee, most product lines represented in this catalog have warranty programs to support you in the rare case of a defective product. Programs vary between manufacturers, but generally offer credit for specific parts, and in some cases labor expense. A labor schedule including specific coverage for labor reimbursement is available upon request. The return or replacement of defective goods will be handled according to the instructions and procedures of manufacturers. Most warranties do not include shipping or labor. For more details on a particular product line, please contact AES Inside Sales.

Warranty credit requests should be sent to your Inside Sales Account Manager and must be accompanied by a completed AES *Warranty Service Authorization Form* (included in this section). Your account manager will then order replacement parts, if needed. Warranty credits are issued by AES to your account towards future purchases; cash refunds are not disbursed.

WARRANTIES ON DEFECTIVE GOODS

A brief summary of vendor warranties is listed below. Please refer to the vendor's brochure or call AES Inside Sales for more details on a particular product line. Warranty terms are subject to change without notice according to manufacturer policy.

Aluminum Chimney Liner:

15-year limited warranty to the original owner, no labor.

Condar ASV-90:

1-year limited warranty, no labor.

Dante Lighters and Valves:

1-year limited warranty, no labor.

Dimplex:

1-2 year warranty on most electric models

Dura-Vent (all types):

25-year limited to replacement, no labor, 5-year on caps and Dura-Black stove pipe.

Empire Products

1-year remote controls.

3-year vented parts.

5-year vent free parts and fireboxes.

10-year combustion chamber and glass.

Energex Fans:

2-year limited warranty. 10-year against corrosion perforation.

GASAV-R Valves:

1-year replacement, no labor.

Gastite by Titeflex:

1-year replacement, no labor.

Graysen Woods Hearth Pads:

Limited lifetime on metal-wrapped hearth pads.

GreenFan:

2-year warranty, no labor.

Hargrove

Lifetime limited warranty logs

5-year limited warranty burners and grates

2-year limited warranty valves, pilots and other accessories

1-year limited warranty outdoor logs

HY-C Chimney Caps:

Stainless caps- lifetime warranty. Galvanized caps, no warranty.

Kingsman Gas Appliances:

1-year warranty on defective materials/workmanship (excludes light bulbs, gasket and paint).

Limited lifetime warranty - Heat exchanger, combustion chamber and burner.

Liberty Foundry:

3-year limited warranty.

Malco:

Lifetime limited warranty.

Modern Flames:

Within twenty-four months from the date of purchase of the appliance, parts will be supplied for repair or the product will be replaced free of charge. Repair or replacement is at the option of Modern Flames. Labor is covered for twelve months (12) from the date of purchase. This warranty does not cover consumable items such as bulbs and fuses which have a limited lifespan.

Nectre Wood Appliances:

10-year warranty

Panasonic Ductless Heat Pumps:

7-year warranty compressors

5-year warranty parts

R.H. Peterson Gas Inserts:

Lifetime warranty insert body and firebox

10-year warranty burner assemblies

5-year warranty ceramic glass panel (thermal breakage only)

5-year warranty gas logs

1-year warranty electronics and gas controls

R.H. Peterson Gas Logs:

Lifetime warranty on logs. 5-year warranty on burners.

1-year warranty on valves and controls.

"Reliance" Liner by American Hearth Products:

10-year limited warranty on parts, no labor.

Robertshaw:

5-year warranty on wall thermostats and carbon monoxide alarms. 1-year limited warranty on other parts.

Skytech Remote Controls:

5-year limited warranty on remote units. 1-year warranty on valve kits. 2-year warranty on fan kits.

True North Appliances:

3-year firebox, castings and glass

1-year parts (gas valves, electrical components, switches, gaskets,

paint, bricks, baffle tubes and manifold, burn pot and iner.

US Fireplace Products:

Lifetime warranty

ZFlex:

Lifetime warranty to the original purchaser

Standard Terms

Dealer Service Support Policy

Dealer Service Support Policy

AES and our Appliance Vendor will provide our dealers technical training to ensure safe installation and professional service on our products. This training will be provided at the time you are set up as a dealer, at the time we introduce new products or at special training events conducted from time to time. We will provide this training to your installation and service staff at your place of business or an AES facility at a mutually agreeable time. It is your responsibility to get your staff to this training as needed and make the scheduling commitment so they can receive this training. It is the dealers responsibility to provide their service and installation personnel with the tools, installation and testing equipment needed to provide safe installation and professional service on hearth appliances.

The training we provide is product specific and does not replace the general level of training required for safe installation and professional service that can only be obtained through HPBA "Hearth" supported certification training that provides a general level of understanding of installation and service practices for our industry's equipment.

Service Support

Our vendors, for the most part, will **not** provide technical support directly to dealers and, for sure, **not** to consumers. AES will provide technical support on the products we sell to our dealers or their personnel, but we will **not** provide that support to consumers. Each consumer contact will be directed back to the closest authorized dealer. In the event that a dealer is no longer in business to service a product, AES Inside Sales will assist a consumer on how to contact another servicing dealer in the area.

AES does not sell appliances over the internet, nor do we support our dealers selling appliances over the internet. A consumer should only be buying our appliances from a local servicing authorized dealer who is approved and has training and support to sell and service our products. If a consumer buys a product outside of a dealer's service area or through a non-approved channel, or if they do the installation themselves, they have made the decision to provide their own service and technical support. AES does not support any sales channel other than our approved dealer list.

AES Phone Support

Dealers should contact any AES inside sales personnel Monday - Friday between the hours of 8:00 – 5:00 to gain technical support on products we sell. All AES sales staff receive technical training from our vendors and most are already NFI certified (the rest have been working to become "Hearth Certified"). We are committed to providing industry leading support to our dealers.

Prior to providing technical support on the phone our inside sales staff will require the dealer to have on hand the unit serial number along with the product model number and installation specific's. We request the dealer have an internet/smart phone connection at the time they call in, if at all possible, or at a minimum to have on hand a copy of the owner's manual for the product. Experience has shown that a picture or other information which can be quickly shared over the internet can aid in effective and accurate communication for both sides of the phone call. It is our goal to review technical issues/questions while the tech is on the jobsite and hopefully avoid any further call backs.

Standard Terms

Dealer Service Support Policy

AES Personnel Support

AES personnel will not make field service calls without a qualified dealer representative or the paid designated installing contractor who did the installation or service. AES personnel will not make field calls at the direction of consumers or to any consumer who bought a product other than through our approved dealer list. Further, AES personnel will not make a field service call on any appliance that was installed by anyone other than our dealer or their designated installer.

Field Service Call Procedure

The products we sell will require field service. This will be required either as a normal service call or as a warranty service. The following is the process by which AES will make calls with a dealer to a product installed in a consumer's home.

- 1) First Service Call on any appliance is expected to be made by the selling dealer. If the dealer is not able to affect a successful result or diagnosis, the dealer should contact AES Inside Sales staff while at the consumer's home in an attempt to get support needed to resolve the service issue at this time.

- 2) Second Service Call for the same appliance on the same issue is expected to be made by the selling dealer. Prior to the second call – which is required because the repair could not be affected during the first call – the dealer service personnel should contact AES Inside Sales staff. Obviously, it does not make sense to go out to the home a second time without having additional information to support a more thorough and successful second service call. If the repair is not affected at the time of the second service call – do not leave the site! Call AES Inside Sales again for support on the installation. Attempt to talk with the same inside sales person for support as you did prior.

- 3) Third Service Call – If AES Inside Sales have been involved in the first two service calls and have obtained complete information from the dealer – which may include photo's – and a successful repair has not been achieved, then AES Inside Sales will direct the AES Outside Territory manager to make a service call at the installation site at the soonest possible time. Dealer service personnel will be required to be on site with the AES staff. It is the dealer's responsibility to have their own testing and calibration equipment during this service call.

POP Materials

| Page Number | Vendor | POP Materials Available |
|--|----------------|---|
| <i>Please note: These POP materials aren't regularly stocked. Please allow time after your order is placed for your items to arrive.</i> | | |
| To order call 800-682-9722 | | |
| ad | Empire Gas | Literature Rack Display, Rack Display Sign and Vinyl Banner |
| ae | Fireglass Plus | Display Stand for Glass Jars |
| af | Hargrove | Log Display Stand and Posters |
| ai | Real Fyre | Retractable Banner Stands, Tiered Log Display, Glass Sample Kits, Brochure Holder, Decals, Cut Out Log Display, Banner and Finish Samples |
| aj | Skytech | Remote Control Spinning Display, Stand and Mantel Cards |

2
0
2
5
-
2
0
2
6

EMPIRE

Empire Display and POP Materials

Order via EmpireInsider.com



Literature Rack Display

\$40.00



White Mountain Hearth Literature Rack Display Sign

\$15.00



White Mountain Hearth Vinyl Banner

\$35.00

FIREGLASS
PLUS

Fireglass Plus Display and POP Materials

2
0
2
5
-
2
0
2
6

Glass Display Stand (FSDISPLAY)
Holds 32 Jars (10 lb. each)
\$70.00



Picture is shown with bags, but glass now comes in jars



Hargrove Display and POP Materials

Log Stand Display

\$300 for the display stand

Logs sold seperately (18"-24"), but qualify for 100% burn credit.


All log sets must burn and must be vent free.

Requires minimal floor space 20"x24"

Access holes in back for gas piping.



Radiant Heat Log Set Posters
 Features High Res Images of Cross, Rustic, Woodland and Aspen Timbers
 24.5"W x 36.5"H
 \$ No Charge



Vertical Standup Banner
 \$25



Logo Banner
 \$25


realfyre Real Fyre Point of Purchase Items
PREMIUM GAS LOGS



Accessory Display Rack ** †
 (Part #: RFDA-08, Price: \$600.00)



Three Unit Log Display Rack ** †
 (Part #: RFD-08, Price: \$600.00)



LED Light Accessory Kit *
 (Part #: RFDL-08, Price: \$170.00)



Two Stair Step Accessory *
 (Part #: RFDS-08, Price: \$60.00)



Display Rack Upgrade Kit *
 (Part #: RFD-05-08Kit, Price: \$160.00)



Real Fyre 6' x 3' Wall Banner




Real Fyre "Authorized Dealer"
 Window Decal



Glass/Gem/Nugget Sample Boxes *
 (Part #: GL-SAMPLE, GLG-SAMPLE, GLD-SAMPLE, Price: \$6.00 EA.)



RF Stainless Steel Literature Holder *
 (Part #: DISPLAY-LIT-RF, Price: \$12.00)



Cut out Log Display
 (Part #: CHDL-18T-CUT)



Vented Collection Retractable Banner Stand *
 (Part #: SUB-RF-02, Price: \$90.00)

† If display is fully stocked with Real Fyre™ products, it may be submitted for a Real Fyre™ Co-op reimbursement of \$225.

*Toplaceanorderforthisitem,e-mailrequestto:orderdesk@rhpeteron.com.ForeveryotherPOPorpromotionalitem,e-mailyourrequestto:literature@rhpeteron.com.

2
0
2
5
-
2
0
2
6



Skytech Display and POP Materials



STPOPCOUNTER
POP Spinning Counter Display
with Three Remotes
\$74.00



Remotes Included with STPOPCOUNTER



STZZPOPKIT
Easel Backed Mantel Cards
No Charge



Associated Energy Systems

A housewarming presence for every season.

DATE _____

CO-OP ADVERTISING CLAIM FORM

PLEASE USE SEPARATE FORM FOR EACH MANUFACTURER

CUSTOMER NAME/CITY/STATE

AES CUSTOMER NO.

CUSTOMER PHONE

CUSTOMER EMAIL

CUSTOMER REFERENCE NO.

SUBMITTED BY

MANUFACTURER

- Please submit your claim within 30 days after your promotion.
- Include an original sample of the ad and a copy of the invoice from the advertising media.
- Incomplete claims cannot be processed.
- Use separate forms for each product or manufacturer.

| <i>Date</i> | <i>Media</i> | <i>Invoice Amount</i> | <i>Requested Co-op Amount</i> | <i>Approved Co-op Amount (for office use only)</i> |
|-------------|--------------|-----------------------|-------------------------------|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | <i>Total =</i> | | |

TOTAL INVOICE AMOUNT = _____

PERCENTAGE OF AD DEDICATED TO PRODUCT LINE x _____%

TOTAL = _____

MANUFACTURER'S COVERED PERCENTAGE (TYPICALLY 50%) x _____%

REQUESTED CO-OP AMOUNT (PROVIDED FUNDS ARE AVAILABLE) = \$ _____



Associated Energy Systems

A housewarming presence for every season.

DATE _____

DISPLAY PROGRAM CLAIM FORM

PLEASE USE SEPARATE FORM FOR EACH UNIT OR MANUFACTURER.

| | |
|--------------------------|------------------|
| CUSTOMER NAME/CITY/STATE | AES CUSTOMER NO. |
| CUSTOMER PHONE | CUSTOMER EMAIL |
| CUSTOMER REFERENCE NO. | SUBMITTED BY |
| MANUFACTURER | |

- Please list all components that qualify for credit by item number.
- Attach a photograph of the fully installed appliance, burning if applicable.
- The unit listed below must be on display for a minimum of 12 months in order to qualify for display credit.

| Item No | Serial No. & Date Code <i>(if applicable)</i> | AES Invoice No. | Dealer Cost | Display Allow | Office Use Only | |
|----------------|--|-----------------|-------------|---------------|-----------------|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| <i>Total =</i> | | | | | | |

DEALER SIGNATURE

AES SALES REPRESENTATIVE SIGNATURE



Associated Energy Systems

A housewarming presence for every season.

DATE: _____

WARRANTY REQUEST FORM

AES ISSUED RA#: _____

- Warranty process for all brands goes as follows: Replacement order is placed and billed to dealer, warranty RA is written, you send back defective part back to AES when requested and/or send pictures when applicable, we file the warranty with the factory for credit, we receive approval/credit from factory, then the dealer receives the warranty credit from AES.
- To insure you receive an accurate and expedited credit or replacement part, please fill in all necessary information below.
- Warranty parts not found to be defective will be returned back to the dealer at the dealer's expense.

**** Warranties will not be processed until AES is provided with the following information. ****

| STEP #1 - DEALER INFORMATION | | | | |
|--|------------------------|-------------------|---------------------------|------------------------|
| Dealer Name: | | Dealer Account #: | | Phone: |
| City: | State: | Contact: | Email: | |
| STEP #2 - CONSUMER INFORMATION | | | | |
| Consumer Name: | | Consumer Address: | | Consumer Phone Number: |
| STEP #3 - Technical Data (Symptoms/Readings/Diagnosis) | | | | |
| <p>*IMPORTANT* Be clear on your description. "It's broken" or "it doesn't work" does not give us enough information to file the warranty with the manufacturer. Please include the following information: 1) Description of problem. 2) Troubleshooting steps taken. 3) Is the problem solved? Photos are required for any visible damage/defects. Please send pictures to your Inside Sales Rep.</p> | | | | |
| <u>WARRANTY: DIAGNOSIS/SOLUTIONS/RESULTS:</u> | | | | |
| | | | | |
| | | | | |
| STEP #4 - Product Information | | | | |
| Model #: | | Serial#: | Dealer PO or AES Invoice: | Date Installed: |
| Date Serviced: | | | | |
| Qty | Part# Used for Repair: | | Description: | |
| | | | | |
| | | | | |
| | | | | |
| Manufacturer Labor Requested? <input type="checkbox"/> Yes <input type="checkbox"/> No Requesting _____ Hours _____ Miles | | | | |
| Preapproved? <input type="checkbox"/> Yes <input type="checkbox"/> No By _____ | | | | |
| STEP #5 - Send Part or Credit? *MUST CHECK ONE BOX* | | | | |
| <input type="checkbox"/> Send Replacement (Have not ordered, place order now). Replacement Order # _____ | | | | |
| <input type="checkbox"/> Credit Only (Already ordered, and need credit only). Replacement Invoice # _____ | | | | |

Questions? Call 800-682-9722
Email completed form to your Inside Sales Rep



PRODUCT RETURN REQUEST FORM

- Email the completed form to your Inside Sales Rep.
- A Return Authorization must be issued by Inside Sales before product is sent back to AES.
- Inside Sales will email the RA back. You must include a copy of the RA when returning product to AES.
- Returns will NOT be accepted if it's a special order item, non-stock item, item is not in original packaging, original packaging is written on or if it is not in new condition.
- Items must be returned within 90 days from purchase. Anything over 90 days requires management approval.
- Returned products are subject to a 20% minimum restocking fee.
- Units and Barbeques require Management Approval to be returned and are subject to a \$125 restock fee per unit.
- **To insure you receive an accurate and expedited credit and replacement part, please fill all necessary information below.**

| STEP #1 - DEALER INFORMATION | | | | |
|---|---------------------------|-------------------|---------|--------------|
| Dealer Name: | | Dealer Account #: | | Phone: |
| City: | State: | Contact: | Email: | |
| STEP #2 - PRODUCT INFORMATION FOR RETURN/CREDIT | | | | |
| Order Date: | Dealer PO or AES Invoice: | Qty: | Part #: | Description: |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| STEP #3 - REASON FOR RETURN | | | | |
| What is the reason you are asking to return? | | | | |
| | | | | |

Questions? Call 800-682-9722
Email completed form to your Inside Sales Rep

Wood Chimney & Pipe

Section 100

Wood Chimney & Pipe

| Page Number | Vendor | Product | Sold Regionally | Publish Date |
|-------------|-------------------------------------|-------------------------------------|-----------------|--------------|
| 101-105 | M & G Dura-Vent | DuraPlus 2100HT Class A Chimney | | 05/25 |
| 106-116 | M & G Dura-Vent | Duratech Chimney | ✓ | 05/25 |
| 117-119 | M & G Dura-Vent | DVL Close Clearance Connector | | 05/25 |
| 120-122 | M & G Dura-Vent | Dura-Black Single Wall Stove Pipe | | 05/25 |
| 123-124 | M & G Dura-Vent | Dura Chimney II | | 05/25 |
| 125 | "Reliance Liner" by American Hearth | Reducers/Increases | | 08/21 |
| 126 | "Reliance Liner" by American Hearth | Single Wall Pipe Baffles | | 08/21 |
| 126-127 | U.S. Fireplace Products | Seal Tight & Energy Top Dampers | | 06/25 |
| 127-128 | "Reliance Liner" by American Hearth | Chimney Caps, Stainless Steel | | 08/21 |
| 128-129 | HY-C | Chimney Caps | | 07/25 |
| 129 | HY-C | Smoke Guard - Draft Enhancer | | 07/25 |
| 130-134 | American Chimney Shroud | Decorative Chimney Shrouds and Pots | | 06/18 |

PLEASE NOTE: Not all products are sold throughout all AES territories/regions. If "Sold Regionally" please contact AES Inside Sales for availability 800-682-9722

Or by visiting...



DuraVent
Member of & M&G Group

HYC Company, Inc.

U.S. FIREPLACE PRODUCTS, inc.

American Chimney Shroud

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Associated Energy Systems - Serving you with distribution centers in: Kent, WA | West Sacramento, CA | Denver, CO | Dallas, TX | Rogers, MN

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

2
0
2
5
-
2
0
2
6

Wood Chimney & Pipe

M & G Dura-Vent

DuraPlus 2100° F Chimney System

DuraVent
Member of M&G Group

2
0
2
5
-
2
0
2
6

DuraPlus 2100°F Chimney System - The innovative triple-wall chimney system from Simpson Dura-Vent, offering superior performance and ease of installation. DuraPlus is the leader in triple-wall chimney for wood, oil, gas and coal-fired appliances. DuraPlus Chimney features a patented firesafe design and:

- Chimney components for every conceivable installation requirement
- Twist-lock pipe and fittings for ease of installation
- Lightweight for easy handling
- .016" 430 stainless steel inner liner
- Galvanized steel outer wall (or optional stainless steel)
- U.L. listed to 103 HT Standard
- 25-year warranty

The DuraPlus 2100° F Chimney System, offered in 6", 7"* and 8" sizes, is designed for use with gravity appliances that have been tested and listed for use with a 2100° HT chimney system, including wood stoves, fireplaces, oil, gas and coal fired appliances. Allow a minimum of 2" airspace clearance to combustibles.

A DuraPlus chimney STAYS COOL ON THE OUTSIDE at all times to protect the building during normal stove operation. It **STAYS HOT ON THE INSIDE** to discourage the deposit of creosote, while providing the correct draft for stove performance. Two layers of insulation (ceramic blanket plus air space) keep the DuraPlus cool outside to protect the building, and hot inside to boost stove efficiency during normal stove operation. If a red hot creosote fire does erupt, the patented DuraPlus **FIRESAFE DESIGN** serves to protect both the chimney and the building.

DuraPlus liner is designed to not warp or buckle. Special end ring suspension at each joint flexes to allow the inner liner to expand lengthwise when hot. In addition, ceramic insulating blanket is flexible and compressible, so the liner can expand outward when hot.

Chimney Lengths - DuraPlus chimney pipe in 6", 9" and 12" lengths have a 1" insulating blanket. The 24" and 36" lengths have a 1/2" blanket. To calculate the installed length of DuraPlus or Dura-Chimney pipe lengths, subtract 1-1/2" from each length of chimney pipe.

Elbows - Use elbows to offset obstructions such as rafters, ridgepoles or joists. 6", 7" and 8" diameters may have two pairs of elbows, if needed. Larger diameters are restricted to one pair of offsets. Offsets greater than 30° are not allowed. Elbows are not adjustable. DuraPlus elbows have a 1" insulating blanket.

Tee with Cap - The tee can be used to start chimneys indoors (inside a chase) or outdoors. The tee clean-out cap is removable for easy chimney cleaning or inspection. Wall straps, a wall thimble and a tee support must be installed with the tee as directed. DuraPlus tees have 1" insulating blanket. Ventilation for chimney must be drawn from outdoors.

Tee Support Bracket - Use to support the tee, the tee bracket is suspended from a wall. Safety shelf protects against creosote leaks. Supports up to 35' of DuraPlus Chimney or 50' of DCR Chimney.

Wall Thimble - The wall thimble adjusts from 4 3/4" to 7 3/4" and fits between standard wall studs. The telescoping pieces can be separated and an extension installed to accommodate thicker walls. The interior trim ring is painted black. The wall thimble must be installed with an appropriate length of chimney pipe through the wall horizontally.



Length



15° Elbow



30° Elbow



Tee with Cap



Tee Support Bracket

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

M & G Dura-Vent

Dura/Plus 2100° F Chimney System

DuraVent
Member of M&G Group

Square Ceiling Support Box and Trim Collar - Square locking ceiling support boxes are painted black. A 1 1/2" wide trim collar is included with all square support boxes. Supports up to 35' of DuraPlus Chimney or 50' of DCR or DC Chimney.

Round Ceiling Support Box - Round locking support boxes are painted black. 1 1/2" trim is included. Supports up to 35' of DuraPlus Chimney or 50' of DCR Chimney.

Flat Ceiling Support Box - Flat ceiling support boxes are not painted. Can be painted with high temperature paint. They are designed for installation in flat ceilings only. One-inch wide trim is attached. Supports up to 35' of DuraPlus Chimney or 50' of DCR or DC Chimney.

Firestop Radiation Shield - Install where a chimney passes through a floor or ceiling without a support box. Centers pipe and provides proper clearance.

Close Clearance Shield - Used when chimney passes through the roof opening with less than the normal 2" minimum clearance to roof trusses or rafters. Pipe must be centered within close clearance shield.

Attic Insulation Shield - Attic insulation shields consist of two parts: collar and base. This universal attic insulation shield must be used in all installations that pass through an attic to prevent insulation and debris from accumulating near the chimney.

Roof Flashings - Select the proper flashing based on the pitch of the roof. Note: a 6/12 pitch has a vertical rise of 6 inches over a horizontal distance of 12 inches. Steep roof flashings are available to accommodate pitches up to 24/12.

Chimney Caps - Chimney caps are made from stainless steel and include spark arrestor screens.

Storm Collars - The storm collar slips around the pipe just above the flashing. Seal the inner edge to the chimney with a non-hardening 500° high temperature sealant.

Extended Roof Bracket - Use to support the chimney when it extends more than 4 feet above the roof. Install with 3/4" thin-wall galvanized electrical conduit. Conduit not included.

Wall Strap - For use in interior or exterior installations to support and stabilize the chimney while assuring a 2" clearance. Wall straps are required every four feet on exterior of building only.

Snap-Lock Adapter - Snaps into the ceiling support box and extends down to fit inside most stovepipe for a drip-free connection to a DuraPlus Chimney system. Painted black. Not a U.L. listed product.

Elbow Strap - Elbow straps are required between two elbows to support the weight of the chimney.

Base Plate - Zero-clearance fireplace adapter. The base plate is to be used on a zero-clearance fireplace when using DuraPlus directly off the unit.

Masonry Anchor Plate - Provides a base for beginning the installation on the top of a masonry fireplace. Factory built chimney's low weight reduces footing requirements and ensures fastest installation time.

Transition Anchor Plate - Provides easy installation of Duraliner and DuraPlus combinations, as well as DuraPlus installation on masonry fireplaces and chimneys.



Wall Thimble



Round Ceiling Support Box



Flat Ceiling Support Box



Firestop Radiation Shield



Attic Insulation Shield



Flat Roof Flashing

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

M & G Dura-Vent

6" DuraPlus 2100° F Chimney System (6" I.D. - 10" O.D.)

DuraVent
Member of M&G Group

To calculate the installed length of DuraPlus or Dura-Chimney pipe lengths, subtract 1-1/2" from each length of chimney pipe.

6" Chimney Lengths

| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|-----------|-------------------------------|------|---------|----------|---------|
| SD6DP12 | 12" Chimney Section | 1 | 7 lbs. | \$207.91 | Y |
| SD6DP09 | 9" Chimney Section | 1 | 6 lbs. | 182.18 | Y |
| SD6DP36SS | 36" Stainless Chimney Section | 1 | 15 lbs. | 464.84 | Y |
| SD6DP36 | 36" Chimney Section | 1 | 18 lbs. | 434.21 | Y |
| SD6DP24 | 24" Chimney Section | 1 | 12 lbs. | 306.84 | Y |
| SD6DP24SS | 24" Stainless Chimney Section | 1 | 12 lbs. | 358.74 | Y |

6" Tees and Elbows

| | | | | | |
|-------------|---|---|---------|----------|---|
| SD6DPE15 | 15° Elbow Kit: 2 Elbows & 1 Elbow Strap | 1 | 5 lbs. | \$728.80 | Y |
| SD6DPE15KSS | 15° Stainless Elbow Kit: 2 Elbows & 1 Elbow Strap | 1 | 5 lbs. | 1,006.69 | N |
| SD6DPE30 | (SD6DPE30K) 30° Elbow Kit: 2 Elbows & 1 Elbow Strap | 1 | 13 lbs. | 969.32 | Y |
| SD6DPE30KSS | 30° Stainless Elbow Kit: 2 Elbows & 1 Elbow Strap | 1 | 6 lbs. | 1,343.15 | N |
| SD6DPTSS | Stainless Tee with Cap | 1 | 10 lbs. | 657.71 | N |
| SD6DPT | Tee with Cap | 1 | 10 lbs. | 588.86 | Y |

6" Supports

| | | | | | |
|------------|-----------------------------------|---|---------|----------|---|
| SD6DPRCS | Round Ceiling Support Cover | 1 | 9 lbs. | \$301.52 | Y |
| SD6DPFCS | Flat Ceiling Support (Unfinished) | 1 | 6 lbs. | 205.03 | Y |
| SD6DPCS11 | 11" Support Box w/Trim Collar | 1 | 10 lbs. | 234.16 | Y |
| SD6DPCS24 | 24" Support Box w/Trim Collar | 1 | 14 lbs. | 262.36 | Y |
| SD6DPCS36 | 36" Support Box w/Trim Collar | 1 | 19 lbs. | 549.06 | Y |
| SD6DPTSB | Tee Support Bracket | 1 | 9 lbs. | 246.93 | Y |
| SD6DPTSBSS | Stainless Tee Support Bracket | 1 | 9 lbs. | 484.47 | N |

6" Firestop

| | | | | | |
|------------|-------------------------------|-------|---------|----------|---|
| SD6DPWT | Wall Thimble | 1 | 8 lbs. | \$189.04 | Y |
| SD6DPWTSS | Stainless Wall Thimble | 1 | 7 lbs. | 246.10 | N |
| SD6DPFRS | Firestop Radiation Shield | 1 | 8 lbs. | 183.32 | Y |
| SD6DPIS | 6"-8" Attic Insulation Shield | 1 | 9 lbs. | 204.37 | Y |
| SD6DPCCS36 | Close Clearance Shield, 3' | 1 set | 13 lbs. | 343.16 | N |
| SD6DPCCS48 | Close Clearance Shield, 4' | 1 set | 19 lbs. | 224.26 | N |
| SD6DPCCS60 | Close Clearance Shield, 5' | 1 set | 21 lbs. | 1,812.28 | N |

6" Caps and Flashings

| | | | | | |
|----------|---|----|---------|----------|---|
| SD6DPF6 | Adj. Flashing 0/12-6/12 Ventilated | 1 | 4 lbs. | \$161.63 | Y |
| SD6DPF12 | Adj. Flashing 7/12-12/12 Ventilated | 1 | 8 lbs. | 272.84 | Y |
| SD6DPFF | Flat Roof Flashing (Tall Cone) Ventilated | 1 | 7 lbs. | 174.92 | Y |
| SD6DPF24 | Adj. Flashing 19/12-24/12 Ventilated | 1 | 14 lbs. | 622.81 | Y |
| SD6DPF18 | Adj. Flashing 13/12-18/12 Ventilated | 1 | 14 lbs. | 1,029.49 | Y |
| SD6DPVC | Chimney Cap with Spark Arrestor | 1 | 5 lbs. | 209.71 | Y |
| SD6DPSC | 6"-8" Storm Collar | 10 | 11 lbs. | 34.67 | Y |

6" Accessories

| | | | | | |
|-----------|---------------------------------|---|--------|----------|---|
| SD6DTCAI | Chase Air Intake w/Rodent Guard | 1 | 3 lbs. | \$298.80 | N |
| SD6DPBP | Base Plate | 1 | 4 lbs. | 124.89 | N |
| SD6DPES | Elbow Strap | 2 | 5 lbs. | 91.15 | Y |
| SD6DPXRB | Extended Roof Bracket | 1 | 3 lbs. | 288.70 | Y |
| SD6DPWS | Wall Strap | 2 | 4 lbs. | 76.28 | Y |
| SD6DPWSSS | Stainless Wall Strap | 2 | 4 lbs. | 95.04 | N |
| SD6DPSS | Starter Section | 1 | 4 lbs. | 436.67 | N |



Length



15° Elbow



30° Elbow



Tee with Cap



Tee Support Bracket

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

M & G Dura-Vent

7" DuraPlus 2100° F Chimney System (7" I.D. - 11" O.D.)

DuraVent
Member of M&G Group

To calculate the installed length of DuraPlus or Dura-Chimney pipe lengths, subtract 1-1/2" from each length of chimney pipe.

7" Chimney Lengths

| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|-----------|-------------------------------|------|---------|----------|---------|
| SD7DP06 | 6" Chimney Section | 1 | 5 lbs. | \$192.41 | N |
| SD7DP12 | 12" Chimney Section | 1 | 8 lbs. | 264.10 | N |
| SD7DP09 | 9" Chimney Section | 1 | 6 lbs. | 221.65 | N |
| SD7DP36SS | 36" Stainless Chimney Section | 1 | 19 lbs. | 656.49 | N |
| SD7DP36 | 36" Chimney Section | 1 | 19 lbs. | 517.72 | N |
| SD7DP24 | 24" Chimney Section | 1 | 13 lbs. | 391.26 | N |
| SD7DP24SS | 24" Stainless Chimney Section | 1 | 12 lbs. | 478.40 | N |



Length

7" Tees and Elbows

| | | | | | |
|-------------|---|---|---------|----------|---|
| SD7DPE15 | 15° Elbow Kit: 2 Elbows & 1 Elbow Strap | 1 | 6 lbs. | \$884.27 | N |
| SD7DPE15KSS | 15° Stainless Elbow Kit: 2 Elbows & 1 Elbow Strap | 1 | 6 lbs. | 1,221.74 | N |
| SD7DPE30 | (SD7DPE30K) 30° Elbow Kit: 2 Elbows & 1 Elbow Strap | 1 | 7 lbs. | 1,124.79 | N |
| SD7DPE30KSS | 30° Stainless Elbow Kit: 2 Elbows & 1 Elbow Strap | 1 | 7 lbs. | 1,541.69 | N |
| SD7DPT | Tee with Cap | 1 | 14 lbs. | 721.30 | N |
| SD7DPTSS | Stainless Tee with Cap | 1 | 13 lbs. | 792.68 | N |



15° Elbow

7" Supports

| | | | | | |
|------------|--|---|---------|----------|---|
| SD7DPRCS | Round Ceiling Support Cover with Trim Collar | 1 | 9 lbs. | \$514.74 | N |
| SD7DPFCS | Flat Ceiling Support (Unfinished) | 1 | 6 lbs. | 446.11 | N |
| SD7DPCS11 | 11" Support Box w/Trim Collar | 1 | 10 lbs. | 480.43 | N |
| SD7DPCS24 | 24" Support Box w/Trim Collar | 1 | 15 lbs. | 583.38 | N |
| SD7DPCS36 | 36" Support Box w/Trim Collar | 1 | 20 lbs. | 679.47 | N |
| SD7DPTSB | Tee Support Bracket | 1 | 11 lbs. | 279.00 | N |
| SD7DPTSBSS | Stainless Tee Support Bracket | 1 | 10 lbs. | 484.47 | N |



30° Elbow

7" Firestop

| | | | | | |
|------------|-------------------------------|-------|---------|----------|---|
| SD7DPWT | Wall Thimble | 1 | 8 lbs. | \$494.97 | N |
| SD7DPWTSS | Stainless Wall Thimble | 1 | 7 lbs. | 272.67 | N |
| SD7DPFRS | Firestop Radiation Shield | 1 | 8 lbs. | 229.15 | N |
| SD6DPIS | 6"-8" Attic Insulation Shield | 1 | 9 lbs. | 204.37 | Y |
| SD6DPCCS36 | Close Clearance Shield, 3' | 1 set | 13 lbs. | 343.16 | N |
| SD6DPCCS48 | Close Clearance Shield, 4' | 1 set | 19 lbs. | 224.26 | N |
| SD6DPCCS60 | Close Clearance Shield, 5' | 1 set | 21 lbs. | 1,812.28 | N |



Tee with Cap

7" Caps and Flashings

| | | | | | |
|----------|---|----|---------|----------|---|
| SD7DPF6 | Adj. Flashing 0/12-6/12 Ventilated | 1 | 4 lbs. | \$181.75 | N |
| SD7DPF12 | Adj. Flashing 7/12-12/12 Ventilated | 1 | 9 lbs. | 823.58 | N |
| SD7DPFF | Flat Roof Flashing (Tall Cone) Ventilated | 1 | 7 lbs. | 329.96 | N |
| SD7DPF24 | Adj. Flashing 19/12-24/12 Ventilated | 1 | 7 lbs. | 685.96 | N |
| SD7DPF18 | Adj. Flashing 13/12-18/12 Ventilated | 1 | 14 lbs. | 463.19 | N |
| SD7DPVC | Chimney Cap | 1 | 6 lbs. | 280.30 | N |
| SD6DPSC | 6"-8" Storm Collar | 10 | 11 lbs. | 34.67 | Y |

7" Accessories

| | | | | | |
|-----------|---------------------------------|-------|--------|----------|---|
| SD6DTCAI | Chase Air Intake w/Rodent Guard | 1 | 3 lbs. | \$298.80 | N |
| SD7DPBP | Base Plate | 1 | 4 lbs. | TBD | N |
| SD7DPES | Elbow Strap | 2 | 5 lbs. | TBD | N |
| SD7DPXRB | Extended Roof Bracket | 1 set | 3 lbs. | TBD | N |
| SD7DPWS | Wall Strap | 2 | 5 lbs. | 102.95 | N |
| SD7DPWSSS | Stainless Wall Strap | 2 | 4 lbs. | 102.39 | N |



Tee Support Bracket

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

M & G Dura-Vent

8" DuraPlus 2100° F Chimney System (8" I.D. - 12" O.D.)

DuraVent
Member of M&G Group

To calculate the installed length of DuraPlus or Dura-Chimney pipe lengths, subtract 1-1/2" from each length of chimney pipe.

8" Chimney Lengths

| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|-----------|-------------------------------|------|---------|----------|---------|
| SD8DP06 | 6" Chimney Section | 1 | 5 lbs. | \$244.15 | Y |
| SD8DP12 | 12" Chimney Section | 1 | 9 lbs. | 330.02 | Y |
| SD8DP36SS | 36" Stainless Chimney Section | 1 | 21 lbs. | 691.89 | N |
| SD8DP36 | 36" Chimney Section | 1 | 22 lbs. | 633.26 | Y |
| SD8DP09 | 9" Chimney Section | 1 | 7 lbs. | 277.37 | Y |
| SD8DP24 | 24" Chimney Section | 1 | 15 lbs. | 448.96 | Y |
| SD8DP24SS | 24" Stainless Chimney Section | 1 | 14 lbs. | 598.01 | N |

8" Tees and Elbows

| | | | | | |
|-------------|---|---|---------|----------|---|
| SD8DPE15 | 15° Elbow Kit: 2 Elbows & 1 Elbow Strap | 1 | 7 lbs. | \$917.37 | Y |
| SD8DPE15KSS | 15° Stainless Elbow Kit: 2 Elbows & 1 Elbow Strap | 1 | 7 lbs. | 1,340.83 | N |
| SD8DPE30K | 30° Elbow Kit: 2 Elbows & 1 Elbow Strap | 1 | 7 lbs. | 1,177.72 | Y |
| SD8DPE30KSS | 30° Stainless Elbow Kit: 2 Elbows & 1 Elbow Strap | 1 | 7 lbs. | 1,654.15 | N |
| SD8DPT | Tee with Cap | 1 | 14 lbs. | 844.37 | N |
| SD8DPTSS | Stainless Tee with Cap | 1 | 14 lbs. | 934.01 | N |

8" Supports

| | | | | | |
|-----------|--|---|---------|----------|---|
| SD8DPRCS | Round Ceiling Support Box | 1 | 9 lbs. | \$398.08 | N |
| SD8DPFCS | Flat Ceiling Support Box (Unfinished) | 1 | 7 lbs. | 221.92 | N |
| SD8DPCS11 | 11" Square Ceiling Support Box w/Trim Collar | 1 | 10 lbs. | 317.15 | Y |
| SD8DPCS24 | 24" Square Ceiling Support Box w/Trim Collar | 1 | 15 lbs. | 345.12 | Y |
| SD8DPCS36 | 36" Square Ceiling Support Box w/Trim Collar | 1 | 20 lbs. | 536.88 | Y |
| SD8DPTSB | Tee Support Bracket | 1 | 10 lbs. | 306.82 | N |
| SD8DPTBSS | Stainless Tee Support Bracket | 1 | 12 lbs. | 484.47 | N |

8" Firestop

| | | | | | |
|------------|-------------------------------|-------|---------|----------|---|
| SD8DPWT | Wall Thimble | 1 | 8 lbs. | \$243.37 | Y |
| SD8DPWTSS | Stainless Wall Thimble | 1 | 7 lbs. | 282.34 | N |
| SD8DPFRS | Firestop Radiation Shield | 1 | 7 lbs. | 205.03 | Y |
| SD6DPIS | 6"-8" Attic Insulation Shield | 1 | 9 lbs. | 204.37 | Y |
| SD6DPCCS36 | Close Clearance Shield, 3' | 1 set | 13 lbs. | 343.16 | N |
| SD6DPCCS48 | Close Clearance Shield, 4' | 1 set | 19 lbs. | 224.26 | N |
| SD6DPCCS60 | Close Clearance Shield, 5' | 1 set | 21 lbs. | 1,812.28 | N |

8" Caps and Flashings


| | | | | | |
|----------|---|----|---------|----------|---|
| SD8DPF6 | Adj. Flashing 0/12-6/12 Ventilated | 1 | 5 lbs. | \$223.33 | Y |
| SD8DPF12 | Adj. Flashing 7/12-12/12 Ventilated | 1 | 10 lbs. | 372.79 | Y |
| SD8DPFF | Flat Roof Flashing (Tall Cone) Ventilated | 1 | 7 lbs. | 262.56 | N |
| SD8DPF24 | Adj. Flashing 19/12-24/12 Ventilated | 1 | 13 lbs. | 726.91 | N |
| SD8DPF18 | Adj. Flashing 13/12-18/12 Ventilated | 1 | 14 lbs. | 503.29 | N |
| SD8DPVC | Chimney Cap with Spark Arrestor | 1 | 6 lbs. | 315.12 | Y |
| SD6DPSC | 6"-8" Storm Collar | 10 | 11 lbs. | 34.67 | Y |

8" Accessories

| | | | | | |
|-----------|---------------------------------|-------|---------|----------|---|
| SD6DTCAI | Chase Air Intake w/Rodent Guard | 1 | 3 lbs. | \$298.80 | N |
| SD8DPBP | Base Plate | 1 | 10 lbs. | 183.75 | Y |
| SD8DPES | Elbow Strap | 2 | 9 lbs. | 101.75 | N |
| SD8DPXRB | Extended Roof Bracket | 1 set | 4 lbs. | 305.07 | Y |
| SD8DPWS | Wall Strap | 2 | 9 lbs. | 95.88 | Y |
| SD8DPWSSS | Stainless Wall Strap | 2 | 4 lbs. | 164.72 | N |



Chimney Cap



Flat Roof Flashing



Storm Collar



Elbow Strap



Wall Strap



Extended Roof Bracket



Base Plate

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

M & G Dura-Vent

Duratech Chimney Systems - 5" Diameter

DuraVent
Member of M&G Group

| 5" Chimney Lengths | | | | | | |
|--------------------|--|------|-----------|----------|---------|--|
| Item No. | Description | Pkg. | Wt. | Retail | Stocked | |
| SD5DT06SS | 6" Chimney Pipe - Stainless | 1 | 2.3 lbs. | \$140.02 | N | |
| SD5DT09B | 9" Chimney Pipe - Black | 1 | 2.3 lbs. | 196.59 | N | |
| SD5DT12SS | 12" Chimney Pipe - Stainless | 1 | 4.3 lbs. | 240.20 | Y | |
| SD5DT18SS | 18" Chimney Pipe - Stainless | 1 | 6.6 lbs. | 343.16 | Y | |
| SD5DT24SS | 24" Chimney Pipe - Stainless | 1 | 8.8 lbs. | 446.11 | Y | |
| SD5DT24SSCF | 24" Chimney Pipe - Stainless (CF) | 1 | 8.8 lbs. | 315.50 | N | |
| SD5DT36SS | 36" Chimney Pipe - Stainless | 1 | 11.6 lbs. | 375.90 | Y | |
| SD5DT36SSCF | 36" Chimney Pipe - Stainless (CF) | 1 | 12.9 lbs. | 402.21 | N | |
| SD5DT48SS | 48" Chimney Pipe - Stainless | 1 | 15.7 lbs. | 493.82 | N | |
| SD5DT48SSCF | 48" Chimney Pipe - Stainless (CF) | 1 | 19.2 lbs. | 528.40 | N | |
| SD5DT60SSCF | 60" Chimney Pipe - Stainless (CF) | 1 | 15.7 lbs. | 613.86 | N | |
| 5" Elbows and Tees | | | | | | |
| SD5DTE15KSS | 15° Elbow Kit - Stainless 2 Elbows & 1 Elbow Strap | 1 | 8.5 lbs. | \$898.02 | N | |
| SD5DTE30KSS | 30° Elbow Kit - Stainless 2 Elbows & 1 Elbow Strap | 1 | 6.7 lbs. | 1,108.55 | Y | |
| SD5DTTSS | Tee w/Cap - Stainless | 1 | 5.8 lbs. | 582.30 | N | |
| SD5DTSTSS | Standard Tee w/Cap - Stainless | 1 | N/A | 582.29 | Y | |
| SD5DTTCCO | Tee Cap | 1 | 1.7 lbs. | 125.20 | N | |
| 5" Supports | | | | | | |
| SD5DTCS11 | 11" Square Ceiling Support Box (SD5DTCS112) | 1 | 8.4 lbs. | \$585.02 | N | |
| SD5DTCS24 | 24" Square Ceiling Support Box | 1 | 12.6 lbs. | 660.39 | N | |
| SD5DTCS36 | 36" Square Ceiling Support Box | 1 | 17 lbs. | 423.81 | N | |
| SD5DTRCS | Round Ceiling Support Box | 1 | 4 lbs. | 402.73 | N | |
| SD5DTFCS | Flat Ceiling Support Box | 1 | 6 lbs. | 948.36 | N | |
| SD5DTARS | Adjustable Roof Support | 1 | 6.2 lbs. | 178.45 | Y | |
| SD5DTRSTC3 | Trim Collar for Roof Support 0/12 - 3/12 | 1 | 2.3 lbs. | 171.59 | N | |
| SD5DTTSB | Adjustable Tee Support Bracket - Galvalume | 1 | 14 lbs. | 277.15 | N | |
| SD5DTTSBSS | Adjustable Tee Support Bracket - Stainless | 1 | 5.3 lbs. | 528.40 | N | |
| SD5DTRES | Adjustable Re-Support | 1 | N/A | 157.02 | N | |
| SD5DTAWS | Adjustable Wall Support | 1 | 1.8 lbs. | 114.21 | Y | |
| SD5DTAWSSS | Adjustable Wall Support - Stainless | 1 | 1.8 lbs. | 164.17 | N | |
| SD5DTXWS | Extended Wall Support | 1 | N/A | 264.10 | Y | |
| SD5DTXWSSS | Extended Wall Support - Stainless | 1 | 9.5 lbs. | 428.26 | N | |

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

M & G Dura-Vent

Duratech Chimney Systems - 5" Diameter

DuraVent
Member of & M&G Group

2
0
2
5
-
2
0
2
6

| 5" Firestop | | | | | |
|------------------------------|--|-------------|------------|---------------|----------------|
| <i>Item No.</i> | <i>Description</i> | <i>Pkg.</i> | <i>Wt.</i> | <i>Retail</i> | <i>Stocked</i> |
| SD5DTWT | Wall Thimble | 1 | 2.3 lbs. | \$274.52 | N |
| SD5DTIWT | Insulated Wall Thimble | 1 | N/A | 325.84 | N |
| SD5DTFRS | Firestop Radiation Shield | 1 | 6.2 lbs. | 184.78 | N |
| SD5DTIS | Attic Insulation Shield | 1 | 4.8 lbs. | 180.59 | N |
| SD5DTRRS | Roof Radiation Shield | 1 | N/A | 203.85 | Y |
| 5" Caps and Flashings | | | | | |
| SD5DTCTF | Chase Top Flashing | 1 | 2.2 lbs. | \$121.61 | N |
| SD5DTF6 | Adjustable Roof Flashing 0/12 - 6/12 | 4 | 24.2 lbs. | 189.76 | Y |
| SD5DTF12 | Adjustable Roof Flashing 7/12 - 12/12 | 1 | 10.5 lbs. | 217.44 | N |
| SD5DTF18 | Adjustable Roof Flashing 13/12 - 18/12 | 1 | 10 lbs. | 320.64 | N |
| SD5DTF24 | Adjustable Roof Flashing 19/12 - 24/12 | 1 | 10 lbs. | 436.73 | N |
| SD5DTFF | Flat Roof Flashing | 4 | 64.4 lbs. | 222.95 | N |
| 5" Caps and Flashings | | | | | |
| SD5DTVC | Chimney Cap | 1 | 3 lbs. | \$199.00 | Y |
| SD5DTSC | Storm Collar | 10 | 6 lbs. | 34.96 | Y |
| 5" Accessories | | | | | |
| SD5DTES | Diameter Elbow Strap | 1 | 1.4 lbs. | \$152.94 | N |
| SD5DTAES | Adjustable Elbow Support | 1 | N/A | 107.07 | Y |
| SD5DTTC | Trim Collar for Round Support Box - Square | 1 | 1.9 lbs. | 110.52 | N |
| SD5DTTCR | Trim Collar for Round Support Box - Round | 1 | 1.9 lbs. | 116.04 | N |
| SD5DTRSTC3 | Trim Collar for Roof Support 0/12 - 3/12 | 1 | 2.3 lbs. | 171.59 | N |
| SD5DTRSTC6 | Trim Collar for Roof Support 4/12 - 6/12 | 1 | 2.3 lbs. | 143.71 | N |
| SD5DTRSTC9 | Trim Collar for Roof Support 7/12 - 9/12 | 1 | 2.3 lbs. | 143.71 | N |
| SD5DTRSTC12 | Trim Collar for Roof Support 10/12 - 12/12 | 1 | 2.3 lbs. | 143.71 | N |
| SD5DTAWSX | DT Extended Adj Wall Strap | 1 | 1.8 lbs. | 214.49 | N |
| SD5DTAWSXSS | DT Extended Adj Wall Strap Stainless | 1 | 1.8 lbs. | 270.67 | N |
| SD5DTFC | Finishing Collar w/adaptor | 1 | 1 lbs. | 164.72 | N |
| SD5DTAP | Anchor Plate | 1 | 2 lbs. | 205.91 | N |
| SD5DTXRS | Extended Roof Bracket | 1 | N/A | 256.95 | Y |
| SD5DTLB | Locking Band | 24 | 2.4 lbs. | 22.04 | Y |
| SD5DTWSSS | Adjustable Wall Strap - SS | 1 | 1.2 lbs. | 178.43 | N |
| SD5DTSA | Spark Arrestor | 1 | 3.3 lbs. | 42.46 | Y |
| SD5DTFS | Firestop | 1 | 2 lbs. | 116.15 | N |

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

M & G Dura-Vent

Duratech Chimney Systems - 6" Diameter

DuraVent
Member of & M&G Group

| 6" Chimney Lengths | | | | | |
|--------------------|--|------|-----------|----------|---------|
| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
| SD6DT06SS | 6" Chimney Pipe - Stainless | 1 | 2.7 lbs. | \$160.29 | Y |
| SD6DT06B | 6" Chimney Pipe - Black | 1 | 2.8 lbs. | 208.20 | N |
| SD6DT06 | 6" Chimney Pipe - Galvalume | 1 | 2.8 lbs. | 123.44 | Y |
| SD6DT09B | 9" Chimney Pipe - Black | 1 | 4 lbs. | 232.16 | N |
| SD6DT09SS | 9" Chimney Pipe - Stainless | 1 | 4 lbs. | 171.35 | Y |
| SD6DT09 | 9" Chimney Pipe - Galvalume | 1 | 4 lbs. | 152.94 | Y |
| SD6DT12B | 12" Chimney Pipe - Black | 1 | 5.6 lbs. | 246.91 | N |
| SD6DT12SS | 12" Chimney Pipe - Stainless | 1 | 5.0 lbs. | 182.42 | Y |
| SD6DT12 | 12" Chimney Pipe - Galvalume | 1 | 5.6 lbs. | 180.59 | Y |
| SD6DT18SS | 18" Chimney Pipe - Stainless | 1 | 8.2 lbs. | 248.77 | Y |
| SD6DT18 | 18" Chimney Pipe - Galvalume | 1 | 8.6 lbs. | 228.47 | Y |
| SD6DT24SS | 24" Chimney Pipe - Stainless | 1 | 9.9 lbs. | 331.67 | Y |
| SD6DT24SSCF | 24" Chimney Pipe - Stainless (CF) | 1 | 11 lbs. | 354.87 | N |
| SD6DT24 | 24" Chimney Pipe - Galvalume | 1 | 10.5 lbs. | 289.33 | Y |
| SD6DT24CF | 24" Chimney Pipe - Galvalume (CF) | | 10.5 lbs. | 309.52 | N |
| SD6DT36SS | 36" Chimney Pipe - Stainless | 1 | 14 lbs. | 442.22 | Y |
| SD6DT36SSCF | 36" Chimney Pipe - Stainless (CF) | 1 | 15 lbs. | 473.17 | Y |
| SD6DT36 | 36" Chimney Pipe - Galvalume | 1 | 14.6 lbs. | 379.58 | Y |
| SD6DT36CF | 36" Chimney Pipe - Galvalume (CF) | 1 | 16.6 lbs. | 406.13 | N |
| SD6DT48SS | 48" Chimney Pipe - Stainless | 1 | 18.7 lbs. | 569.52 | Y |
| SD6DT48SSCF | 48" Chimney Pipe - Stainless (CF) | 1 | 30 lbs. | 609.28 | N |
| SD6DT48 | 48" Chimney Pipe - Galvalume | 1 | 20 lbs. | 469.86 | Y |
| SD6DT48CF | 48" Chimney Pipe - Galvalume (CF) | 1 | 20 lbs. | 502.79 | N |
| SD6DT60SSCF | 60" Chimney Pipe - Stainless (CF) | 1 | 26 lbs. | 723.16 | N |
| SD6DT60CF | 60" Chimney Pipe - Galvalume (CF) | 1 | 26 lbs. | 588.60 | N |
| SD6DT21TASS | Adjustable Pipe 14" - 21" | 1 | 10 lbs. | 547.89 | Y |
| 6" Elbows and Tees | | | | | |
| SD6DTE15KSS | 15° Elbow Kit - Stainless 2 Elbows & 1 Elbow Strap | 1 | 9 lbs. | \$875.03 | Y |
| SD6DTE30KSS | 30° Elbow Kit - Stainless 2 Elbows & 1 Elbow Strap | 1 | 9 lbs. | 1,166.63 | Y |
| SD6DTE30K | 30° Elbow Kit - Galvalume 2 Elbows & 1 Elbow Strap | 1 | 9 lbs. | 847.82 | Y |
| SD6DTST | Standard Tee w/Cap - Galvalume | 1 | 1.3 lbs. | 473.61 | Y |
| SD6DTSTSS | Standard Tee w/Cap - Stainless | 1 | 1.1 lbs. | 624.70 | Y |
| SD6DTTCO | Tee Cap | 1 | N/A | 134.75 | N |
| 6" Supports | | | | | |
| SD6DTCS112 | 11" Square Ceiling Support Box NEW | 1 | 8.5 lbs. | 366.62 | Y |
| SD6DTCS242 | 24" Square Ceiling Support Box NEW | 1 | 12.6 lbs. | 406.70 | Y |
| SD6DTCS24R2 | 24" Square Ceiling Support Box (Reduced Clearance) NEW | 1 | 12.6 lbs. | 383.12 | Y |
| SD6DTCS24IS2 | 24" Square Ceiling Support Box with Attic Insulation Shield NEW | 1 | N/A | 456.21 | N |
| SD6DTCS24RIS | 24" Reduced Square Ceiling Support Box with Attic Insulation Shield | 1 | N/A | 414.85 | LTSD |
| SD6DTCS24RIS2 | 24" Reduced Square Ceiling Support Box with Attic Insulation Shield NEW | 1 | N/A | 434.99 | Y |
| SD6DTCS36 | 36" Square Ceiling Support Box | 1 | 18.2 lbs. | 428.21 | LTSD |
| SD6DTCS362 | 36" Square Ceiling Support Box NEW | 1 | 18.2 lbs. | 449.14 | N |

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

M & G Dura-Vent

Duratech Chimney Systems - 6" Diameter



2
0
2
5
-
2
0
2
6

| 6" Supports | | | | | |
|------------------------------|---|-------------|------------|---------------|----------------|
| <i>Item No.</i> | <i>Description</i> | <i>Pkg.</i> | <i>Wt.</i> | <i>Retail</i> | <i>Stocked</i> |
| SD6DTCS36IS | 36" Square Ceiling Support Box with Attic Insulation Shield | 1 | N/A | \$475.07 | LTSD |
| SD6DTCS36IS2 | 36" Square Ceiling Support Box with Attic Insulation Shield NEW | 1 | N/A | 498.65 | N |
| SD6DTRCS | Round Ceiling Support Box | 1 | 4 lbs. | 183.02 | LTSD |
| SD6DTRCS2 | Round Ceiling Support Box NEW | 1 | 4 lbs. | 212.19 | Y |
| SD6DTFCS2 | Flat Ceiling Support Box NEW | 1 | 9.3 lbs. | 248.73 | Y |
| SD6DTARS | Adjustable Roof Support | 1 | 5.4 lbs. | 178.43 | Y |
| SD6DTRSTC3 | Trim Collar for Roof Support 0/12 - 3/12 | 1 | 2.2 lbs. | 145.51 | N |
| SD6DTTSB | Adjustable Tee Support Bracket - Galvalume | 1 | 10 lbs. | 235.85 | Y |
| SD6DTTSBSS | Adjustable Tee Support Bracket - Stainless | 1 | 10 lbs. | 573.09 | Y |
| SD6DTRES | Adjustable Re-Support | 1 | N/A | 157.02 | Y |
| SD6DTAWS | Adjustable Wall Support | 1 | 2.2 lbs. | 114.21 | Y |
| SD6DTAWSSS | Adjustable Wall Support - Stainless | 1 | N/A | 164.17 | Y |
| SD6DTXWS | Extended Wall Support | 1 | N/A | 264.10 | Y |
| SD6DTXWSSS | Extended Wall Support - Stainless | 1 | 9.6 lbs. | 428.26 | Y |
| 6" Firestop | | | | | |
| SD6DTWT | Wall Thimble | 1 | 5.6 lbs. | \$186.08 | Y |
| SD6DTIWT | Insulated Wall Thimble | 1 | N/A | 225.13 | N |
| SD6DTFRS | Firestop Radiation Shield | 1 | 6.9 lbs. | 145.51 | Y |
| SD6DTIS | Attic Insulation Shield | 1 | 6.6 lbs. | 189.76 | Y |
| SD6DTRRS | Roof Radiation Shield | 1 | 3 lbs. | 203.85 | Y |
| 6" Caps and Flashings | | | | | |
| SD6DTCTF | Chase Top Flashing | 1 | 2.2 lbs. | \$125.27 | N |
| SD6DTF6 | Adjustable Roof Flashing 0/12 - 6/12 | 4 | 10.4 lbs. | 193.42 | Y |
| SD6DTF12 | Adjustable Roof Flashing 7/12 - 12/12 | 1 | 2.6 lbs. | 250.60 | Y |
| SD6DTF18 | Adjustable Roof Flashing 13/12 - 18/12 | 1 | 10.8 lbs. | 372.24 | N |
| SD6DTF24 | Adjustable Roof Flashing 19/12 - 24/12 | 1 | 10 lbs. | 506.74 | N |
| SD6DTFF | Flat Roof Flashing | 4 | 10.5 lbs. | 259.83 | Y |
| SD6DTF6DSA | DSA Roof Flashing | 4 | 2.6 lbs. | 269.20 | Y |
| SD6DTF12DSA | DSA Roof Flashing | 1 | 2.6 lbs. | 429.54 | N |
| SD6DTF6L | Large Base Adjustable Roof Flashing 0/12 - 6/12 | 1 | 2.6 lbs. | 257.94 | Y |
| SD6DTF12L | Large Base Adjustable Roof Flashing 7/12 - 12/12 | 1 | 2.5 lbs. | 342.74 | N |
| 6" Caps and Flashings | | | | | |
| SD6DTVC | Chimney Cap | 1 | 3.3 lbs. | 211.89 | Y |
| SD5DTSC | Storm Collar | 10 | 6 lbs. | 34.96 | Y |
| 6" Accessories | | | | | |
| SD6DTES | Diameter Elbow Strap | 1 | 1.6 lbs. | \$162.12 | Y |
| SD6DTAES | Adjustable Elbow Support | 1 | 1.6 lbs. | 107.07 | Y |
| SD5DTTC | Trim Collar for Round Support Box - Square | 1 | 1.9 lbs. | 110.52 | N |
| SD5DTTCR | Trim Collar for Round Support Box - Round | 1 | 1.9 lbs. | 116.04 | N |
| SD6DTRSTC3 | Trim Collar for Roof Support 0/12 - 3/12 | 1 | 2.2 lbs. | 145.51 | N |
| SD6DTRSTC6 | Trim Collar for Roof Support 4/12 - 6/12 | 1 | 2.2 lbs. | 145.51 | Y |
| SD6DTRSTC9 | Trim Collar for Roof Support 7/12 - 9/12 | 1 | 2.2 lbs. | 145.51 | Y |

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

M & G Dura-Vent

Duratech Chimney Systems - 6" Diameter

DuraVent
Member of & M&G Group

| 6" Accessories | | | | | |
|----------------|--|------|----------|----------|---------|
| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
| SD6DTRSTC12 | Trim Collar for Roof Support 10/12 - 12/12 | 1 | 2.2 lbs. | \$145.51 | N |
| SD6DTAWSX | DT Extended Adj Wall Strap | 1 | 2.2 lbs. | 214.49 | N |
| SD6DTAWSXSS | DT Extended Adj Wall Strap Stainless | 1 | 2.2 lbs. | 264.63 | N |
| SD6DTFC | Finishing Collar w/adaptor | 1 | 1.3 lbs. | 112.84 | Y |
| SD6DTAP | Anchor Plate | 1 | 2.2 lbs. | 151.08 | Y |
| SD6DTXRS | Extended Roof Bracket | 1 | N/A | 256.95 | Y |
| SD6DTLB | Locking Band | 24 | 3 lbs. | 23.93 | Y |
| SD6DTWS | Adjustable Wall Strap - GA | 1 | 3 lbs. | 97.65 | Y |
| SD6DTWSSS | Adjustable Wall Strap - SS | 1 | 1.2 lbs. | 171.35 | Y |
| SD5DTSA | Spark Arrestor | 1 | 3.3 lbs. | 42.46 | Y |
| SD6DTFS | Firestop | 1 | 2.3 lbs. | 130.67 | N |
| SD6DTWTSS | Wall Thimble Exterior Trim - Stainless | 1 | 1.4 lbs. | 108.09 | N |
| SD6DTAP14x17 | Transition Anchor Plate 14" x 17" | 1 | 8.7 lbs. | 785.42 | N |
| SD6DTAP17x17 | Transition Anchor Plate 17" x 17" | 1 | 9.8 lbs. | 792.56 | Y |
| SD6DTAP13x21 | Transition Anchor Plate 13" x 21" | 1 | 9.8 lbs. | 788.96 | N |
| SD6DTAP17x21 | Transition Anchor Plate 17" x 21" | 1 | 9.8 lbs. | 805.11 | N |
| SD6DTSP | Snow Splitter 6"-10" | 1 | 1.3 lbs. | 283.25 | Y |
| SD6DTSBRU | Support Box Rails | 1 | N/A | 75.26 | N |
| SD6DTCAI | Chase Air Intake w/ Rodent Guard | 1 | 2.6 lbs. | 298.80 | N |

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

M & G Dura-Vent
Duratech Chimney Systems - 7" Diameter



2
0
2
5
-
2
0
2
6

| 7" Chimney Lengths | | | | | |
|---------------------------|--|-------------|------------|---------------|----------------|
| <i>Item No.</i> | <i>Description</i> | <i>Pkg.</i> | <i>Wt.</i> | <i>Retail</i> | <i>Stocked</i> |
| SD7DT06SS | 6" Chimney Pipe - Stainless | 1 | 3.2 lbs. | \$343.16 | Y |
| SD7DT06B | 6" Chimney Pipe - Black | 1 | 3.4 lbs. | 232.88 | N |
| SD7DT06 | 6" Chimney Pipe - Galvalume | 1 | 3.4 lbs. | 240.20 | N |
| SD7DT09B | 9" Chimney Pipe - Black | 1 | 2.3 lbs. | 237.71 | N |
| SD7DT09SS | 9" Chimney Pipe - Stainless | 1 | 2.3 lbs. | 243.25 | Y |
| SD7DT09 | 9" Chimney Pipe - Galvalume | 1 | 2.3 lbs. | 329.96 | N |
| SD7DT12B | 12" Chimney Pipe - Black | 1 | 6 lbs. | 250.13 | N |
| SD7DT12SS | 12" Chimney Pipe - Stainless | 1 | 5.8 lbs. | 267.18 | Y |
| SD7DT12 | 12" Chimney Pipe - Galvalume | 1 | 6 lbs. | 210.03 | N |
| SD7DT18SS | 18" Chimney Pipe - Stainless | 1 | 8 lbs. | 302.20 | Y |
| SD7DT18 | 18" Chimney Pipe - Galvalume | 1 | 8.8 lbs. | 362.95 | N |
| SD7DT24SS | 24" Chimney Pipe - Stainless | 1 | 10 lbs. | 364.83 | Y |
| SD7DT24SSCF | 24" Chimney Pipe - Stainless (CF) | 1 | 12 lbs. | 390.39 | N |
| SD7DT24 | 24" Chimney Pipe - Galvalume | 1 | 11.7 lbs. | 335.39 | N |
| SD7DT24CF | 24" Chimney Pipe - Galvalume (CF) | 1 | 11.7 lbs. | 358.85 | N |
| SD7DT36SS | 36" Chimney Pipe - Stainless | 1 | 15.7 lbs. | 569.41 | Y |
| SD7DT36SSCF | 36" Chimney Pipe - Stainless (CF) | 1 | 18.2 lbs. | 609.28 | N |
| SD7DT36 | 36" Chimney Pipe - Galvalume | 1 | 16.7 lbs. | 469.86 | N |
| SD7DT36CF | 36" Chimney Pipe - Galvalume (CF) | 1 | 20.2 lbs. | 502.79 | N |
| SD7DT48SS | 48" Chimney Pipe - Stainless | 1 | 20.5 lbs. | 646.79 | Y |
| SD7DT48SSCF | 48" Chimney Pipe - Stainless (CF) | 1 | 23.4 lbs. | 692.06 | N |
| SD7DT48 | 48" Chimney Pipe - Galvalume | 1 | 21.5 lbs. | 539.90 | Y |
| SD7DT48CF | 48" Chimney Pipe - Galvalume (CF) | 1 | 20.6 lbs. | 577.74 | N |
| SD7DT60SSCF | 60" Chimney Pipe - Stainless (CF) | 1 | 26 lbs. | 763.38 | N |
| SD7DT60CF | 60" Chimney Pipe - Galvalume (CF) | 1 | 26 lbs. | 613.86 | N |
| 7" Elbows and Tees | | | | | |
| SD7DTE15KSS | 15° Elbow Kit - Stainless 2 Elbows & 1 Elbow Strap | 1 | 19.7 lbs. | \$1,038.69 | Y |
| SD7DTE15K | 15° Elbow Kit - Galvalume 2 Elbows & 1 Elbow Strap | 1 | 8.2 lbs. | 872.01 | N |
| SD7DTE30KSS | 30° Elbow Kit - Stainless 2 Elbows & 1 Elbow Strap | 1 | 2.3 lbs. | 1,310.60 | Y |
| SD7DTE30K | 30° Elbow Kit - Galvalume 2 Elbows & 1 Elbow Strap | 1 | 4.5 lbs. | 956.11 | N |
| SD7DTST | Standard Tee w/Cap - Galvalume | 1 | 8 lbs. | 617.70 | N |
| SD7DTSTSS | Standard Tee w/Cap - Stainless | 1 | 8 lbs. | 820.01 | Y |
| SD7DTTTCO | Tee Cap | 1 | N/A | 145.20 | N |
| 7" Supports | | | | | |
| SD7DTCS112 | 11" Square Ceiling Support Box NEW | 1 | 9.2 lbs. | \$383.12 | N |
| SD7DTCS242 | 24" Square Ceiling Support Box NEW | 1 | 18.8 lbs. | 424.38 | Y |
| SD7DTCS36 | 36" Square Ceiling Support Box | 1 | 21 lbs. | 783.60 | LTSD |
| SD7DTCS362 | 36" Square Ceiling Support Box NEW | 1 | 21 lbs. | 471.53 | N |
| SD7DTRCS | Round Ceiling Support Box | 1 | 4.8 lbs. | 522.92 | LTSD |
| SD7DTRCS2 | Round Ceiling Support Box NEW | 1 | 4.8 lbs. | 229.87 | Y |
| SD7DTFCS2 | Flat Ceiling Support Box NEW | 1 | 9 lbs. | 253.45 | N |
| SD5DTARS | Adjustable Roof Support | 1 | 6.2 lbs. | 178.45 | Y |
| SD7DTRSTC3 | Trim Collar for Roof Support 0/12 - 3/12 | 1 | 2.6 lbs. | 147.40 | N |
| SD7DTTSB | Adjustable Tee Support Bracket - Galvalume | 1 | 14.7 lbs. | 294.85 | N |
| SD7DTTSBSS | Adjustable Tee Support Bracket - Stainless | 1 | 14.7 lbs. | 611.89 | Y |

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

M & G Dura-Vent

Duratech Chimney Systems - 7" Diameter

DuraVent
Member of & M&G Group

| 7" Supports | | | | | |
|------------------------------|---|-------------|------------|---------------|----------------|
| <i>Item No.</i> | <i>Description</i> | <i>Pkg.</i> | <i>Wt.</i> | <i>Retail</i> | <i>Stocked</i> |
| SD5DTRES | Adjustable Re-Support | 1 | N/A | \$157.02 | N |
| SD5DTAWS | Adjustable Wall Support | 1 | 1.8 lbs. | 114.21 | Y |
| SD5DTAWSSS | Adjustable Wall Support - Stainless | 1 | N/A | 164.17 | N |
| SD5DTXWS | Extended Wall Support | 1 | N/A | 264.10 | Y |
| SD5DTXWSSS | Extended Wall Support - Stainless | 1 | N/A | 428.26 | N |
| 7" Firestop | | | | | |
| SD7DTWT | Wall Thimble | 1 | 6.7 lbs. | \$377.47 | Y |
| SD7DTIWT | Insulated Wall Thimble | 1 | N/A | 444.33 | N |
| SD7DTFRS | Firestop Radiation Shield | 1 | 7.2 lbs. | 226.49 | Y |
| SD7DTIS | Attic Insulation Shield | 1 | 7 lbs. | 240.20 | Y |
| SD7DTRRS | Roof Radiation Shield | 1 | 5 lbs. | 203.85 | Y |
| 7" Caps and Flashings | | | | | |
| SD7DTCTF | Chase Top Flashing | 1 | 2.3 lbs. | \$150.98 | N |
| SD7DTF6 | Adjustable Roof Flashing 0/12 - 6/12 | 4 | 12 lbs. | 221.12 | Y |
| SD7DTF12 | Adjustable Roof Flashing 7/12 - 12/12 | 1 | 7 lbs. | 289.33 | Y |
| SD7DTF18 | Adjustable Roof Flashing 13/12 - 18/12 | 1 | 12.3 lbs. | 427.50 | N |
| SD7DTF24 | Adjustable Roof Flashing 19/12 - 24/12 | 1 | 15.1 lbs. | 574.92 | N |
| SD7DTFF | Flat Roof Flashing | 4 | 10.1 lbs. | 300.34 | Y |
| SD7DTF6L | Large Base Adjustable Roof Flashing 0/12 - 6/12 | 1 | 6.5 lbs. | 300.34 | N |
| 7" Caps and Flashings | | | | | |
| SD7DTVC | Chimney Cap | 1 | 5.1 lbs. | \$289.33 | Y |
| SD7DTSC | Storm Collar | 10 | 7 lbs. | 38.65 | Y |
| 7" Accessories | | | | | |
| SD7DTES | Diameter Elbow Strap | 1 | 3.9 lbs. | \$173.18 | Y |
| SD5DTAES | Adjustable Elbow Support | 1 | N/A | 107.07 | Y |
| SD7DTTC | Trim Collar for Round Support Box - Square (SD7DTTC2) | 1 | 2.1 lbs. | 107.05 | N |
| SD7DTTCR | Trim Collar for Round Support Box - Round (SD7DTTCR2) | 1 | 2.1 lbs. | 114.02 | Y |
| SD7DTRSTC3 | Trim Collar for Roof Support 0/12 - 3/12 | 1 | 2.6 lbs. | 147.40 | N |
| SD7DTRSTC6 | Trim Collar for Roof Support 4/12 - 6/12 | 1 | 2.6 lbs. | 147.40 | N |
| SD7DTRSTC9 | Trim Collar for Roof Support 7/12 - 9/12 | 1 | 2.6 lbs. | 147.40 | N |
| SD7DTRSTC12 | Trim Collar for Roof Support 10/12 - 12/12 | 1 | 2.5 lbs. | 147.40 | N |
| SD7DTFC | Finishing Collar w/adapter | 1 | 1.5 lbs. | 157.85 | N |
| SD7DTAP | Anchor Plate | 1 | 2.5 lbs. | 189.76 | N |
| SD5DTXRS | Extended Roof Bracket | 1 | N/A | 256.95 | Y |
| SD7DTLB | Locking Band | 24 | 5.3 lbs. | 25.79 | Y |
| SD7DTWS | Adjustable Wall Strap - GA | 1 | 1.9 lbs. | 106.86 | N |
| SD7DTWSSS | Adjustable Wall Strap - SS | 1 | 1.8 lbs. | 177.22 | Y |
| SD5DTSA | Spark Arrestor | 1 | 3.3 lbs. | 42.46 | Y |
| SD7DTFS | Firestop | 1 | 2.3 lbs. | 145.19 | Y |
| SD7DTBT | Base Tee | 1 | 5.5 lbs. | 189.76 | N |

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

M & G Dura-Vent

Duratech Chimney Systems - 8" Diameter

DuraVent
Member of M&G Group

2
0
2
5
-
2
0
2
6

| 8" Chimney Lengths | | | | | |
|--------------------|--|------|-----------|------------|---------|
| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
| SD8DT06SS | 6" Chimney Pipe - Stainless | 1 | 3.5 lbs. | \$259.83 | Y |
| SD8DT06B | 6" Chimney Pipe - Black | 1 | 3.8 lbs. | 233.78 | N |
| SD8DT06 | 6" Chimney Pipe - Galvalume | 1 | 3.8 lbs. | 141.85 | Y |
| SD8DT09B | 9" Chimney Pipe - Black | 1 | 2.3 lbs. | 241.33 | N |
| SD8DT09SS | 9" Chimney Pipe - Stainless | 1 | 2.3 lbs. | 281.73 | Y |
| SD8DT09 | 9" Chimney Pipe - Galvalume | 1 | 2.3 lbs. | 178.70 | Y |
| SD8DT12B | 12" Chimney Pipe - Black | 1 | 7.3 lbs. | 291.14 | N |
| SD8DT12SS | 12" Chimney Pipe - Stainless | 1 | 6.8 lbs. | 326.13 | Y |
| SD8DT12 | 12" Chimney Pipe - Galvalume | 1 | 6.3 lbs. | 215.58 | Y |
| SD8DT18SS | 18" Chimney Pipe - Stainless | 1 | 9.4 lbs. | 355.60 | Y |
| SD8DT18 | 18" Chimney Pipe - Galvalume | 1 | 11.1 lbs. | 270.84 | Y |
| SD8DT24SS | 24" Chimney Pipe - Stainless | 1 | 11.7 lbs. | 421.95 | Y |
| SD8DT24SSCF | 24" Chimney Pipe - Stainless (CF) | 1 | 13.2 lbs. | 451.48 | Y |
| SD8DT24 | 24" Chimney Pipe - Galvalume | 1 | 12.6 lbs. | 350.08 | Y |
| SD8DT24CF | 24" Chimney Pipe - Galvalume (CF) | 1 | 13 lbs. | 374.59 | N |
| SD8DT36SS | 36" Chimney Pipe - Stainless | 1 | 17.6 lbs. | 667.06 | Y |
| SD8DT36SSCF | 36" Chimney Pipe - Stainless (CF) | 1 | 19.6 lbs. | 713.75 | N |
| SD8DT36 | 36" Chimney Pipe - Galvalume | 1 | 18.6 lbs. | 503.05 | Y |
| SD8DT36CF | 36" Chimney Pipe - Galvalume (CF) | 1 | 20.5 lbs. | 538.31 | N |
| SD8DT48SS | 48" Chimney Pipe - Stainless | 1 | 25 lbs. | 759.20 | Y |
| SD8DT48SSCF | 48" Chimney Pipe - Stainless (CF) | 1 | 27 lbs. | 812.34 | Y |
| SD8DT48 | 48" Chimney Pipe - Galvalume | 1 | 52.2 lbs. | 578.58 | Y |
| SD8DT48CF | 48" Chimney Pipe - Galvalume (CF) | 1 | 27 lbs. | 619.09 | N |
| SD8DT60SSCF | 60" Chimney Pipe - Stainless (CF) | 1 | 27 lbs. | 850.06 | N |
| SD8DT60CF | 60" Chimney Pipe - Galvalume (CF) | 1 | 25.2 lbs. | 657.65 | Y |
| SD8DT21TASS | Adjustable Pipe 14"-21" | 1 | 13.7 lbs. | 616.37 | Y |
| 8" Elbows and Tees | | | | | |
| SD8DTE15KSS | 15° Elbow Kit - Stainless 2 Elbows & 1 Elbow Strap | 1 | 10.4 lbs. | \$1,139.71 | Y |
| SD8DTE15K | 15° Elbow Kit - Galvalume 2 Elbows & 1 Elbow Strap | 1 | 10.4 lbs. | 898.32 | N |
| SD8DTE30KSS | 30° Elbow Kit - Stainless 2 Elbows & 1 Elbow Strap | 1 | 9.5 lbs. | 1,406.19 | Y |
| SD8DTE30K | 30° Elbow Kit - Galvalume 2 Elbows & 1 Elbow Strap | 1 | 9.5 lbs. | 1,024.78 | Y |
| SD8DTST | Standard Tee w/Cap - Galvalume | 1 | 11 lbs. | 663.42 | Y |
| SD8DTSTSS | Standard Tee w/Cap - Stainless | 1 | 11 lbs. | 926.90 | Y |
| SD8DTTCCO | Tee Cap | 1 | N/A | 149.88 | N |
| 8" Supports | | | | | |
| SD8DTCS112 | 11" Square Ceiling Support Box | 1 | 9.8 lbs. | \$400.80 | N |
| SD8DTCS24 | 24" Square Ceiling Support Box (SD8DTCS242) | 1 | 14.9 lbs. | 426.44 | Y |
| SD8DTCS36 | 36" Square Ceiling Support Box (SD8DTCS362) | 1 | 21 lbs. | 473.84 | Y |
| SD8DTRCS | Round Ceiling Support Box (SD8DTRCS2) | 1 | 4.3 lbs. | 294.13 | Y |
| SD8DTFCS | Flat Ceiling Support Box (SD8DTFCS2) | 1 | 6.3 lbs. | 245.66 | Y |
| SD8DTRS | Roof Support | 1 | 5.5 lbs. | TBD | Y |
| SD8DTTSB | Adjustable Tee Support Bracket - Galvalume | 1 | 12.9 lbs. | 342.74 | Y |
| SD8DTTSBSS | Adjustable Tee Support Bracket - Stainless | 1 | 12.6 lbs. | 674.44 | Y |
| SD6DTRES | Adjustable Re-Support | 1 | N/A | 157.02 | Y |
| SD6DTAWS | Adjustable Wall Strap | 1 | 2.2 lbs. | 114.21 | Y |
| SD6DTAWSSS | Adjustable Wall Support - Stainless | 1 | N/A | 164.17 | Y |
| SD6DTXWS | Extended Wall Support | 1 | N/A | 264.10 | Y |
| SD6DTXWSSS | Extended Wall Support - Stainless | 1 | N/A | 428.26 | Y |

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

M & G Dura-Vent

Duratech Chimney Systems - 8" Diameter

DuraVent
Member of & M&G Group

| 8" Firestop | | | | | |
|------------------------------|---|-------------|------------|---------------|----------------|
| <i>Item No.</i> | <i>Description</i> | <i>Pkg.</i> | <i>Wt.</i> | <i>Retail</i> | <i>Stocked</i> |
| SD8DTWT | Wall Thimble | 1 | 6.9 lbs. | \$237.65 | Y |
| SD8DTIWT | Insulated Wall Thimble | 1 | N/A | 278.45 | N |
| SD8DTFRS | Firestop Radiation Shield | 1 | 7.7 lbs. | 182.42 | Y |
| SD8DTIS | Attic Insulation Shield | 1 | 7.8 lbs. | 254.26 | Y |
| SD8DTRRS | Roof Radiation Shield | 1 | 5 lbs. | 203.85 | Y |
| 8" Caps and Flashings | | | | | |
| SD8DTCTF | Chase Top Flashing | 1 | 2.3 lbs. | \$134.47 | N |
| SD8DTF6 | Adjustable Roof Flashing 0/12 - 6/12 | 4 | 26.6 lbs. | 241.33 | Y |
| SD8DTF12 | Adjustable Roof Flashing 7/12 - 12/12 | 1 | 6.5 lbs. | 313.26 | Y |
| SD8DTF18 | Adjustable Roof Flashing 13/12 - 18/12 | 1 | 12.5 lbs. | 486.44 | N |
| SD8DTF24 | Adjustable Roof Flashing 19/12 - 24/12 | 1 | 15.5 lbs. | 851.39 | Y |
| SD8DTFF | Flat Roof Flashing | 4 | 11.5 lbs. | 315.09 | Y |
| SD8DTF6L | Large Base Adjustable Roof Flashing 0/12 - 6/12 | 1 | 6.7 lbs. | 340.91 | N |
| SD8DTF12L | Large Base Adjustable Roof Flashing 7/12 - 12/12 | 1 | 10.4 lbs. | 445.94 | N |
| SD7DTSC | Storm Collar | 10 | 1 lbs. | 38.65 | Y |
| 8" Caps and Flashings | | | | | |
| SD8DTVC | Chimney Cap | 1 | 4.9 lbs. | \$379.58 | Y |
| SD8DTF6DSA | DSA Roof Flashing | 4 | 6.7 lbs. | 329.68 | Y |
| SD8DTF12DSA | DSA Roof Flashing | 1 | 6.5 lbs. | 480.96 | Y |
| 8" Accessories | | | | | |
| SD8DTES | Diameter Elbow Strap | 1 | 2.4 lbs. | \$180.59 | N |
| SD6DTAES | Adjustable Elbow Support | 1 | 1.6 lbs. | 107.07 | Y |
| SD7DTTC2 | Trim Collar for Round Support Box - Square | 1 | 2.1 lbs. | 116.70 | N |
| SD7DTTCR | Trim Collar for Round Support Box - Round (SD7DTTCR2) | 1 | 2.1 lbs. | 114.02 | Y |
| SD8DTRSTC3 | Trim Collar for Roof Support 0/12 - 3/12 | 1 | 2.3 lbs. | 149.23 | N |
| SD8DTRSTC6 | Trim Collar for Roof Support 4/12 - 6/12 | 1 | 2.3 lbs. | 149.23 | N |
| SD8DTRSTC9 | Trim Collar for Roof Support 7/12 - 9/12 | 1 | 2.2 lbs. | 149.23 | N |
| SD8DTRSTC12 | Trim Collar for Roof Support 10/12 - 12/12 | 1 | 2.2 lbs. | 149.23 | N |
| SD8DTFC | Finishing Collar w/adaptor | 1 | 1.6 lbs. | 130.55 | Y |
| SD8DTAP | Anchor Plate | 1 | 2.5 lbs. | 211.89 | Y |
| SD6DTARS | Adjustable Roof Support | 1 | 5.4 lbs. | 178.43 | Y |
| SD6DTXRS | Extended Roof Bracket | 1 | N/A | 256.95 | Y |
| SD8DTLB | Locking Band | 24 | 3.8 lbs. | 27.62 | Y |
| SD8DTWS | Adjustable Wall Strap - Galvalume | 1 | 2.2 lbs. | 127.10 | Y |
| SD8DTWSSS | Adjustable Wall Strap - Stainless | 1 | 2.2 lbs. | 182.42 | Y |
| SD5DTSA | Spark Arrestor | 1 | 3.3 lbs. | 42.46 | Y |
| SD8DTFS | Firestop | 1 | N/A | 159.70 | Y |
| SD8DTBT | Base Tee | 1 | 6.7 lbs. | 219.24 | N |
| SD8DTWTSS | Wall Thimble Exterior Trim - Stainless | 1 | 2.3 lbs. | 117.09 | N |
| SD8DTAP14x17 | Transition Anchor Plate 14" x 17" | 1 | 11.8 lbs. | 820.03 | N |
| SD8DTAP17x17 | Transition Anchor Plate 17" x 17" | 1 | 11.8 lbs. | 827.38 | N |
| SD8DTAP13x21 | Transition Anchor Plate 13" x 21" | 1 | 11.8 lbs. | 823.72 | N |
| SD8DTAP17x21 | Transition Anchor Plate 17" x 21" | 1 | 11.8 lbs. | 831.10 | N |

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

M & G Dura-Vent

Duratech Chimney Systems - Large Diameter 10" - 16"



2
0
2
5
-
2
0
2
6

Duratech Chimney Lengths

For stock status, please visit shop.aes4home.com or call 800-682-9722

| Item No. | Description | Pkg. | 10" | | 12" | | 14" | | 16" | |
|------------|------------------------------|------|-----------|----------|-----------|----------|-----------|----------|-----------|----------|
| | | | Wt. | Retail | Wt. | Retail | Wt. | Retail | Wt. | Retail |
| SD__DT06 | 6" Chimney Pipe - Galvalume | 1 | 6.3 lbs. | \$347.29 | 6.8 lbs. | \$389.57 | 8.6 lbs. | \$561.71 | 15.5 lbs. | \$682.51 |
| SD__DT12 | 12" Chimney Pipe - Galvalume | 1 | 10 lbs. | 383.53 | 12.2 lbs. | 425.81 | 15 lbs. | 573.79 | 16 lbs. | 709.69 |
| SD__DT12SS | 12" Chimney Pipe - Stainless | 1 | 11.6 lbs. | 407.69 | 12.2 lbs. | 494.97 | 15 lbs. | 664.39 | 17 lbs. | 815.39 |
| SD__DT18 | 18" Chimney Pipe - Galvalume | 1 | 15.5 lbs. | 468.09 | 19.4 lbs. | 543.59 | 22 lbs. | 709.69 | 23 lbs. | 785.19 |
| SD__DT18SS | 18" Chimney Pipe - Stainless | 1 | 17 lbs. | 754.95 | 19.4 lbs. | 619.09 | 21.7 lbs. | 815.39 | 23 lbs. | 1,372.64 |
| SD__DT24 | 24" Chimney Pipe - Galvalume | 1 | 19 lbs. | 603.99 | 22.6 lbs. | 724.79 | 26.8 lbs. | 905.99 | 29.6 lbs. | 966.38 |
| SD__DT24CF | 24" Chimney Pipe - Galvalume | 1 | 20 lbs. | 634.19 | 23 lbs. | 754.99 | - | - | - | - |
| SD__DT24SS | 24" Chimney Pipe - Stainless | 1 | 20 lbs. | 664.39 | 23 lbs. | 785.19 | 27.8 lbs. | 1,132.48 | 30.3 lbs. | 1,372.64 |
| SD__DT36 | 36" Chimney Pipe - Galvalume | 1 | 29.6 lbs. | 815.39 | 34 lbs. | 966.38 | 40 lbs. | 1,026.78 | 42.7 lbs. | 1,087.18 |
| SD__DT36CF | 36" Chimney Pipe - Galvalume | 1 | 29.6 lbs. | 845.59 | 35 lbs. | 996.58 | - | - | - | - |
| SD__DT36SS | 36" Chimney Pipe - Stainless | 1 | 27.2 lbs. | 936.19 | 33.2 lbs. | 1,117.38 | 39.3 lbs. | 1,358.98 | 46 lbs. | 1,630.77 |

Elbows

| | | | | | | | | | | |
|-------------|-----------------------|---|-----------|----------|-----------|----------|-----------|----------|-----------|----------|
| SD__DTE15 | 15° Elbow - Galvalume | 1 | 12.5 lbs. | \$724.79 | 15.7 lbs. | \$754.99 | 17.5 lbs. | \$815.39 | 19.4 lbs. | \$905.99 |
| SD__DTE15SS | 15° Elbow - Stainless | 1 | 12.5 lbs. | 1,029.49 | 15.7 lbs. | 960.85 | 17.5 lbs. | 1,612.87 | 19.4 lbs. | 1,714.85 |
| SD__DTE30 | 30° Elbow - Galvalume | 1 | 12.5 lbs. | 754.99 | 15.7 lbs. | 785.19 | 17.5 lbs. | 830.49 | 19.4 lbs. | 936.19 |
| SD__DTE30SS | 30° Elbow - Stainless | 1 | 12.5 lbs. | 1,544.23 | 15.7 lbs. | 1,887.39 | 17.5 lbs. | 1,887.39 | 19.4 lbs. | 2,058.98 |
| SD__DTES | Elbow Strap | 1 | 2.8 lbs. | 265.34 | 4 lbs. | 289.46 | 3 lbs. | 313.58 | 3 lbs. | 337.70 |

Supports, Tees, Caps and Accessories

| | | | | | | | | | | |
|------------|-----------------------------------|---|-----------|------------|-----------|------------|-----------|------------|-----------|------------|
| SD__DTRCS | Round Ceiling Support Box | 1 | 15 lbs. | \$1,141.54 | 16 lbs. | \$1,887.37 | 18 lbs. | \$1,343.88 | 33.5 lbs. | \$1,425.42 |
| SD__DTTCSB | Trim Collar for Round Support Box | 1 | 2.8 lbs. | 114.76 | 3 lbs. | - | 2.3 lbs. | 129.86 | 6.6 lbs. | 135.90 |
| SD__DTWT | Wall Thimble | 1 | 13 lbs. | 1,089.10 | 13.7 lbs. | 767.07 | 27 lbs. | 815.39 | 19 lbs. | 851.63 |
| SD__DTT | Tee w/Cap - Galvalume | 1 | 26.6 lbs. | 2,355.56 | 41 lbs. | 2,582.06 | 50 lbs. | 2,868.95 | 50.4 lbs. | 3,050.15 |
| SD__DTTSS | Tee w/Cap - Stainless | 1 | 26.6 lbs. | 2,817.62 | 41 lbs. | 2,944.45 | 50 lbs. | 3,183.03 | 50.4 lbs. | 3,412.55 |
| SD__DTTSB | Tee Support Bracket | 1 | 17 lbs. | 483.19 | 11 lbs. | 1,121.58 | 22 lbs. | 531.51 | 13 lbs. | 564.73 |
| SD__DTFC | Finishing Collar | 1 | 6 lbs. | 377.47 | N/A | 220.14 | N/A | 252.92 | N/A | 290.40 |
| SD__DTAP | Anchor Plate | 1 | 4.2 lbs. | 235.56 | 4.9 lbs. | 256.70 | 5.5 lbs. | 410.71 | 7.4 lbs. | 440.91 |
| SD__DTAPD | Anchor Plate w/Damper | 1 | 17 lbs. | 1,011.68 | 17 lbs. | 1,102.28 | 17 lbs. | 1,132.48 | 17 lbs. | 1,207.98 |
| SD__DTFRS | Firestop Radiation Shield | 1 | 13 lbs. | 754.95 | 15.7 lbs. | 692.87 | 17.3 lbs. | 926.54 | 20 lbs. | 960.85 |
| SD__DTIS | Attic Insulation Shield | 1 | 17 lbs. | 857.90 | 11.8 lbs. | 692.87 | 13 lbs. | 1,166.74 | 15.6 lbs. | 712.70 |
| SD__DTCTF | Chase Top Flashing | 1 | 7 lbs. | 377.47 | 11.6 lbs. | 446.11 | 8 lbs. | 370.25 | 11 lbs. | 294.28 |
| SD__DTXRB | Extended Roof Bracket | 1 | 15 lbs. | 413.73 | 15.2 lbs. | 413.73 | 15 lbs. | 413.73 | 15.3 lbs. | 413.73 |
| SD__DTSC | Storm Collar | 1 | 3.7 lbs. | 81.54 | 6 lbs. | 87.58 | 5.2 lbs. | 93.62 | 4.3 lbs. | 99.66 |
| SD__DTF6 | Adjustable Roof Flashing | 1 | 6 lbs. | 344.27 | 7.5 lbs. | 362.39 | 8 lbs. | 549.63 | - | - |
| SD16DTF12 | Adjustable Roof Flashing | 1 | - | - | - | - | - | - | 10 lbs. | 570.77 |
| SD__DTFF | Flat Roof Flashing | 1 | 4 lbs. | 286.90 | 4.5 lbs. | 292.94 | 5 lbs. | 501.31 | 6 lbs. | 513.39 |
| SD__DTVC1 | Chimney Cap | 1 | 10.5 lbs. | 679.49 | N/A | 709.69 | 13.8 lbs. | 815.39 | 13.7 lbs. | 996.58 |
| SD__DTVCE | Economy Chimney Cap | 1 | 8 lbs. | 522.92 | 8.2 lbs. | 459.46 | 14 lbs. | TBD | 10.5 lbs. | 575.23 |
| SD__DTWS | Wall Strap | 1 | 3 lbs. | 195.02 | 4.6 lbs. | 237.57 | 5.5 lbs. | 343.16 | 6.2 lbs. | 229.15 |
| SD10DTSA14 | Spark Arrestor 10-14 | 1 | 1 lb. | 80.81 | - | - | - | - | - | - |
| SD10DTSA16 | Spark Arrestor 10-16 Economy | 1 | 10.4 lbs. | 82.18 | - | - | - | - | - | - |
| SD10DTSA24 | Spark Arrestor 16-24 | 1 | 1 lb. | 85.61 | - | - | - | - | - | - |

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

M & G Dura-Vent

Duratech Chimney Systems - Large Diameter 18" - 24"

DuraVent
Member of  M&G Group

Duratech Chimney Lengths

SPECIAL ORDER - NO RETURNS OR EXCHANGES

| Item No. | Description | Pkg. | 18" | | 20" | | 22" | | 24" | |
|---|-------------------------------|------|-----------|------------|-----------|------------|-----------|------------|-----------|------------|
| | | | Wt. | Retail | Wt. | Retail | Wt. | Retail | Wt. | Retail |
| SD__DT12 | 12" Chimney Pipe - Galvalume | 1 | 16 lbs. | \$800.29 | 16 lbs. | \$923.41 | 16 lbs. | \$1,484.84 | 16 lbs. | \$1,220.86 |
| SD__DT12SS | 12" Chimney Pipe - Stainless | 1 | 16 lbs. | 923.41 | 16 lbs. | 1,061.93 | 16 lbs. | 1,123.49 | 16 lbs. | 1,231.21 |
| SD__DT18 | 18" Chimney Pipe - Galvalume | 1 | 23 lbs. | 923.41 | 23 lbs. | 1,046.54 | 23 lbs. | 1,108.10 | 23 lbs. | 1,215.82 |
| SD__DT18SS | 18" Chimney Pipe - Stainless | 1 | 23 lbs. | 1,061.93 | 23 lbs. | 1,200.43 | 23 lbs. | 1,277.39 | 23 lbs. | 1,400.50 |
| SD__DT24 | 24" Chimney Pipe - Galvalume | 1 | 29.6 lbs. | 1,046.54 | 50 lbs. | 1,169.65 | 29.6 lbs. | 1,717.02 | 29.6 lbs. | 1,338.95 |
| SD__DT24SS | 24" Chimney Pipe - Stainless | 1 | 29.6 lbs. | 1,200.43 | 50 lbs. | 1,354.34 | 29.6 lbs. | 1,385.12 | 29.6 lbs. | 1,539.02 |
| SD__DT36 | 36" Chimney Pipe - Galvalume | 1 | 42.7 lbs. | 1,169.65 | 65 lbs. | 1,231.21 | 42.7 lbs. | 1,292.78 | 42.7 lbs. | 1,462.07 |
| SD__DT36SS | 36" Chimney Pipe - Stainless | 1 | 42.7 lbs. | 1,338.95 | 42.7 lbs. | 1,415.89 | 42.7 lbs. | 1,492.85 | 42.7 lbs. | 1,692.92 |
| Elbows | | | | | | | | | | |
| SD__DTE15 | 15° Elbow - Galvalume | 1 | 19.4 lbs. | \$1,108.10 | 19.4 lbs. | \$1,169.65 | 19.4 lbs. | \$1,200.43 | 19.4 lbs. | \$1,615.97 |
| SD__DTE15SS | 15° Elbow - Stainless | 1 | 19.4 lbs. | 1,338.95 | 19.4 lbs. | 1,400.50 | 19.4 lbs. | 1,462.07 | 19.4 lbs. | 1,308.17 |
| SD__DTE30 | 30° Elbow - Galvalume | 1 | 19 lbs. | 1,169.65 | 19 lbs. | 1,200.43 | 19 lbs. | 1,261.99 | 19 lbs. | 1,338.95 |
| SD__DTE30SS | 30° Elbow - Stainless | 1 | 19 lbs. | 1,662.14 | 19 lbs. | 1,692.92 | 19 lbs. | 1,769.87 | 19 lbs. | 1,877.61 |
| SD__DTES | Elbow Strap | 1 | 3 lbs. | 221.62 | 3 lbs. | 227.78 | 3 lbs. | 233.93 | 3 lbs. | 240.09 |
| Supports, Tees, Caps and Accessories | | | | | | | | | | |
| SD__DTAP | Anchor Plate | 1 | 7.4 lbs. | \$480.18 | 7.4 lbs. | \$541.74 | 7.4 lbs. | \$572.52 | 7.4 lbs. | \$634.08 |
| SD__DTAPD | Anchor Plate w/Damper | 1 | 17 lbs. | 1,308.17 | 17 lbs. | 1,462.07 | 17 lbs. | 1,539.02 | 17 lbs. | 1,615.97 |
| SD__DTFRS | Firestop Radiation Shield | 1 | 22 lbs. | 626.83 | 3 lbs. | 523.27 | 34 lbs. | 554.05 | N/A | 584.83 |
| SD__DTIS | Attic Insulation Shield | 1 | 15.6 lbs. | 797.21 | 15.6 lbs. | 797.21 | 15.6 lbs. | 797.21 | 15.6 lbs. | 827.99 |
| SD18DTRRS | Roof Radiation Shield 18"-24" | 1 | 7.4 lbs. | 205.91 | - | - | - | - | - | - |
| SD__DTCTF | Chase Top Flashing | 1 | 18 lbs. | 313.59 | 14 lbs. | 231.03 | N/A | 230.86 | N/A | 230.86 |
| SD__DTSC | Storm Collar | 1 | 4.3 lbs. | 107.74 | 4.3 lbs. | 113.89 | 4.3 lbs. | 120.05 | 4.3 lbs. | 240.21 |
| SD20DTFF | Flat Flashing Tall Cone | 1 | - | - | 6 lbs. | 369.82 | - | - | - | - |
| SD__DTVC | Chimney Cap | 1 | 10.5 lbs. | 766.44 | 10.5 lbs. | 797.21 | 10.5 lbs. | 797.21 | 10.5 lbs. | 827.99 |
| SD__DTT | Tee w/Cap - Galvalume | 1 | 9.5 lbs. | 3,766.73 | N/A | 4,314.62 | N/A | 4,424.20 | N/A | 4,588.56 |
| SD__DTFC | Finishing Collar | 1 | N/A | 421.55 | N/A | 484.78 | N/A | 557.38 | N/A | 641.69 |
| SD__DTTSS | Tee w/Cap - Stainless | 1 | 10 lbs. | 3,876.31 | 64 lbs. | 4,424.20 | N/A | 4,533.77 | N/A | 4,698.13 |
| SD__DTWS | Wall Strap | 1 | 6.2 lbs. | 283.19 | 6.2 lbs. | 289.33 | 6.2 lbs. | 295.49 | 6.2 lbs. | 301.65 |

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

M & G Dura-Vent

DVL Close Clearance Connector

DVL double-wall stovepipe is engineered for enhanced safety and superior stove performance. The DVL double-wall air insulated design is made to reduce clearance to combustibles. DVL improves stove performance by maintaining high flue gas temperatures for a strong, steady draft.

- Available in sizes 6", 7"* and 8" diameters
- Durable .012" type 430 stainless steel inner liner
- Drip-free design, no cutting or crimping
- 6" clearance to walls, 8" clearance to ceilings
- U.L. listed to 2100° F
- 25-year warranty

DVL Close Clearance Connector

Double wall close clearance connector stovepipe is available in 6", 7"* and 8" diameters for installation with minimum clearance to combustibles (6" to walls, 8" to ceilings). DVL is constructed with a stainless steel inner wall for long lasting performance and safety. For mobile home installations, follow the appliance manufacturer's installation instructions.

DVL Adjustable Length

Used whenever fixed lengths of DVL are not appropriate because of interior obstructions. There is approximately 3" of adjustment on the 6" length and 7" of adjustment on the 12" length of pipe. All pieces must have a minimum 1" overlap with all connecting pipe.

DVL Telescoping Length

Allows one piece installation from stove to ceiling support box with close clearance connector. Available in 29"-48" and 40"-68" extensions. Easy to install; no cutting required.

DVL Close Clearance Adapter

This stainless steel close clearance adapter is the only part that will allow for a connection from double wall DVL to DuraPlus for a through-the-wall or ceiling support installation. Pipe cannot attach properly without this part.

DVL Oval to Round Adapter

Used on appliances with oval flue collars and allows adaption to round pipe.

DVL Increaser

To increase from a smaller appliance flue outlet to larger diameter chimney . Must be used with a close clearance adapter when connecting to the support box.

DVL Adapter Section

Connects DVL pipe to the appliance flue outlet. The damper is optional. To be used as a stove adapter.

DVL Elbows

Offsets obstructions as needed and angles DVL pipe towards the chimney's thimble or the appliance flue outlet. Elbows are not adjustable. 90° elbow not recommended for rear exit appliances.

DVL Tee

Tee comes with convenient clean-out cap. For use with rear exit appliances.

DuraVent
Member of M&G Group



Length



DVL
Adjustable
Length



DVL Telescoping
Length

2
0
2
5
-
2
0
2
6

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

M & G Dura-Vent

6" DVL Close Clearance Connector (6" I.D. - 7" O.D.)

DuraVent
Member of M&G Group

6" DVL Double Wall Lengths

| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|-------------|---------------------------------------|------|---------|----------|---------|
| SD6DVL48 | 48" Length | 1 | 12 lbs. | \$316.22 | Y |
| SD6DVL24 | 24" Length | 1 | 7 lbs. | 205.68 | Y |
| SD6DVL18 | 18" Length | 1 | 5 lbs. | 148.47 | Y |
| SD6DVL12 | 12" Length | 1 | 4 lbs. | 124.89 | Y |
| SD6DVL06 | 6" Wall Length | 1 | 2 lbs. | 116.84 | Y |
| SD6DVL12ADJ | 12" Adjustable Length (7" Adjustment) | 1 | 4 lbs. | 155.09 | Y |
| SD6DVL6ADJ | 6" Adjustable Length (3" Adjustment) | 1 | 2 lbs. | 126.98 | Y |
| SD6DVL68TA | 40"-68" Telescoping Length | 1 | 18 lbs. | 497.16 | Y |
| SD6DVL46TA | 29"-48" Telescoping Length | 1 | 13 lbs. | 374.71 | Y |

6" DVL Adapters and Increases

| | | | | | |
|------------|--------------------------------------|---|--------|----------|---|
| SD6DVLORAD | Oval to Round Adapter | 1 | 5 lbs. | \$262.59 | N |
| SD6DVLADT | DVL/DuraBlack Chimney Adapter w/Trim | 1 | 2 lbs. | 131.05 | Y |
| SD6DVLADC | Chimney Adapter | 6 | 2 lbs. | 71.50 | Y |
| SD6DVLADWD | Adapter/Damper Section | 1 | 3 lbs. | 151.14 | Y |
| SD5DVLX6 | Increaser 5"-6" | 1 | 3 lbs. | 193.22 | N |

6" DVL Double Wall Tees and Elbows

| | | | | | |
|-----------|-----------------|---|--------|----------|---|
| SD6DVLTL | Black Tee | 1 | 5 lbs. | \$210.84 | Y |
| SD6DVLE45 | 45° Black Elbow | 1 | 3 lbs. | 162.85 | Y |
| SD6DVLE90 | 90° Black Elbow | 1 | 4 lbs. | 243.98 | Y |



Oval to Round Adapter



Increaser



Adapter Section

7" DVL Close Clearance Connector (7" I.D. - 8" O.D.)

7" DVL Double Wall Lengths

| New Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|--------------|---------------------------------------|------|---------|----------|---------|
| SD7DVL48 | 48" Length | 1 | 13 lbs. | \$369.93 | N |
| SD7DVL24 | 24" Length | 1 | 7 lbs. | 261.81 | N |
| SD7DVL18 | 18" Length | 1 | 6 lbs. | 258.10 | N |
| SD7DVL12 | 12" Length | 1 | 4 lbs. | 166.04 | N |
| SD7DVL06 | 6" Wall Length | 1 | 3 lbs. | 260.81 | N |
| SD7DVL12ADJ | 12" Adjustable Length (7" Adjustment) | 1 | 4 lbs. | 179.80 | N |
| SD7DVL6ADJ | 6" Adjustable Length (3" Adjustment) | 1 | 3 lbs. | 192.97 | N |
| SD7DVL68TA | 40"-68" Telescoping Length | 1 | 21 lbs. | 531.13 | N |
| SD7DVL46TA | 29"-48" Telescoping Length | 1 | 15 lbs. | 400.06 | N |

7" DVL Adapters and Increases

| | | | | | |
|------------|--------------------------------------|---|--------|----------|---|
| SD7DVLADT | DVL/DuraBlack Chimney Adapter w/Trim | - | - | \$329.44 | N |
| SD7DVLADC | Chimney Adapter | 6 | 3 lbs. | 171.59 | N |
| SD7DVLADWD | Adapter/Damper Section | 1 | 4 lbs. | 181.46 | N |
| SD7DVLAD | Adapter Section without Damper | 1 | 2 lbs. | 139.18 | N |
| SD6DVLX7 | Increaser 6"-7" | 1 | 3 lbs. | 184.86 | N |

7" DVL Double Wall Tees and Elbows

| | | | | | |
|-----------|-----------------|---|--------|----------|---|
| SD7DVLTL | Black Tee | 1 | 6 lbs. | \$514.74 | N |
| SD7DVLE45 | 45° Black Elbow | 1 | 4 lbs. | 200.97 | N |
| SD7DVLE90 | 90° Black Elbow | 1 | 5 lbs. | 297.67 | N |



90° Elbow



45° Elbow



Tee

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

M & G Dura-Vent

8" DVL Close Clearance Connector (8" I.D. - 9" O.D.)

DuraVent
Member of M&G Group

2
0
2
5
-
2
0
2
6

| 8" DVL Double Wall Lengths | | | | | |
|--|---------------------------------------|------|---------|----------|---------|
| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
| SD8DVL48 | 48" Length | 1 | 15 lbs. | \$426.28 | Y |
| SD8DVL24 | 24" Length | 1 | 2 lbs. | 263.32 | Y |
| SD8DVL18 | 18" Length | 1 | 7 lbs. | 244.04 | Y |
| SD8DVL12 | 12" Length | 1 | 5 lbs. | 188.57 | Y |
| SD8DVL06 | 6" Length | 1 | 3 lbs. | 165.52 | N |
| SD8DVL12ADJ | 12" Adjustable Length (7" Adjustment) | 1 | 5 lbs. | 218.57 | Y |
| SD8DVL6ADJ | 6" Adjustable Length (3" Adjustment) | 1 | 3 lbs. | 181.14 | N |
| SD8DVL68TA | 40"-68" Telescoping Length | 1 | 23 lbs. | 593.07 | Y |
| SD8DVL46TA | 29"-48" Telescoping Length | 1 | 17 lbs. | 492.28 | Y |
| 8" DVL Adapters and Increases | | | | | |
| SD8DVLADT | DVL/DuraBlack Chimney Adapter w/Trim | - | - | \$149.48 | N |
| SD8DVLADC | Chimney Adapter | 6 | 3 lbs. | 87.18 | Y |
| SD8DVLORAD | Oval to Round Adapter | 1 | 5 lbs. | 262.59 | N |
| SD8DVLADWD | Adapter/Damper Section | 1 | 4 lbs. | 233.78 | N |
| SD8DVLAD | Adapter Section without Damper | 1 | 2 lbs. | 170.80 | N |
| SD7DVLX8 | Increaser 7"-8" | 1 | 4 lbs. | 283.64 | N |
| SD6DVLX8 | Increaser 6"-8" | 1 | 4 lbs. | 202.19 | Y |
| <i>Designed to fit on the last upper most section of DVL connector pipe. A close clearance adapter must be used.</i> | | | | | |
| 8" DVL Double Wall Tees and Elbows | | | | | |
| SD8DVL T | Black Tee | 1 | 7 lbs. | \$356.01 | N |
| SD8DVL E45 | 45° Black Elbow | 1 | 5 lbs. | 231.46 | Y |
| SD8DVL E90 | 90° Black Elbow | 1 | 6 lbs. | 330.57 | N |



Oval to Round Adapter



Increaser



Adapter Section



90° Elbow



45° Elbow



Tee

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

M & G Dura-Vent

Dura-Black Single Wall Black Pipe

Dura-Black single-wall, 24-gauge drip free black stovepipe features die-formed end fittings and adjustable lengths that eliminate cutting and crimping. 18" clearance to combustibles required for single wall stovepipe. Warranted for a period of five years from installation.

Single Wall Length

To calculate the installed length, subtract 1-1/4" from the "B" measurement (reference the Simpson Dura-Vent brochure at the end of the section). "B" length is overall height of the pipe length.

Slip Connector

Connects Dura-Black pipe to ceiling support box or wall thimble. Allows 10 inches of adjustment for an easy, drip-free installation without cutting the pipe. Required for proper connection of pipe.

Elbows

For offsetting Dura-Black stovepipe. Elbows are not adjustable.

Tee

Use the Dura-Black tee for a drip-free 90° turn with rear exit appliances. Includes clean-out cap.

Stovetop Adapter

Suitable for appliance flue outlets from the size specified to 1/8" smaller inside diameter.

Double Skirted Stovetop Adapter

Adapts appliance flue outlets from the size specified to 3/8" smaller inside diameter.

Increaser

To increase from smaller appliance flue outlet to a larger diameter chimney.

Trim Collar

Use to trim pipe at ceiling support box or wall thimble.

Oval to Round Adapter

The bottom end ovals easily to connect to the oval flue outlet of the appliance.

Damper Section

A short pipe section with the damper conveniently pre-installed.

6"-8" Slip Increaser

Adapts from 6" Dura-Black to 8" Dura/Plus neatly at the ceiling support box or wall thimble. No slip connector needed.

DuraVent
Member of M&G Group



Single Wall Length



Tee



90° Elbow



Slip Connector



Slip Increaser



Double Skirted
Stovetop Adapter



Stovetop Adapter



45° Elbow



Damper Section

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

M & G Dura-Vent

5"-7" Dura-Black Single Wall Black Pipe



2
0
2
5
-
2
0
2
6

To calculate the installed lengths, subtract 1-1/4" from each length of chimney pipe.

| 5" Dura-Black Single Wall Accessories | | | | | |
|---------------------------------------|---------------------------------|------|--------|----------|---------|
| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
| SD5DBKADSL | Snap-Lock Adapter w/Trim | 1 | 1 lb. | \$164.56 | N |
| 6" Dura-Black Single Wall Pipe | | | | | |
| SD6DBK48 | 48" Length | 1 | 8 lbs. | \$103.72 | Y |
| SD6DBK24 | 24" Length | 1 | 4 lbs. | 61.53 | Y |
| SD6DBK12 | 12" Length | 1 | 3 lbs. | 54.97 | Y |
| 6" Dura-Black Single Wall Accessories | | | | | |
| SD6DBKSC | 14" Black Slip Connector | 1 | 3 lbs. | \$82.16 | Y |
| SD6DBKE45 | 45° Black Elbow | 1 | 2 lbs. | 55.40 | Y |
| SD6DBKE90 | 90° Black Elbow | 1 | 2 lbs. | 69.60 | Y |
| SD6DBKT | Black Tee with Clean-Out Cap | 1 | 3 lbs. | 162.09 | N |
| SD6DBKAD | Stovetop Adapter | 1 | 1 lb. | 49.10 | Y |
| SD6DBKADDB | Double Skirted Stovetop Adapter | 1 | 2 lbs. | 72.06 | Y |
| SD5DBKX6 | Increaser 5"-6" | 1 | 2 lbs. | 70.27 | N |
| SD6DBKTC | Trim Collar | 1 | 1 lb. | 32.32 | Y |
| SD6DBKADOR | Round to Oval Adapter | 1 | 3 lbs. | 58.57 | Y |
| SD6DBKDS | Damper Section | 1 | 2 lbs. | 90.46 | Y |
| SD6DVLADC | DVL/Dura Black Chimney Adapter | 6 | 2 lbs. | 71.50 | Y |
| SD6DBKADSL | Snap-Lock Adapter w/Trim | 1 | 1 lb. | 124.93 | Y |
| 7" Dura-Black Single Wall Pipe | | | | | |
| SD7DBK48 | 48" Length | 1 | 9 lbs. | \$115.78 | N |
| SD7DBK24 | 24" Length | 1 | 5 lbs. | 80.00 | N |
| SD7DBK12 | 12" Length | 1 | 3 lbs. | 62.63 | N |
| 7" Dura-Black Single Wall Accessories | | | | | |
| SD7DBKSC | 14" Black Slip Connector | 1 | 3 lbs. | \$116.67 | N |
| SD7DBKE45 | 45° Black Elbow | 1 | 3 lbs. | 109.82 | N |
| SD7DBKE90 | 90° Black Elbow | 1 | 3 lbs. | 130.40 | N |
| SD7DBKT | Black Tee with Clean-Out Cap | 1 | 5 lbs. | 377.47 | N |
| SD7DBKAD | Stovetop Adapter | 1 | 2 lbs. | 102.95 | N |
| SD7DBKADDB | Double Skirted Stovetop Adapter | 1 | 2 lbs. | 150.98 | N |
| SD6DBKX7 | Increaser 6"-7" | 1 | 2 lbs. | 77.33 | N |
| SD7DBKTC | Trim Collar | 1 | 1 lb. | 82.35 | N |
| SD7DBKADOR | Round to Oval Adapter | 1 | 3 lbs. | 123.54 | N |
| SD7DBKDS | Damper Section | 1 | 3 lbs. | 124.92 | N |
| SD7DVLADC | DVL/Dura Black Chimney Adapter | 6 | 3 lbs. | 171.59 | N |
| SD7DBKADSL | Snap-Lock Adapter w/Trim | 1 | 2 lbs. | 186.21 | N |



Double Skirted Stovetop Adapter



Increaser



Oval to Round Adapter



Damper Section



Slip Increaser

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

M & G Dura-Vent

8" and 10" Dura-Black Single Wall Black Pipe

DuraVent
Member of M&G Group

To calculate the installed lengths, subtract 1-1/4" from each length of chimney pipe.

8" DuraBlack Single Wall Pipe

| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|----------|-------------|------|---------|----------|---------|
| SD8DBK48 | 48" Length | 1 | 10 lbs. | \$117.05 | Y |
| SD8DBK24 | 24" Length | 1 | 5 lbs. | 71.81 | Y |
| SD8DBK12 | 12" Length | 1 | 4 lbs. | 56.71 | Y |

8" DuraBlack Single Wall Accessories

| | | | | | |
|------------|-----------------------------------|---|--------|---------|---|
| SD8DBKSC | Black Slip Connector Without Trim | 1 | 3 lbs. | \$99.09 | Y |
| SD8DBKE45 | 45° Black Elbow | 1 | 3 lbs. | 66.24 | Y |
| SD8DBKE90 | 90° Black Elbow | 1 | 4 lbs. | 90.98 | Y |
| SD8DBKTSS | Black Tee with Clean-Out Cap | 1 | 5 lbs. | 328.73 | N |
| SD8DBKAD | Stovetop Adapter | 1 | 2 lbs. | 68.07 | N |
| SD8DBKADDB | Double Skirted Stovetop Adapter | 1 | 2 lbs. | 73.81 | N |
| SD7DBKX8 | Increaser 7"-8" | 1 | 2 lbs. | 116.67 | N |
| SD8DBKTC | Trim Collar | 1 | 1 lb. | 51.48 | Y |
| SD8DBKADOR | Round to Oval Adapter | 1 | 3 lbs. | 69.72 | N |
| SD8DBKDS | Damper Section | 1 | 4 lbs. | 115.78 | N |
| SD6DBKXS8 | Slip Increaser 6"-8" | 1 | 4 lbs. | 107.44 | Y |
| SD8DBKADSL | Snap-Lock Adapter | 1 | 2 lbs. | 153.15 | Y |

10" DuraBlack Single Wall Pipe

| | | | | | |
|-----------|------------|---|--------|----------|---|
| SD10DBK24 | 24" Length | 1 | 7 lbs. | \$164.56 | N |
| SD10DBK12 | 12" Length | 1 | 4 lbs. | 137.27 | N |

10" DuraBlack Single Wall Accessories

| | | | | | |
|-------------|---------------------------------|---|--------|----------|---|
| SD10DBKSC | 14" Black Slip Connector | 1 | 5 lbs. | \$125.82 | N |
| SD10DBKE45 | 45° Black Elbow | 1 | 3 lbs. | 164.56 | N |
| SD10DBKE90 | 90° Black Elbow | 1 | 5 lbs. | 219.62 | N |
| SD10DBKT | Black Tee with Clean-Out Cap | 1 | 7 lbs. | 428.71 | N |
| SD10DBKADDB | Double Skirted Stovetop Adapter | 1 | 2 lbs. | 106.08 | N |
| SD8DBKX10 | Increaser 8"-10" | 1 | 3 lbs. | 171.59 | N |
| SD10DBKTC | Trim Collar | 1 | 1 lb. | 85.79 | N |



Double Skirted
Stovetop Adapter



Increaser



Trim Collar



Oval to Round
Adapter



Damper Section



Slip Increaser

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

M & G Dura-Vent

DuraChimney II Double Wall Chimney

DuraVent
Member of M&G Group

DuraChimney II is a double-wall, air-cooled chimney system for use with masonry fireplaces which burn wood, oil, coal or gas. DuraChimney II is designed to stay cool on the outside, to provide a hot draft on the inside and to provide a fire-safe design that protects both the chimney and the building. The double-wall, air-cooled design allows the chimney to expand both radially and lengthwise under high temperatures.

- Available in 10", 12", 14" and 16" diameters.
- Durable .016" type 430 stainless steel liner.
- Unitized pipe sections. No field assembly of inners and outers required
- 2" clearance to combustibles.
- Limited lifetime warranty.
- UL Listed to UL 103 and ULC S604 standards.

Single Wall Length - To calculate the installed length, subtract 1-1/2" from the "B" measurement (reference the Simpson Dura-Vent brochure at the end of the section). "B" length is overall height of the pipe length.

Elbows - For offsetting DuraChimney II stovepipe. Offsets greater than 30° are not allowed. Elbows are not adjustable.

Supplementary Support - Use to help support weight of DuraChimney II. Supports a maximum of 25' of chimney. Use additional Supplementary Supports as needed.

Stabilizer - Use to hold DuraChimney II in place. Use inside chase enclosures to stabilize chimney installation. Refer to fireplace manufacturer for additional requirements on use of Stabilizer.

Anchor Plate - Use as a starter section for DuraChimney II. Bolts directly to fireplace outlet.

Anchor Plate with Damper - Use as a starter section for DuraChimney II. Bolts directly to fireplace outlet. Damper section allows chimney to be closed when fireplace is not in use. Includes chain and lintel hook.

Firestop - Use in ceiling/floor penetrations above fireplace. Firestop is not required when passing through the roof. Fits on underside of ceiling.

Attic Insulation Shield - Use in all installations that pass through an attic to prevent insulation and debris from accumulating near the chimney, unless chimney is enclosed through attic. Consists of two parts - collar and base.

Roof Radiation Shield - Required at top of chase enclosure or where chimney passes through the roof. Roof Radiation Shield is not required if chimney is unenclosed in the attic. Four plates (included) make up on shield.

Chase Top Flashing - Encloses the top of a chase while providing a ventilation air passage to the chase. Includes spacer clips.

Chimney Cap - Used to terminate chimney system. Required on all installations. Slides over previous section of DuraChimney II pipe to allow for chimney height adjustment. Include spark arrestor.

Storm Collar - Use to help prevent rain from entering chase. Use with a flashing and chimney cap.

Wall Strap - Use to support and to stabilize the chimney in interior or exterior installations to ensure a 2" clearance. Wall Straps are required every 8' on exterior of building only.

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

M & G Dura-Vent

DuraChimney II 10" Thru 16" Double Wall Chimney

DuraVent
Member of M&G Group

DuraChimney II Pipe



For stock status, please visit order.aes4home.com or call 800-682-9722

| Item No. | Description | Pkg. | 10" | | 12" | | 14" | | 16" | |
|-----------|------------------|------|---------|-----------|---------|----------|---------|----------|---------|----------|
| | | | Wt. | Retail | Wt. | Retail | Wt. | Retail | Wt. | Retail |
| SD__DCA12 | 12" Chimney Pipe | 1 | 6 lbs. | *\$260.81 | 10 lbs. | \$181.90 | 9 lbs. | \$200.72 | 10 lbs. | \$225.81 |
| SD__DCA18 | 18" Chimney Pipe | 1 | 8 lbs. | 200.71 | 10 lbs. | 216.39 | 12 lbs. | 235.21 | 13 lbs. | 279.11 |
| SD__DCA36 | 36" Chimney Pipe | 1 | 12 lbs. | 304.20* | 21 lbs. | 332.43 | 24 lbs. | 388.88 | 28 lbs. | 435.92 |
| SD__DCA48 | 48" Chimney Pipe | 1 | 18 lbs. | 348.11 | 24 lbs. | 388.88 | 24 lbs. | 417.10 | 31 lbs. | 453.17 |

DuraChimney II Accessories

| | | | | | | | | | | |
|------------|-------------------------|---|---------|-----------|---------|----------|---------|----------|---------|----------|
| SD__DCAE15 | 15° Elbow | 2 | 4 lbs. | \$583.38* | 4 lbs. | \$363.79 | 10 lbs. | \$398.29 | 5 lbs. | \$617.70 |
| SD__DCAE30 | 30° Elbow | 2 | 4 lbs. | 326.15* | 5 lbs. | 363.78 | 10 lbs. | 398.29 | 12 lbs. | 435.92 |
| SD__DCASS | Supplementary Support | 1 | 6 lbs. | 300.10* | 5 lbs. | 343.16 | 6 lbs. | 206.98 | 6 lbs. | 356.89 |
| SD__DCAST | Stabilizer | 1 | 3 lbs. | 125.58* | 5 lbs. | 116.67 | 3 lbs. | 96.09 | 5 lbs. | 192.17 |
| SD__DCAAP | Anchor Plate | 1 | 14 lbs. | 583.38* | 12 lbs. | 535.33 | 15 lbs. | 422.13 | 17 lbs. | 617.70 |
| SD__DCAAPD | Anchor Plate w/Damper | 1 | 8 lbs. | 1,304.01* | 27 lbs. | 906.33 | 19 lbs. | 987.87 | 26 lbs. | 1,050.59 |
| SD__DCAFS | Firestop | 1 | 4 lbs. | 95.65* | 4 lbs. | 100.36 | 1 lb. | 109.76 | 5 lbs. | 114.47 |
| SD__DCAIS | Attic Insulation Shield | 1 | 12 lbs. | 733.85* | 5 lbs. | 746.39 | 12 lbs. | 777.75 | 12 lbs. | 784.03 |
| SD__DCARRS | Roof Radiation Shield | 1 | 4 lbs. | 90.95* | 10 lbs. | 171.59 | 4 lbs. | 108.55 | 4 lbs. | 514.74 |
| SD__DCACTF | Chase Top Flashing | 1 | 2 lbs. | 377.47* | 4 lbs. | 446.11 | 15 lbs. | 316.75 | 15 lbs. | 754.95 |
| SD__DCAVC1 | Chimney Cap | 1 | 16 lbs. | 525.30* | 18 lbs. | 533.14 | 23 lbs. | 624.08 | 24 lbs. | 715.03 |
| SD__DCASC | Storm Collar | 1 | 2 lbs. | 64.29* | 2 lbs. | 64.29 | 3 lbs. | 68.99 | 3 lbs. | 68.99 |
| SD__DCAWS | Wall Strap | 1 | 5 lbs. | 199.14* | 5 lbs. | 203.85 | 7 lbs. | 210.12 | 7 lbs. | 312.87 |



Stabilizer



15° Elbow




30° Elbow



Pipe Length



Attic Insulation Shield



Firestop



Roof Radiation Shield



Chimney Cap



Anchor Plate w/ Damper



Anchor Plate



Elbow Strap

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

"Reliance Liner" by American Hearth Reducers/increasers



| American Hearth Products "Reliance" Reducer/Increasesers | | | | | |
|---|---------------------------|------|---------|---------|---------|
| American Hearth Products "Reliance Liner" brand, matte black, 24-gauge. One piece, spun. Attractive, durable and requires less space than tapered reducers. | | | | | |
| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
| RM3X6BLK | 3" x 6" Reducer/Incraser | 1 | 4 lbs. | \$37.00 | Y |
| RM3X8BLK | 3" x 8" Reducer/Incraser | 1 | 5 lbs. | 42.00 | Y |
| RM4X6BLK | 4" x 6" Reducer/Incraser | 1 | 6 lbs. | 35.00 | Y |
| RM4X8BLK | 4" x 8" Reducer/Incraser | 1 | 7 lbs. | 38.00 | Y |
| RM5X6BLK | 5" x 6" Reducer/Incraser | 1 | 7 lbs. | 21.00 | N |
| RM6X7BLK | 6" x 7" Reducer/Incraser | 1 | 8 lbs. | 29.00 | Y |
| RM6X8BLK | 6" x 8" Reducer/Incraser | 1 | 10 lbs. | 35.00 | Y |
| RM6X9BLK | 6" x 9" Reducer/Incraser | 1 | 10 lbs. | 37.00 | N |
| RM6X10BLK | 6" x 10" Reducer/Incraser | 1 | 11 lbs. | 34.00 | N |
| RM8X10BLK | 8" x 10" Reducer/Incraser | 1 | 11 lbs. | 27.00 | Y |
| RM9X10BLK | 9" x 10" Reducer/Incraser | 1 | 11 lbs. | 25.00 | N |



Reliance
Reducer/
Incraser

2
0
2
5
-
2
0
2
6

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

"Reliance Liner" by American Hearth

Single Wall Pipe Baffles



Single Wall Pipe Baffles

A 24-gauge, matte black baffle covering half the circumference of a single wall flue. Screw-mounted to the flue with welded brackets which maintain 1" air space between the flue and the baffle. Other lengths, multiple and single wall baffles available by special order; contact AES Inside Sales for pricing. To determine the reduced clearance with the pipe baffle, please consult the appliance manufacturer.



| Item No. | Description | Retail | Stocked |
|----------|-------------|---------|---------|
| RM612PB | 6" x 12" | \$40.00 | Y |
| RM618PB | 6" x 18" | 42.00 | N |
| RM624PB | 6" x 24" | 46.00 | Y |
| RM636PB | 6" x 36" | 54.00 | Y |
| RM648PB | 6" x 48" | 62.00 | Y |
| RM660PB | 6" x 60" | 71.00 | Y |
| RM672PB | 6" x 72" | 85.00 | Y |
| RM812PB | 8" x 12" | 43.00 | Y |
| RM824PB | 8" x 24" | 49.00 | Y |
| RM836PB | 8" x 36" | 60.00 | Y |
| RM848PB | 8" x 48" | 67.00 | Y |
| RM860PB | 8" x 60" | 73.00 | Y |
| RM872PB | 8" x 72" | 84.00 | Y |

U.S. Fireplace Products



Chimney Dampers

Seal Tight Damper

Damper seals in your heat and air conditioning and seals out animals, birds and insects. Constructed of stainless steel and aluminum components so damper will never rust or corrode. Damper is lined with a gasket to provide the tightest possible seal and is backed by a Lifetime Warranty. Damper comes with 30' of stainless steel cable and hardware pack.

| Item No. | Frame Size | Minimum Inside Flue Size | Maximum Inside Flue Size | Retail | Stocked |
|----------|------------|--------------------------|--------------------------|----------|---------|
| US88SD | 8" x 8" | 6-3/4" x 6-3/4" | 9" x 9" | \$396.00 | Y |
| US817SD | 8" x 17" | 6-1/4" x 14-1/2" | 8-3/4" x 16-3/4" | 396.00 | Y |
| US913SD | 9" x 13" | 6-1/2" x 10-1/2" | 9" x 12-3/4" | 398.00 | Y |
| US1216SD | 12" x 16" | 9-1/4" x 13" | 11-3/4" x 15-1/2" | 517.00 | Y |
| US1313SD | 13" x 13" | 10-1/8" x 10-1/8" | 12-3/4" x 12-3/4" | 416.00 | Y |
| US1318SD | 13" x 18" | 9-5/8" x 15" | 12-3/4" x 17-1/2" | 494.00 | Y |
| US1818SD | 18" x 18" | 15" x 15" | 17-3/4" x 17-3/4" | 644.00 | Y |

Accessories

| | | | |
|-------------|--|---------|---|
| USSDHRDWRE | Seal Tight Hardware Pack (Includes Chain Assembly, Bracket, Nail Anchors, Tube of Adhesive, Allen Wrench & Instruction Sheet, 30' Cable) | \$67.00 | Y |
| USSDINSTALL | Seal Tight Installation Pack (Includes Chain Assembly, Bracket, Nail Anchors, Tube of Adhesive, Allen Wrench & Instruction Sheet) | 43.00 | Y |
| USSD501 | Seal Tight 50' Cable for 9x13,13x13,12x16 & 13x18 Dampers | 86.00 | Y |
| USSD502 | Seal Tight 50' Cable for 8x8 Damper | 86.00 | Y |
| USSD503 | Seal Tight 50' Cable for 8x17 & 18x18 Dampers | 86.00 | Y |



For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

U.S. Fireplace Products Chimney Dampers



2
0
2
5
-
2
0
2
6

Energy Top Damper

Energy Top damper is fully gasketed to insure complete seal of the flue. The Energy Top opens as much as 81% higher than other dampers. Its superior design and spring strength opens to a preset height to ensure proper draft. Lifetime warranty. Comes with 30' of stainless cable. For more information visit www.energytop.com

| Item No. | Frame Size | Minimum Inside Flue Size | Maximum Inside Flue Size | Retail | Stocked |
|----------|------------|--------------------------|--------------------------|----------|---------|
| US88ED | 8" x 8" | 6" x 6" | 9" x 9" | \$460.00 | N |
| US817ED | 8" x 17" | 6" x 14" | 9" x 17-1/2" | 576.00 | N |
| US913ED | 9" x 13" | 6" x 9" | 9-1/2" x 12-1/2" | 503.00 | Y |
| US1313ED | 13" x 13" | 9" x 9" | 12-1/2" x 12-1/2" | 521.00 | Y |
| US1318ED | 13" x 18" | 9" x 14" | 12-1/2" x 17-1/2" | 630.00 | Y |
| US1818ED | 18" x 18" | 14" x 14" | 17-1/2" x 17-1/2" | 707.00 | N |

Access Plates

| | | | |
|----------|---|---------|---|
| US88SR | 8" x 8" Access Plate w/4-Hex Bolts and 4-Flat Washers | \$86.00 | N |
| US817SR | 8" x 17" Access Plate w/4-Hex Bolts and 4-Flat Washers | 93.00 | N |
| US913SR | 9" x 13" Access Plate w/4-Hex Bolts and 4-Flat Washers | 86.00 | N |
| US1216SR | 12" x 16" Access Plate w/4-Hex Bolts and 4-Flat Washers | 100.00 | N |
| US1313SR | 13" x 13" Access Plate w/4-Hex Bolts and 4-Flat Washers | 93.00 | N |
| US1318SR | 13" x 18" Access Plate w/4-Hex Bolts and 4-Flat Washers | 100.00 | N |
| US1818SR | 18" x 18" Access Plate w/4-Hex Bolts and 4-Flat Washers | 123.00 | N |

Accessories

| | | | |
|-------------|--|---------|---|
| USED50 | Energy Top 50' Cable for All Sizes | \$60.00 | N |
| USEDHRDWRE | Energy Top Hardware Pack (Includes Chain Assembly, Bracket, Nail Anchors, Tube of Adhesive, Allen Wrench & Instruction Sheet, 30' Cable) | 83.00 | N |
| USEDINSTALL | Energy Top Installation Pack (Includes Chain Assembly, Bracket, Nail Anchors, Tube of Adhesive, Allen Wrench & Instruction Sheet) | 43.00 | N |



"Reliance Liner" by American Hearth Chimney Hatches



| Item No. | Description | Retail | Stocked |
|----------|-------------------------|----------|---------|
| RM810 | Chimney Hatch - 8"x10" | \$104.00 | N |
| RM1212H | Chimney Hatch - 12"x12" | 161.00 | N |

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

"Reliance Liner" by American Hearth Stainless Steel Chimney Caps



Stainless Steel chimney caps by Reliance Liner are stackable, taking up less stock space. A removable top allows convenient access for cleaning and installation. Made from both 22 and 24-gauge, 304 stainless steel. Featuring 4 stainless steel bolts for a secure attachment and a 3/4" x 3/4" stainless steel expanded metal screen. Custom sizes are available by special order; please call AES Inside Sales for pricing assistance. Lifetime warranty. California mesh is also available by adding "CA" after the item number, and CA caps are stocked at the West Sacramento, CA warehouse only.



| Item No. | Base Size Tile Dimension | Minimum Outside Tile Dimension | Maximum Outside | Retail | Stocked |
|-----------|-----------------------------------|--------------------------------|-------------------|---------|---------|
| RM9499 | 9" x 9" | 7-1/2" x 7-1/2" | 9" x 9" | \$84.00 | Y |
| RM94913 | 9-1/2" x 13-1/2" | 7-1/2" x 11-1/2" | 9-1/2" x 13-1/2" | 94.00 | Y |
| RM941313 | 13-1/2" x 13-1/2" | 11-1/2" x 11-1/2" | 13-1/2" x 13-1/2" | 103.00 | Y |
| RM941317 | 13-1/2" x 17-1/2" | 11-1/2" x 15-1/2" | 13-1/2" x 17-1/2" | 113.00 | Y |
| RM941717 | 17-1/2" x 17-1/2" | 15-1/2" x 15-1/2" | 17-1/2" x 17-1/2" | 135.00 | Y |
| RM94LEG | Leg Kit For Chimney Caps 4/pc Set | | | 12.00 | Y |
| RM94BOLTS | Extra Bolt Bags for RM94 Caps | | | 14.00 | N |

HY-C Chimney Caps Big Top Multi-Flue



100% 304-stainless steel welded construction chimney cap with 24-gauge removable hood for easy cleaning and scalloped corners and rolled edges that add style and safety. 18-gauge, 3/4" expanded metal mesh, keeps out rain, birds, animals and debris. Standard mesh height is 8". Also features 24-gauge 304 stainless steel base flanges for extra strength in mounting. Tapmark masonry screw anchor attaches to chimney crown. Screws and adhesive are included. Models come fully assembled unless noted "KD", indicating Knocked Down. Lifetime warranty.



Big Top Multi-Flue

Mesh meeting California regulations (18-gauge, 5/8" 100% 304 expanded stainless steel) is available by special order only, please call AES Inside Sales for more information.

| Item No. | Base Size | Hood Size | Rise | Wt. | Retail | Stocked |
|-----------------------------|-----------|-------------------|------|---------|----------|---------|
| HCBT1319 | 13" x 19" | 20-1/4" x 25-1/4" | 8" | 11 lbs. | \$297.99 | N |
| HCBT1426KD (HCBT1426K) | 14" x 26" | 22-1/4" x 34-1/2" | 8" | 15 lbs. | 362.99 | N |
| HCBT1414 | 14" x 14" | 20-1/4" x 20-1/4" | 8" | 10 lbs. | 281.99 | N |
| HCBT1537KD (HCBT1537K) | 15" x 37" | 22-1/4" x 46-1/2" | 8" | 19 lbs. | 428.99 | N |
| HCBT1717 | 17" x 17" | 25-1/4" x 25-1/4" | 8" | 13 lbs. | 313.99 | N |
| HCBT1729KD (HCBT1729K) | 17" x 29" | 22-1/4" x 34-1/2" | 8" | 16 lbs. | 12.99 | N |
| HCBT172910KD (HCBT1729K10W) | 17" x 29" | 22-1/4" x 34-1/2" | 10" | 16 lbs. | 442.99 | N |
| HCBT1741KD (HCBT1741K) | 17" x 41" | 22-1/4" x 46-1/2" | 8" | 20 lbs. | 461.99 | N |
| HCBT172914KD (HCBT1729K14W) | 17" x 29" | 22-1/4" x 34-1/2" | 14" | 16 lbs. | 470.99 | N |
| HCBT174114KD (HCBT1741K14W) | 17" x 41" | 22-1/4" x 46-1/2" | 14" | 20 lbs. | 519.99 | N |

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Chimney & Pipe

HY-C Chimney Caps

Draft King Single Flue Chimney Covers



2
0
2
5
-
2
0
2
6

An 8" high chimney cap, designed for outside mounting to provide 95% free air space. The free air space creates better draft and the durable construction provides strength to resist the elements. 18-gauge 3/4" expanded mesh is turned inward at the base to allow cover to rest firmly on the tile which closes any opening around the tile. Mesh meeting California regulations (18-gauge, 5/8" 100% 304 expanded stainless steel) is available by special order only, please call AES Inside Sales for more information. Available in all stainless steel or black painted galvanized steel.

Stainless Steel

Constructed of 304 stainless steel, a 24-gauge single piece stainless hood with roll formed edges and 16-gauge base for extra strength. Stainless steel slotted hex-head bolts. Lifetime warranty.

| Item No. | Outside Tile Size | Minimum Outside Tile Size | Maximum Outside Tile Size | Wt. | Retail | Stocked |
|-----------|-------------------|---------------------------|---------------------------|---------|----------|---------|
| HCSS99U | 9" x 9" | 7-1/2" x 7-1/2" | 9-1/2" x 9-1/2" | 7 lbs. | \$165.99 | Y |
| HCSS913U | 9" x 13" | 7-1/2" x 11-1/2" | 9-1/2" x 13-1/2" | 8 lbs. | 190.99 | Y |
| HCSS918U | 9" x 18" | 7-1/2" x 16-1/2" | 9-1/4" x 18-1/4" | 9 lbs. | 241.99 | Y |
| HCSS1111U | 11" x 11" | 9-3/4" x 9-3/4" | 12" x 12" | 9 lbs. | 216.99 | Y |
| HCSS1216U | 12" x 16" | 10" x 14" | 12-1/4" x 16-1/4" | 11 lbs. | 291.99 | Y |
| HCSS1313U | 13" x 13" | 11-1/2" x 11-1/2" | 13-1/2" x 13-1/2" | 10 lbs. | 267.99 | Y |
| HCSS1318U | 13" x 18" | 11-1/2" x 16-1/2" | 13-1/4" x 18-1/4" | 11 lbs. | 343.99 | Y |
| HCSS1515U | 15" x 15" | 13-3/4" x 13-3/4" | 16" x 16" | 12 lbs. | 318.99 | N |
| HCSS1818U | 18" x 18" | 16-1/2" x 16-1/2" | 18" x 18" | 13 lbs. | 369.99 | N |

Black Painted Galvanized Steel

Features a black powder coat paint finish, 24-gauge single piece galvanized steel hood and 14-gauge base for extra strength. Slotted hex head bolts. 7 year warranty.

| | | | | | | |
|-----------|-------------------|-------------------|-------------------|---------|----------|---|
| HCCBO99 | 9" x 9" | 7-1/2" x 7-1/2" | 9-1/2" x 9-1/2" | 7 lbs. | \$105.99 | Y |
| HCCBO913 | 9" x 13" | 7-1/2" x 11-1/2" | 9-1/2" x 13-1/2" | 8 lbs. | 108.99 | Y |
| HCCBO918 | 9" x 18" | 7-1/2" x 16-1/2" | 9-1/4" x 18-1/4" | 10 lbs. | 115.99 | Y |
| HCCBO1111 | 11" x 11" | 9-3/4" x 9-3/4" | 12" x 12" | 10 lbs. | 112.99 | Y |
| HCCBO1216 | 12" x 16" | 10" x 14" | 12-1/4" x 16-1/4" | 12 lbs. | 128.99 | Y |
| HCCBO1313 | 13" x 13" | 11-1/2" x 11-1/2" | 13-1/2" x 13-1/2" | 10 lbs. | 118.99 | Y |
| HCCBO1318 | 13" x 18" | 11-1/2" x 16-1/2" | 13-1/4" x 18-1/4" | 12 lbs. | 149.99 | Y |
| HCCBO1515 | 15" x 15" | 13-3/4" x 13-3/4" | 16" x 16" | 14 lbs. | 139.99 | Y |
| HCCBO1818 | 18" x 18" | 16-1/2" x 16-1/2" | 18" x 18" | 15 lbs. | 160.99 | Y |
| HCCBO2020 | 20" x 20" | 18-1/2" x 18-1/2" | 20-1/4" x 20-1/4" | 15 lbs. | 171.99 | N |
| HCCBO14 | 14" Round Bolt On | 13 1/2" | 14 1/2" | 9 lbs. | 155.99 | N |
| HCCBO815 | 14" Round Slip On | 13 1/2" | 14 1/2" | 11 lbs. | 184.99 | N |

Leg Kits

For use when the flue tile does not extend above the crown.

| | | | | | | |
|-------|---|--|--|--------|---------|---|
| HCSLK | (HCLK4SS) Stainless Legs for Draft King | | | 2 lbs. | \$28.99 | Y |
|-------|---|--|--|--------|---------|---|

Smoke Guard

Most fireplaces smoke because the opening is too high. SmokeGuard reduces the fireplace opening. It improves the draft and easily corrects the problem!

| | | | | | | |
|-----------|----------------|--|--|--|----------|---|
| HCFSGBLK | Smoke Guard 4" | | | | \$134.99 | N |
| HCFSGBLK6 | Smoke Guard 6" | | | | 141.99 | N |
| HCFSGBLK8 | Smoke Guard 8" | | | | 150.99 | N |

SmokeGuard™



Before



After

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

A M E R I C A N ★ C H I M N E Y ★ S H R O U D

Class. Defined.

{ PROFESSIONAL DESIGN AND MANUFACTURING OF
CHIMNEY CAPS AND SHROUDS FOR OVER 30 YEARS. }



Pride.

American Chimney Shroud is proud to offer more than 70 designs of caps and shrouds, and 14 chimney pot designs, offered in 35 Finishes.



S6



S7



S8



S9



S10



S11



S18



S19



S20



S21



S22



S23

Chimney Shrouds/Caps offer the opportunity to shield an unsightly metal fireplace termination cap from view and dramatically improve the elevation of any building. Roofed Caps and Shrouds can also act as rain caps and spark arrestors for masonry chimneys while enhancing the roofline as well.



S30



S31



S38



S39



S46



S47



S48



S49




S50



S51



S57



S58



S59



S66



S67




S68



To Learn More About American Chimney Shroud

imney



Shroud contact marketing@aes4home.com or 800.682.9722



Craftsmanship.

Chimney Pots can also be used to cover an unsightly metal fireplace termination or used in lieu of a factory rain cap or spark arrestor (*check with your local ordinance for proper application with pre-fabricated fireplace systems*). Chimney pots are a popular selection for rain caps and spark arrestors for masonry chimneys as well.



P1



P2



P3



P4



P5



P6



P7



P8



P9



P10



P11



P12



P13



P14

All chimney pots available in custom sizes.

| Item# | Standard Size | Base | Overall Height |
|-------|---------------|--------|----------------|
| P1 | 18" | Round | 30" |
| | 20" | Round | 40" |
| P2 | 20" | Square | 42" |
| P3 | 20" | Square | 32" |
| P4 | 20" | Square | 46" |
| P5 | 20" | Square | 40" |
| P6 | 20" | Square | 36" |
| P7 | 22" | Square | 42" |
| P8 | 20" | Round | 40" |

| Item# | Standard Size | Base | Overall Height |
|-------|---------------|-----------|----------------|
| P9 | 20" | Square | 32" |
| P10 | 18" | Octagonal | 40" |
| | 22" | Octagonal | 48" |
| P11 | 20" | Square | 46" |
| P12 | 22" | Octagonal | 40" |
| P13 | 18" | Octagonal | 32" |
| | 22" | Octagonal | 40" |
| P14 | 18" | Square | 36" |
| | 20" | Square | 40" |
| | 22" | Square | 48" |



Finish.

Our chimney shrouds are offered in a wide variety of colors and finishes for that perfect match. Contact us today to explore our full offering.



Natural Copper



Paint Grade



Corten Steel



Green Patina
Copper



Stainless
Steel



Brown Patina
Copper



Freedom Gray
Copper




Evergreen
Copper



Lead Coated
Copper



Galvanized



Kynar Finish
Over 30
Colors
Available

COMPLETE THIS FORM AND RETURN TO AES TO START YOUR ORDER

Start.

Measuring Guide: Some information is required for proper manufacturing of your chimney cap. See below for information required. Not all information is required.

Chimney Shroud/Cap Worksheet



DESIGN:

- ___ (#1-72) or (P1-P15)
- ___ Custom (attach image)

MATERIAL: *indicates stock gauge/material

- ___ Natural Copper: 16 oz.* 20 oz.* 24 oz. 32 oz.
- ___ Patina: Green or Brown
- ___ Stainless Steel: 18 ga. 20 ga. 22 ga. 24 ga* 26 ga.
- ___ Paint Grip Steel: 18 ga. 20ga. 22 ga. 24 ga* 26 ga.
- ___ Colored Steel. Please specify color _____
- ___ Lead Coated Copper: 16oz 20 oz.
- ___ Freedom Grey Copper: 16 oz.
- ___ Stucco/Rock/Façade Ready
- Galv. ___ Stainless ___ Copper ___

MOUNTING STYLE

Mount:

- ___ Flange outward (1" unless otherwise specified)
- ___ Flange inward (2" unless otherwise specified)

Outside Mount:

- ___ Skirt Length (3" unless otherwise specified)

Flush Mount:

- Vertical flange length (3" unless otherwise specified)

NOTES:

Height:

- Open Top: (Ex. #1, #2 etc.)
- Overall Height _____ (20" unless Specified)
- Mailbox Style: (Ex. #5, #8 etc.)
- Overall Height _____ (24" unless specified)
- House Style: (Ex. #22, #25 etc)
- Vertical Leg/Wall Height _____ (20" unless specified)

BASE DIMENSION:

Top mount:

- ___ X ___ Before Flange (includes flange if inward)
- ___ X ___ Including Flange (Flange 1" outward unless specified)

Outside Mount:

- ___ X ___ Skirt Dimension (Outer dimension of chimney or chase cover)
- ___ X ___ Shroud/Cap Base dimension
(Inset 1.5" on all sides from skirt, unless specified)

Flush Mount:

- ___ X ___ Vertical flange dimension (Outer dimension of chimney or chase cover)

Mesh/Screening:

- Galv. (5/8") ___ Stainless Steel (1/3") ___ Copper (5/8") ___
- 45 Degree ___ 90 degree ___

TERMINATION/CHIMNEY TYPE:

- Masonry ___ # of flues ___ Tallest height ___

Metal/Pre-Fab:


- Direct Vent ___ # of flues ___ Tallest height ___
- B- Vent ___ # of flues ___ Tallest height ___
- All Fuel ___ # of flues ___ Tallest height ___
- Air Cooled ___ # of flues ___ Tallest height ___
- None: ___ Other: _____

Customize.

American Chimney Shroud is accustomed to designing and manufacturing from sketches, architectural details or photographs. Feel free to supply us with your image, and we will gladly supply a 3D rendering for approval.



Call 800-682-9722 or visit www.orders.aes4home.com



Section 200

Pellet

2
0
2
5
-
2
0
2
6

| Page Number | Vendor | Product | Sold Regionally | Publish Date |
|-------------|-------------------------------------|--|-----------------|--------------|
| 200-202 | M & G DuraVent | PelletVent Pro 3" & 4" Systems | | 05/25 |
| 203-204 | Reliance Liner | Freestanding Pellet Accessories | | 08/21 |
| 205-206 | Reliance Liner | Pellet Insert Accessories | | 08/21 |
| 207 | Z-Flex | Stainless Steel Flex Liner Kits, Liner and Accessories | | 05/25 |
| 208 | Miscellaneous Flex Liner Components | Liner and Installation Accessories | | 05/14 |

PLEASE NOTE: Not all products are sold throughout all AES territories/regions. If "**Sold Regionally**" please contact AES Inside Sales for availability 800-682-9722

Or by visiting...



DuraVent
Member of & M&G Group



For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Associated Energy Systems - Serving you with distribution centers in: Kent, WA | West Sacramento, CA | Denver, CO | Dallas, TX | Rogers, MN

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Pellet Vent, Liner & Custom Parts

M & G Dura-Vent

PelletVent Pro™

DuraVent
Member of M&G Group

Dura-Vent PelletVent Pro provides a combination of both rigid and flexible pipe and accessories to provide the homeowner with a wide range of installation options, including:

- Horizontal through the wall installations
- Vertical through the ceiling and roof installations
- A-frame cathedral ceiling installations
- Chimney relining for pellet stove inserts

Dura-Vent PelletVent Pro is tested and listed to U.L. Standard 641, Type L and designed for venting pellet stoves, pellet inserts, pellet heaters and oil fired appliances.

Dura-Vent PelletVent Pro features:


- Heavy duty construction for safe, trouble-free performance.
- 100% rivet construction, no spot weld corrosion.
- Laser Welded inside and out - for a sleek appearance and a silicone free installation. No silicone means a faster install and vent that is easy to take apart.
- 1" Clearance to combustibles for a low profile wall thimble.
- Swivel horizontal termination cap - for ultimate control of fly ash.
- Double wall, air insulated design with twist-lock connections on pipe and fittings.
- .012" 430 stainless steel inner liner resists heat and corrosive flue gases, .018" galvalume steel outer wall.
- Pipe joints sealed with ceramic gaskets, fittings sealed with high temperature silicone to prevent fly ash leakage.
- Heavy duty stainless flex for chimney relining.
- Pellet Vent is U.L. and U.L.C. listed.
- 25-year warranty.



Wall Thimble



Adjustable Length



Flex Pipe



Storm Collar



Adjustable Roof Flashing



90° Elbow



Vertical Cap



Horizontal Cap



Straight Length



Single Tee w/Clean-out Adapter



Wall Strap



Chimney Adapter



Increaser



Pipe Adapter

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Pellet Vent, Liner & Custom Parts

M & G Dura-Vent
3" & 4" PelletVent Pro

DuraVent
Member of M&G Group

2
0
2
5
-
2
0
2
6

PelletVent Pro is not compatible with traditional pellet vent.

| Pipe Lengths | | | | | | |
|---|--|------|----------|----------|---------|----------|
|  For stock status, please visit order.aes4home.com or call 800-682-9722 | | | | | | |
| Item No. | Description | Pkg. | 3" | | 4" | |
| | | | Wt./Cs. | Retail | Wt./Cs. | Retail |
| SD__PVP06 | 6" Straight Length Pipe | 6 | 5 lbs. | \$55.93 | 6 lbs. | \$59.85 |
| SD__PVP12 | 12" Straight Length Pipe | 6 | 8 lbs. | 80.12 | 11 lbs. | 85.57 |
| SD__PVP24 | 24" Straight Length Pipe | 6 | 16 lbs. | 105.84 | 20 lbs. | 133.66 |
| SD__PVP36 | 36" Straight Length Pipe | 6 | 22 lbs. | 145.16 | 30 lbs. | 173.59 |
| SD__PVP60 | 60" Straight Length Pipe | 6 | 38 lbs. | 207.48 | 47 lbs. | 235.29 |
| SD__PVP12A | 12" Adjustable Length Pipe | 6 | 9 lbs. | 108.86 | 11 lbs. | 120.36 |
| SD__PVP18A | 18" Adjustable Length Pipe | 6 | 9 lbs. | 167.23 | 11 lbs. | 185.09 |
| SD__PVP48A | 48" Adjustable Length Pipe | 6 | 9 lbs. | 219.15 | 11 lbs. | 260.25 |
| SD__PVP60F | 60" Flex Pipe | 1 | 3 lbs. | 356.59 | 24 lbs. | 510.26 |
| Pipe Lengths - Black (Special Order in Case Quantities Only) | | | | | | |
| SD__PVP06B | 6" Straight Length Pipe (Black) | 6 | 5 lbs. | \$78.61 | 6 lbs. | \$97.68 |
| SD__PVP12B | 12" Straight Length Pipe (Black) | 6 | 8 lbs. | 105.23 | 11 lbs. | 135.17 |
| SD__PVP24B | 24" Straight Length Pipe (Black) | 6 | 16 lbs. | 131.54 | 20 lbs. | 182.36 |
| SD__PVP36B | 36" Straight Length Pipe (Black) | 6 | 23 lbs. | 164.21 | 30 lbs. | 213.84 |
| SD__PVP60B | 60" Straight Length Pipe (Black) | 6 | 38 lbs. | 245.89 | 41 lbs. | 283.38 |
| SD__PVP12AB | 12" Adjustable Length Pipe (Black) | 6 | 9 lbs. | 130.03 | 11 lbs. | 170.86 |
| SD__PVP18AB | 18" Adjustable Length Pipe (Black) | 6 | 9 lbs. | 199.90 | 11 lbs. | 262.82 |
| SD__PVP48AB | 48" Adjustable Length Pipe (Black) | 6 | 9 lbs. | 287.64 | 11 lbs. | 328.73 |
| Supports and Firestops | | | | | | |
| SD__PVPCS | Cathedral Ceiling Support Box | 1 | 7 lbs. | \$240.20 | 7 lbs. | \$240.20 |
| SD__PVPFS | Ceiling Support Firestop Spacer (For 1" Clearance) | 6 | 11 lbs. | 115.83 | 12 lbs. | 135.17 |
| SD3PVPWTC | Ceiling Support Cover/Wall Thimble Cover | 1 | 3 lbs. | 124.28 | - | - |
| Installed where Pellet Vent passes through a floor or ceiling and centers pipe to provide proper clearances. | | | | | | |
| SD__PVPWT | Wall Thimble (For 1" Clearance) | 6 | 17 lbs. | 151.20 | 17 lbs. | 162.41 |
| SD__PVPWTI | 4" Wall Thimble Air Intake Kit (Includes SD__PVPWT, 2" Aluminum Flex and 2 Hose Clamps.) | 6 | 16 lbs. | 353.57 | 17 lbs. | 379.88 |
| SD__PVPHS | House Shield | 6 | 6 lbs. | 60.46 | 6 lbs. | 89.22 |
| For blower discharge protection in horizontal venting situations. | | | | | | |
| Caps and Flashings | | | | | | |
| SD__PVPVC | Vertical Cap | 6 | 7 lbs. | \$131.54 | 8 lbs. | \$140.31 |
| SD__PVPHC2 | Horizontal Cap | 6 | 6 lbs. | 99.60 | 6 lbs. | 112.59 |
| SD__PVPF6 | Adjustable Roof Flashing | 6 | 14 lbs. | 45.33 | 12 lbs. | 50.50 |
| SD__PVFFF | Tall Cone Roof Flashing | 6 | 2 lbs. | 60.46 | 18 lbs. | 66.82 |
| SD__PVPSC | Storm Collar | 6 | 1.7 lbs. | 12.98 | 2 lbs. | 15.10 |

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Pellet Vent, Liner & Custom Parts

M & G Dura-Vent
3" & 4" PelletVent Pro, Continued



Tees and Elbows



For stock status, please visit order.aes4home.com or call 800-682-9722

| Item No. | Description | Qty. | 3" | | 4" | |
|-------------|-----------------------------------|------|---------|----------|---------|----------|
| | | | Wt./Cs. | Retail | Wt./Cs. | Retail |
| SD__PVPT1 | Single Tee w/Clean-Out Tee Cap | 6 | 15 lbs. | \$237.12 | 15 lbs. | \$248.01 |
| SD4PVPT31 | Increaser Tee w/Clean-Out Tee Cap | 6 | - | - | 11 lbs. | 241.33 |
| SD__PVPCO1 | Clean-Out Tee Cap | 6 | 3 lbs. | 89.22 | 15 lbs. | 89.22 |
| SD4PVPTAD1 | Adapter Tee w/Clean-Out Tee Cap | 6 | 11 lbs. | 237.13 | 15 lbs. | - |
| SD__PVPDBT1 | Double Tee w/Clean-Out Tee Cap | 6 | 11 lbs. | 462.94 | 15 lbs. | 495.83 |
| SD__PVPWS | Wall Strap | 6 | 7 lbs. | 54.13 | 6 lbs. | 58.66 |
| SD__PVPWSA | Adjustable Wall Strap | 6 | 7 lbs. | 58.95 | 6 lbs. | 63.80 |
| SD__PVPE45 | 45° Elbow | 6 | 5 lbs. | 141.53 | 8 lbs. | 160.29 |
| SD__PVPE90 | 90° Elbow | 6 | 8 lbs. | 176.93 | 11 lbs. | 222.61 |

Tees and Elbows - Black (Special Order in Case Quantities Only)

| | | | | | | |
|-------------|---|---|---------|-----------|---------|---------|
| SD3PVPTB1 | Single Tee w/Clean-Out Tee Cap (Black) | 6 | 11 lbs. | \$257.68* | 15 lbs. | - |
| SD4PVPT3B1 | Increaser Tee w/Clean-Out Tee Cap (Black) | 6 | - | - | 11 lbs. | 270.69* |
| SD__PVPCOB1 | Clean-Out Tee Cap (Black) | 6 | 3 lbs. | 102.95* | 15 lbs. | 109.82* |
| SD3PVPTADB1 | Adapter Tee w/Clean-Out Tee Cap (Black) | 6 | - | 257.67* | 15 lbs. | - |
| SD3PVPDBTB1 | Double Tee w/Clean-Out Tee Cap (Black) | 6 | - | 462.94* | 15 lbs. | - |
| SD__PVPE45B | 45° Elbow (Black) | 6 | 5 lbs. | 150.33* | 8 lbs. | 199.32* |
| SD__PVPE90B | 90° Elbow (Black) | 6 | 8 lbs. | 199.32* | 11 lbs. | 259.48* |

Accessories

| | | | | | | |
|-------------|-------------------------------------|---|---------|----------|---------|----------|
| SD__PVPIS | Attic Insulation Shield | 1 | 5 lbs. | \$121.87 | 5 lbs. | \$121.87 |
| SD__PVPX6 | Chimney Adapter - 6" | 6 | 12 lbs. | 192.96 | 12 lbs. | 202.63 |
| SD__PVPX8 | Chimney Adapter - 8" | 6 | 14 lbs. | 238.31 | 9 lbs. | 245.28 |
| SD__PVPAD | Appliance Adapter | 1 | 1 lbs. | 43.53 | 4 lbs. | 47.16 |
| SD__PVPADFF | Female Flex Adapter | 6 | 3 lbs. | 54.90 | 3 lbs. | 45.33 |
| SD__PVPADFM | Male Flex Adapter | 6 | 3 lbs. | 75.50 | 3 lbs. | 82.35 |
| SD__PVPRC | Reduction Collar | 6 | 3 lbs. | 48.03 | 3 lbs. | 48.03 |
| SD3PVPX4 | Increaser 3" - 4" | 6 | 7 lbs. | 137.27 | - | - |
| SD3PVPX4AD | Appliance Adapter/Increaser 3" - 4" | 6 | 6 lbs. | 159.07 | - | - |

Accessories - Black (Special Order in Case Quantities Only)

| | | | | | | |
|-------------|---|---|--------|---------|--------|-----------|
| SD__PVPADB | Appliance Adapter (Black) | 1 | 1 lbs. | \$65.31 | 4 lbs. | \$123.54* |
| SD3PVPX4ADB | Appliance Adapter/Increaser 3" - 4" (Black) | 6 | 6 lbs. | 207.16 | - | - |

PelletVent Pro Kits

| | | | | | | |
|------------|---|---|---------|----------|---------|----------|
| SD__PVPKHA | PelletVent Pro Horizontal Kit (includes: Round Horizontal Cap, Wall Thimble [For 1" Clearance], Appliance Adapter) | 1 | 15 lbs. | \$423.43 | 19 lbs. | \$528.31 |
| SD__PVPKVA | PelletVent Pro Vertical Kit - Flat Ceiling (includes: Vertical Cap, Storm Collar, Ceiling Support Firestop Spacer [For 1" Clearance], Adjustable Flashing, Appliance Adapter) | 1 | 16 lbs. | 562.58 | 19 lbs. | 604.92 |
| SD__PVPKVB | PelletVent Pro Vertical Kit - Cathedral (includes: Vertical Cap, Storm Collar, Cathedral Ceiling Support Box, Adjustable Flashing, Appliance Adapter) | 1 | 16 lbs. | 441.58 | 19 lbs. | 792.47 |

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Liner Accessories by American Hearth

Pellet Vent Liner Systems




2
0
2
5
-
2
0
2
6

American Hearth is the leading Northwest supplier of pellet liner systems providing AES with custom relining components since 1972. Because of the unique and long lasting relationship between the two companies, we are able to stock the most extensive variety of reline components for both freestanding and pellet insert retrofitting and new installations into an existing chimney or fireplace.

All lining components are made of 24-gauge 304 stainless steel welded seam construction and are tested to UL 1777 standards.

Reliance Liner also offers Masonry Liner Systems for woodburning appliances. With over 30 years of experience with chimney relines, American Hearth Products "Reliance Liner" has developed a reputation in the Northwest for fast and capable fabrication of almost any custom element of a chimney reline system.

For assistance building your next reline system call AES Inside Sales.



For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Pellet Vent, Liner & Custom Parts

Liner Accessories by American Hearth
 3" - 4" Freestanding Pellet Vent Liner Systems



Class A Chimney Conversion Reducers

Sized for Dura-Vent pellet vent to Class A Chimney. Seals for a complete vent system. For exterior use.

| Item No. | Description | Chimney Size | Retail | Stocked |
|------------|---------------------------------|--------------|---------|---------|
| RM38REDDV | 3" x 8-1/8" Conversion Reducer | 8" O.D. | \$61.00 | Y |
| RM310REDDV | 3" x 10-1/8" Conversion Reducer | 10" O.D. | 56.00 | Y |
| RM48REDDV | 4" x 8-1/8" Conversion Reducer | 8" O.D. | 61.00 | Y |
| RM410REDDV | 4" x 10-1/8" Conversion Reducer | 10" O.D. | 56.00 | Y |

Base Conversion Adapters

Universal fit sized for Class A chimney, painted black. Includes trim ring. Connects pellet or gas vent to the base of existing chimneys. For interior use.

| | | | | |
|------------|---|----------|---------|---|
| RM36BCADV | 3" Base Conversion Adapter for DuraVent | 6" I.D. | \$71.00 | Y |
| RM37BCADV | 3" Base Conversion Adapter for DuraVent | 7" I.D. | 75.00 | Y |
| RM38BCADV | 3" Base Conversion Adapter for DuraVent | 8" I.D. | 77.00 | Y |
| RM46BCADV | 4" Base Conversion Adapter for DuraVent | 6" I.D. | 73.00 | Y |
| RM47BCADV | 4" Base Conversion Adapter for DuraVent | 7" I.D. | 77.00 | Y |
| RM48BCADV | 4" Base Conversion Adapter for DuraVent | 8" I.D. | 79.00 | Y |
| RM410BCADV | 4" Base Conversion Adapter for DuraVent | 10" I.D. | 82.00 | Y |
| RM36BCAIC | 3" Base Conversion Adapter for ICC for DuraVent | 6" I.D. | 71.00 | Y |
| RM38BCAIC | 3" Base Conversion Adapter for ICC for DuraVent | 8" I.D. | 77.00 | Y |
| RM46BCAIC | 4" Base Conversion Adapter for ICC for DuraVent | 6" I.D. | 73.00 | Y |
| RM48BCAIC | 4" Base Conversion Adapter for ICC for DuraVent | 8" I.D. | 79.00 | Y |

Accessories

| | | | |
|--|---|---------|---|
| RM158BLKTC | 1-7/8" I.D. Black Interior Trim Collar | \$14.00 | Y |
| RM2BLKTC | 2-1/4" I.D. Black Interior Trim Collar | 15.00 | Y |
| To finish interior holes of outside air vent pass through. | | | |
| RM134WH | Exterior Wind Hood - 1 7/8" Hole - For use w/ Rodent Screen | 17.00 | Y |
| RM214RS | Rodent Screen, 2-1/4" | 8.00 | Y |


Designed to keep debris and rodents clear of vent passage.

Aluminum Flex and Galvanized Steel Flex for Outside Air

| | | | |
|--------------|--|---------|---|
| ZF1TLXXX0225 | (ZFAF225) 2" x 25' Outside Air Aluminum Flex | \$96.00 | Y |
|--------------|--|---------|---|



Intake Flex



Exterior Wind Hood



Trim Collar



Conversion Reducer



Base Conversion Adapter

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Pellet Vent, Liner & Custom Parts

Liner Accessories by American Hearth

3" Pellet Insert Liner System




2
0
2
5
-
2
0
2
6

| 3" Vent Pieces | | | |
|--|---|---------------|----------------|
| <i>Item No.</i> | <i>Description</i> | <i>Retail</i> | <i>Stocked</i> |
| RM312 | 12" Length | \$30.00 | N |
| RM3X6BLK | 3" x 6" Reducer-Increaser, Black | 37.00 | Y |
| RM3X8BLK | 3" x 8" Reducer-Increaser, Black | 42.00 | Y |
| Matte black. Small end undersized. One piece spun collar. | | | |
| 3" Termination Caps | | | |
| RM3DC | Drawband Cap | \$47.00 | N |
| Adjusts for secure fit. | | | |
| RM3WB | Weatherband Cap | 66.00 | N |
| For high wind applications. Design naturally induces draft. | | | |
| 3" Storm Collars | | | |
| RM3SC | 3" Storm Collar | \$25.00 | N |
| 3" Flat Plates | | | |
| Diameter is oversized to accommodate flex. Spin collar on Dura-Vent Flat Plates is 3/4" larger than regular Flat Plates. | | | |
| RM31616FP | 16" x 16" Flat Plate | 57.00 | Y |
| RM32424FP | 24" x 24" Flat Plate | 68.00 | Y |
| RM31616FPDV | 16" x 16" Flat Plate for Dura-Vent | 57.00 | N |
| 3" Tees | | | |
| RM3TR | 3" True Tee Inlet, Fits Most Pellet Exhausts | \$43.00 | Y |
| ZF2ZPT03 | 3" Tee for Enviro, Whitfield, With Quick Connect Band | 100.00 | Y |
| RM3EXT | 8" Long Extension for OC3T, fits Breckwell Pellet Inserts | 22.00 | Y |



Length



45° Elbow



Wind Directional Cap



Weatherband Cap



Pellet Tee

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Pellet Vent, Liner & Custom Parts

Liner Accessories by American Hearth

4" Pellet Insert Liner System



| 4" Vent Pieces | | | |
|---|---|---------------|----------------|
| <i>Item No.</i> | <i>Description</i> | <i>Retail</i> | <i>Stocked</i> |
| RM412 | 12" Length | \$30.00 | N |
| RM424 | 24" Length | 57.00 | N |
| RM436 | 36" Length | 76.00 | N |
| Eliminates cutting with 14" of adjustability. | | | |
| RM4X6BLK | 4" x 6" Reducer-Increaser | 35.00 | Y |
| RM4X8BLK | 4" x 8" Reducer-Increaser | 38.00 | Y |
| Matte black. Small end undersized. One piece spun collar. | | | |
| 4" Termination Caps | | | |
| RM4DC | Drawband Cap | \$47.00 | N |
| Adjusts for secure fit. | | | |
| RM4WB | Weatherband Cap | 76.00 | N |
| For high wind applications. Design naturally induces draft. | | | |
| RM4WD | Wind Directional Cap | 125.00 | N |
| Reduces downdrafts for high wind applications and extreme weather conditions. | | | |
| 4" Storm Collars | | | |
| RM4SC | 4" Storm Collar | \$26.00 | Y |
| 4" Flat Plates | | | |
| Diameter is oversized to accommodate flex. | | | |
| RM41616FP | 16" x 16" Flat Plate | 57.00 | Y |
| RM42424FP | 24" x 24" Flat Plate | 71.00 | Y |
| 4" Tees | | | |
| RM4T | 4" Tee for Enviro, Whitfield, With Quick Connect Band | \$58.00 | Y |
| RM3X4T | 3" x 4" Tee for Whitfield, 3" Inlet Slightly Undersized | 30.00 | Y |
| RM3X4TR | 3" x 4" True Tee, 3" True Inlet, Fits Most Pellet Exhausts | 67.00 | Y |
| RM4TR | 4" True Tee Inlet, Fits Most Pellet Exhausts | 58.00 | Y |
| RM3X4W | 3" x 4" Increaser for Whitfield, 3" Inlet Slightly Undersized | 30.00 | Y |
| Use with RM4TR to increase exhaust sizing. | | | |



90° Elbow



Reducer-Increaser



Wind Directional Cap



Drawband Cap w/Spark Screen



Weatherband Cap

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Pellet Vent, Liner & Custom Parts

Z-Flex

Flexible Stainless Steel Liners & Liner Kits



2
0
2
5
-
2
0
2
6

| Z-Flex Stainless Steel liners | | | | |
|--|---|------------|---------------|----------------|
| .005 thickness, 316TI stainless steel, U.L. listed. Lighter weight, welded design provides greater flexibility for standard installations. | | | | |
| <i>Item No.</i> | <i>Description</i> | <i>Wt.</i> | <i>Retail</i> | <i>Stocked</i> |
| ZF2ZPK0320 | (ZF320KSN) 3" x 20' Stainless Steel Flex Liner Kit w/18"x18" Flat Plate and Cap | 16 lbs. | \$420.00 | Y |
| ZF2ZPK0325 | (ZF325KSN) 3" x 25' Stainless Steel Flex Liner Kit w/18"x18" Flat Plate and Cap | 17 lbs. | 525.00 | Y |
| ZF2ZLSSXX0325 | (ZF325LSN) 3" x 25' Corrugated Stainless Steel Flex Liner Only | 12 lbs. | 494.00 | Y |
| ZF2ZLSSXX0350AES | (ZF350LSN) 3" x 50' Stainless Steel Flex Liner Only | 20 lbs. | 885.00 | Y |
| ZF2ZPT03 | (ZF3T) 3" Tee for Enviro, Whitfield, with Quick Connect Band | 1 lb. | 100.00 | Y |
| ZF2ZPT43 | (ZF3X4T) 3" X 4" Tee with Cap and Quick Disconnect Band | 1 lb. | 121.00 | Y |
| ZF2CNNTRC03 | (ZFQCLF3) 3" Quick Flex Connector | 1 lb. | 72.00 | Y |
| ZF2AFCX03 | (ZFTPNS31818) 3" No Sag Top Plate 18" x 18" | 4.8 lbs. | 104.00 | N |
| ZF2ZMRCS03 | (ZFCSLF3) 3" Quick Cap With Screen | 1 lb. | 102.00 | Y |
| ZF2ZPK0420 | (ZF420KSN) 4" x 20' Stainless Steel Flex Liner Kit w/18"x18" Flat Plate and Cap | 18 lbs. | 550.00 | Y |
| ZF2ZPK0425 | (ZF425KSN) 4" x 25' Stainless Steel Flex Liner Kit w/18"x18" Flat Plate and Cap | 20 lbs. | 683.00 | Y |
| ZF2ZPK0435 | (ZF435KSN) 4" x 35' Stainless Steel Flex Liner Kit w/18"x18" Flat Plate and Cap | 24 lbs. | 734.00 | Y |
| ZF2ZLSSXX0425 | (ZF425LSN) 4" x 25' Corrugated Stainless Steel Flex Liner Only | 15 lbs. | 655.00 | Y |
| ZF2ZLSSXX0450AES | (ZF450LSN) 4" x 50' Corrugated Stainless Steel Flex Liner Only | | 1,425.00 | Y |
| ZF2CNNTRC04 | (ZFQCLF4) 4" Quick Flex Connector | 1 lb. | 74.00 | Y |
| ZF2AFCX04 | (ZFTPNS41818) 4" No Sag Top Plate 18" x 18" | | 104.00 | N |
| ZF2ZMRCS04 | (ZFCSLF4) 4" Quick Cap With Screen | 1 lb. | 105.00 | N |



For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Pellet Vent, Liner & Custom Parts

Flex Liner

Components & Accessories

Flex Liner

| Nose Cone | | | |
|--|--|---------------|----------------|
| To assist in the installation of difficult relines with offsets or other obstructions. Reliance brand, 24-gauge, 304 stainless steel. Recommended for use with Hi-Per-Flex liners. | | | |
| <i>Item No.</i> | <i>Description</i> | <i>Retail</i> | <i>Stocked</i> |
| RM3NC | 3" Nose Cone | \$47.00 | N |
| Aluminum Flex and Galvanized Steel Flex for Outside Air | | | |
| ZF1TLXXX0225 | (ZFAF225) 2" x 25' Outside Air Aluminum Flex | \$96.00 | Y |
| Installation Supplies | | | |
| AT2150 | 2" x 150' Aluminum Tape | \$26.90 | Y |
| For wrapping each pellet pipe joint. | | | |
| SRDURA | #7 x 1/4" Short Screw (100 pkg.) | 19.00 | Y |



Nose Cone


Installation Supplies

| For attaching pellet vent or gas vent together. Will not penetrate inner liner. Requires 1/4" hex head driver. | | | |
|--|---|---------------|----------------|
| <i>Item No.</i> | <i>Description</i> | <i>Retail</i> | <i>Stocked</i> |
| RT76R | 600° RTV Silicone Super Red, 10 oz. Cartridge | \$19.30 | Y |
| RT76RT | 600° RTV Silicone Super Red, 3 oz. Tube | 9.00 | Y |
| Forms a tough rubbery seal, keeps its flexibility up to 550° F. | | | |
| RT641 | 800° Seal it Right Silicone Sealant, 10.3 oz. Cartridge | \$17.93 | Y |



Aluminum Tape

| Stainless Steel Flex Coupler | | | |
|--|---------------------------------|---------------|----------------|
| Reliance brand, 24-gauge, 304 stainless steel. Used to join flexible lining material to liner. | | | |
| <i>Item No.</i> | <i>Description</i> | <i>Retail</i> | <i>Stocked</i> |
| RM3FC | 3" Stainless Steel Flex Coupler | \$23.00 | N |



Flex Coupler

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Liner & Components

Section 300

Wood Liner & Components

2
0
2
5
-
2
0
2
6

| Page Number | Vendor | Product | Sold Regionally | Publish Date |
|-------------|-----------------------|--------------------------------|-----------------|--------------|
| 300 | Z-Flex | Heavy Flex Liner & Fittings | | 05/25 |
| 301-302 | Z-Flex | Flex Stainless Steel Flex Kits | | 05/25 |
| 303-306 | Reliance | Masonry Liner Accessories | | 08/21 |
| 307 | Durablanket (Unifrax) | Liner Insulation | | 05/24 |
| 308 | Reliance | Insert to Liner Adapters | | 08/21 |
| 309 | Reliance | Zero-Zero Masonry Liner System | | 08/21 |
| 310 | M & G Dura-Vent | 6" & 8" DuraLiner | | 05/25 |

PLEASE NOTE: Not all products are sold throughout all AES territories/regions. If "Sold Regionally" please contact AES Inside Sales for availability 800-682-9722

Or by visiting...



For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Associated Energy Systems - Serving you with distribution centers in: Kent, WA | West Sacramento, CA | Denver, CO | Dallas, TX | Rogers, MN

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Liner & Components

Stainless Steel Heavy Flex Liner & Fittings



Heavy Flex Stainless Steel Chimney Liner

Made of .019 thick 304L stainless steel. 4 ply, continuous metal, fully interlocked, strip-wound construction provides extra strength and durability for demanding installations where the liner may be pulled and stressed more than normal. 25' rolls cannot ship via U.P.S.

| Item No. | Description | Retail | Stocked |
|---------------|--|------------|---------|
| ZFMHLXX0525 | (ZFLAF525) 5" x 25' Roll Stainless Steel Flex Liner | \$1,435.00 | N |
| ZF2ZMHLXX0625 | (ZFLAF625) 6" x 25' Roll Stainless Steel Flex Liner | 1,412.00 | Y |
| ZF2ZMHLOX0625 | (ZFLAF625OV) 6" x 25' Roll Oval Stainless Steel Flex Liner | 1,762.00 | N |
| ZF2ZMHLXX0725 | (ZFLAF725) 7" x 25' Roll Stainless Steel Flex Liner | 1,857.00 | Y |
| ZF2ZMHLXX0825 | (ZFLAF825) 8" x 25' Roll Stainless Steel Flex Liner | 1,939.00 | Y |
| ZF2ZMHLXX0605 | (ZFLAF65) 6" x 5' Stainless Steel Flex Liner | 299.00 | Y |
| ZF2ZMHLXX0705 | (ZFLAF75) 7" x 5' Stainless Steel Flex Liner | 377.00 | Y |
| ZF2ZMHLXX0805 | (ZFLAF85) 8" x 5' Stainless Steel Flex Liner | 393.00 | Y |




Flex Liner

Oval Heavy Flex Stainless Steel Chimney Liner

.019 thickness, 304L stainless steel. Ovalizing is available on other sizes of flex liner - please call AES Inside Sales for more information.

| | | | |
|---------------|--|----------|---|
| ZF2ZMHLOX0605 | (ZFLAF65OV) 6" x 5' Stainless Steel Flex Liner | \$347.00 | Y |
| ZF2ZMHLOX0705 | (ZFLAF75OV) 7" x 5' Stainless Steel Flex Liner | 399.00 | N |
| ZF2ZMHLOX0805 | (ZFLAF85OV) 8" x 5' Stainless Steel Flex Liner | 441.00 | N |



Corrugated Flex Liner

Available in W. Sacramento CA only. Features 1-foot of round flex and 4-feet of oval flex. 4-1/2" on oval.

Oval-Round Flex Fittings

304 stainless steel. For converting oval flex lining into round rigid liner.

| | | | |
|--------|-------------------------------|---------|---|
| RM6ORT | 6" Top, Oval Side Crimped | \$75.00 | Y |
| RM6ORB | 6" Bottom, Round Side Crimped | 75.00 | Y |



Oval Flex Liner

| | | | |
|--------|-------------------------------|--------|---|
| RM8ORT | 8" Top, Oval Side Crimped | 128.00 | Y |
| RM8ORB | 8" Bottom, Round Side Crimped | 128.00 | Y |

Nose Cones

24-gauge, 304 stainless steel. Recommended for use with Hi-Per-Flex liners. Assists with installation of difficult relines with offsets or other obstructions. Simply tie a rope onto the loop and attach the vent to the nose cone. Liner pulls down easily for placement in the chimney.

| | | | |
|-------|--------------|---------|---|
| RM3NC | 3" Nose Cone | \$47.00 | Y |
| RM6NC | 6" Nose Cone | 47.00 | Y |
| RM8NC | 8" Nose Cone | 47.00 | N |



Oval-Round Flex Fitting

Heavy Flex Offsets

| | | | |
|------------|--|----------|---|
| ZF2ZOA1506 | (ZFELHF615) 6"x15 Degree Heavy Flex Offset | \$104.00 | Y |
| ZF2ZOA3006 | (ZFELHF630) 6"x30 Degree Heavy Flex Offset | 104.00 | Y |
| ZF2ZOA4506 | (ZFELHF645) 6"x45 Degree Heavy Flex Offset | 88.00 | Y |



Nose Cone

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Liner & Components

Z-Flex
316Ti Stainless Steel Liner



2
0
2
5
-
2
0
2
6

| Z-Flex 316Ti Stainless Steel liners | | | | |
|---|--|---------|----------|---------|
| Kits contain the specified length of corrugated stainless steel flex liner, an 18" x 18" flat plate, appliance connector and quick cap. Except, there are NO appliance connectors in the oval kits. | | | | |
| Item No. | Description | Wt. | Retail | Stocked |
| ZF2ZLSSXX0525 | (ZF525LSN) 5" x 25' Stainless Steel Flex Liner Only | | \$645.00 | N |
| ZF2INSERTK615 | (ZF615KSA) 6" x 15' Stainless Steel Flex Liner Installation Kit | 21 lbs. | 692.00 | Y |
| ZF2INSERTK620 | (ZF620KSA) 6" x 20' Stainless Steel Flex Liner Installation Kit | 24 lbs. | 790.00 | Y |
| ZF2INSERTK625 | (ZF625KSA) 6" x 25' Stainless Steel Flex Liner Installation Kit | 27 lbs. | 866.00 | Y |
| ZF2INSERTK635 | (ZF635KSA) 6" x 35' Stainless Steel Flex Liner Installation Kit | 38 lbs. | 1,146.00 | Y |
| ZF2ZFSFIKITCA-0625PI | (Sold in CA Only) 6" x25' Pre-Insulated Solid Fuel Insert Kit includes Flex, 18x18 Flat Plate, CA Cap and Appliance Flex Connector | | 2,194.00 | Y |
| ZF2ZFSFIKITCA-0635PI | (Sold in CA Only) 6" x35' Pre-Insulated Solid Fuel Insert Kit includes Flex, 18x18 Flat top Plate, CA Cap and Appliance Flex Connector | | 2,870.00 | N |
| ZF2OVKT0620 | (ZF620KSA-O) 6" x 20' OVAL SS Flex Liner Installation Kit (Appliance connector is not included.) | 24 lbs. | 898.00 | Y |
| ZF2OVKT0625 | (ZF625KSA-O) 6" x 25' OVAL SS Flex Liner Installation Kit (Appliance connector is not included.) | 27 lbs. | 974.00 | Y |
| ZF2ZLSSXX0625 | (ZF625LSN) 6" x 25' Stainless Steel Flex Liner Only (Cannot be ovalized) | 19 lbs. | 671.00 | Y |
| ZF2ZLSSXX0635 | (ZF635LSN) 6" x 35' Stainless Steel Flex Liner Only (Cannot be ovalized) | | 919.00 | Y |
| ZF2ZLSSXX0675 | (ZF675LSN) 6" x 75' Stainless Steel Flex Liner Only | | 2,359.00 | N |
| ZF2INSERTK725 | (ZF725KSA) 7" x 25' Stainless Steel Flex Liner Installation Kit | 35 lbs. | 1,195.00 | N |
| ZF2INSERTK820 | (ZF820KSA) 8" X 20' Stainless Steel Flex Liner Installation Kit | | 1,092.00 | N |
| ZF2INSERTK825 | (ZF825KSA) 8" x 25' Stainless Steel Flex Liner Installation Kit | 35 lbs. | 1,294.00 | Y |
| ZF2ZLSSXX0825 | (ZF825LSN) 8" x 25' Stainless Steel Flex Liner Only (Cannot be ovalized) | | 959.00 | N |
| ZF2OILKTX625KIT | (ZFFSCKIT0625) *6" x 25' Smoothcore 316Ti Flex kit (Includes 316Ti SS Smoothcore Liner, Cap, 18 x 18 Flat Top Plate & Appliance Connector) | | 1,721.00 | N |

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Liner & Components

Z-Flex

316Ti Stainless Steel Liner



| Stainless Liner Accessories | | | | |
|------------------------------------|---|------------|---------------|----------------|
| <i>Item No.</i> | <i>Description</i> | <i>Wt.</i> | <i>Retail</i> | <i>Stocked</i> |
| ZFSCSXX04 | (ZFTPLF41616) 4" 16" x 16" Flat Top Plate | | \$82.00 | Y |
| ZF2ZSCS1306 | (ZFTPLF61313) 6" Flat Top Plate, 13" x 13" | | 82.00 | Y |
| ZF2ZSCS1806 | (ZFTPLF61818) 6" Flat Top Plate, 18" x 18" | | 98.00 | Y |
| ZF2AFCS04 | (ZFTPNS41313) 4" 13" x 13" No Sag Top Plate | | 84.00 | Y |
| ZF2AFCX04 | (ZFTPNS41818) 4" 18" x 18" No Sag Top Plate | | 104.00 | Y |
| ZF2AFCS06 | (ZFTPNS61313) 6" 13" x 13" No Sag Top Plate | | 71.00 | Y |
| ZF2AFCX06 | (ZFTPNS61818) 6" Top Plate, 18" x 18" | | 104.00 | Y |
| ZF2AFCX08 | (ZFTPNS81818) 8" Top Plate, 18" x 18" | | 389.00 | Y |
| ZF2ZMRCS06 | (ZFCSLF6) 6" Quick Cap with Screen | | 111.00 | Y |
| ZF2ZMRN06 | (ZFCNSLF6) 6" Flex Cap w/NO Screen | | 409.00 | Y |
| ZF2ZMRCS08 | (ZFCSLF8) 8" Quick Cap w/Screen - SPECIAL ORDER ONLY | | 430.00 | Y |
| ZFCNSLF8 | 8" Flex Cap w/NO Screen | | 116.00 | Y |
| ZF2CNNI06 | (ZFACLF6) 6" Quick Appliance Connector | | 54.00 | Y |
| ZF2CNNI08 | (ZFACLF8) 8" Quick Appliance Connector | | 90.00 | Y |
| ZF2CNNTRC06 | (ZFQCLF6) 6" Quick Flex Connector | | 54.00 | Y |
| ZF2CNNTRC07 | (ZFQCLF7) 7" Quick Connector w/2 Bands - | | 84.00 | Y |
| ZF2CNNTRC08 | (ZFQCLF8) 8" Quick Connector w/2 Bands | | 89.00 | Y |
| RM6ADJ | 6" S/S Flat Adj. Insert/Liner Adapter, Adjustment Spec's 0"- 6" (2" x 12" x 14") | | 191.00 | Y |
| ZF2ZFTCB06 | (ZF2ZFTCB06) 6" Tee w/Cap & 10" Branch | | 181.00 | Y |
| RM8ADJ | 8" Adjustable Offset Adapter | | 231.00 | Y |
| ZF2ZRROAX06 | (ZFORF66) *6" Round Stove Adapter to 6" Oval Female | | 122.00 | N |
| ZF2ZOAI3006 | (ZF630ADAPTER) 6" X 30 Degree Offset Insert Adapter - Low Profile w/ Grab Handle | | 88.00 | N |

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand





Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Liner & Components

Liner Accessories
Masonry Liner Systems



2
0
2
5
-
2
0
2
6

| | | |
|--|--|--|
| <p>Standard Masonry Liner System</p> <p><i>Recommended for existing chimneys that are lined with material such as clay tile.</i></p>  <p><i>Wood Insert Liner Application</i></p> | <p>Termination Cap Options</p>  <p><i>Wind Directional Cap</i> <i>Weatherband Cap</i></p> <hr/> <p>System Components</p>  <p><i>Storm Collar</i> <i>Zero-Zero Storm Collar</i></p> <p><i>Clamp Hanger</i> <i>Star Clamp</i></p> <p><i>Tile Cap or Flat Plate</i> <i>Rigid and Flex Liner</i> <i>Zero-Zero Air Basket</i></p> <hr/> <p>Insert to Liner Adapter Options</p>  <p><i>Slide Damper</i> <i>Set-Back</i> <i>Universal</i></p> <p><i>Adjustable Flat Offset</i></p> | <p>Zero-Zero Masonry Liner System</p> <p><i>Recommended for unlined masonry chimneys or where clearances are of concern.</i></p>  <p><i>Zero-Zero Application</i></p> |
|--|--|--|

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Liner & Components

Liner Accessories


Stainless Steel Flex Liner & Parts



| Mud-in Thimbles | | | | |
|--|-----------------------------|---------------|---------------|----------------|
| For passing liner through masonry. | | | | |
| <i>Item No.</i> | <i>Description</i> | | <i>Retail</i> | <i>Stocked</i> |
| RM6MUD | 6" Thimble | | \$22.00 | Y |
| RM8MUD | 8" Thimble | | 24.00 | N |
| Flex Offset Adapter with Flex Coupler | | | | |
| ZF2ZOA1506 | (ZFELHF615) 6" x 15° Offset | | \$104.00 | Y |
| ZF2ZOA3006 | (ZFELHF630) 6" x 30° Offset | | 104.00 | Y |
| ZF2ZOA4506 | (ZFELHF645) 6" x 45° Offset | | 88.00 | Y |
| RM715FC | 7" x 15° Offset | | 43.00 | N |
| RM730FC | 7" x 30° Offset | | 43.00 | Y |
| RM745FC | 7" x 45° Offset | | 43.00 | N |
| Flex Couplers or Adapters | | | | |
| To join flexible lining material to rigid liner. | | | | |
| RM5FC | 5" Flex Coupler | | \$33.00 | Y |
| RM6FC | 6" Flex Coupler | | 39.00 | Y |
| RM8FC | 8" Flex Coupler | | 43.00 | Y |
| Stainless Steel Flashings for ICC | | | | |
| 30" x 30" base. Designed to fit ICC Chimney or others with the same O.D. dimensions. | | | | |
| RM6FA | 6" Flashing for 8" O.D. | 1/12 to 7/12 | \$146.00 | Y |
| RM6FB | 6" Flashing for 8" O.D. | 8/12 to 12/12 | 146.00 | Y |
| RM10FA | 10" Flashing for 12" O.D. | 1/12 to 7/12 | 129.00 | N |
| RM10FB | 10" Flashing for 12" O.D. | 8/12 to 12/12 | 152.00 | N |



Mud-In Thimble



30° Elbow



Flashing

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Liner & Components

Liner Accessories by American Hearth
Stainless Steel Flex Liner & Parts



2
0
2
5
-
2
0
2
6

| Clamp Hanger | | | | | |
|---|--------------------|-----------|--|---------------|----------------|
| Supports liner assembly at termination or from base. | | | | | |
| <i>Item No</i> | <i>Description</i> | | | <i>Retail</i> | <i>Stocked</i> |
| RM8CH | 8" Clamp Hanger | | | \$43.00 | N |
| Star Clamps | | | | | |
| Centers liner and maintains air space when relining air cooled chimneys and supports pipe from above when using flat plate or tile cap. | | | | | |
| RM6ST | 6" Star Clamp | | | \$33.00 | N |
| Roof Brace | | | | | |
| For packed chimney installations. Stainless Steel, for 6", 7", 8" pipe. Includes band and struts. | | | | | |
| RMRB | Roof Brace Kit | | | \$123.00 | N |
| Reducer/Increaser | | | | | |
| 3-piece plug type, no crimp. | | | | | |
| RM5X6 | 5" x 6" | | | \$44.00 | Y |
| ZF2ZRD167 | (ZFRDI76) 6" x 7" | | | 115.00 | Y |
| ZF2ZRD168 | (ZFRDI86) 6" x 8" | | | 116.00 | Y |
| Flat Plates | | | | | |
| With spin collar stiffener. | | | | | |
| RM51616FP | 5" Flat Plate | 16" x 16" | | \$57.00 | N |
| RM52424FP | 5" Flat Plate | 24" x 24" | | 100.00 | N |
| RM61616FP | 6" Flat Plate | 16" x 16" | | 57.00 | N |
| RM61620FP | 6" Flat Plate | 16" x 20" | | 59.00 | N |
| RM62424FP | 6" Flat Plate | 24" x 24" | | 75.00 | N |
| RM71620FP | 7" Flat Plate | 16" x 20" | | 59.00 | N |
| RM81212FP | 8" Flat Plate | 12" x 12" | | 56.00 | N |
| RM81616FP | 8" Flat Plate | 16" x 16" | | 57.00 | N |



Clamp Hanger



Star Clamp



Norwesco 90° Adjustable Elbow



Reducer/Increaser

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Liner & Components

Liner Accessories by American Hearth
Stainless Steel Liner Caps & Accessories



Weatherband Caps

Features a special weatherband giving the venting system additional protection from wind and foreign elements. Adjusts for secure fit.

| Item No. | Description | Retail | Stocked |
|----------|---------------------|---------|---------|
| RM3WB | 3" Weatherband Cap | \$66.00 | Y |
| RM4WB | 4" Weatherband Cap | 76.00 | Y |
| RM5WB | 5" Weatherband Cap | 103.00 | Y |
| RM6WB | 6" Weatherband Cap | 114.00 | Y |
| RM7WB | 7" Weatherband Cap | 127.00 | Y |
| RM8WB | 8" Weatherband Cap | 137.00 | Y |
| RM10WB | 10" Weatherband Cap | 159.00 | Y |



Weatherband Cap

Weatherband Caps with Adapter for ICC

A one-piece constructed weatherband cap and pre-attached chimney adapter. This design makes for a more efficient installation on packed chimney. Designed to fit ICC Chimney or others with the same I.D. and O.D. dimensions.

| | | | |
|-----------|--|----------|---|
| RM6WBICC | 6" Weatherband Cap with Adapter, 8" O.D. | \$145.00 | Y |
| RM7WBICC | 7" Weatherband Cap with Adapter, 9" O.D. | 164.00 | N |
| RM8WBICC | 8" Weatherband Cap with Adapter, 10" O.D. | 176.00 | N |
| RM10WBICC | 10" Weatherband Cap with Adapter, 12" O.D. | 204.00 | N |



Weatherband Cap with Adapter for ICC

Wind Directional Caps

Provides the ultimate protection from the elements. Unique design naturally adjusts for wind variation, keeping vent exposure to a minimum. May require adapters for connecting Class A, pellet or B-Vent chimney.

| | | | |
|--------|--------------------------|----------|---|
| RM5WD | 5" Wind Directional Cap | \$131.00 | Y |
| RM6WD | 6" Wind Directional Cap | 143.00 | Y |
| RM7WD | 7" Wind Directional Cap | 143.00 | N |
| RM8WD | 8" Wind Directional Cap | 153.00 | Y |
| RM10WD | 10" Wind Directional Cap | 159.00 | Y |

Wind Directional Cap

Cap Adapters

Adapts any chimney into Reliance liner termination caps. Universal design fits all factory-built chimneys. Ideal for replacement caps. May be required to install specialty caps to existing class A or air cooled chimneys. Triple wall thermo types are available by special order only.

| Item No. | Description | Outside Diameter | Retail | Stocked |
|---------------|----------------------------|------------------|---------|---------|
| RM6WDADAPT | 6" Packed Adapter | 8" O.D. | \$48.00 | Y |
| RM6ADAPT6D | 6" Adapter for 6" Duravent | 10" O.D. | 55.00 | Y |
| RM7WDADAPT | 7" Packed Adapter | 9" O.D. | 56.00 | N |
| RM8WDADAPT | 8" Packed Adapter | 10" O.D. | 60.00 | Y |
| RM8ADAPT8D | 8" Adapter for 8" Duravent | 12" O.D. | 61.00 | Y |
| RM8ADAPT8UNI | 8" Adapter | 13" O.D. | 61.00 | Y |
| RM8ADAPTSL300 | 8" Adapter for SL300 | 10-1/2" O.D. | 107.00 | N |
| RM10WDADAPT | 10" Packed Adapter | 13" O.D. | 68.00 | Y |



Cap Adapter

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Liner & Components

Dura-Blanket
Liner Insulation

High heat reflecting insulation for wrapping liner. Protects against heat penetration and contains heat within liner. A lightweight and resilient material. Excellent corrosion resistance and thermal stability. Low thermal conductivity and heat storage. Made of carborundum with increased fiber dimensions preventing airborne fibers. Carborundum Insulfrax Durablanket conforms to requirements for "Incombustible Materials" 1832°F continuous use limit.



Dura-Blanket

| <i>Item No.</i> | <i>Description</i> | <i>Retail</i> | <i>Stocked</i> |
|-----------------|---|---------------|----------------|
| WC1254 | 4 lb. Density 1" x 2' x 25' Blanket (long liner runs) | \$279.00 | Y |
| WC12258 | 8 lb. Density 1/2" x 2' x 25' Blanket (short liner runs) | 249.00 | Y |
| WC12258CW | 8 lb. Density 1/2" x 2' x 25' Blanket (foil faced) | 399.00 | Y |
| WC1258 | 8 lb. Density 1" x 2' x 25' Blanket (stove baffles) | 449.00 | Y |
| RM00TB | Insulation Tie Band (Set of 6) (RMITB) | 22.00 | Y |
| AT2150 | Aluminum Tape 2"x150' -24/cs (AF973/975) #106616 (50 Yds) | 26.90 | Y |

2
0
2
5
-
2
0
2
6

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Liner & Components

Liner Accessories by American Hearth

Insert to Liner Adapters



Connects wood inserts to stainless steel chimney liner systems. All liner adapters are available flat or offset. Round liner connections are available in rigid pipe size or flex size. Please reference the brochure at the end of this catalog section for specific measurements.

Universal Adapters

Universal style adapter fits over the round, square or rectangular discharge on insert without butterfly type damper. Fits most Fisher and Kodiak brand appliances.

| Item No. | Description | Retail | Stocked |
|-------------|--------------------------------|----------|---------|
| RM630UNI | 6" x 30° Universal-12" | \$176.00 | Y |
| RM630LGUNI | 6" x 30° Universal Large-17" | 182.00 | Y |
| RM630XLGUNI | 6" x 30° Universal X-Large-21" | 182.00 | Y |
| RM830UNI | 8" x 30° Universal-12" | 176.00 | Y |
| RM830LGUNI | 8" x 30° Universal Large-17" | 182.00 | Y |
| RM830XLGUNI | 8" x 30° Universal X-Large-21" | 182.00 | N |



Universal Adapter

Slide Damper Adapters

Slide damper style fits rectangular, square or round discharge on insert with center slide type damper. Fits many Lopi brand appliances.

| | | | |
|-----------|------------------------|----------|---|
| RM630LOPI | 6" x 30° Slide Adapter | \$190.00 | Y |
| RM830LOPI | 8" x 30° Slide Adapter | 190.00 | Y |



Set Back Adapter

Adjustable Flat Offset Adapters

Connects into round discharge on insert and can be adjusted in the field to suit a variety of applications. Designed for zero clearance insert connection to liners.

| | | | |
|--------|------------------------------|----------|---|
| RM6ADJ | 6" Adjustable Offset Adapter | \$191.00 | Y |
| RM8ADJ | 8" Adjustable Offset Adapter | 231.00 | Y |



Slide Damper Adapter



Adjustable Flat Offset Adapter

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Liner & Components

Liner Accessories by American Hearth

"Zero-Zero" Masonry Liner System



2
0
2
5
-
2
0
2
6

Specifically Designed for Zero Clearance Applications

This premium liner application eliminates worries from questionable chimney construction or clearances and provides the ultimate assurance of a safe chimney. Recommended for unlined masonry chimneys or where clearances are of concern. Tested and listed to U.L. 1777 standards. Make sure your installation meets these tough "Zero-Zero" safety standards by using this fully listed system. The components below can be safely installed with zero clearance to the inner masonry and zero clearance to exterior combustibles despite a jagged or uneven chimney. Used only for zero clearance applications.

Termination Cap Options

The Zero-Zero application uses standard termination cap options, flex, liner and components for all items not listed on this page. Use oversize flat plate (listed on page 305) : for 6" system, use 7" flat plate; for 7" system, use 8" flat plate.



"Zero-Zero" Storm Collars

Adjustable shield that fits snugly onto the pipe redirecting the water away from the entire system. The band is wider in the Zero-Zero system in order to completely cover the air basket and insure protection of the overall system. For zero clearance applications.

| Item No. | Description | Retail | Stocked |
|----------|-----------------------------|---------|---------|
| RM600SC | 6" "Zero-Zero" Storm Collar | \$40.00 | Y |

"Zero-Zero" Air Baskets

Allows fresh cool air to facilitate draft around the pipe cooling entire system for added safety.

| Item No. | Description | Retail | Stocked |
|----------|---------------------------|---------|---------|
| RM00AB6 | 6" "Zero-Zero" Air Basket | \$67.00 | N |
| RM00AB7 | 7" "Zero-Zero" Air Basket | 67.00 | N |
| RM00AB8 | 8" "Zero-Zero" Air Basket | 67.00 | N |

Star Clamps

Provides additional insurance for supporting the liner in case of an overheating situation and centers the pipe inside the chimney.

| | | | |
|-------|---------------|---------|---|
| RM6ST | 6" Star Clamp | \$33.00 | N |
|-------|---------------|---------|---|

"Zero-Zero" Insulation and Attachment Options

| | | | |
|-----------|---|----------|---|
| WC12258CW | Foil Faced Ceramic Wool | \$399.99 | Y |
| | 2300° 2' x 25' roll, 1/2" thickness, priced per roll. See page 306 for more information | | |
| RM00TB | Insulation Tie Band | 22.00 | Y |
| | For securing ceramic wool around liner, 6 pc. | | |
| AT2150 | Aluminum Tape | 26.90 | Y |
| | 2" x 150' roll, used to secure ceramic wool around liner. | | |
| | Mesh Sleeves Available - Contact Inside Sales (Mesh Sleeves are Non-Stock) | | |



Tie Bands

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Wood Liner & Components

M & G Dura-Vent

6" & 8" DuraLiner



DuraLiner ensures safe and efficient venting of heating appliances, while protecting the masonry chimney from the damaging effects of flue gas. It is the only factory-insulated product with zero/zero clearance for high heat wood-burning appliances. No need to uncoil flex, insulate a majority of the pipe, or protect the insulation when installing. A smooth inner means less creosote buildup.

6" & 8" DuraLiner



For stock status, please visit orders.aes4home.com or call 800-682-9722

| Item No. | Description | 6" | | | 8" | | |
|-------------|------------------------------------|-------|---------|----------|-------|---------|-----------|
| | | Pkg. | Weight | Retail | Pkg. | Weight | Retail |
| SD_DLR12 | 12" Round Rigid Pipe | 1 | 4 lbs. | \$187.12 | 1 | 5 lbs. | \$312.13* |
| SD_DLR24 | 24" Round Rigid Pipe | 1 | 6 lbs. | 261.89 | 1 | 8 lbs. | 310.36* |
| SD_DLRE30SS | 30° Stainless Steel Elbow | 1 | 2 lbs. | 134.82 | 1 | 3 lbs. | 227.60* |
| SD_DLR36 | 36" Round Rigid Pipe | 1 | 9 lbs. | 352.37 | 1 | 12 lbs. | 520.20* |
| SD_DLRMTSC1 | Masonry Thimble w/Slip Connector | 1 | 4 lbs. | 306.60 | 1 | 4 lbs. | 459.91* |
| SD_DLRWPT | Wall Pass Through | 1 | 15 lbs. | 754.14* | 1 | 16 lbs. | 791.85* |
| SD_DLRE45SS | 45° Stainless Steel Elbow | 1 | 2 lbs. | 134.82 | 1 | 3 lbs. | 422.67* |
| SD_DLR48 | 48" Round Rigid Pipe | 1 | 12 lbs. | 436.45 | 1 | 16 lbs. | 532.19* |
| SD_DLRAS | Adjustable Sleeve | 1 | 2 lbs. | 141.97* | 1 | 3 lbs. | 155.73* |
| SD_DLRT | Round Tee w/Round Branch w/Cap | 1 | 5 lbs. | 504.22 | 1 | 6 lbs. | 1,014.40* |
| SD_DLRSCH | Slip Connector and Hanger | 1 set | 3 lbs. | 147.14* | 1 set | 4 lbs. | 205.03* |
| SD_DLRFCNR | Flat Stove Connector (round) | 4 | 6 lbs. | 128.20 | 4 | 7 lbs. | 135.70* |
| SD_DLRCNR | 30° Stove Connector (round-round) | 4 | 9 lbs. | 281.81 | 4 | 10 lbs. | 304.50* |
| SD_DLRKXC13 | Extend-a-Cap Kit (round 13" x 13") | 1 | 7 lbs. | 416.49 | 1 | 7 lbs. | 715.27* |
| SD_DLRKXC18 | Extend-a-Cap Kit (round 13" x 18") | 1 | 7 lbs. | 461.53 | 1 | 7 lbs. | 516.15* |
| SD_DLR12O | 12" Oval Rigid Pipe | 1 | 3 lbs. | 242.17 | 1 | 5 lbs. | 487.70* |
| SD_DLR24O | 24" Oval Rigid Pipe | 1 | 7 lbs. | 315.29 | 1 | 8 lbs. | 877.86* |
| SD_DLR36F | 36" Round-to-Round Flex Pipe | 1 | 13 lbs. | 330.81* | 1 | 13 lbs. | 430.05* |
| SD_DLR36OF | 36" Oval-to-Oval Flex Pipe | 1 | 13 lbs. | 446.11* | 1 | 15 lbs. | 1,137.94* |
| SD_DLR36O | 36" Oval Rigid Pipe | 1 | 10 lbs. | 417.07 | 1 | 12 lbs. | 1,072.94* |
| SD_DLR36ORF | 36" Oval-to-Round Flex Pipe | 1 | 5 lbs. | 330.80* | 1 | 16 lbs. | 812.82* |
| SD_DLR48O | 48" Oval Rigid Pipe | 1 | 13 lbs. | 507.32 | 1 | 16 lbs. | 619.68* |
| SD_DLR60F | 60" Round-to-Round Flex Pipe | 1 | 6 lbs. | 463.13 | 1 | 22 lbs. | 641.81* |
| SD_DLR60OF | 60" Oval-to-Oval Flex Pipe | 1 | 7 lbs. | 463.13 | 1 | 15 lbs. | 1,072.94 |
| SD_DLR60ORF | 60" Oval-to-Round Flex Pipe | 1 | 17 lbs. | 463.13 | 1 | 22 lbs. | 1,072.94* |
| SD_DLROTRB | Oval Tee w/Round Branch w/Cap | 1 | 2 lbs. | 367.33 | 1 | 4 lbs. | 728.29* |
| SD_DLRS | DuraLiner Spacer (oval) | 4 | 3 lbs. | 108.40* | 4 | 4 lbs. | 123.10* |
| SD_DLRFCNO | Flat Stove Connector (oval) | 4 | 7 lbs. | 363.76 | 4 | 6 lbs. | 331.28* |
| SD_DLRCNO | 30° Stove Connector (oval) | 4 | 10 lbs. | 271.77 | 4 | 10 lbs. | 552.71* |
| SD_DLRCNRO | 30° Stove Connector (round-oval) | 4 | 7 lbs. | 252.60 | 4 | 6 lbs. | 363.76* |
| SD6DLRKXC22 | Extend-a-Cap Kit (oval 10" x 22") | 1 | 6 lbs. | 458.66 | - | - | - |
| SD6DLRKXC20 | Extend-a-Cap Kit (oval 13" x 20") | 1 | 8 lbs. | 508.02 | - | - | - |
| SD8DLIK | Two-Ply Insulation Sleeve (60") | - | - | - | 1 | 12 | 238.56* |
| SD8DLRKXC22 | Extend-a-Cap Kit (oval 10" x 22") | - | - | - | 1 | 7 lbs. | 522.08* |
| SD8DLRKXC20 | Extend-a-Cap Kit (oval 13" x 20") | - | - | - | 1 | 8 lbs. | 725.36* |

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Section 400

2
0
2
5
-
2
0
2
6

| Page Number | Vendor | Product | Sold Regionally | Publish Date |
|-------------|------------------------------|--|-----------------|--------------|
| 400-407 | M & G Dura-Vent | DirectVent Pro Pipe | | 05/25 |
| 408-409 | M & G Dura-Vent | Direct Vent Pro Concentric Flex Pipe | | 05/25 |
| 410-411 | M & G Dura-Vent | (CVS) Concentric Vent System Pipe (Power Vent) | | 05/25 |
| 412 | M & G Dura-Vent and Reliance | Flex Accessories | | 05/25 |
| 412 | Z-Flex | Aluminum Air Intake Ducting | | 05/25 |
| 412 | Z-Flex | Gas Venting, Kits and Accessories | | 05/25 |
| 413 | RH Peterson | Gas Shut-off Timer Valve | | 04/14 |
| 413 | Sturgis | Quick Disconnect | | 01/14 |
| 414 | Dante | Log Lighters & Valves | | 06/21 |
| 415 | Firegear | Whistle Free Flex Connectors & Valves | | 11/22 |
| 416-420 | Gastite and FlashShield | Flexible Gas Piping, Fittings & Accessories | | 08/22 |
| 421 | Condar | Air Supply Ventilator | | 08/24 |

PLEASE NOTE: Not all products are sold throughout all AES territories/regions. If "Sold Regionally" please contact AES Inside Sales for availability 800-682-9722

Or by visiting...



For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Associated Energy Systems - Serving you with distribution centers in: Kent, WA | West Sacramento, CA | Denver, CO | Dallas, TX | Rogers, MN

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

M & G DURA-VENT

DIRECTVENT PRO

DuraVent
Member of M&G Group

Re-Designed, Re-Engineered

With so many innovations, DirectVent GS transformed to DirectVent Pro, offering stunning design, Engineered Excellence® and utilizing state-of-the art manufacturing.

Re-Designed Appearance...All black pipe lengths and elbows feature laser-welded seams for a sleek finish. Low profile locks and no hems or beads allow for a beautiful product that looks elegant in any interior.

Re-Engineered for Excellence...Tighter inner connections, no gaskets or sealants required*. All DirectVent Pro components are compatible with DirectVent GS stock, except for the new DirectVent Pro Pipe Extensions.

*Unless specified by the appliance manufacturer.

Remarkable

Engineered Excellence® with innovation and style...DirectVent Pro... specified exclusively by nearly every major stove and fireplace manufacturer in the U.S. and Canada.



- Unitized construction eliminates field assembly of inner and outer flues.
- Twist-lock connections provide quick, positive, fastener-free installation.
- Precision pipe and fittings have been engineered for optimum appliance performance. You can rely on DirectVent Pro to provide for safe, dependable performance from your direct vent stove or fireplace.
- Laboratory tested and listed with each appliance.
- Engineered to ensure optimum appliance performance in both vertical and horizontal vent configurations.
- Wind, rain and thermal performance tested for safe, dependable operation.
- To eliminate flame lift-off and burnouts, DirectVent Pro features precision fittings that are factory leak tested. In most cases, Dura-Vent twist-lock adapters are built-in by the appliance manufacturer to ensure a leak-proof connection between the vent and the appliance.

Designer Installations Made Easy

Simpson Dura-Vent offers the most complete product line in the industry to meet every installation need. Easy to install side-wall installations offer exciting new design options. From traditional through-the-roof installations, to fireplace inserts and wood stove conversions, DirectVent Pro has the technology and component parts to make every installation a success.

Applications

DirectVent Pro has been designed for use with direct vent stoves, heaters and fireplaces. DirectVent Pro, in combination with the gas appliance, has been tested and listed as a decorative gas appliance system, or as a direct vent heater system by a major testing agency such as U.L., AGA, CGA, Warnock Hersey or Omni.

Limited Lifetime warranty

M & G DURA-VENT

4" DIRECTVENT PRO - (4" I.D. - 6-5/8" O.D.)




2025 - 2026

| 4" Galvanized Lengths and Elbows | | | | | |
|----------------------------------|---|------|---------|----------|---------|
| Item No. | Description | Pkg. | Wt./Cs. | Retail | Stocked |
| SD46DVA06 | 6" Galvanized Length | 6 | 7 lbs. | \$61.10 | Y |
| SD46DVA09 | 9" Galvanized Length | 6 | 10 lbs. | 69.69 | Y |
| SD46DVA12 | 12" Galvanized Length | 6 | 13 lbs. | 80.49 | Y |
| SD46DVA18 | 18" Galvanized Length | 6 | 17 lbs. | 95.62 | Y |
| SD46DVA24 | 24" Galvanized Length | 6 | 23 lbs. | 109.91 | Y |
| SD46DVA36 | 36" Galvanized Length | 6 | 33 lbs. | 134.21 | Y |
| SD46DVA48 | 48" Galvanized Length | 6 | 43 lbs. | 160.41 | Y |
| SD46DVA60 | 60" Galvanized Length | 6 | 56 lbs. | 213.75 | Y |
| SD46DVA08A | 8-1/2" Extension (3" - 7" Installed) | 6 | 8 lbs. | 59.82 | Y |
| SD46DVA16A | 16" Extension (8" - 14 1/2" Installed) | 6 | 3 lbs. | 70.95 | Y |
| SD46DVAE45 | Galvanized 45° Swivel Elbow | 6 | 9 lbs. | 108.54 | Y |
| SD46DVAE90 | Galvanized 90° Swivel Elbow | 6 | 13 lbs. | 126.98 | Y |
| 4" Black Lengths and Elbows | | | | | |
| SD46DVA06B | 6" Black Length | 1 | 2 lbs. | \$108.25 | Y |
| SD46DVA09B | 9" Black Length | 1 | 2 lbs. | 107.12 | Y |
| SD46DVA12B | 12" Black Length | 1 | 3 lbs. | 118.71 | Y |
| SD46DVA18B | 18" Black Length | 1 | 3 lbs. | 133.87 | Y |
| SD46DVA24B | 24" Black Length | 1 | 5 lbs. | 153.84 | Y |
| SD46DVA36B | 36" Black Length | 1 | 6 lbs. | 187.88 | Y |
| SD46DVA48B | 48" Black Length | 1 | 8 lbs. | 224.58 | Y |
| SD46DVA60B | 60" Black Length | 1 | 8 lbs. | 299.27 | Y |
| SD46DVA16AB | 16" Black Extension (8" - 14 1/2" Installed) | 1 | 3 lbs. | 104.62 | Y |
| SD46DVAE45B | Black 45° Swivel Elbow | 1 | 2 lbs. | 142.02 | Y |
| SD46DVAE90B | Black 90° Swivel Elbow | 1 | 3 lbs. | 165.89 | Y |
| SD46DVARD | Restrictor Disk | 3 | 1 lb. | 11.24 | Y |
| 4" Supports and Firestops | | | | | |
| SD46DVADC | Round Ceiling Support | 1 | 2 lbs. | \$140.02 | Y |
| SD46DVACS | Cathedral Ceiling Support Box | 1 | 7 lbs. | 217.79 | Y |
| SD46DVAWT | Wall Thimble | 6 | 20 lbs. | 109.91 | Y |
| SD46DVAWTS | Slimline Wall Thimble for Sconce Terminations | 6 | 20 lbs. | 100.18 | Y |
| SD46DVAWFS | Wall Firestop | 1 | 4 lbs. | 114.41 | Y |
| SD46DVAWS | Wall Strap | 6 | 4 lbs. | 47.80 | Y |
| SD46DVAFS | Ceiling Firestop | 6 | 6 lbs. | 26.48 | Y |



Round Ceiling Support



Wall Thimble



Wall Strap



Cathedral Ceiling Support Box

M & G Dura-Vent

4" DirectVent Pro - (4" I.D. - 6-5/8" O.D.)



| 4" Caps and Flashings | | | | | |
|-----------------------|---|------|----------|----------|---------|
| Item No. | Description | Pkg. | Wt./Cs. | Retail | Stocked |
| SD46DVAVCH | High Wind Vertical Termination Cap | 1 | 2 lbs. | \$180.76 | Y |
| SD46DVAVC | Low Profile Vertical Termination Cap | 1 | 2 lbs. | 214.16 | Y |
| SD46DVAVCE | Extended Vertical Termination Cap | 1 | 4 lbs. | 388.88 | Y |
| SD46DVAHRCS | Round Horizontal Termination Cap Square Base (Aluminum) | 1 | 5 lbs. | 259.86 | Y |
| SD46DVAHSC | Sconce Horizontal Termination Cap (Aluminum) | 1 | 5 lbs. | 298.66 | Y |
| SD46DVAHSCS | Sconce Horizontal Termination Cap (SS) | 1 | 5 lbs. | 957.88 | N |
| SD46DVAHSCC | Sconce Horizontal Termination Cap (Copper) | 1 | 5 lbs. | 1,139.97 | N |
| SD46DVAHC | Horizontal Square Termination Cap (Aluminum) | 1 | 5 lbs. | 448.43 | Y |
| SD46DVAHCS | Horizontal Square Termination Cap (SS) | 1 | 5 lbs. | 993.01 | N |
| SD46DVAHCC | Horizontal Square Termination Cap (Copper) | 1 | 5 lbs. | 1,210.16 | N |
| SD46DVAWG | Horizontal Wind Guard | 1 | 3 lbs. | 296.22 | Y |
| SD46DVASNK14 | Snorkel Termination Cap, 14" | 1 | 11 lbs. | 1,196.48 | Y |
| SD46DVASNK36 | Snorkel Termination Cap, 36" | 1 | 17 lbs. | 1,369.05 | Y |
| SD46DVAVSS | Vinyl Siding Standoff | 1 | 5 lbs. | 145.19 | Y |
| SD46DVAF6DS | Aluminum Flashing 0/12 - 6/12 | 6 | 15 lbs. | 145.68 | Y |
| SD46DVAF12DS | Aluminum Flashing 7/12 - 12/12 | 6 | 18 lbs. | 214.65 | Y |
| SD46DVASC | Storm Collar | 6 | 3 lbs. | 22.45 | Y |
| SD46DVAF6 | Adjustable Roof Flashing 0/12 - 6/12 | 6 | 15 lbs. | 77.21 | Y |
| SD46DVAF12 | Steep Roof Flashing 7/12 - 12/12 | 6 | 18 lbs. | 146.47 | Y |
| SD46DVAFF | Flat Roof Flashing | 6 | 20 lbs. | 116.94 | Y |
| SD46DVAES | Elbow Strap | 6 | 6 lbs. | 34.85 | Y |
| SD46DVAIS | Attic Insulation Shield | 1 | 5 lbs. | 193.22 | Y |
| SD46DVAVSK | Vinyl Siding Standoff Kit | 1 | 4.4 lbs. | 107.88 | Y |
| SD46DVACFK | 4" x 6 5/8" Counter Flashing | 1 | - | 139.38 | Y |



Snorkel Termination Cap



Vinyl Siding Standoff



Storm Collar



Adjustable Roof Flashing

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Gas Venting

M & G Dura-Vent
5" DirectVent Pro - (5" I.D. - 8" O.D.)



2
0
2
5
-
2
0
2
6

| 5" Galvanized Lengths and Elbows | | | | | |
|---|--|-------------|----------------|---------------|----------------|
| <i>Item No.</i> | <i>Description</i> | <i>Pkg.</i> | <i>Wt./Cs.</i> | <i>Retail</i> | <i>Stocked</i> |
| SD58DVA09 | 9" Galvanized Length | 4 | 8 lbs. | \$82.00 | Y |
| SD58DVA12 | 12" Galvanized Length | 4 | 11 lbs. | 94.69 | Y |
| SD58DVA18 | 18" Galvanized Length | 4 | 15 lbs. | 112.49 | Y |
| SD58DVA24 | 24" Galvanized Length | 4 | 31 lbs. | 129.28 | Y |
| SD58DVA36 | 36" Galvanized Length | 4 | 29 lbs. | 157.88 | Y |
| SD58DVA48 | 48" Galvanized Length | 4 | 39 lbs. | 188.72 | Y |
| SD58DVA60 | 60" Galvanized Length | 4 | 39 lbs. | 251.47 | Y |
| SD58DVA08A | 8" Extension | 4 | 16 lbs. | 70.45 | Y |
| SD58DVA16A | 16" Extension (8" - 14 1/2" Installed) | 4 | 11 lbs. | 88.68 | Y |
| SD58DVAE45 | Galvanized 45° Swivel Elbow | 4 | 10 lbs. | 132.47 | Y |
| SD58DVAE90 | Galvanized 90° Swivel Elbow | 4 | 12 lbs. | 154.51 | Y |
| 5" Black Lengths and Elbows | | | | | |
| SD58DVA06B | 6" Black Length | 1 | 2 lbs. | \$127.36 | Y |
| SD58DVA09B | 9" Black Length | 1 | 3 lbs. | 195.08 | Y |
| SD58DVA12B | 12" Black Length | 1 | 4 lbs. | 260.11 | Y |
| SD58DVA18B | 18" Black Length | 1 | 5 lbs. | 157.47 | Y |
| SD58DVA24B | 24" Black Length | 1 | 6 lbs. | 180.99 | Y |
| SD58DVA36B | 36" Black Length | 1 | 9 lbs. | 221.04 | Y |
| SD58DVA48B | 48" Black Length | 1 | 10 lbs. | 254.05 | Y |
| SD58DVA60B | 60" Black Length | 1 | 10 lbs. | 352.06 | Y |
| SD58DVA08AB | 8-1/2" Black Extension (3" - 7" Installed) | 1 | 4 lbs. | 108.20 | Y |
| SD58DVA16AB | 16" Black Extension (8" - 14 1/2" Installed) | 1 | 4 lbs. | 130.79 | Y |
| SD58DVAE45B | Black 45° Swivel Elbow | 4 | 3 lbs. | 195.40 | Y |
| SD58DVAE90B | Black 90° Swivel Elbow | 4 | 4 lbs. | 227.89 | Y |
| SD58DVARD | Restrictor Disk | 12 | 2 lbs. | 24.94 | Y |
| 5" Supports and Firestops | | | | | |
| SD58DVADC | Round Ceiling Support | 1 | 2 lbs. | \$160.93 | Y |
| SD58DVACS | Cathedral Ceiling Support Box | 1 | 7 lbs. | 272.23 | Y |
| SD58DVAFS | Ceiling Firestop | 4 | 6 lbs. | 33.10 | Y |
| SD58DVAWFS | Wall Firestop | 4 | 11 lbs. | 140.63 | Y |
| SD58DVAWS | Wall Strap | 4 | 4 lbs. | 54.45 | Y |
| SD58DVAES | Elbow Strap | 4 | 4 lbs. | 44.14 | Y |
| SD58DVAWT | Wall Thimble | 4 | 15 lbs. | 149.23 | Y |



Cathedral Ceiling Support Box



Ceiling Firestop



Wall Strap



Wall Thimble

Gas Venting

M & G Dura-Vent
5" DirectVent Pro - (5" I.D. - 8" O.D.)



| 5" Caps and Flashings | | | | | |
|-----------------------|--|------|----------|----------|---------|
| Item No. | Description | Pkg. | Wt./Cs. | Retail | Stocked |
| SD58DVAVC | Low Profile Vertical Termination Cap | 1 | 3 lbs. | \$244.85 | Y |
| SD58DVAVCH | High Wind Vertical Termination Cap | 1 | 3 lbs. | 214.71 | Y |
| SD58DVAHC | Horizontal Square Termination Cap (Aluminum) | 1 | 6 lbs. | 509.88 | Y |
| SD58DVAHCS | Horizontal Square Termination Cap (SS) | 1 | 5 lbs. | 1,236.55 | N |
| SD58DVAHCC | Horizontal Square Termination Cap (Copper) | 1 | 5 lbs. | 1,542.32 | N |
| SD58DVASNK14 | Snorkel Termination Cap, 14" | 1 | 14 lbs. | 1,316.15 | Y |
| SD58DVASNK36 | Snorkel Termination Cap, 36" | 1 | 18 lbs. | 1,505.97 | Y |
| SD58DVAF6DS | Aluminum Flashing 0/12 - 6/12 | 6 | 22 lbs. | 191.65 | Y |
| SD58DVAF12DS | Aluminum Flashing 7/12 - 12/12 | 6 | 25 lbs. | 356.38 | Y |
| SD58DVACFK | Counter Flashing | 1 | 5 lbs. | 202.03 | Y |
| SD58DVASC | Storm Collar | 6 | 4 lbs. | 36.73 | Y |
| SD58DVAF6 | Adjustable Flashing 0/12 - 6/12 | 6 | 22 lbs. | 142.55 | Y |
| SD58DVAF12 | Steep Roof Flashing 7/12 - 12/12 | 6 | 25 lbs. | 252.78 | Y |
| SD58DVAFF | Flat Roof Flashing | 4 | 18 lbs. | 157.50 | Y |
| SD58DVAIS | Attic Insulation Shield | 1 | 9 lbs. | 241.51 | Y |
| 5" Accessories | | | | | |
| SD58DVAX46 | 5/8" Reducer to 4x6 5/8 | 1 | 2.1 lbs. | \$142.45 | Y |



Snorkel Termination Cap



Vinyl Siding Standoff



Storm Collar



Adjustable Roof Flashing

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

M & G Dura-Vent
DuraFlex Aluminum Flex Liner



2
0
2
5
-
2
0
2
6

| DuraFlex Aluminum Liner Kits | | | | | | |
|--|------------------------------|------|---------|----------|---------|--|
| Single wall .010" (2-ply of .005") aluminum, listed to UL1777. Kit includes: Flex Length, 16" x 16" Top Plate, Cap and Mortar Sleeve | | | | | | |
| Item No. | Description | Pkg. | Wt./Cs. | Retail | Stocked | |
| SD3DFA25K | 3" x 25' DuraFlex Liner Kit | 1 | 10 lbs. | \$412.63 | Y | |
| SD3DFA35K | 3" x 35' DuraFlex Liner Kit | 1 | 11 lbs. | 486.42 | Y | |
| SD4DFA25K | 4" x 25' DuraFlex Liner Kit | 1 | 12 lbs. | 439.45 | Y | |
| SD4DFA35K | 4" x 35' DuraFlex Liner Kit | 1 | 15 lbs. | 536.76 | Y | |
| SD5DFA25K | 5" x 25' DuraFlex Liner Kit | 1 | 16 lbs. | 519.98 | Y | |
| SD5DFA35K | 5" x 35' DuraFlex Liner Kit | 1 | 19 lbs. | 724.64 | N | |
| SD6DFA25K | 6" x 25' DuraFlex Liner Kit | 1 | 22 lbs. | 570.29 | Y | |
| SD6DFA35K | 6" x 35' DuraFlex Liner Kit | 1 | 24 lbs. | 738.05 | N | |
| DuraFlex Aluminum Liner Only | | | | | | |
| Single wall .010" (2-ply of .005") aluminum, listed to UL1777. | | | | | | |
| SD3DFA25 | 3" x 25' DuraFlex Liner Only | 1 | 7 lbs. | \$254.94 | Y | |
| SD3DFA35 | 3" x 35' DuraFlex Liner Only | 1 | 9 lbs. | 322.02 | Y | |
| SD3DFA50 | 3" x 50' DuraFlex Liner Only | 1 | 12 lbs. | 489.79 | Y | |
| SD4DFA25 | 4" x 25' DuraFlex Liner Only | 1 | 10 lbs. | 322.02 | Y | |
| SD4DFA35 | 4" x 35' DuraFlex Liner Only | 1 | 12 lbs. | 452.89 | Y | |
| SD5DFA25 | 5" x 25' DuraFlex Liner Only | 1 | 9 lbs. | 402.55 | Y | |
| SD5DFA35 | 5" x 35' DuraFlex Liner Only | 1 | 14 lbs. | 570.29 | N | |
| 3" DuraFlex Accessories | | | | | | |
| SD3DFAFA | 3" Female Flex Adapter | 6 | 4 lbs. | \$35.33 | Y | |
| SD3DFAFC | 3" Flex Connector | 6 | 1 lbs. | 29.72 | Y | |
| SD3DFSFP | 3" Flex Puller | 6 | 3 lbs. | 59.58 | Y | |
| SD3DFSMS | 3" Mortar Sleeve | 6 | 4 lbs. | 19.86 | Y | |
| SD3DFAT | 3" Tee | 6 | | 267.73 | Y | |
| SD3DFATP | 3" Top Plate | 6 | 3 lbs. | 53.68 | Y | |
| SD3DFAVC | 3" Cap | 6 | 9 lbs. | 110.66 | Y | |
| 4" DuraFlex Accessories | | | | | | |
| SD4DFAFA | 4" Female Flex Adapter | 6 | 5 lbs. | \$50.94 | N | |
| SD4DFAFC | 4" Flex Connector | 6 | 1 lbs. | 31.84 | Y | |
| SD4DFSFP | 4" Flex Puller | 6 | 4 lbs. | 78.03 | N | |
| SD4DFAT | 4" Tee w/Cap | 1 | 2 lbs. | 305.66 | N | |
| SD4DFATP | 4" Top Plate | 6 | 6 lbs. | 57.01 | N | |
| SD4DFAVC | 4" Cap | 6 | 4 lbs. | 124.10 | N | |



DuraFlex Liner



Flex Connector



Flex Puller



Tee w/Cap



DuraFlex Liner Kit



Cap



Masonry Sleeve




Female Adapter

Gas Venting

M & G Dura-Vent
DirectVent Pro



| Termination Kits | | | | | | |
|---|--|------|---------|----------|---------|--|
| 4" x 6-5/8", twist-lock connection provides quick, positive, fastener-free installation. | | | | | | |
| Item No. | Description | Pkg. | Wt. | Retail | Stocked | |
| SD46DVAKHA | Horizontal Termination Kit A | 1 | 16 lbs. | \$681.17 | Y | |
| Includes: 90° Black Elbow (46DVAE90B), Wall Thimble Cover (46DVADC), 24" Length Black (46DVA24B) & 8-1/2" Pipe Extension Black (46DVA08AB). <i>Cap Not Included.</i> | | | | | | |
| SD46DVAKHC | Horizontal Termination Kit P | 1 | 14 lbs. | 804.82 | Y | |
| Includes: 90° Black Elbow (46DVAE90B), Wall Thimble (46DVAWT), Wall Thimble Cover (46DVADC), 24" Length Black (46DVA24B) & 8-1/2" Pipe Extension Black (46DVA08AB). <i>Cap and Adjuster Not Included.</i> | | | | | | |
| Chimney Liner Flex Extensions | | | | | | |
| Flexible 2 ply .010" aluminum compressed lengths. 3" flex used with co-linear system. | | | | | | |
| SD3DFA25 | 3" x 25' Flex | 1 | 7 lbs. | \$254.94 | Y | |
| SD3DFA35 | 3" x 35' Flex | 1 | 9 lbs. | 322.02 | Y | |
| Chimney Liner Termination Kit | | | | | | |
| Chimney Liner Termination Kit connects co-linear flexible vent to co-axial termination. Kit includes termination connector and flashing. Direct Vent GS 4" x 6-5/8" termination caps, flex lengths and appliance connector are sold separately. Must be tested and listed for each appliance. Refer to your stove manufacturer's installation instructions for specifics. | | | | | | |
| SD46DVAGK | Direct Vent Chimney Liner Termination Kit | 1 | 6 lbs. | \$375.81 | Y | |
| Includes: Termination Connector, Flashing. | | | | | | |
| Complete Co-Linear Kits | | | | | | |
| For use with inserts with 3" co-linear intake and exhaust ports. Kits include Intake and Exhaust runs, Flashing, Flex Connector and High-Wind or Prairie Cap. | | | | | | |
| SD46DVAACL33 | 3" x 35' Co-Linear Kit w/High Wind Cap | 1 | 22 lbs. | \$763.88 | Y | |
| SD46DVAACL34 | 3" x 35' (Air Intake) and 4" x 25' (Exhaust) Co-Linear Kit w/High Wind Cap | 1 | 22 lbs. | 763.88 | Y | |
| SD46DVAACL33P | 3" x 35' Co-Linear Kit w/Prairie Cap | 1 | 22 lbs. | 842.90 | Y | |
| SD46DVAACL34P | 3" x 35' Intake, 4" x 35' Exhaust Co-Linear Kit w/Prairie Cap | 1 | 22 lbs. | 842.90 | Y | |
| Co-Linear Flex Connectors | | | | | | |
| For use with a flex connector on inserts with 3" co-linear intake and exhaust ports. | | | | | | |
| SD46DVAADF | Co-linear Flex Connector | 2 | 1 lb. | \$82.35 | Y | |
| Co-axial to Co-linear Appliance Connector | | | | | | |
| Co-Linear Adapter Connector for stoves with 4" x 6-5/8" co-axial outlets. Refer to appliance manufacturer's installation instructions. Uses 3" Flex. | | | | | | |
| SD46DVAGCL | Standard Appliance Connector | 1 | 3 lbs. | \$348.25 | Y | |
| SD46DVATCL | Travis Industries Appliance Connector | 1 | 3 lbs. | 348.25 | Y | |
| SD46DVAVCL | Vermont Castings Appliance Connector | 1 | 3 lbs. | 348.25 | Y | |
| SD46DVAADP | Appliance Adapter | 1 | 3 lbs. | 114.96 | Y | |



Chimney Liner Termination Kit



Co-Linear Kit w/High Wind Cap



Co-axial to Co-linear Appliance Connector



Flex

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand


Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

M & G Dura-Vent
DirectVent Pro




2
0
2
5
-
2
0
2
6


| Masonry Chimney Conversion Kits | | | | | |
|---|------------------------|------|--------|----------|---------|
| Class A Chimney Masonry Conversion Kit for 4" x 6-5/8" Direct Vent gas stoves. Change out existing wood burning stoves to direct vent gas stoves. | | | | | |
| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
| SD46DVAKMC | Masonry Conversion Kit | 1 | 7 lbs. | \$560.43 | Y |
| Kit includes: Cap Adapter, 18" x 18" flashing, round ceiling support/wall thimble cover and retro connector. Purchase 4" flex extension and termination cap separately. | | | | | |
| SD46DVAKCT | Masonry Conversion Kit | 1 | 3 lbs. | 216.62 | Y |
| Kit includes: Cap Adapter and 18" x 18" flashing. | | | | | |



Masonry Conversion Kit



| Class A Chimney Conversion Kits | | | | | |
|--|------------------|------|--------|----------|---------|
| Class A Chimney Conversion Kit for 4" x 6-5/8" Direct Vent gas stoves. Change out existing woodburning stoves to direct vent gas stoves though existing class A chimney system. Chimney Conversion Kits include cap adapter and a retro connector collar. Purchase 4" flex extension and termination cap separately. | | | | | |
| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
| SD46DVAKCA | Conversion Kit A | 1 | 3 lbs. | \$465.10 | Y |
| Fits the following chimneys or others with a 6" I.D. and up to 8" O.D.: Metalbestos, Pro-Jet, Hart & Cooley, ICC, Security, Jackes-Evans. | | | | | |
| SD46DVAKCB | Conversion Kit B | 1 | 3 lbs. | 465.10 | Y |
| Fits the following chimneys or others with 6-8" I.D. and up to 10" O.D.: Simpson Dura-Vent (6" I.D.), Jackes-Evans (7" & 8" I.D.), Air-Jet (6" I.D.), Hart & Cooley (7" & 8" I.D.), ICC (7" & 8" I.D.), Metal-Fab (6" & 7" I.D.), Pro-Jet (7" & 8" I.D.), American Metal (6" & 7" I.D.), Security (8" I.D.), Metalbestos (7" & 8" I.D.). | | | | | |
| SD46DVAKCC | Conversion Kit C | 1 | 3 lbs. | 465.10 | Y |
| Fits the following chimneys or others with 7-8" I.D. and up to 12" O.D.: Simpson Dura-Vent (7" & 8" I.D.), Air-Jet (8" I.D.), American Metals (8" I.D.), Metal-Fab (8" I.D.). | | | | | |



M & G DURA-VENT

DIRECTVENT PRO CONCENTRIC FLEX



DuraVent
Member of M&G Group

Versatility and Simplicity

Concentric Flex can be used as a cost-effective alternative to 45-degree elbows when offsetting around an obstacle such as a stud, joint or truss. It allows you to put the vent EXACTLY where you need it, and in a hurry. Using this approach can speed up installation time, save on parts, and help to minimize the number of joints between pipe sections.

We have all been there. The customer wants the fireplace positioned in such a way that the outlet always seems to line up with an obstacle – like a wall stud, electrical wiring, or vent stack for plumbing. No problem! DirectVent Pro Concentric Flex allows you to quickly adjust the positioning of the vent to hit the desired stud space in any up & out or cross-corner installation. The same is true for a joist or truss in vertical installations.

Single-offset? Double-offset? Simply adjust a length of DVP Concentric Flex to suit the application.

Key Features and Benefits

Fully compatible with DirectVent Pro. This gives you the best of both worlds - the robust, long-lasting, professional reputation of our rigid system combined with the infinite convenience of concentric flex when you need it, where you need it.



Twist-Lock Connection

Our concentric flex features the same twist-lock you already know. This makes assembly easy on fireplaces that are already equipped with a twist-lock outlet. No need for messy sealants or screws here. This also allows you to use concentric flex in combination with other DirectVent Pro parts you already have in the truck or on the shelf.

Factory-Installed Spacer

DVP Concentric Flex comes with a factory-installed spacer. This eliminates the fear associated with hot-spots and compromised clearances-to-combustibles. With field-assembled product, spacers can be overlooked or misplaced at the wrong intervals. Spacers can also slip out of place. Not only is our spacer firmly attached, it runs continuously through each length from one end to the other. This results in a consistent air gap between the inner flue and outer air intake.

Unique Overlapping Collar Design

Unlike systems offered by competitors, there is no need to improvise when attempting to attach flex on the downstream end of the vent. Simply twist-lock the pipe together as you normally would, then pull the outer flex up into place, and fasten the two overlapping collars together using supplied screws. Quick, simple, and easy with no compromises.

Three Convenient Lengths

DirectVent Pro Concentric Flex is available in 3-foot, 5-foot, and 10-foot lengths for use with DirectVent Pro 46DVA and 58DVA venting. Each length ships from the factory compressed within a compact box. The smaller packaging takes up less space on the shelf and in the truck during transport. At the jobsite, the inner and outer lengths are easily stretched independently to your exact requirements.

Construction

The inner and outer flex on DirectVent Pro Concentric Flex is made with two-ply aluminum. It is designed to withstand the high heat of exhaust emitted from any approved gas fireplace. The outer's role is to conduct combustion air and is robust enough to meet all impact and puncture test requirements.

M & G DURA-VENT
DIRECTVENT PRO CONCENTRIC FLEX



2
0
2
5
-
2
0
2
6

| 4" Lengths | | | | | |
|--------------|-----------------------------------|------|---------|----------|---------|
| Item No. | Description | Pkg. | Wt./Cs. | Retail | Stocked |
| SD46DVA36FF | (4x6) 36" Concentric Flex Length | | 4 lbs. | \$288.46 | Y |
| SD46DVA60FF | (4x6) 60" Concentric Flex Length | | 5 lbs. | 376.60 | Y |
| SD46DVA120FF | (4x6) 120" Concentric Flex Length | | 12 lbs. | 657.05 | Y |
| 5" Lengths | | | | | |
| SD58DVA36FF | (5x8) 36" Concentric Flex Length | | 5 lbs. | \$336.54 | Y |
| SD58DVA60FF | (5x8) 60" Concentric Flex Length | | 9 lbs. | 448.72 | Y |
| SD58DVA120FF | (5x8) 120" Concentric Flex Length | | 14 lbs. | 777.24 | Y |

M & G Dura-Vent

CVS - Concentric Vent System - Stainless Steel Liner



| CVS Lengths | | | | |
|------------------------|---|------|----------|---------|
| Item No. | Description | Pkg. | Retail | Stocked |
| SD35CVS06 | 3"x5" CVS 6" Pipe Length | 6 | \$64.95 | Y |
| SD35CVS06B | 3"x5" CVS 6" Pipe Length BLACK | 6 | 127.51 | N |
| SD35CVS12 | 3"x5" CVS 12" Pipe Length | 6 | 99.76 | Y |
| SD35CVS12B | 3"x5" CVS 12" Pipe Length BLACK | 6 | 127.52 | N |
| SD35CVS24 | 3"x5" CVS 24" Pipe Length | 6 | 110.18 | Y |
| SD35CVS24B | 3"x5" CVS 24" Pipe Length BLACK | 6 | 183.90 | N |
| SD35CVS36 | 3"x5" CVS 36" Pipe Length | 6 | 136.86 | Y |
| SD35CVS36B | 3"x5" CVS 36" Pipe Length BLACK | 6 | 211.63 | N |
| CVS Adjustable Lengths | | | | |
| SD35CVS12TA | 3"x5" CVS 12" Telescoping Adjustable Pipe Length | 6 | \$147.29 | Y |
| SD35CVS18TA | 3"x5" CVS 18" Telescoping Adjustable Pipe Length | 6 | 289.84 | Y |
| SD35CVS18TAB | 3"x5" CVS 18" Telescoping Adjustable Pipe Length BLACK | 6 | 323.41 | N |
| CVS Flashings | | | | |
| SD35CVSDSA | 3"x5" CVS Dead Soft Adjustable Flashing 0/12 - 6/12 Pitch | 1 | \$149.38 | Y |
| SD35CVSF | 3"x5" CVS Adjustable Flashing 0/12 - 6/12 Pitch | 1 | 45.35 | Y |
| CVS Elbows | | | | |
| SD35CVSE45 | 3"x5" CVS 45 Degree Elbow | 6 | \$139.18 | Y |
| SD35CVSE45B | 3"x5" CVS 45 Degree Elbow BLACK | 6 | 195.46 | N |
| SD35CVSE90 | 3"x5" CVS 90 Degree Elbow | 6 | 148.14 | Y |
| SD35CVSE90B | 3"x5" CVS 90 Degree Elbow BLACK | 6 | 209.36 | N |
| CVS Tees | | | | |
| SD35CVST | 3"x5" Tee w/Cleanout | - | \$312.26 | N |
| SD35CVSTB | 3"x5" Tee w/Cleanout BLACK | - | 345.71 | N |
| CVS Caps | | | | |
| SD35CVSHCR | 3"x5" CVS Horizontal Cap | 1 | \$322.02 | Y |
| SD35CVSVC | 3"x5" CVS Vertical Cap | 1 | 425.09 | Y |

More CVS on next page...



Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities


M & G Dura-Vent

CVS - Concentric Vent System - Stainless Steel Liner




2
0
2
5
-
2
0
2
6

| CVS Accessories (Supports, Collars, Plates, etc.) | | | | | |
|---|---|------|----------|---------|--|
| Item No. | Description | Pkg. | Retail | Stocked | |
| SD35CVSRS | 3"x5" CVS Roof Support | 1 | \$44.07 | N | |
| SD35CVSIS | 3"x5" CVS Attic Insulation Shield | 1 | 217.71 | Y | |
| SD35CVSSC | 3"x5" CVS Storm Collar | 1 | 15.66 | Y | |
| SD35CVSTRO | 3"x5" CVS Exterior Trim Plate | 12 | 13.94 | Y | |
| SD35CVSTRI | 3"x5" CVS Interior Trim Plate | - | 12.83 | N | |
| SD35CVSWP10 | 3"x5" CVS Wall Plate 10x10 | 12 | 35.37 | Y | |
| SD35CVSWS | 3"x5" CVS Wall Strap | 12 | 50.23 | Y | |
| SD35CVSWT | 3"x5" CVS Wall Thimble | 1 | 143.81 | Y | |
| SD35CVSWTP | 3"x5" CVS Wall Thimble (Includes Insulation Ring) | 1 | 169.51 | Y | |
| SD35CVSCD | 3"x5" CVS Universal Condensate Drain | - | 257.48 | N | |
| SD35CVSCDB | 3"x5" CVS Universal Condensate Drain BLACK | - | 302.63 | N | |
| SD35CVSTI | 3"x5" CVS Air Instake Manifold | - | 218.58 | N | |
| SD35CVSTIB | 3"x5" CVS Air Instake Manifold BLACK | - | 245.34 | N | |
| CVS Inserter/Reducer | | | | | |
| SD35CVSX3PVP | 3" Diameter Inserter 35CVS | 1 | \$147.20 | Y | |
| SD35CVSX3PVPB | 3" Diameter Inserter 35CVS BLACK | 1 | 176.20 | Y | |
| SD35CVSX46DVA | 3"X5" Diameter Inserter (to 4"X6" DVA) | - | 176.19 | Y | |
| SD35CVSX58DVA | 3"X5" Diameter Inserter (to 5"X8" DVA) | - | 190.28 | Y | |
| SD46DVAX35CVS | 4"X6" Diameter Decreaser (to 3"X5" CVS) | - | 172.67 | Y | |
| SD58DVAX35CVS | 5"X8" Diameter Decreaser (to 3"X5" CVS) | - | 190.28 | Y | |
| SD35CVST3 | 3"x5" CVS Inserter Tee w/Cleanout | - | 294.41 | N | |
| SD35CVST3B | 3"x5" CVS Inserter Tee w/Cleanout BLACK | - | 323.41 | N | |



Aluminum Flex Liner Accessories

| 3" Accessories | | | |
|----------------|--|---------|---------|
| Item No. | Description | Retail | Stocked |
| SD3DFAFC | 3" Universal Adapter to Flex Connector | \$29.72 | Y |
| | For connecting aluminum flex to B-vent | | |
| RM3NC | 3" Nose Cone | 47.00 | N |
| 4" Accessories | | | |
| SD4DFAFC | 4 Universal Adapter to Flex Connector | \$31.84 | Y |
| | For connecting aluminum flex to B-vent | | |



Aluminum Flex Air Ducting

| Aluminum Air Intake Ducting | | | |
|---|--|---------|---------|
| A certified air connection hose, providing combustion air for fireplaces and stoves. Single wall aluminum .005 thickness. | | | |
| Item No. | Description | Retail | Stocked |
| ZF1TLXXX0225 | (ZFAF225) 2" x 25' Aluminum Flex Duct | \$96.00 | Y |
| ZF2GAXXX0525 | (ZFAF525) 5" x 25' Aluminum Flex HVAC Duct | 214.00 | Y |
| ZF2FAKXX04 | 10' Fresh Ar Kit Includes Alum. Flex 10' Insulation Sleeve Exterior Intake Hood & 2 Clamps | 140.00 | Y |



Aluminum Air Intake Ducting

Gas Venting, Kits and Accessories

| Gas Venting, Kits and Accessories | | | |
|-----------------------------------|--|----------|---------|
| Item No. | Description | Retail | Stocked |
| ZF2DV4705 | DV Gas Kit - 4/7" x 5' Co-Axial - Flex Only | \$309.00 | Y |
| ZF2DV4710 | DV Gas Kit - 4/7" x 10' Co-Axial - Flex Only | 459.00 | Y |
| ZF2DV5805 | DV Gas Kit - 5/8" x 5' Co-Axial - Flex Only | 352.00 | Y |
| ZF2DV5810 | DV Gas Kit - 5/8" x 10' Co-Axial - Flex Only | 522.00 | Y |
| ZF2DVK40705HT | DV Gas Horizontal Square Term Kit - 4/7" x 5' - Includes Flex, Spacers, Supports and Screws | 523.00 | Y |
| ZF2DVK40710HT | DV Gas Horizontal Square Term Kit - 4/7" x 10' - Includes Flex, Spacers, Supports and Screws | 734.00 | Y |
| ZF2DVK50805HT | DV Gas Horizontal Square Term Kit - 5/8" x 5' - Includes Flex, Spacers, Supports and Screws | 733.00 | Y |
| ZF2DVK50810HT | DV Gas Horizontal Square Term Kit - 5/8" x 10' - Includes Flex, Spacers, Supports and Screws | 805.00 | Y |
| ZF2DVC47 | DV Gas 4/7" Coupler | 104.00 | Y |
| ZF2DVC58 | DV Gas 5/8" Coupler | 112.00 | Y |
| ZF2DVFS47 | DV Gas 7" Firestop | 57.00 | Y |
| ZF2DVFS58 | DV Gas 8" Firestop | 59.00 | Y |
| ZF2DVWT47 | DV Gas 4/7" Thimble | 88.00 | Y |
| ZF2DVWT58 | DV Gas 5/8" Thimble | 93.00 | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Gas Venting

RH Peterson
Gas Timer Valve

| Automatic 3 Hour Timer Gas Safety Shut-Off Valve | | | |
|--|---|---------------|----------------|
| RH Peterson Safety Timer offers additional safety by automatically shutting off the gas flow at pre-set times. Features a flow capacity of 100,000 BTUs. Can be used for Natural Gas or Propane. | | | |
| <i>Item No.</i> | <i>Description</i> | <i>Retail</i> | <i>Stocked</i> |
| RH3090 | F.M. Automatic Timer Safety Shut-Off Valve - 3 Hour | \$85.00 | Y |
| RH3092A | F.M. Automatic Timer Safety Shut-Off Valve - 1 Hour | 85.00 | Y |



Gas Timer Valve

Quick Disconnect

The improved M.B. Sturgis appliance connector meets or exceeds the temperature, pull, and crush requirements of the ANSI Z21.54 standard for portable appliance connectors. These connectors are commonly used with outdoor residential cooking equipment, outdoor commercial and non-commercial cooking equipment, heaters, generators, and many other applications. M.B. Sturgis can manufacture gas hose connectors from 3/8" ID to 2" ID.

Quick Disconnect


| <i>Item No.</i> | <i>Description</i> | <i>Retail</i> | <i>Stocked</i> |
|-----------------|--|---------------|----------------|
| AES103186144 | Sturgis 12' NG/LP Hose With Quick Disconnect | \$59.00 | Y |
| AES104007 | Sturgis 3/8" NG Quick Disconnect w/Ball Valve Assy (Shut-off Valve) | 46.90 | Y |
| AES104116 | Sturgis LP Quick Disconnect 1/4" FPT (For Use w/5 Gal. LP Tank | 31.80 | N |
| AES104406P | *Sturgis Safe 375 Quick Disconnect Assembly for 103003144 - SPECIAL ORDER | 31.80 | N |



2
0
2
5
-
2
0
2
6

Gas Venting

Dante
Log Lighters & Valves



| Log Lighters | | | | |
|---|--------------------------------------|------|---------|---------|
| 30,000 BTU. 17" Standard. 15 jet burner holes. Includes log lighter only. | | | | |
| Item No. | Description | Pkg. | Retail | Stocked |
| CE611NG | Straight/Angled, Natural Gas, Carded | 12 | \$42.00 | Y |
| CE611LP | Straight/Angled, LP Gas, Carded | 12 | 42.00 | Y |

| Dante Gas Valves with Key | | | | |
|---|---|------|---------|---------|
| This is the only valve on the market machined out of solid brass stock. Soft seat globe type valve that eliminates porosity problems found in sand casting valves. Certified by CSA International. Withstands up to 50 lbs. of pressure. Valve comes with 1/4" key and floor plate. | | | | |
| Item No. | Description | Pkg. | Retail | Stocked |
| CECP910BR | Straight, Polished Brass - Globe Valve | 36 | \$46.00 | Y |
| CECP910CR | Straight, Polished Chrome - Globe Valve | 36 | 46.00 | Y |
| CECP911BR | Angled, Polished Brass - Globe Valve | 36 | 46.00 | Y |
| CECP911CR | Angled, Polished Chrome - Globe Valve | 36 | 46.00 | Y |
| 3" Replacement Keys | | | | |
| CENKY3CR | Polished Chrome 1/4" and 5/16", Universal Key | | 9.00 | Y |
| CENKY3BR | Polished Brass 1/4" and 5/16", Universal Key | | 9.00 | Y |
| 8" Replacement Keys | | | | |
| CENKY8CR | Polished Chrome 1/4" and 5/16", Universal Key | | 14.00 | Y |
| CENKY8BR | Polished Brass 1/4" and 5/16", Universal Key | | 14.00 | Y |
| 12" Replacement Keys | | | | |
| CENKY12CRB | Polished Chrome 1/4" and 5/16", Universal Key | | 20.00 | Y |
| CENKY12BRB | Polished Brass 1/4" and 5/16", Universal Key | | 20.00 | Y |
| 18" Replacement Keys | | | | |
| CENKY18CRB | Polished Chrome 1/4" and 5/16", Universal Key | | 27.00 | N |
| CENKY18BRB | Polished Brass 1/4" and 5/16", Universal Key | | 27.00 | N |
| 24" Replacement Keys | | | | |
| CENKY24BRB | Polished Brass 1/4" and 5/16", Universal Key | | 37.00 | N |
| Accessories | | | | |
| CEFPGVBR | Polished Brass Floor Plate | | 11.00 | N |
| CEFPGVCR | Polished Chrome Floor Plate | | 11.00 | Y |



Log Lighter



Log Lighter



1/4 Turn Ball Valves

Firegear
Flex Connectors & Valves



2
0
2
5
-
2
0
2
6

Firegear Whistle Free Black Coated Flex Connectors w/Fitting

| Item Number | Description | Retail | Stocked |
|--------------|--|---------|---------|
| FGT102213212 | 3/8" OD 3/8" MIP x 1/2" FIP x 12" - Black Coated | \$25.85 | LTSD |
| FGT102213218 | 3/8" OD 3/8" MIP x 1/2" FIP x 18" - Black Coated | 35.10 | LTSD |
| FGT102213224 | 3/8" OD 3/8" MIP x 1/2" FIP x 24" - Black Coated | 40.00 | LTSD |
| FGT102213230 | 3/8" OD 3/8" MIP x 1/2" FIP x 30" - Black Coated | 47.00 | LTSD |
| FGT102213236 | 3/8" OD 3/8" MIP x 1/2" FIP x 36" - Black Coated | 59.25 | LTSD |
| FGT202213212 | 1/2" OD 3/8" MIP x 1/2" FIP x 12" - Black Coated | 31.70 | LTSD |
| FGT202213218 | 1/2" OD 3/8" MIP x 1/2" FIP x 18" - Black Coated | 40.10 | LTSD |
| FGT202213224 | 1/2" OD 3/8" MIP x 1/2" FIP x 24" - Black Coated | 49.05 | LTSD |
| FGT202213230 | 1/2" OD 3/8" MIP x 1/2" FIP x 30" - Black Coated | 57.65 | LTSD |
| FGT202213236 | 1/2" OD 3/8" MIP x 1/2" FIP x 36" - Black Coated | 64.25 | LTSD |

Firegear Whistle Free Stainless Steel Flex Connectors w/Fitting

The following connectors will not ship until stock of it's discontinued counterpart above has been depleted.

| Item Number | Description | Retail | Stocked |
|--------------|--|---------|---------|
| FGT200989810 | 1/2" OD (3/8" ID) x 10", with 1/2" OD Flare Nuts | \$19.00 | TBD |
| FGT200989816 | 1/2" OD (3/8" ID) x 16", with 1/2" OD Flare Nuts | 29.00 | TBD |
| FGT200989822 | 1/2" OD (3/8" ID) x 22", with 1/2" OD Flare Nuts | 39.00 | TBD |
| FGT200989828 | 1/2" OD (3/8" ID) x 28", with 1/2" OD Flare Nuts | 49.00 | TBD |
| FGT200989834 | 1/2" OD (3/8" ID) x 34", with 1/2" OD Flare Nuts | 49.00 | TBD |
| FGT200989846 | 1/2" OD (3/8" ID) x 46", with 1/2" OD Flare Nuts | 59.00 | TBD |

GAS BTU RATING FOR FIREGEAR FLEX CONNECTORS



| Type | 12" | 18" | 24" | 30" | 36" | 48" |
|---------|---------|--------|--------|--------|--------|-----|
| 3/8" OD | 48,000 | 43,600 | 40,000 | 36,400 | 33,400 | - |
| 1/2" OD | 102,000 | 93,100 | 85,000 | 77,100 | 60,500 | |

Firegear Shut-Off Valves

| Item Number | Description | Retail | Stocked |
|-------------|--|---------|---------|
| FG01387 | 3/8" Flare x 1/2" FIP Brass Straight Valve 25/cs | \$19.50 | LTSD |
| FG01487 | 1/2" Flare x 1/2" FIP Gas Valve 25/cs | 20.70 | LTSD |
| FG01266 | Flare Ball Valve 3/8" OD Flare x 3/8" OD Flare | 16.00 | LTSD |
| FG01288 | Flare Ball Valve 1/2" OD Flare x 1/2" OD Flare | 17.50 | LTSD |

Firegear Key Valves

| Item Number | Description | Retail | Stocked |
|-------------|--|---------|---------|
| FGKEYPC12 | 12" Polished Chrome Key for Key Valve | \$19.00 | N |
| FGKVPC12 | High Capacity Straight Key Valve with Polished Chrome Cover and 12" Key, 350,000 BTU @ 1/2 PSI | 89.00 | Y |

Gastite
Flexible Gas Piping



Flexible Gas Piping

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---|---|-------------|--------------|---------|
| Mounting Kits (Sold Per Box) | | | | |
| TFGLC1 | Gas Load Center Kit 14 1/2" x 24" x 3 1/2" | 12 lbs. | \$ 448.70 | N |
| TFMBRACE110 | Manifold Mounting Kit | 2 lbs. | \$ 33.12 | N |
| TFLBRACE120 | Termination Mounting Kit Fits 3/8", 1/2", 3/4", 1" CSST | 1 lbs. | \$ 9.25 | N |
| Mainfolds | | | | |
| Shop assembled tee/close nipple manifolds are also approved for system use. | | | | |
| TF3PORTMAN | Cast 3 Port w/PT Port - 3/4" F x 3@1/2" F x 1/2" F | 2 lbs. | \$ 75.95 | N |
| TF4PORTMAN10 | Cast 4 Port w/PT Port - 3/4" F x 4@1/2" F x 1/2" F | 2 lbs. | \$ 83.51 | N |
| TF5PORTMAN1 | Cast 5 Port w/PT Port - 3/4" F x 1@3/4" F x 4@1/2" F x 1" F | 2 lbs. | \$ 104.45 | N |
| Metal Tubing Straps | | | | |
| TFMSTRAPS8250 | Fits 1/2" Tubing, Sold per box | 5 lbs. | \$ 0.25 | N |
| TFMSTRAPS11150 | Fits 3/4" Tubing, Sold per box | 3 lbs. | \$ 0.29 | N |
| TFMSTRAPS16100 | Fits 1" Tubing, Sold per box | 4 lbs. | \$ 0.72 | N |
| TFMSTRAPS2050 | Fits 1-1/4" Tubing, Sold per box | 3 lbs. | \$ 1.12 | N |
| Striker Plates | | | | |
| Helps protect tubing from accidental puncture by nails, etc. | | | | |
| TFM20525 | Full Striker Plate, 3" x 12" | 1 lbs. | \$ 10.32 | N |
| TFM20150 | Half Striker Plate, 3" x 7" | 1 lbs. | \$ 5.40 | Y |
| TFM204100 | Quarter Striker Plate, 3" x 2" | 2 lbs. | \$ 2.24 | Y |
| TFM21010 | Striker Plate, 6" x 17" | 2 lbs. | \$ 42.34 | N |
| Steel Conduit | | | | |
| Helps protect tubing from damage in potential puncture areas. Sold in coils only. | | | | |
| TFFLOPPY12 | 3/4" fits 3/8" CSST | 8 lbs. | \$ 178.91 | N |
| TFFLOPPY16 | 1" fits 1/2" CSST | 13 lbs. | \$ 263.37 | N |
| TFFLOPPY20 | 1-1/4" fits 3/4" CSST | 11 lbs. | \$ 192.05 | N |
| TFFLOPPY24 | 1-1/2" fits 1" CSST | 13 lbs. | \$ 240.72 | N |
| TFSILTAPPE | Self Bond Silicone Tape Roll, 1" x 0.015" | 1 lbs. | \$ 55.81 | N |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Gastite

Flexible Gas Piping & Underground Gas Piping



2
0
2
5
-
2
0
2
6

| Flexible Gas Piping | | | | |
|----------------------------|--|-------------|--------------|---------|
| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
| Quick Connects | | | | |
| TFT103029 | Quick Connect Valve, 1/2" NPT | 1 lbs. | \$ 186.01 | Y |
| TFOUTFLEX38 | Outdoor Flex Connector, 3/8" NPT x 12' | 3 lbs. | TBD | N |
| Tooling | | | | |
| TFGTCUTTERS2 | Tubing Cutter with Flat Rollers, 3/8" - 1" | 2 lbs. | \$ 176.25 | Y |
| TFGTBLADES5 | Replacement Blade for GTCUTTERS2 | 1 lbs. | \$ 50.81 | N |
| TFSTRP481124 | 1/2" - 3/4" Jacket Stripping Tool | 2 lbs. | \$ 47.17 | N |
| TFSTRP4162024 | 1" - 1 1/4" Jacket Stripping Tool | 3 lbs. | \$ 54.24 | N |
| Shut-Off Valves | | | | |
| TFT1001/2-20 | NPT 1/2" Ball Valve | 1 lbs. | \$ 55.51 | N |
| TFT1003/4-10 | 3/4" Ball Valve, Rated to 125 PSI | 1 lbs. | \$ 85.89 | N |
| Maxitrol Regulators | | | | |
| TFT325344 | 250 MBTU of NG (8" w.c. outlet), 1/2" NPT | 1 lbs. | \$ 103.54 | Y |
| TFT325544 | 600 MBTU of NG (8" w.c. outlet), 3/4" NPT | 2 lbs. | \$ 242.39 | Y |
| OARA Regulators | | | | |
| TFREG11300 | 355 MBTU of LP (11" w.c. outlet), 1/2" NPT | 1 lbs. | \$ 103.54 | N |
| TFREG8600 | 550 MBTU of NG (8" w.c. outlet), 3/4" NPT | 2 lbs. | \$ 190.34 | N |

Gastite

Underground Gas Piping & FlashShield Flexible Gas Piping



Underground Gas Piping

A complete "stab-on" polyethylene gas piping system for underground applications which eliminates corrosive threats associated with metallic piping. This system is designed, tested and certified for direct burial and has the lowest installation costs compared to other underground gas piping materials. No rigid pipe cutting, threading and welding. No protective sleeve required. No heat welding typically associated with other PE piping systems. Minimal tools required and assembles in minutes with permasert stab-on fittings and continuous lengths of flexible piping.

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|---------------------------------------|-------------|--------------|---------|
| Polyethylene Tubing | | | | |
| Sold in 250' coils only | | | | |
| TFPE8250 | PE Tubing, 1/2" CTS | 1 lbs. | \$ 275.00 | N |
| TFPE16250 | PE Tubing, 1" CTS | 1 lbs. | \$ 495.00 | Y |
| Line Risers With Permasert Coupling | | | | |
| TFRISER818 | 1/2" CTS x 18" Vertical | 4 lbs. | \$ 126.48 | N |
| TFRISER830 | 1/2" CTS x 30" Vertical | 5 lbs. | \$ 168.55 | N |
| TFRISER1630 | 1" CTS x 30" Vertical | 8 lbs. | \$ 237.53 | Y |
| TFRBRACE1 | Riser Bracket, All Sizes | 4 lbs. | \$ 99.77 | N |
| Mechanical Accessories | | | | |
| TFPECPL847.43 | (TFPECPL8) PE Coupling, 1/2" CTS | 1 lbs. | \$ 53.78 | N |
| TFPECPL16 | PE Coupling, 1" CTS | 1 lbs. | \$ 76.74 | Y |
| TFPET8 | PE Tee Fitting, 1/2" CTS | 1 lbs. | \$ 189.25 | N |
| TFPET16 | PE Tee Fitting, 1" CTS | 1 lbs. | \$ 306.03 | N |
| Tools and Accessories | | | | |
| TFCHTOOL816 | Chamfering Tool, 1/2" CTS x 1" CTS | 1 lbs. | \$ 69.29 | N |
| TFPECUTTER | PE Tubing Cutter, 1/2", Up to 1 1/4" | 1 lbs. | \$ 73.82 | N |
| TFPEBLADE | Replacement PE Blade for TF-PE CUTTER | 1 lbs. | \$ 29.03 | N |
| TFMAGTAPE | Magnetic Tape, 2" x 1,000 ft. | 1 lbs. | \$ 161.66 | N |

FlashShield by Gastite
FlashShield Flexible Gas Piping



2
0
2
5
-
2
0
2
6

FlashShield by Gastite - Flexible Gas Piping

FlashShield™ is CSA design certified to ANSI LC1-2005 for "Fuel Gas Piping Systems Using Corrugated Stainless Steel Tubing (CSST)." CSST supplies natural gas or liquefied petroleum gas (LP gas) to appliances. Simple hand tools such as tubing cutters, wrenches and utility knives are all that are needed to work with the FlashShield™ components. FlashShield™ is a reliable, cost-effective system that can be installed in all modes of construction: residential, commercial and industrial; new construction and retrofits.

*All FlashShield (FS) Fittings and Tees can be used with Yellow Gastite CSST.

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|---|-------------|--------------|---------|
| FlashShield Corrugated Stainless Steel Tubing (CSST) | | | | |
| Priced per foot. Minimum cut is 50' lengths. | | | | |
| TFFSP850 | 1/2" FlashShield CSST - SOLD BY 50' INCREMENTS | 9 lbs. | \$ 508.00 | Y |
| TFFSP8125 | 1/2" FlashShield CSST - SOLD BY 125' INCREMENTS | 29 lbs. | \$ 1,202.50 | N |
| TFFSP8255 | 1/2" FlashShield CSST - SOLD BY 125' INCREMENTS | 23 lbs. | \$ 1,286.25 | N |
| TFFSP8250 | 1/2" FlashShield CSST - SOLD BY 250' INCREMENTS | 50 lbs. | \$ 2,405.00 | Y |
| TFFSP8500 | 1/2" FlashShield+ CSST - SOLD BY 500' INCREMENTS | 95 lbs. | \$ 4,810.00 | N |
| TFFSP1150 | 3/4" FlashShield CSST - SOLD BY 50' INCREMENTS | 11 lbs. | \$ 659.00 | N |
| TFFSP11255 | 3/4" FlashShield CSST - SOLD BY 125' INCREMENTS | 29 lbs. | \$ 1,671.25 | N |
| TFFSP11125 | 3/4" FlashShield CSST - SOLD BY 125' INCREMENTS | 34 lbs. | \$ 1,562.50 | N |
| TFFSP11250 | 3/4" FlashShield CSST - SOLD BY 250' INCREMENTS | 64 lbs. | \$ 3,125.00 | Y |
| TFFSP11500 | 3/4" FlashShield CSST - SOLD BY 500' INCREMENTS | 117 lbs. | \$ 6,250.00 | N |
| TFFSP1650 | 1" FlashShield CSST - SOLD BY 50' INCREMENTS | 24 lbs. | \$ 951.50 | N |
| TFFSP1675 | 1" FlashShield CSST - SOLD BY 75' INCREMENTS | 31 lbs. | \$ 1,335.00 | N |
| TFFSP16150 | 1" FlashShield CSST - SOLD BY 150' INCREMENTS | 58 lbs. | \$ 2,670.00 | Y |
| TFFSP16300 | 1" FlashShield CSST - SOLD BY 300' INCREMENTS | 104 lbs. | \$ 5,340.00 | N |
| TFFSP16500 | 1" FlashShield CSST - SOLD BY 500' INCREMENTS | 175 lbs. | \$ 8,900.00 | N |
| FlashShield XR3 Self-Flaring Straight Mechanical Fittings | | | | |
| Includes adapter, nut and bushing. | | | | |
| TFXR3FTG824 | 1/2" Flashshield XR3 Straight - 1/2" NPT | 1 lbs. | \$ 35.73 | Y |
| TFXR3FTG1124 | 3/4" Flashshield XR3 Straight - 3/4" NPT | 1 lbs. | \$ 49.15 | Y |
| TFXR3FTG1612 | 1" Flashshield XR3 Straight - 1" NPT | 1 lbs. | \$ 75.95 | Y |
| FlashShield XR3 Termination Fitting | | | | |
| Includes square-black flange adapter, nut and bushing. | | | | |
| TFXR3TRM812 | 1/2" Flashshield XR3 Term. w/Square Flange -1/2" NPT | 1 lbs. | \$ 48.89 | Y |
| TFXR3TRM1112 | 3/4" Flashshield XR3 Term. w/Square Flange -3/4" NPT | 1 lbs. | \$ 53.98 | Y |
| TFXR3TRM166 | 1" Flashshield XR3 Term. w/Square Flange - 1"NPT | 1 lbs. | \$ 87.20 | N |
| FlashShield XR3 Female Fitting | | | | |
| Includes adapter, nut and bushing. | | | | |
| TFXR3FTGFM824 | 1/2" FlashShield XR3 Straight Fitting - 1/2" Female NPT | 1 lbs. | \$ 35.73 | Y |
| TFXR3FTGFM11824 | 3/4" FlashShield XR3 Straight Fitting - 1/2" Female NPT | 1 lbs. | \$ 52.55 | N |
| TFXR3FTGFM1124 | 3/4" FlashShield XR3 Straight Fitting - 3/4" Female NPT | 1 lbs. | \$ 49.15 | Y |
| FlashShield XR3 Reduce Fitting | | | | |
| Includes adapter, nut and bushing. | | | | |
| TFXR3REDFTG118 | 3/4" FlashShield XR3 Reducing Fitting - 1/2" NPT | 1 lbs. | \$ 75.38 | N |
| TFXR3REDFTG1612 | 1" FlashShield XR3 Reducing Fitting - 3/4" NPT | 1 lbs. | \$ 112.54 | N |

Gas Venting

FlashShield by Gastite

FlashShield Flexible Gas Piping



FlashShield by Gastite

FlashShield XR3 Bronze Self-Flaring Termination Fittings

Includes rustproof, decorative cast bronze flange, adapter, flange nut and bushing.

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|----------------|---|-------------|--------------|---------|
| TFXR3TRM8CB12 | 1/2" FlashShield XR3 Term. Bronze Flng 1/2" NPT | 1 lbs. | \$ 72.15 | Y |
| TFXR3TRM11CB12 | 3/4" FlashShield XR3 Term. Bronze Flng 3/4" NPT | 1 lbs. | \$ 97.01 | Y |
| TFXR3TRM16CB6 | 1" FlashShield XR3 Term. Bronze Flng 1" NPT | 1 lbs. | \$ 148.93 | N |

FlashShield XR3 Termination Bracket Fittings

Includes bracket, bronze flange, adapter, nut and bushing.

| | | | | |
|-----------------|--|--------|-----------|---|
| TFXR3TRMBKT812 | 1/2" FlashShield XR3 Term. Bkt. - 1/2" NPT | 1 lbs. | \$ 48.89 | Y |
| TFXR3TRMBKT1112 | 3/4" FlashShield XR3 Term. Bkt. - 3/4" NPT | 1 lbs. | \$ 53.98 | N |
| TFXR3TRMBKT166 | 1" FlashShield XR3 Term. Bkt. - 1" NPT | 1 lbs. | \$ 106.84 | N |

FlashShield XR3 Termination Fittings with No Flange

Includes adapter, nut and bushing.

| | | | | |
|----------------|---|--------|----------|---|
| TFXR3TRM8NF12 | 1/2" FlashShield XR3 Term. Fitting - 1/2" NPT | 1 lbs. | \$ 41.06 | Y |
| TFXR3TRM11NF12 | 3/4" FlashShield XR3 Term. Fitting - 3/4" NPT | 1 lbs. | \$ 46.87 | N |
| TFXR3TRM16NF6 | 1" FlashShield XR3 Term. Fitting - 1" NPT | 1 lbs. | \$ 77.73 | N |

FlashShield XR3 Size by Size Tee Fittings

| | | | | |
|---------------|--|--------|-----------|---|
| TFXR3T812 | FlashShield XR3 1/2" X 1/2" X 1/2" Tee | 1 lbs. | \$ 111.12 | N |
| TFXR3T1112 | FlashShield XR3 3/4" X 3/4" X 3/4" Tee | 1 lbs. | \$ 154.08 | Y |
| TFXR3T166 | FlashShield XR3 1" X 1" X 1" Tee | 1 lbs. | \$ 308.43 | N |
| TFXR3T11886 | FlashShield XR3 3/4" Run x 1/2" Run x 1/2" Tee | 1 lbs. | \$ 130.04 | Y |
| TFXR3T111186 | FlashShield XR3 3/4" Run x 3/4" Run x 1/2" Tee | 1 lbs. | \$ 152.67 | N |
| TFXR3T1611116 | FlashShield XR3 1" Run x 3/4" Run x 3/4" Tee | 1 lbs. | \$ 215.22 | N |
| TFXR3T161186 | FlashShield XR3 1" Run x 3/4" Run x 1/2" Tee | 1 lbs. | \$ 258.65 | N |
| TFXR3T1616116 | FlashShield XR3 1" Run x 1" Run x 3/4" Tee | 1 lbs. | \$ 258.25 | N |
| TFXR3T161686 | FlashShield XR3 1" Run x 1" Run x 1/2" Tee | 1 lbs. | \$ 235.11 | N |

FlashShield XR3 Flex to Flex Couplers

| | | | | |
|--------------|------------------------------|--------|-----------|---|
| TFXR3CPL812 | FlashShield XR3 1/2" Coupler | 6 lbs. | \$ 67.81 | N |
| TFXR3CPL1112 | FlashShield XR3 3/4" Coupler | 9 lbs. | \$ 108.45 | N |
| TFXR3CPL166 | FlashShield XR3 1" Coupler | 7 lbs. | \$ 144.26 | N |

FlashShield XR3 Stub-Outs

| | | | | |
|-----------------|---|---------|----------|---|
| TFXR3APSTUB810 | FlashShield XR3 1/2" x 1-1/2" Stub x 1/2" NPT | 15 lbs. | \$ 75.99 | N |
| TFXR3LAPSTUB810 | FlashShield XR3 1/2" x 2-1/4" Stub x 1/2" NPT | 16 lbs. | \$ 77.82 | N |
| TFXR3APSTUB1110 | FlashShield XR3 3/4" x 1-1/2" Stub x 1/2" NPT | 19 lbs. | \$ 96.04 | N |
| TFXR3LAPSTB1111 | FlashShield XR3 3/4" x 2-1/4" Stub x 1/2" NPT | 22 lbs. | \$ 99.99 | N |
| TFXR3APSTUB1111 | FlashShield XR3 3/4" x 1-1/2" Stub x 3/4" NPT | 22 lbs. | \$ 98.50 | N |

FlashShield XR3 Outlet Boxes

| | | | | |
|-----------------|--|--------|-----------|---|
| TFXR3OUTLETBOX8 | FlashShield XR3 Recessed Gas Outlet Box Kit w/ 1/2" Fitting | 2 lbs. | \$ 107.25 | N |
| TFXR3OUTBOX11 | (TFXR3OUTLETBOX11) FlashShield XR3 Recessed Gas Outlet Box Kit w/ 3/4" Fitting | 2 lbs. | \$ 152.05 | N |
| TFXR3OUTBOXFR8 | (TFXR3OUTLETBOXFR8) Recessed Firestop Gas Outlet Box Kit w/ 1/2" Fitting | 4 lbs. | \$ 225.41 | N |
| TFXR3OUTBOXFR11 | (TFXR3OUTLETBOXFR11) Recessed Firestop Gas Outlet Box Kit w/ 3/4" Fitting | 4 lbs. | \$ 245.61 | N |

FlashShield XR3 Tools

| | | | | |
|---------------|---|--------|-----------|---|
| TFGTCUTTERSM | Cutter w/ Flat rollers – 3/8" – 1" FlashShield CSST (GTCUTTERSM2) | 2 lbs. | \$ 176.25 | Y |
| TFGTCUTTERLG2 | Cutter w/ Flat rollers – Up to 2" FlashShield CSST | 2 lbs. | \$ 274.73 | N |
| TFSTRP481124 | 1/2" and 3/4" Gastite Stripper | 3 lbs | \$ 47.17 | N |
| TFSTRP4162024 | 1" and 1 1/4" Gastite Stripper | 3 lbs | \$ 54.24 | N |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities


Condar

Air Supply Ventilator



Every home needs fresh air. Whether to provide make-up air for a stove or fireplace, helping to prevent negative pressure drafting problems, or to improve the quality of the indoor environment. Condar's Air Supply Ventilator is the smart way to provide your home with filtered, draft-free fresh air. Requires no electricity and only a 4" hole in the wall. Simple to use and install. Made of tough paintable ABS polymer plastic. Comes complete with two tubes, dust filter and hardware pack. Dimensions: Interior cover 6" x 6" x 2", Exterior grille 5.5" x 5.5". Tube dimensions - see pg. 806 description. Three-year limited warranty.

| Item No. | Size | Pkg. | Wt. | Retail | Stocked |
|----------|-----------------------|------|--------|----------|---------|
| CDASV90 | Air Supply Ventilator | 1 | 2 lbs. | \$129.99 | Y |



For more information on additional Condar products, see Sections 600 & 800 of this catalog.

2
0
2
5
-
2
0
2
6

Gas Logs

Section 500

2
0
2
5
-
2
0
2
6

| Page Number | Vendor | Product | Sold Regionally | Publish Date |
|-------------|-------------|--|-----------------|--------------|
| 501-502 | RH Peterson | POP | | 03/25 |
| 503-508 | RH Peterson | "Easy Sheets" for Logs and Burners | | 03/25 |
| 509 | RH Peterson | Vented "How to Price Sheets" and New Products | | 03/25 |
| 510 | RH Peterson | Premier Series - G52 Burners & Logs | | 03/25 |
| 511 | RH Peterson | Premier Series - G31 Burners & Logs | | 03/25 |
| 512 | RH Peterson | Premier Series - Charred Cinder & Flame Enhancer Logs | | 03/25 |
| 513 | RH Peterson | Premier Series - Flame Enhancer Kit & Logs | | 03/25 |
| 514-517 | RH Peterson | Signature Series - G4 & G45 Burners & Logs | | 03/25 |
| 518-519 | RH Peterson | Signature Series - G45-2 See-Thru Burners & Logs | | 03/25 |
| 520-521 | RH Peterson | Signature Series - G46 Burners & Logs | | 03/25 |
| 522 | RH Peterson | Contemporary Series - P45 Burner Systems, Logs & Spheres | | 03/25 |
| 523-526 | RH Peterson | Contemporary Series - PB Pan Glass Burners & Accessories | | 03/25 |
| 527 | RH Peterson | Vent-Free "How to Price Sheets" and New Products | | 03/25 |
| 528 | RH Peterson | Vent-Free G19A, ODG15 & G8E Series Burners & Logs | | 03/25 |
| 529 | RH Peterson | Vent-Free G9 & G10 Burners & Logs | | 03/25 |
| 530 | RH Peterson | Vent-Free G18 & G23 Burners & Logs | | 03/25 |
| 531 | RH Peterson | Vent-Free G21 Burners & Glass Media | | 03/25 |
| 532-533 | RH Peterson | Vent-Free Accessories, Replacement Parts & Logs | | 03/25 |
| 535-536 | Hargrove | Vented Loose Logs (Fresh Cut, Charred & Radiant) | ✓ | 01/25 |
| 536 | Hargrove | E-Burner Vented Kits | ✓ | 01/25 |
| 537 | Hargrove | H-Burner Vented Kits | ✓ | 01/25 |
| 537 | Hargrove | System 4 Burner Kits | ✓ | 01/25 |
| 538 | Hargrove | Hidden Control Vented Burner Kits | ✓ | 01/25 |
| 538 | Hargrove | Large Burner Kits | ✓ | 01/25 |
| 538 | Hargrove | Large Vented Log Sets (Mountain Timber) | ✓ | 01/25 |
| 538 | Hargrove | Kodiak Double Stack Logs | ✓ | 01/25 |
| 539 | Hargrove | See Thru Vented Log Sets | ✓ | 01/25 |
| 539 | Hargrove | See Thru Vented Burner Kits | ✓ | 01/25 |

Continued on next page...

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Associated Energy Systems - Serving you with distribution centers in: Kent, WA | West Sacramento, CA | Denver, CO | Dallas, TX | Rogers, MN

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Gas Logs

Section 500

2
0
2
5
-
2
0
2
6

| Page Number | Vendor | Product | Sold Regionally | Publish Date |
|--|----------------|---|-----------------|--------------|
| 539 | Hargrove | See Thru Shallow Vented Logs | ✓ | 01/25 |
| 539 | Hargrove | See Thru Shallow Vented Burner Kits | ✓ | 01/25 |
| 539 | Hargrove | See Thru System 4 Shallow Vented Burner Kits | ✓ | 01/25 |
| 540 | Hargrove | Full Pan Vented Burner Kits | ✓ | 01/25 |
| 540 | Hargrove | Full Pan Specialty Shapes | ✓ | 01/25 |
| 540 | Hargrove | Burner Media Options | ✓ | 01/25 |
| 541 | Hargrove | Outdoor Log Burner Kit and Firepit Logs | ✓ | 01/25 |
| 542 | Hargrove | Olde World Basket | ✓ | 01/25 |
| 542 | Hargrove | Pinnacle Logs and Burner Kits | ✓ | 01/25 |
| 543 | Hargrove | Safety Pilot Controls, Pilot Kits and Parts | ✓ | 01/25 |
| 544 | Hargrove | Gas Valves, Switching Accessories, Ignition Systems | ✓ | 01/25 |
|  545 | Hargrove | Control System Concealer (CSC) | ✓ | 01/25 |
| 546 | Hargrove | Refractory Panels, Individual Logs and Parts | ✓ | 01/25 |
|  547 | Hargrove | Cimarron Timbers Vent Free Log Sets and Accessories | ✓ | 01/25 |
|  548 | Hargrove | Birch Timbers Vent Free Log Sets and Accessories | ✓ | 01/25 |
| 549 | Hargrove | Yukon Char Vent Free Log Sets and Accessories | ✓ | 01/25 |
| 550 | Hargrove | Heritage Char Vent Free Log Sets and Accessories | ✓ | 01/25 |
| 551 | Hargrove | Charleston Glow Vent Free Log Sets and Accessories | ✓ | 01/25 |
| 552 | Hargrove | Element Series Vent Free Log Sets and Accessories | ✓ | 01/25 |
| 553 | Hargrove | Weathered Oak Vent Free Log Sets and Accessories | ✓ | 01/25 |
| 554 | Firegear | Media and Accessories | | 11/22 |
| 555 | Fireglass Plus | Glass, Media, Burners and Accessories | | 03/19 |

PLEASE NOTE: Not all products are sold throughout all AES territories/regions. If "Sold Regionally" please contact AES Inside Sales for availability 800-682-9722

Or by visiting...

shop.aes4home.com



For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Associated Energy Systems - Serving you with distribution centers in: Kent, WA | West Sacramento, CA | Denver, CO | Dallas, TX | Rogers, MN

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

RH PETERSON
REAL FYRE™ GAS LOGS



2
0
2
5
-
2
0
2
6

The RH Peterson Company provides the highest possible degree of durability which is why Associated Energy Systems has been offering Real Fyre™ products to its customers for over 20 years.

Real Fyre™ logs are formulated from kiln-fired ceramics, superior refractories and the best expanded shales and aggregates. Their durability has been proven for over 50 years of use in American homes. The high temperatures of a burning fireplace pose no challenge to the beauty, strength and durability of Real Fyre™ Gas Logs. They meet nationally recognized standards and earn approval of local and national building code authorities throughout America.

Real Fyre™ Gas Logs duplicate the detailed bark pattern and texture of real wood through a unique molding system. Knot holes, peeled bark, forked branches and other natural enhancements add realistic appearance. These logs are then colored by an exclusive immersion/filtration system. Many of the logs are then hand painted, detailed or accented to provide the most realistic looking logs available. Real Fyre™ logs are sized and matched to create a balanced natural wood stack that works with Real Fyre™ burner systems to provide an authentic wood fire appearance. Yet, there is more to Real Fyre™ Gas Logs than their beauty.

Because the logs are manufactured with non-conductive ceramic, they reflect more radiant heat off their surface. This helps the gas burner system burn more efficiently. The heat chamber, a development of the Peterson Company, consistently radiates more BTU's of heat into the room without the hot and cold zones normally created by the varying size of a wood fire. The heat chamber also adds to the warmth and Real Fyre™ Gas Logs promote cleaner burning.

Instant on/off finger tip control provides immediate flame at the simple turn of the valve. No more messy ashes to clean up, no storing of dirty firewood and no more dangerous flying sparks with Real Fyre™ Logs. Creosote build-up in the chimney, a common cause of fires, is also eliminated by the clean burning gas fuel.



Real Fyre™ Gas Logs feature a Lifetime Warranty. Vented Burner Assemblies feature a 5-year Warranty.

Showroom Display Materials

Showcase your Peterson Real Fyre™ Gas Logs and the important accessories with these attractive, 3-Tier Gas Log Displays. Made of sturdy steel construction, 66"H x 32"W x 17"D assembled. Log shelves support sets up to 24" wide, have a 1" lip to prevent sand, embers and lava granules from spilling on to your floor. The shelves are also just right for displaying a small amount of hearth accessory stock.

| Item No. | Description | Net Dealer Cost |
|-----------|---|-----------------|
| RHRFD08 | 3-Tier Log Display Rack | \$600.00 |
| RHRFDA08 | Accessory Display Rack | 600.00 |
| RHSUBRF02 | Vented Log Collection Retractable Banner with Stand | \$100.00 |



3 Tier Log Display Rack



Accessory Display Rack



Vented Logs Banner

realfyre PREMIUM GAS LOGS

Manufacturing the highest quality gas logs for 75 years

Split Oak
Designer Plus



American Oak



Charred Rugged
Split Oak



- Handcrafted Logs
- Unmatched Beauty
- With a Flip of a Switch
- Clean Burning
- Convenient
- Warmth & Ambiance
- Naturally Detailed
- Meticulously Crafted
- Intricate Bark Detail

Questions?

Contact your AES Sales Staff: (800) 682-9722

AES

realfyre G45 BURNER

Choose Your Burner - Choose Your Log Set

G45**


- G45 Burner System, No Safety Pilot Kit, No Remote, Natural Gas Only
- Sizes: 18"/20" - 24"/30"

G45**17

- G45 Burner System with "17" Series Valve & Variable Remote
- Propane Option: G45**17P
- Sizes: 18"/20" - 24"/30"

G45**02

- G45 Burner System with "02" Electronic Valve & On/Off Remote
- Propane Option: G45**02P
- Sizes: 18"/20" - 24"/30"



For Proper Installation
Measure the dimensions of firebox.
Width - Bottom of Firebox, Front & Back
Depth - Front to Back
Height - Bottom to Top



The G45 and GX45 Burner Systems are ANSI Certified and accentuate the front flame and ember bed of the log set.

| Model | Minimum Fireplace Size | | | | BTU Rating | |
|-----------|------------------------|-------|--------|--------|------------|----------|
| | Width* | | Depth‡ | Height | Nat. Gas | L.P. Gas |
| | Front | Rear† | | | | |
| G45-16/19 | 29" | 22" | 11" | 17" | 40K | 30K |
| G45-18/30 | 30" | 24" | 13" | 17" | 40K | 45K |
| G45-24 | 34" | 28" | 13" | 17" | 90K | 65K |
| G45-30 | 40" | 34" | 16" | 17" | 95K | 75K |
| G45-36 | 46" | 40" | 16" | 17" | 110K | 90K |

* These required widths allow for centering of the unit.
For 02 models, add 2" to both front and rear width.
† Rear width is at corresponding depth.
‡ If an ash lip exist, the depth requirement begins inside of the lip.

| Premium Gas Logs | 18" | 24" | 30" | Burner Kit | 18/20" | 24" | 30" |
|--------------------------|-------|-------|-------|------------|---------|---------|---------|
| Split Oak Designer Plus | \$443 | \$521 | \$664 | G45** | \$348 | \$377 | \$442 |
| American Oak | \$498 | \$575 | \$730 | G45**17 | \$1,062 | \$1,092 | \$1,161 |
| Charred Rugged Split Oak | \$518 | \$589 | \$763 | G45**02 | \$1,392 | \$1,421 | \$1,490 |

Questions?

Contact your AES Sales Staff: (800) 682-9722

March 2025 Pricing

AES


realfyre PREMIUM GAS LOGS

Manufacturing the highest quality gas logs for 75 years

Split Oak



Charred Oak



Charred American Oak



- Handcrafted Logs
- Unmatched Beauty
- With a Flip of a Switch
- Clean Burning
- Convenient
- Warmth & Ambiance
- Naturally Detailed
- Meticulously Crafted
- Intricate Bark Detail

Questions?

Contact your AES Sales Staff: (800) 682-9722

AES

realfyre G46 BURNER

Choose Your Burner - Choose Your Log Set

G46**


- G46 Burner System with Safety Pilot Kit, No Remote
- Propane Option: G46**P
- Sizes: 18"/20" - 24" - 30"

G46**17

- G46 Burner System with "17" Series Valve & Variable Remote
- Propane Option: G46**17P
- Sizes: 18"/20" - 24" - 30"

G46**02

- G46 Burner System with "02" Electronic Valve & On/Off Remote
- Propane Option: G46**02P
- Sizes: 18"/20" - 24" - 30"



For Proper Installation
Measure the dimensions of firebox.
Width - Bottom of Firebox, Front & Back
Depth - Front to Back
Height - Bottom to Top



This patented system features hidden installed controls, piezo ignition and lively flames and embers with less BTUs.

| Model | Minimum Fireplace Size | | | | BTU Rating | |
|-----------|------------------------|-------|--------|--------|------------|----------|
| | Width* | | Depth‡ | Height | Nat. Gas | L.P. Gas |
| | Front | Rear† | | | | |
| G46-18/20 | 26" | 20" | 15" | 17" | 40K | 40K |
| G46-24 | 30" | 24" | 15" | 17" | 55K | 55K |
| G46-30 | 36" | 28" | 15" | 17" | 65K | 65K |

* These required widths allow for centering of the unit.
For 02 models, add 2" to both front and rear width.

† Rear width is at corresponding depth.

‡ If an ash lip exist, the depth requirement begins inside of the lip.

| Premium Gas Logs | 18" | 24" | 30" | Burner Kit | 18/20" | 24" | 30" |
|----------------------|-------|-------|-------|------------|---------|---------|---------|
| Split Oak | \$393 | \$459 | \$607 | G46** | \$732 | \$768 | \$812 |
| Charred Oak | \$452 | \$531 | \$709 | G46**17 | \$1,098 | \$1,134 | \$1,177 |
| Charred American Oak | \$560 | \$639 | \$833 | G46**02 | \$1,398 | \$1,434 | \$1,477 |

Questions?

Contact your AES Sales Staff: (800) 682-9722

March 2025 Pricing

AES

realfyre PREMIUM GAS LOGS

Manufacturing the highest quality gas logs for 75 years

Burnt Aspen



BTA**

Colonial Oak



COLO**

Charred
Evergreen Split Oak



ENS**

Charred
Evergreen Oak



ENO**

- Handcrafted Logs
- Clean Burning
- Naturally Detailed
- Unmatched Beauty
- Convenient
- Meticulously Crafted
- Enticing Dancing Flames
- Warmth & Ambiance
- Intricate Bark Detail

Questions?

Contact your AES Sales Staff: (800) 682-9722

AES

realfyre G52 BURNER

Choose Your Burner - Choose Your Log Set

G52**


- G52 Match Lit Burner with No Valve, Natural Gas Only
- Sizes: 18"/20" - 24"/30"

G52**17

- G52 Burner System with "17" Series Valve & Variable Remote
- Propane Option: G52**17P
- Sizes: 18"/20" - 24"/30"

G52**02

- G52 Burner System with "02" Electronic Valve & On/Off Remote
- Propane Option: G52**02P
- Sizes: 18"/20" - 24"/30"



For Proper Installation
 Measure the dimensions of firebox.
 Width - Bottom of Firebox, Front & Back
 Depth - Front to Back
 Height - Bottom to Top



The burner system features an Exclusive stainless steel "booster grid" that acts as a catalyst to increase the intensity of the fire.

| Model | Minimum Fireplace Size | | | | BTU Rating | | | |
|-------------------------|------------------------|-------|--------|--------|--------------|--------------|--------------|--------------|
| | Width* | | Depth‡ | Height | Nat. Gas | | L.P. Gas | |
| | Front | Rear† | | | High Setting | Low Setting▲ | High Setting | Low Setting▲ |
| G52-18/20 (18" log set) | 26" | 20" | 15" | 17" | 46K | 33K | 36K | 27K |
| G52-24/30 (24" log set) | 32" | 24" | 15" | 17" | 55K | 37K | 46K | 26K |
| G52-24/30 (30" log set) | 34" | 28" | 15" | 17" | 55K | 37K | 46K | 26K |

* These required widths allow for centering of the unit. For 02 models, add 2" to both front and rear width.
 † Rear width is at corresponding depth.
 ‡ If an ash lip exist, the depth requirement begins inside of the lip.
 ▲ 2VT models only (not shown).

| Premium Gas Logs | 18" | 24" | 30" | Burner Kit | 18/20" | 24/30" |
|-----------------------------|-------|-------|-------|------------|---------|---------|
| Colonial Oak | \$581 | \$636 | \$759 | G52** | \$892 | \$966 |
| Charred Evergreen Oak | \$606 | \$669 | \$779 | G52**17 | \$1,616 | \$1,690 |
| Charred Evergreen Split Oak | \$633 | \$707 | \$844 | G52**02 | \$1,914 | \$1,988 |
| Burnt Aspen | \$647 | \$717 | \$857 | | | |

Questions?

Contact your AES Sales Staff: (800) 682-9722

March 2025 Pricing



New Products & Measuring Guide



AES



2025

To Use This Price Sheet:

- | | |
|--------------------------------|---|
| 1. Select Burner System | 2. Select Log Style Design or Contemporary Media (<i>P45 & PB</i>) |
| 3. Select Log Size | 4. Select Controls & Accessories |

Purchase Info. Key

- For all model numbers: ** = **Insert size**
- Price: \$
- Weight: #

New Products for 2025



Charred Cinder Collection (Pg. 5)


Headlining the Real Fyre Premier Series gas log sets, the new **Charred Cinder Collection** offers a dramatic fire presentation highlighting exposed embers, décor chunks and unique burnt detailing complemented with black embers. The model CNDO oak version leads the way with birch (CNDB) and split oak (CNDS) units following later this Spring. Available in three sizes (18,24,30), the Charred Cinder models are compatible with G4, G45 and G46 burners in natural gas and propane versions.



Flame Enhanced Logs (Pg. 5)

Building on the popularity of the optional Flame Enhancer Kit accessory that boosts flame and radiant heat, the new model **FE Flame Enhanced** Gas log sets include all the components for an enhanced set-up in one SKU. Multiple sizes available in five popular log styles (CHD, CHMJ, SDP, RDP, CHMBW), each set includes the Flame Enhancer Kit components (ceramic fiber-infused back log, aluminized steel panel and black embers) along with the regular logs for that size. These combinations offer more economical ways to provide flame enhanced performance in a new installation.

Measuring your fireplace for a Real Fyre Vented gas log set.



1 Front width (in inches)

2 Back width (in inches)

3 Depth (in inches)

4 Height (in inches)

5 Gas stub location

- How far does the gas stub extend into the firebox?
- What is the distance from the gas stub to the firebox floor?

For special sizing requirements exclusive to each burner system, refer to its particular Owner's Manual.

2
0
2
5
-
2
0
2
6

Gas Logs

Premier Series - G52 Radiant Fyre Burner System  **2025**

G52 Radiant Fyre Burner System

- Featuring specially formulated, hand-crafted **Charred Evergreen Oak, Charred Evergreen Split Oak, Colonial Oak, & Burnt Aspen** logs.
- **G52 Burner System Includes:** Advanced Radiant Fyre Burner • Exclusive radiant stainless steel booster grid • Custom grate • Platinum Embers • Glowing Embers • Sand (NG) or Vermiculite (LP) • Connector Kit & Damper Clamp
- Choice of pre-assembled Electronic Remote Control, Automatic Variable Control with Remote, pre-assembled Manual Pilot Kit, or Match-Lit System (Natural Gas only).

G52 Radiant Fyre Burner System



| DESCRIPTION | MODEL # | 18/20" | 24/30" |
|---|---------------------|-----------------------|-----------------------|
| Indoor Burner Systems | | | |
| G52 Burner, Match Lit without Valve <i>(Natural Gas only)</i> | G52-**- | \$892 34# | \$966 38# |
| G52 Burner w/ Manual Valve and Standing Pilot * | G52-**-A | 1,252 37# | 1,327 41# |
| G52 Burner w/ Automatic Variable Valve and Remote * | G52-**-17 | 1,616 37# | 1,690 41# |
| G52 Burner w/ Electronic Valve and on/off Remote * | G52-**-02 | 1,914 38# | 1,988 42# |
| G52 Burner w/ Electronic Variable Valve and Remote * | G52-**-2VT | 1,939 38# | 2,014 42# |
| Outdoor Burner Systems (Stainless Steel) | | | |
| G52 Outdoor Burner, Match Lit w/o Valve <i>(Natural Gas only)</i> | G52-**-SS | \$1,165 34# | \$1,272 38# |
| G52 Outdoor Burner w/ Manual Valve and Standing Pilot * | G52-**-NA-SS | 1,551 37# | 1,685 41# |

* Shipped for use with Natural Gas - Specify if for Propane Gas by adding a "P" to the model number (e.g. G52-24/30-17P).

G52 Compatible Fiber Enhanced Ceramic Gas Logs



| GAS LOG STYLE | MODEL # | 18" | 24" | 30" |
|-----------------------------|-----------------|---------------------|---------------------|---------------------|
| Charred Evergreen Oak | ENO-**- | \$606 36# | \$669 48# | \$799 58# |
| Charred Evergreen Split Oak | ENS-**- | 633 36# | 707 48# | 844 58# |
| Colonial Oak | COLO-**- | 581 36# | 636 48# | 759 58# |
| Burnt Aspen | BTA-**- | 647 36# | 717 48# | 857 58# |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Gas Logs

Premier Series - G31 3-Tiered Burner System  **2025**

G31 3-Tiered Burner System

- Featuring specially designed, hand-crafted **Mountain Crest Oak & Mountain Crest Split Oak** logs. Plus, compatible with **7 additional** logs from the Charred Series.
- **G31 Burner System Includes:** Advanced 3-tiered burner • Porcelainized Reflective Front Panel • Custom grate • Bryte Coals • Glowing Embers • Sand (NG) or Vermiculite (LP) • Connector Kit & Damper Clamp
- Choice of pre-assembled Electronic Remote Control, Automatic Variable Control with Remote, pre-assembled Manual Pilot Kit, or Match-Lit System (Natural Gas only).


G31 3-Tiered Burner System



| DESCRIPTION | MODEL # | 18/20" | 24/30" | 33/39" |
|---|-------------------|-----------------------|-----------------------|-----------------------|
| G31 Burner, Match Lit without Valve <i>(Natural Gas only)</i> | G31-**- | \$1,259 38# | \$1,315 44# | \$1,487 48# |
| G31 Burner w/ Manual Valve and Standing Pilot * | G31-**-A | 1,613 40# | 1,669 46# | 1,840 50# |
| G31 Burner w/ Automatic Variable Valve and Remote * | G31-**-17 | 1,970 40# | 2,025 46# | 2,197 50# |
| G31 Burner w/ Electronic Valve and on/off Remote * | G31-**-02 | 2,261 42# | 2,317 48# | 2,489 52# |
| G31 Burner w/ Electronic Variable Valve and Remote * | G31-**-2VT | 2,284 42# | 2,339 48# | 2,511 52# |

*Shipped for use with Natural Gas - Specify if for Propane Gas by adding a "P" to the model number (e.g. G31-24/30-02P).

G31 Compatible Gas Logs



| GAS LOG STYLE | MODEL # | 18/20" | 24" | 30" | 33" | 36" | 39" | 42" |
|---------------------------|-----------------|---------------------|---------------------|----------------------|---------------------|------------------------|---------------------|------------------------|
| Mountain Crest Oak | MCO-**- | \$473 44# | \$536 52# | \$623 56# | \$680 62# | -- | \$771 68# | -- |
| Mountain Crest Split Oak | MCS-**- | 491 42# | 560 50# | 649 54# | 709 60# | -- | 801 66# | -- |
| Charred Oak | CHD-**- | 452 46#/1 | 531 62#/1 | 709 78#/1 | -- | -- | -- | -- |
| Charred Split | CHS-**- | 486 42#/1 | 561 54#/1 | 746 78#/1 | -- | 967 116#/2 | -- | -- |
| Charred American Oak | CHAO-**- | 560 57#/1 | 639 63#/1 | 833 82#/2 | -- | -- | -- | -- |
| Charred Royal English Oak | CHB-**- | 557 52#/1 | 666 83#/2 | 853 111#/2 | -- | 1,086 141#/3 | -- | 1,415 169#/3 |
| Charred Angel Oak | CHAO-**- | 478 | 549 | 641 | | | | |

Associated Energy Systems - Serving you with distribution centers in: Kent, WA | West Sacramento, CA | Denver, CO | Dallas, TX | Rogers, MN

2
0
2
5
-
2
0
2
6

Gas Logs

Premier Series - Gas Log Sets



NEW

Charred Cinder Collection

- Headlining the Real Fyre Premier Series gas log sets, the new **Charred Cinder Collection** offers a dramatic fire presentation highlighting exposed embers, décor chunks and unique burnt detailing complemented with black embers.
- Available in three sizes (18,24,30), the Charred Cinder models are compatible with **G4, G45 and G46** burners in natural gas and propane versions.

Charred Cinder Gas Logs




| GAS LOG STYLE | MODEL # | 18/20" | 24" | 30" |
|--|---------|-------------|-------------|---------------|
| Charred Cinder Oak | CNDO-** | \$680 #/ | \$799 #/ | \$1,066 #/ |
| Charred Cinder Split <small>Available Spring 2025</small> | CNDS-** | 748 #/ | 879 #/ | 1,486 #/ |
| Charred Cinder Birch <small>Available Spring 2025</small> | CNDB-** | 756 #/ | 888 #/ | 1,502 #/ |

NEW

Flame Enhanced Collection

- **FE Flame Enhanced** gas log sets include all the components for an enhanced set-up in one SKU (ceramic fiber-infused back log, aluminized steel panel and black embers) along with the regular logs for that size.
- Multiple sizes available in five popular log styles, the Flame Enhanced models are compatible with **G4 and G45** burners in natural gas and propane versions.

Flame Enhanced Gas Logs



| GAS LOG STYLE | MODEL # | 18/20" | 20" | 24" | 30" | 36" * |
|---------------------------------|-------------|----------------|--------------|----------------|-----------------|-----------------|
| Charred Oak Enhanced | CHD-**-FE | \$580 46#/1 | -- | \$720 62#/1 | \$896 78#/1 | -- |
| Charred Majestic Oak Enhanced * | CHMJ-**-FE | -- | -- | 912 94#/2 | 1,122 119#/2 | 1,324 156#/3 |
| Charred Mountain Birch Enhanced | CHMBW-**-FE | 658 46#/1 | -- | 794 57#/1 | 963 67#/1 | -- |
| Split Oak Designer Plus | SDP-**-FE | 573 46#/1 | 608 49#/1 | 712 67#/1 | 857 78#/1 | -- |
| Golden Oak Designer Plus | RDP-**-FE | 506 41#/1 | 539 46#/1 | 654 61#/1 | 812 75#/1 | -- |

* Log set uses **GX4** or **GX45** Burner Kit with Heavy Duty Grate.

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Gas Logs

Premier Series - Flame Enhancer Kit




Flame Enhancer Kit (Compatible with G4 & G45 Burners)



| DESCRIPTION | MODEL # | WEIGHT | PRICE |
|------------------------------|---------|---------|-------|
| 18" Flame Enhancer Kit | FE-18 | 16 lbs. | \$196 |
| 18" Birch Flame Enhancer Kit | FE-18-B | 16 | 196 |
| 24" Flame Enhancer Kit | FE-24 | 23 | 269 |
| 24" Birch Flame Enhancer Kit | FE-24-B | 23 | 269 |
| 30" Flame Enhancer Kit | FE-30 | 26 | 293 |
| 30" Birch Flame Enhancer Kit | FE-30-B | 26 | 293 |
| 36" Flame Enhancer Kit | FE-36 | 35 | 317 |

Flame Enhancer Kit Compatible Gas Logs



| GAS LOG STYLE | MODEL # | 18/20" | 24" | 30" | 36" * |
|------------------------------|----------|----------------|----------------|----------------|-----------------|
| Charred Oak | CHD-** | \$452 46#/1 | \$531 62#/1 | \$709 78#/1 | -- |
| Burnt Rustic Oak | HCHR-** | 453 46#/1 | 531 62#/1 | 710 80#/1 | -- |
| Charred Split | CHS-** | 486 42#/1 | 561 54#/1 | 746 78#/1 | 967 116#/2 |
| Charred American Oak | CHAO-** | 560 57#/1 | 639 63#/1 | 833 82#/2 | -- |
| Charred Royal English Oak * | CHB-** | 557 52#/1 | 666 83#/2 | 853 111#/2 | 1,086 141#/3 |
| Charred Majestic Oak * | CHMJ-** | -- | 756 94#/2 | 975 119#/2 | 1,185 156#/3 |
| Charred Mountain Birch | CHMBW-** | 543 46#/1 | 618 60#/1 | 788 76#/1 | -- |
| Rustic Oak Designer | HRD-** | 361 41#/1 | 438 61#/1 | 581 91#/1 | 846 128#/2 |
| American Oak | AO-** | 498 49#/1 | 575 58#/1 | 730 77#/2 | -- |
| Split Oak | S-** | 393 44#/1 | 459 65#/1 | 607 78#/1 | -- |
| Woodland Oak | WO-** | 360 45#/1 | 418 60#/1 | 542 86#/1 | -- |
| Mountain Birch | MBW-** | 478 45#/1 | 542 72#/1 | 656 85#/1 | -- |
| White Birch | W-** | 412 38#/1 | 460 60#/1 | 564 89#/1 | -- |
| Royal English Oak Designer * | BD-** | 505 49#/1 | 606 87#/2 | 763 126#/2 | 969 152#/3 |
| Golden Oak | R-** | 233 41#/1 | 260 58#/1 | 325 89#/1 | 506 120#/2 |
| Rustic Oak | HR-** | 234 41#/1 | 261 58#/1 | 327 94#/1 | 508 128#/2 |
| Post Oak | PO-** | 218 45#/1 | 248 60#/1 | 312 86#/1 | -- |
| Royal English Oak * | B-** | 316 49#/1 | 394 87#/2 | 487 126#/2 | 626 152#/3 |

* Log set uses GX4 or GX45 Burner Kit with Heavy Duty Grate.

2
0
2
5
-
2
0
2
6

Signature Series - G4 & G45 Burner Systems

2025

G4 & G45 Listed Burner Systems

- **G4 & G45 Burner Systems are Listed up to 30" and include:** Burner, Custom Grate, Glowing Embers, Sand (NG) or Vermiculite (LP), Burner Stabilizing Clips, Flex Connector Kit, & Damper Clamp.
- Shipped for use with Natural Gas. Specify if for Propane Gas by adding a "P" to the model number (e.g. G4-24P or G45-24P), and add \$229 for required SPK-26.

G4 & G45 Listed Burner Systems

| DESCRIPTION | MODEL # | 12" | 16/19" | 18/20" | 24" | 30" | 36"* | 42"* | 48"* | 60"* |
|---|--|----------------|--------------|--------------|--------------|--------------|--------------|------------|------------|------------|
|  G4-24  G45-24 | Glowing Ember Burner System | G4-** | \$271 23# | \$292 24# | \$300 25# | \$315 29# | \$370 35# | -- | -- | -- |
| | Triple T Burner System | G45-** | -- | 337 25# | 348 27# | 377 31# | 442 37# | 605 54# | 852 82# | 934 97# |
| | Triple T Burner System with Heavy Duty Grate | GX45-** | -- | -- | 385 31# | 415 36# | 486 43# | -- | -- | -- |

* Burner includes Heavy Duty Grate (36" and larger).

G45 ANSI Certified Burner Systems

- **G45 ANSI Certified Burner Systems include:** ANSI Certified Burner with Pre-assembled Control Valve & Regulator, Custom Grate, Glowing Embers, Sand (NG) or Vermiculite (LP), Connector Kit, Log Locators, & Damper Clamp. Remote systems include basic Transmitter and Receiver.
- Choice of pre-assembled Electronic Remote Control, Automatic Variable Control with Remote, pre-assembled Manual Pilot Kit, or Match-Lit System (Natural Gas only).
- Shipped for use with Natural Gas. Specify if for Propane Gas by adding a "P" to the model number (e.g. G45-24-11P).

G45 Series ANSI Certified Triple T Burner Systems



| DESCRIPTION | MODEL # | 16" | 18/20" | 24" | 30" | 36"* | 42"* | 48"* | 60"* |
|---|------------------|--------------|--------------|--------------|--------------|--------------|------|------|------|
| Indoor Burner Systems | | | | | | | | | |
| Assembled G45 Burner System w/ Safety Valve | G45-**-A | \$697 26# | \$708 28# | \$737 32# | \$806 38# | \$970 58# | -- | -- | -- |
| Assembled G45 Burner System w/ "11" Series Safety Valve & ON/OFF Remote | G45-**-11 | 1,146 27# | 1,157 29# | 1,187 33# | 1,256 39# | 1,419 54# | -- | -- | -- |
| Assembled G45 Burner System w/ "15" Series Safety Valve & Variable Remote | G45-**-15 | 1,220 27# | 1,230 29# | 1,260 33# | 1,329 39# | 1,492 54# | -- | -- | -- |
| Assembled G45 Burner System w/ "17" Series Safety Valve & Variable Remote | G45-**-17 | 1,052 27# | 1,062 29# | 1,092 33# | 1,161 39# | 1,325 54# | -- | -- | -- |
| Assembled G45 Burner System w/ "02" Electronic Safety Valve & Remote | G45-**-02 | 1,381 28# | 1,392 31# | 1,421 35# | 1,490 41# | 1,654 56# | -- | -- | -- |

Outdoor Burner Systems (with S.S. Burner Pan)

| | | | | | | | | | |
|--|---------------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------|-----------------|
| Outdoor Triple T Burner System (Nat. Gas only) | G45-**-SS | \$433 25# | \$456 27# | \$489 31# | \$563 37# | \$732 56# | \$984 87# | \$1,073 97# | \$1,170 120# |
| Assembled G45 Outdoor Burner System with Safety Valve | G45-**-NA-SS | 821 26# | 844 28# | 877 32# | 950 38# | 1,120 58# | 1,372 89# | 1,461 99# | 1,558 122# |
| Assembled G45 Outdoor Burner System with "02" Electronic Safety Valve & Remote | G45-**-02-SS | 1,491 28# | 1,515 31# | 1,548 35# | 1,628 41# | 1,805 56# | -- | -- | -- |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities


Gas Logs

Signature Series - G4 & G45 Compatible Gas Log Sets



2025

Charred Series Gas Log Sets



| GAS LOG STYLE | MODEL # | 16" | 18/20" | 24" | 30" | 36"* | 42"* | 48"* | 60"* | 72"* |
|-----------------------------|------------------|----------------|----------------|----------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Charred Oak | CHD-** | \$401 28#/1 | \$452 46#/1 | \$531 62#/1 | \$709 78#/1 | -- | -- | -- | -- | -- |
| Burnt Rustic Oak | HCHR-** | 401 28#/1 | 453 46#/1 | 531 62#/1 | 710 80#/1 | -- | -- | -- | -- | -- |
| Charred Split | CHS-** | -- | 486 42#/1 | 561 54#/1 | 746 78#/1 | 967 116#/2 | -- | -- | -- | -- |
| Charred Rugged Split Oak | CHRRSO-** | -- | 518 46#/1 | 589 57#/1 | 763 67#/1 | -- | -- | -- | -- | -- |
| Charred American Oak | CHAO-** | -- | 560 57#/1 | 639 63#/1 | 833 82#/2 | -- | -- | -- | -- | -- |
| Charred Northern | CHN-** | -- | 464 48#/1 | 549 62#/1 | 726 76#/1 | -- | -- | -- | -- | -- |
| Charred Royal English Oak * | CHB-** | -- | 557 52#/1 | 666 83#/2 | 853 111#/2 | 1,086 141#/3 | 1,415 169#/3 | -- | -- | -- |
| Charred Majestic Oak * | CHMJ-** | -- | -- | 756 94#/2 | 975 119#/2 | 1,185 156#/3 | 1,483 172#/3 | 1,703 300#/1 | 2,037 340#/1 | 2,283 430#/1 |
| Charred Angel Oak | CHNA-** | -- | 478 44#/1 | 549 54#/1 | 641 64#/1 | -- | -- | -- | -- | -- |
| Charred Angel Split Oak | CHNS-** | -- | 506 42#/1 | 575 52#/1 | 676 62#/1 | -- | -- | -- | -- | -- |
| Charred Mountain Birch | CHMBW-** | -- | 543 46#/1 | 618 60#/1 | 788 76#/1 | 999 104#/2 | 1,313 131#/3 | -- | -- | -- |

* Log set uses **GX45** Burner Kit with Heavy Duty Grate.

2
0
2
5
-
2
0
2
6


Gas Logs

Signature Series - G4 & G45 Compatible Gas Log Sets



2025

Designer Series Gas Log Sets



| GAS LOG STYLE | MODEL # | 12" | 16" | 18" | 20" | 24" | 30" | 36"* | 42"* | 48"* | 60"* |
|------------------------------|---------|----------------|----------------|----------------|----------------|----------------|----------------|-----------------|-------------------|-------------------|-------------------|
| Golden Oak Designer Plus | RDP-** | \$289 18#/1 | \$312 26#/1 | \$369 41#/1 | \$393 46#/1 | \$453 61#/1 | \$610 75#/1 | \$842 120#/2 | \$1,060 187#/3 | \$1,292 222#/3 | \$1,556 299#/3 |
| Rustic Oak Designer | HRD-** | -- | 313 26#/1 | 361 41#/1 | -- | 438 61#/1 | 581 91#/1 | 846 128#/2 | 1,064 187#/3 | -- | -- |
| American Oak | AO-** | -- | -- | 498 49#/1 | -- | 575 58#/1 | 730 77#/2 | -- | -- | -- | -- |
| Split Oak | S-** | -- | -- | 393 44#/1 | 417 48#/1 | 459 65#/1 | 607 78#/1 | -- | -- | -- | -- |
| Split Oak Designer Plus | SDP-** | -- | -- | 443 46#/1 | 480 49#/1 | 521 67#/1 | 664 78#/1 | 893 127#/2 | -- | -- | -- |
| Rugged Split Oak | RRSO-** | -- | -- | 480 48#/1 | -- | 547 61#/1 | 669 65#/1 | -- | -- | -- | -- |
| Woodland Oak | WO-** | -- | -- | 360 45#/1 | 372 46#/1 | 418 60#/1 | 542 86#/1 | -- | -- | -- | -- |
| Mountain Birch | MBW-** | -- | -- | 478 45#/1 | -- | 542 72#/1 | 656 85#/1 | 892 115#/2 | 1,140 175#/3 | -- | -- |
| White Birch | W-** | -- | -- | 412 38#/1 | -- | 460 60#/1 | 564 89#/1 | -- | -- | -- | -- |
| Royal English Oak Designer * | BD-** | -- | -- | 505 49#/1 | -- | 606 87#/2 | 763 126#/2 | 969 152#/3 | 1,214 184#/3 | -- | -- |
| Gnarled Split Oak | GSO-** | -- | -- | -- | -- | 728 60#/1 | 923 95#/2 | 1,142 130#/3 | -- | -- | -- |
| Chestnut Oak | CN-** | -- | -- | 508 43#/1 | -- | 610 66#/1 | 790 104#/2 | 999 152#/3 | -- | -- | -- |
| Rugged Forest Split | RFS-** | -- | -- | 503 48#/1 | -- | 579 68#/1 | 744 95#/2 | 946 146#/3 | -- | -- | -- |

* Log set uses **GX45** Burner Kit with Heavy Duty Grate.

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities


Gas Logs

Signature Series - G4 & G45 Compatible Gas Log Sets



2025

Classic Series Gas Log Sets



| GAS LOG STYLE | MODEL # | 12" | 16" | 18" | 20" | 24" | 30" | 36"* | 42"* |
|---------------------|---------|----------------|----------------|----------------|----------------|----------------|----------------|-----------------|-----------------|
| Golden Oak | R-** | \$196 18#/1 | \$210 26#/1 | \$233 41#/1 | \$244 45#/1 | \$260 58#/1 | \$325 89#/1 | \$506 120#/2 | \$753 187#/3 |
| Rustic Oak | HR-** | -- | 211 26#/1 | 234 41#/1 | -- | 261 58#/1 | 327 94#/1 | 508 128#/2 | 757 187#/3 |
| Rugged Oak | RRO-** | -- | -- | 291 48#/1 | -- | 349 61#/1 | 431 68#/1 | -- | -- |
| Post Oak | PO-** | -- | -- | 218 45#/1 | 231 46#/1 | 248 60#/1 | 312 86#/1 | -- | -- |
| Royal English Oak * | B-** | -- | -- | 316 49#/1 | -- | 394 87#/2 | 487 126#/2 | 626 152#/3 | 833 184#/3 |
| Coastal Driftwood | CDR-** | -- | -- | 264 44#/1 | -- | 296 56#/1 | 363 57#/1 | 516 81#/2 | -- |

* Log set uses **GX4** or **GX45** Burner Kit with Heavy Duty Grate.

2
0
2
5
-
2
0
2
6

Signature Series - G45-2 See-Thru Burner Systems



G45-2 Listed See-Thru Burner Systems

- **G45-2 See-Thru Burner Systems are Listed up to 30" and include:** Burner, Custom Grate, Glowing Embers, Sand (NG) or Vermiculite (LP), Burner Stabilizing Clips, Flex Connector Kit, & Damper Clamp.
- Shipped for use with Natural Gas. Specify if for Propane Gas by adding a "P" to the model number (e.g. G45-2-24P), and add **\$229** for required **SPK-26**.

G45-2 Listed Triple T See-Thru Burner Systems


| DESCRIPTION | MODEL # | 16" | 18/20" | 24" | 30" | 36"* | 42"* | 48"* | 60"* |
|---|--|---------------------|---------------------|---------------------|---------------------|---------------------|-----------------------|------------------------|------------------------|
| | | | | | | | | | |
|  G45-2-24 | Triple T Burner System | \$405 40# | \$420 43# | \$454 50# | \$528 61# | \$801 82# | \$1,069 90# | \$1,157 105# | \$1,296 140# |
| | Triple T Burner System w/ Heavy Duty Grate | GX45-2-24 | -- | 479 43# | 521 61# | 606 79# | -- | -- | -- |

*Burner includes Heavy Duty Grate (36" and larger).

G45-2 ANSI Certified See-Thru Burner Systems

- **G45-2 ANSI Certified See-Thru Burner Systems include:** ANSI Certified Burner with Pre-assembled Control Valve & Regulator, Custom Grate, Glowing Embers, Sand (NG) or Vermiculite (LP), Connector Kit, Log Locators, & Damper Clamp. Remote systems include basic Transmitter and Receiver.
- Shipped for use with Natural Gas. Specify if for Propane Gas by adding a "P" to the model number (e.g. G45-2-24-11P).

G45-2 ANSI Certified Triple T See-Thru Burner Systems



| DESCRIPTION | MODEL # | 16" | 18/20" | 24" | 30" | 36"* | 42"* | 48"* | 60"* |
|---|-----------------------|---------------------|---------------------|---------------------|---------------------|-----------------------|-----------------------|------------------------|------------------------|
| Indoor Burner Systems (Assembled with Valve) | | | | | | | | | |
| Assembled G45 Burner with Safety Valve | G45-2-24-A | \$764 42# | \$782 45# | \$813 52# | \$890 63# | \$1,166 84# | -- | -- | -- |
| Assembled G45 Burner w/ "11" Series Valve & ON/OFF Remote | G45-2-24-11 | 1,216 42# | 1,234 45# | 1,265 52# | 1,342 63# | 1,618 84# | -- | -- | -- |
| Assembled G45 Burner w/ "15" Series Valve & Variable Remote | G45-2-24-15 | 1,291 42# | 1,308 45# | 1,339 52# | 1,416 63# | 1,692 84# | -- | -- | -- |
| Assembled G45 Burner w/ "17" Series Valve & Variable Remote | G45-2-24-17 | 1,123 42# | 1,140 45# | 1,171 52# | 1,248 63# | 1,524 84# | -- | -- | -- |
| Assembled G45 Burner w/ "02" Series Electronic Valve & Remote | G45-2-24-02 | 1,455 44# | 1,473 47# | 1,504 54# | 1,581 65# | 1,857 86# | -- | -- | -- |
| Outdoor Burner Systems (w/ Stainless Steel Burner Pan) | | | | | | | | | |
| G45 Outdoor System w/ Stainless Steel Burner Pan (Natural Gas only) | G45-2-24-SS | \$508 40# | \$545 45# | \$594 59# | \$677 75# | \$961 82# | \$1,238 90# | \$1,335 105# | \$1,494 140# |
| Assembled G45 Outdoor Burner w/ Safety Valve | G45-2-24-NA-SS | 901 42# | 938 45# | 987 52# | 1,070 63# | 1,354 84# | 1,631 92# | 1,728 107# | 1,888 142# |
| Assembled G45 Outdoor Burner w/ "02" Series Electronic Valve & Remote | G45-2-24-02-SS | 1,572 44# | 1,614 47# | 1,666 54# | 1,752 65# | 2,048 86# | -- | -- | -- |

*Burner includes Heavy Duty Grate (36" and larger).

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Gas Logs

Signature Series - See-Thru Gas Log Sets



2025

2
0
2
5
-
2
0
2
6

G45-2 Compatible See-Thru Gas Log Sets

| DESCRIPTION | MODEL # | 16" | 18/20" | 20" | 24" | 30" | 36" | 42" | 48" | 60" |
|--|--------------------|-----------------------|-----------------------|-----|-----------------------|-----------------------|------------------------|------------------------|-----|-----|
| Charred Series See-Thru Gas Log Sets | | | | | | | | | | |
| Charred Oak | CHD-2-** | \$481 30#/1 | \$542 48#/1 | -- | \$632 62#/1 | \$819 84#/1 | -- | -- | -- | -- |
| Charred Rugged Split Oak | CHRRSO-2-** | -- | 602 48#/1 | -- | 711 59#/1 | 876 74#/1 | -- | -- | -- | -- |
| Charred American Oak | CHAO-2-** | -- | 654 62#/1 | -- | 759 77#/1 | 958 95#/2 | -- | -- | -- | -- |
| Charred Royal English Oak (uses GX45-2 w/ heavy duty grate) | CHB-2-** | -- | 675 52#/1 | -- | 780 83#/2 | 977 111#/2 | 1,202 141#/3 | 1,560 169#/3 | -- | -- |

Designer Series See-Thru Gas Log Sets

| | | | | | | | | | | |
|--------------------------|------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Golden Oak Designer Plus | RDP-2-** | \$353 24#/1 | \$418 46#/1 | \$446 49#/1 | \$545 71#/1 | \$706 86#/1 | \$1,008 137#/3 | \$1,094 194#/3 | \$1,377 229#/3 | \$1,610 305#/3 |
| American Oak | A0-2-** | -- | 561 55#/1 | -- | 654 62#/1 | 831 85#/2 | -- | -- | -- | -- |
| Split Oak Designer Plus | SDP-2-** | -- | 516 46#/1 | 549 49#/1 | 607 70#/1 | 783 83#/1 | 1,054 129#/3 | -- | -- | -- |
| Rugged Split Oak | RRSO-2-** | -- | 547 53#/1 | -- | 625 67#/1 | 759 76#/1 | -- | -- | -- | -- |
| Mountain Birch | MBW-2-** | -- | 555 53#/1 | -- | 607 80#/1 | 738 91#/1 | -- | -- | -- | -- |

Classic Series See-Thru Gas Log Sets

| | | | | | | | | | | |
|-------------------|-----------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|------------------------|------------------------|----|----|
| Golden Oak | R-2-** | \$245 27#/1 | \$268 46#/1 | \$284 48#/1 | \$302 68#/1 | \$381 97#/1 | \$600 137#/3 | \$859 194#/3 | -- | -- |
| Coastal Driftwood | CDR-2-** | -- | 313 46#/1 | -- | 343 65#/1 | 431 75#/1 | 642 100#/3 | -- | -- | -- |

Signature Series - G46 Burner System



G46 Burner System

- **G46 ANSI Certified Burner Systems include:** ANSI Certified Burner with Pre-assembled Control Valve & Regulator, Piezo Igniter, Custom Grate, Glowing Embers, Sand (NG) or Vermiculite (LP), Connector Kit, Log Locators, & Damper Clamp. Remote systems include basic Transmitter and Receiver.
- Choice of pre-assembled Electronic Remote Control, Automatic Variable Control with Remote, pre-assembled Manual Pilot Kit, or Match-Lit System (Natural Gas only).
- Shipped for use with Natural Gas. Specify if for Propane Gas by adding a "P" to the model number (e.g. G46-24-11P).

G46 Series ANSI Certified Burner Systems

| DESCRIPTION | MODEL # | 18/20" | | | 24" | | | 30" | | |
|--|--|------------------|---------------------|---------------------|---------------------|-------|-------|-------|-------|-------|
| | | Price | Log # | Log # | Price | Log # | Log # | Price | Log # | Log # |
|  <p>G46-24-02</p> | G46 Burner System with Safety Pilot Kit | G46-**- | \$732 20# | \$768 23# | \$812 28# | | | | | |
| | G46 Burner System w/ "11" Series Valve & ON/OFF Remote | G46-**-11 | 1,196 21# | 1,232 24# | 1,275 28# | | | | | |
| | G46 Burner System w/ "15" Series Valve & Variable Remote | G46-**-15 | 1,270 21# | 1,306 24# | 1,349 28# | | | | | |
| | G46 Burner System w/ "17" Series Valve & Variable Remote | G46-**-17 | 1,098 21# | 1,134 24# | 1,177 28# | | | | | |
| | G46 Burner System w/ "02" Electronic Valve & Remote | G46-**-02 | 1,398 21# | 1,434 24# | 1,477 28# | | | | | |

G46 Compatible Log Sets - Charred Series



| GAS LOG STYLE | MODEL # | 18/20" | 24" | 30" |
|--------------------------|-------------------|-----------------------|-----------------------|-----------------------|
| Charred Oak | CHD-**- | \$452 46#/1 | \$531 62#/1 | \$709 78#/1 |
| Burnt Rustic Oak | HCHR-**- | 453 46#/1 | 531 62#/1 | 710 80#/1 |
| Charred Split | CHS-**- | 486 42#/1 | 561 54#/1 | 746 78#/1 |
| Charred Rugged Split Oak | CHRRSO-**- | 518 46#/1 | 589 57#/1 | 763 67#/1 |
| Charred American Oak | CHAO-**- | 560 57#/1 | 639 63#/1 | 833 82#/2 |
| Charred Northern | CHN-**- | 464 48#/1 | 549 62#/1 | 726 76#/1 |
| Charred Angel Oak | CHNA-**- | 478 44#/1 | 549 54#/1 | 641 64#/1 |
| Charred Angel Split Oak | CHNS-**- | 506 42#/1 | 575 52#/1 | 676 62#/1 |
| Charred Mountain Birch | CHMBW-**- | 543 46#/1 | 618 60#/1 | 788 76#/1 |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand


Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Gas Logs

Signature Series - G46 Burner System



G46 Compatible Log Sets - Designer Series



| GAS LOG STYLE | MODEL # | 18" | 24" | 30" |
|--------------------------|---------|----------------|----------------|----------------|
| Golden Oak Designer Plus | RDP-** | \$369 41#/1 | \$453 61#/1 | \$610 75#/1 |
| Rustic Oak Designer | HRD-** | 361 41#/1 | 438 61#/1 | 581 91#/1 |
| American Oak | AO-** | 498 49#/1 | 575 58#/1 | 730 77#/2 |
| Split Oak | S-** | 393 44#/1 | 459 65#/1 | 607 78#/1 |
| Split Oak Designer Plus | SDP-** | 443 46#/1 | 521 67#/1 | 664 78#/1 |
| Rugged Split Oak | RRSO-** | 480 48#/1 | 547 61#/1 | 669 65#/1 |
| Woodland Oak | WO-** | 360 45#/1 | 418 60#/1 | 542 86#/1 |
| Mountain Birch | MBW-** | 478 45#/1 | 542 72#/1 | 656 85#/1 |
| White Birch | W-** | 412 38#/1 | 460 60#/1 | 564 89#/1 |
| Gnarled Split Oak | GSO-** | -- | 728 60#/1 | 923 95#/2 |
| Chestnut Oak | CN-** | 508 43#/1 | 610 66#/1 | 790 104#/2 |
| Rugged Forest Split | RFS-** | 503 48#/1 | 579 68#/1 | 744 95#/2 |

G46 Compatible Log Sets - Classic Series



| GAS LOG STYLE | MODEL # | 18" | 24" | 30" |
|---------------|---------|----------------|----------------|----------------|
| Golden Oak | R-** | \$233 41#/1 | \$260 58#/1 | \$325 89#/1 |
| Rustic Oak | HR-** | 234 41#/1 | 261 58#/1 | 327 94#/1 |
| Rugged Oak | RRO-** | 291 48#/1 | 349 61#/1 | 431 68#/1 |
| Post Oak | PO-** | 218 45#/1 | 248 60#/1 | 312 86#/1 |

2
0
2
5
-
2
0
2
6

Contemporary Series - P45 Pan Burner System   **2025**

P45 Pan Burner System

- **P45 Series Burner Systems Include:** Certified Pan Burner with Pre-assembled Control Valve & Regulator, Burner Legs, Vermiculite, Connector Kit and Damper Clamp.
- Shipped for use with Natural Gas - Specify if for Propane Gas by adding a "P" to the model number (e.g. P45-24-17P).
- For Glass Media Options see page 16.

P45 ANSI Certified Pan Burners



| DESCRIPTION | MODEL # | 18" | 24" | 30" |
|---|-----------|--------------|--------------|--------------|
| P45 Pan Burner Match Lit (Natural Gas Only) | P45-**- | \$342 23# | \$368 26# | \$413 31# |
| P45 Pan Burner w/ Manual Valve and Standing Pilot | P45-**-A | 655 25# | 681 28# | 726 33# |
| P45 Pan Burner w/ Automatic Variable Valve & Remote | P45-**-17 | 1,006 25# | 1,032 28# | 1,077 33# |

P45 Compatible Logs and Fyre Spheres



| DESCRIPTION | MODEL # | 18" | 24" | 30" |
|--|-----------|----------------------|----------------------|----------------------|
| Log Sets | | | | |
| Shoreline Designer Oak | S0-**- | \$385 10 pcs. | \$436 12 pcs. | \$560 15 pcs. |
| Shoreline Driftwood | SDW-**- | 273 9 pcs. | 308 11 pcs. | 387 13 pcs. |
| Fyre Sphere Sets | | | | |
| 4" Epic Black Fyre Spheres | FS4-**-EB | \$286 19 pcs. | 360 24 pcs. | \$510 34 pcs. |
| 4" Graystone Fyre Spheres | FS4-**-GS | 257 19 pcs. | 324 24 pcs. | 461 34 pcs. |
| 4" Carrera Marble Fyre Spheres | FS4-**-CM | -- | 502 24 pcs. | -- |
| 5" Epic Black Fyre Spheres | FS5-**-EB | 316 14 pcs. | 428 19 pcs. | 540 24 pcs. |
| 5" Graystone Fyre Spheres | FS5-**-GS | 285 14 pcs. | 385 19 pcs. | 488 24 pcs. |
| Mixed Select Fyre Sphere Sets * | | | | |
| Epic Black Mixed Select Fyre Spheres Set | FSM-**-EB | \$227 (4) 4-Packs | \$322 (6) 4-Packs | \$493 (8) 4-Packs |
| Graystone Mixed Select Fyre Spheres Set | FSM-**-GS | 208 (4) 4-Packs | 296 (6) 4-Packs | 450 (8) 4-Packs |

| * 18" Sets Includes: | |
|---------------------------|---------------------------|
| • (1) 4-Pk. of 2" Spheres | • (1) 4-Pk. of 4" Spheres |
| • (1) 4-Pk. of 3" Spheres | • (1) 4-Pk. of 5" Spheres |

| * 24" Sets Includes: | |
|---------------------------|---------------------------|
| • (2) 4-Pk. of 2" Spheres | • (2) 4-Pk. of 4" Spheres |
| • (1) 4-Pk. of 3" Spheres | • (1) 4-Pk. of 5" Spheres |

| * 30" Sets Includes: | |
|---------------------------|---------------------------|
| • (3) 4-Pk. of 2" Spheres | • (1) 4-Pk. of 5" Spheres |
| • (1) 4-Pk. of 3" Spheres | • (1) 4-Pk. of 6" Spheres |
| • (2) 4-Pk. of 4" Spheres | |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Contemporary Series - Pan Burner, Glass & Spheres  **2025**

PB Series Pan Burner System



PB-24

- **PB Series Glass Burner Systems Include:** Pan Burner Assembly, Connector Kit, Sand (NG) or Vermiculite (LP), and Damper Clamp.
- Shipped for use with Natural Gas - Specify if for Propane Gas by adding a "P" to the model number (e.g. PB-24P), and add **\$229** for required **SPK-26**.
- **Log Kit** = For using logs on **PB** burners, includes log rests and legs. Part #: **PB-LEG-KIT**; Price: **\$136**.

| DESCRIPTION | MODEL # | 16" | 18" | 20" | 24" | 30" | 36" | 42" |
|--|---------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| PB Series Listed Flame Pan Burner Systems | | | | | | | | |
| Glass Pan Burner System | PB-**- | \$272 20# | \$283 22# | \$288 24# | \$293 28# | \$344 35# | \$492 40# | \$717 45# |

| DESCRIPTION | MODEL # | 16" | 18" | 20" | 24" | 30" | 36" | 42" |
|---|----------|-----|--------------|-----|--------------|--------------|-----|-----|
| PB Series ANSI Certified Flame Pan Glass Burner System | | | | | | | | |
| Assembled with Safety Valve | PB-**-A | -- | \$636 25# | -- | \$650 31# | \$700 38# | -- | -- |
| Assembled with "11" Series Valve & ON/OFF Remote | PB-**-11 | -- | 1,080 29# | -- | 1,093 34# | 1,143 41# | -- | -- |
| Assembled with "15" Series Valve & Variable Remote | PB-**-15 | -- | 1,154 29# | -- | 1,167 34# | 1,217 41# | -- | -- |
| Assembled with "17" Series Valve & Variable Remote | PB-**-17 | -- | 988 27# | -- | 1,002 32# | 1,052 39# | -- | -- |
| Assembled with "02" Series Electronic Valve & Remote | PB-**-02 | -- | 1,311 29# | -- | 1,324 34# | 1,374 41# | -- | -- |

***PLEASE NOTE: AES STOCKS 10LB ONLY**

***PLEASE NOTE: AES STOCKS 10LB ONLY**

| Fyre Glass | COLORS | 10 lb. Package \$104 | 40 lb. Bucket \$418 |
|----------------|---------|-------------------------|------------------------|
| | Azuria | GL-10-F | GL-40-F |
| Black | GL-10-B | GL-40-B | |
| Bronze | GL-10-Z | GL-40-Z | |
| Caribbean Blue | GL-10-N | GL-40-N | |
| Clear | GL-10-C | GL-40-C | |
| Emerald | GL-10-E | GL-40-E | |
| Star Fyre | GL-10-W | GL-40-W | |

| Reflective Fyre Glass | COLORS | 10 lb. Package \$115 | 40 lb. Bucket \$456 |
|-----------------------|-------------------|-------------------------|------------------------|
| | Azuria Reflective | GL-10-FR | GL-40-FR |
| Black Reflective | GL-10-BR | GL-40-BR | |
| Bronze Reflective | GL-10-ZR | GL-40-ZR | |
| Caribbean Blue Refl. | GL-10-NR | GL-40-NR | |
| Copper Reflective | GL-10-QR | GL-40-QR | |
| Emerald Reflective | GL-10-ER | GL-40-ER | |
| Gold Reflective | GL-10-HR | GL-40-HR | |
| Champagne Reflective | GL-10-CR | GL-40-CR | |

| Fyre Gems | COLORS | 10 lb. Package \$88 | 40 lb. Bucket \$346 |
|------------|-------------|------------------------|------------------------|
| | Black Pearl | GLG-10-J | GLG-40-J |
| Blue Topaz | GLG-10-T | GLG-40-T | |
| Champagne | GLG-10-D | GLG-40-D | |
| Deep Amber | GLG-10-A | GLG-40-A | |
| Emerald | GLG-10-E | GLG-40-E | |
| Glacier | GLG-10-C | GLG-40-C | |
| Sapphire | GLG-10-S | GLG-40-S | |
| Ruby | GLG-10-RY | GLG-40-RY | |

| Diamond Nuggets | COLORS | 10 lb. Package \$100 | 40 lb. Bucket \$402 |
|-----------------|-----------|-------------------------|------------------------|
| | Clear | GLD-10-C | GLD-40-C |
| Steel Blue | GLD-10-SB | GLD-40-SB | |
| Rosé | GLD-10-R | GLD-40-R | |
| Emerald | GLD-10-E | GLD-40-E | |
| Pacific Blue | GLD-10-PB | GLD-40-PB | |
| Deep Black | GLD-10-DB | GLD-40-DB | |



| DESCRIPTION | COLOR | MODEL # | PRICE |
|------------------------------|----------------|----------|-------|
| 2" Fyre Spheres (4 in a box) | Epic Black | FS2-4-EB | \$41 |
| | Graystone | FS2-4-GS | 38 |
| 3" Fyre Spheres (4 in a box) | Epic Black | FS3-4-EB | 51 |
| | Graystone | FS3-4-GS | 47 |
| 4" Fyre Spheres (4 in a box) | Epic Black | FS4-4-EB | 59 |
| | Graystone | FS4-4-GS | 54 |
| | Carrera Marble | FS4-4-CM | 84 |
| 5" Fyre Spheres (4 in a box) | Epic Black | FS5-4-EB | 89 |
| | Graystone | FS5-4-GS | 81 |
| 6" Fyre Spheres (4 in a box) | Epic Black | FS6-4-EB | 138 |
| | Graystone | FS6-4-GS | 124 |

2
0
2
5
-
2
0
2
6

Safety Control Valves



ON/OFF Bluetooth Control System



| DESCRIPTION | MODEL # | PRICE |
|---|------------|-------|
| ON/OFF Bluetooth Control w/ Golden Oak Cover | RF-BTSRI-G | \$240 |
| ON/OFF Bluetooth Control w/ White Birch Cover | RF-BTSRI-B | 246 |

| Burner System Compatibility | | | Control Valve Compatibility | | | | |
|-----------------------------|------------|------------|-----------------------------|------------|------------|------------|------------|
| BURNER KITS | -02 Series | -11 Series | VALVES | -01 Series | -02 Series | -10 Series | -11 Series |
| G31 | ● | ● | APK | | | ● | ● |
| G45 | ● | ● | EPK | ● | ● | | |
| G46 | ● | ● | EPK-2M-AD | | ● | | |
| G52 | ● | | | | | | |
| PB | ● | ● | | | | | |

Safety Control Valve Systems

| DESCRIPTION | MODEL # | PRICE |
|--|-----------------------------|-------|
| Low Profile, Safety Pilot Kit w/ removable knob handle | SPK-26 * | \$222 |
| High Capacity, Automatic Pilot Kit w/ basic transmitter & receiver | APK-10 * | 907 |
| Automatic Pilot Kit w/ basic transmitter & receiver | APK-11 * | 656 |
| Variable, Automatic Pilot Kit w/ basic transmitter & receiver | APK-15 or APK-15P ‡ | 727 |
| Low Profile, Variable, Automatic Pilot Kit w/ basic transmitter & receiver | APK-17 * | 574 |
| Electronic Pilot Kit w/ On/Off basic transmitter & receiver | EPK-2 or EPK-2P ‡ | 844 |
| 110V Powered Electronic, non-standing pilot system designed to be installed outside the firebox | EPK-2M-AD or EPK-2M-AD/LP ‡ | 809 |
| 110V Powered Electronic, non-standing pilot system w/ variable flame height control | EPK-2V-TR or EPK-2VP-TR ‡ | 1,051 |
| High Capacity, 110V Powered Electronic, non-standing pilot system w/ variable flame height control | EPK-3V-TR or EPK-3VP-TR ‡ | 1,196 |
| Manual On/Off Valve w/ knob handle | AV-17 | 82 |
| Case of 12 - Manual On/Off Valves w/ knob handle | AV-17-12 | 972 |
| Manual On/Off Valve w/ extension handle | AV-18 | 85 |
| Case of 12 - Manual On/Off Valves w/ extension handle | AV-18-12 | 1,008 |
| Straight Line Gas Valve with Key | AV-30 | 72 |

* = Field convertible Propane Orifice Included. Specify if for Propane by adding a "P" to the model number (e.g. APK-17P).
 ‡ = Not Field Convertible. Kit **Must** be ordered for specific gas (e.g. APK-15 for Natural Gas or APK-15P for Propane).

Remote Compatible Options & Accessories



| DESCRIPTION | MODEL # | PRICE |
|--|---------|-------|
| Basic ON/OFF Receiver/Transmitter Set | RR-1A | \$124 |
| Deluxe ON/OFF Receiver/Transmitter Set | RR-2A | 181 |
| Basic Variable Receiver/Transmitter Set ("15" & "17" Models Only) | VR-1A | 150 |
| Deluxe Variable Receiver/Transmitter Set ("15" & "17" Models Only) | VR-2A | 206 |
| Wall Switch, Cover and Wiring | WS-1 | 72 |
| Wall Timer, Cover and Wiring | WS-2 | 176 |
| Wall Switch, Cover and Wiring ("15" & "17" Models Only) | WS-3 | 88 |

G4 & G45 Burner Size Compatibility for Safety Valves

| VALVE MODEL | GAS TYPE | MAX BTU INPUT † | G4 & G45 STANDARD | G45-2 SEE-THRU |
|--------------|----------|-----------------|-------------------|----------------|
| SPK-26 | N.G. | 100,000 | 12" - 36" | 16" - 30" |
| SPK-26P | L.P. | 200,000 | 12" - 60" | 16" - 60" |
| APK-10 | N.G. | 230,000 | 12" - 60" | 16" - 60" |
| APK-10P | L.P. | 372,000 | 12" - 60" | 16" - 60" |
| APK-11 | N.G. | 70,000 | 12" - 30" | 16" - 18" |
| APK-11P | L.P. | 110,000 | 12" - 42" | 16" - 30" |
| APK-15 | N.G. | 85,000 | 12" - 30" | 16" - 18" |
| APK-15P | L.P. | 135,000 | 12" - 42" | 16" - 36" |
| APK-17 | N.G. | 100,000 | 12" - 42" | 16" - 30" |
| APK-17P | L.P. | 200,000 | 12" - 60" | 16" - 60" |
| EPK-2 | N.G. | 120,000 | 12" - 42" | 16" - 30" |
| EPK-2P | L.P. | 190,000 | 12" - 60" | 16" - 60" |
| EPK-2M-AD | N.G. | 120,000 | 12" - 30" | 16" - 18" |
| EPK-2M-AD/LP | L.P. | 190,000 | 12" - 42" | 16" - 30" |
| EPK-2V-TR | N.G. | 120,000 | 12" - 42" | 16" - 30" |
| EPK-2VP-TR | L.P. | 180,000 | 12" - 60" | 16" - 60" |
| EPK-3V-TR | N.G. | 200,000 | 12" - 60" | 16" - 60" |
| EPK-3VP-TR | L.P. | 320,000 | 12" - 60" | 16" - 60" |

† Using Real Fyre Burner Systems

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Gas Logs

Accessories



Three-Panel Firebacks

Fireback Dimension Chart

| | A* | B | C | D |
|-----------------------------------|-----|-------|-----|-----|
| SMALL (for 18" log sets) | 16" | 16.5" | 11" | 14" |
| MEDIUM (for 24" log sets) | 16" | 21.5" | 12" | 14" |
| LARGE (for 30" log sets) | 16" | 26.5" | 13" | 14" |
| X LARGE (for 36" log sets) | 16" | 31.5" | 14" | 14" |

* Add 1" to A dimension for Traditional Models

| DESCRIPTION | SIZE | Traditional # | Contemporary # | WT. | PRICE |
|-----------------------------------|----------------|----------------|----------------|------------|--------------|
| Satin Stainless Fireback | S | FBS-18 | FBC-18 | 10 lb. | \$131 |
| | M | FBS-24 | FBC-24 | 12 | 149 |
| | L | FBS-30 | FBC-30 | 14 | 165 |
| | XL | FBS-36 | FBC-36 | 17 | 183 |
| Polished Stainless Steel Fireback | S | FBSP-18 | FBSP-18 | 10 | 200 |
| | M | FBSP-24 | FBSP-24 | 12 | 210 |
| | L | FBSP-30 | FBSP-30 | 14 | 224 |
| Black Porcelain Fireback | XL | FBSP-36 | FBSP-36 | 17 | 278 |
| | S | FBSB-18 | FBCB-18 | 10 | 202 |
| | M | FBSB-24 | FBCB-24 | 12 | 218 |
| L | FBSB-30 | FBCB-30 | 14 | 242 | |
| | XL | FBSB-36 | FBCB-36 | 17 | 282 |

Decor Packs, Refresh Kit, & Burner Affix Kit



| DESCRIPTION | INCLUDES | MODEL # | WT. | PRICE |
|--------------------------------|---|---------------------|--------|--------------|
| Decor Pack (Case of 6) | 4 small size Wood Chips and 3 small size Pine Cones (vacuum packed) | DP-2-6 | 18 lb. | \$458 |
| Ember Enhancing Decor Pack | Bryte Coals, Lava Coals, 2 Pine Cones, and 2 Wood Chips | DP-5 | 10 | 116 |
| Ember Enhancing Decor Pack | Bryte Coals, Lava Coals, 2 Pine Cones, 2 Wood Chips, and 2 Acorns | DP-7 | 12 | 125 |
| Holiday Decor Pack (Case of 6) | 2 Acorns, 2 Pine Cones, and 4 Wood Chips (vacuum packed) | HDK-1-6 | 18 | 672 |
| Refresh Kit | Ember Glow, Sand (NG) or Vermiculite (LP), Bryte Coals, Lava Granules, and Acorns | RK-1 / RK-1P | 26 | 139 |
| Burner Affix Kit | Mounting Bracket, Screw, and Silicone | AFK-1 | 1 | 39 |

Decorative Branches & Bonus Logs



| DESCRIPTION | MODEL # | WT. | PRICE | |
|--|-----------------|----------------|-------------|------------|
| 9" Oak Branches (2 in a box) | BR-2 | 3 lb. | \$53 | |
| 17" Oak Branch | BR-17 | 6 | 64 | |
| Charred Branches (4 vacuum packed) | BDC-4 | 11 | 60 | |
| Charred Accessory Kit (4 pcs. vacuum packed) | Single | CHA-1 | 2 | 82 |
| | Case of 6 | CHA-1-6 | 12 | 484 |
| Special Designer Bonus Logs (2 in a box) | SD-BONUS | 13 | 111 | |
| Special Split Logs (2 in a box) | SS-BONUS | 8 | 122 | |
| Special Birch Bonus Logs (2 in a box) | SB-BONUS | 12 | 124 | |
| Charred Series Chunk | CHC-01 | 2 | 34 | |
| Wood Chip Ring (vacuum packed) | WCRD-1 | 3 | 47 | |

River Rocks & Wood Chunks



| DESCRIPTION | COLOR | MODEL # | PRICE |
|--|------------|----------------|--------------|
| Designer River Rock Fyre Stones (set of 20 assorted sizes) | Assorted | STN-20 | \$339 |
| | Assorted | STN-10 | |
| River Rock Fyre Stones (set of 10 assorted sizes) | Ivory | STN-10I | 145 |
| | Slate | STN-10S | |
| | Terracotta | STN-10T | |
| Designer Wood Chunks (set of 36 assorted sizes) | -- | WCD-36 | 317 |


2
0
2
5
-
2
0
6

Gas Logs

Accessories



Pine Cones, Wood Chips, & Acorns



| DESCRIPTION | MODEL # | WT. | PRICE |
|---|--------------------------|--------|--------------|
| 4 Designer Pine Cones (assorted sizes, vacuum packed) | Case of 6 PC-4-6 | 22 lb. | \$338 |
| 6 Wood Chips (vacuum packed) | Case of 6 WC-6-6 | 22 | 405 |
| 6 Charred Wood Chips (vacuum packed) | Case of 6 WCH-6-6 | 22 | 444 |
| 6 Acorns (vacuum packed) | Case of 6 AC-6-6 | 15 | 287 |

Gas Log Burner Kit Accessories



| DESCRIPTION | MODEL # | WT. | PRICE |
|-------------------------------------|----------------------------|---------|-------------|
| Ember Glow | Single EM-1 | 6 oz. | \$30 |
| | Case of 12 EM1-12 | 5 lb. | 348 |
| Super Embers (includes Bryte Coals) | EM-1S | 7 oz. | 57 |
| Bryte Coals | EM-11 | 2 oz. | 35 |
| Black Embers | Single EB-1 | 6 oz. | 37 |
| | Case of 12 EB-12 | 5 lb. | 431 |
| Select White Sand (10 lb. bag) | Single CS-10 | 10 lb. | 30 |
| | Case of 6 CS-10-6 | 66 lb. | 174 |
| Vermiculite Granules | Single LF-15 | 1.5 lb. | 34 |
| | Case of 12 LF-15-12 | 18 lb. | 398 |
| Lava-Fyre Granules (5 lb. bag) | Single LF-5 | 5 lb. | 26 |
| | Case of 12 LF-5-12 | 68 lb. | 296 |
| Lava-Fyre Granules (10 lb. bag) | Single LF-10 | 10 lb. | 41 |
| | Case of 6 LF-10-6 | 63 lb. | 239 |
| Lava-Fyre Coals (10 lb. bag) | Single LFC-10 | 10 lb. | 48 |
| | Case of 6 LFC-10-6 | 66 lb. | 280 |
| Assorted Lava Stones (15 lb. box) | LVS-15 | 15 lb. | 70 |
| Assorted Lava Stones (35 lb. box) | LVS-35 | 35 lb. | 113 |

Additional Accessories



| DESCRIPTION | MODEL # | WT. | PRICE |
|--|---------------------------|--------|-------------|
| Charred Birch Decorative Cover (vacuum packed) | Single WCBC-1 | 2 lb. | \$64 |
| | Case of 6 WCBC-1-6 | 12 lb. | 373 |
| Charred Birch Decorative Wood Chunk | Single WCAB-1 | 2 lb. | 64 |
| | Case of 6 WCAB-1-6 | 12 lb. | 375 |
| Wood Chunk Decorative Cover (vacuum packed) | Single WCDC-1 | 2 lb. | 54 |
| | Case of 6 WCDC-1-6 | 12 lb. | 314 |
| Pine Cone Decorative Cover (vacuum packed) | Single PCDC-1 | 2 lb. | 58 |
| | Case of 6 PCDC-1-6 | 12 lb. | 339 |
| Valve Cover, Designer (vacuum packed) | WCEC-1 | 7 lb. | 70 |
| Valve Cover, Charred (vacuum packed) | CHEC-1 | 7 lb. | 69 |
| Stainless Steel Grate (recommended for Outdoor Fireplaces) | 18" size SD-18-SS | 11 lb. | 259 |
| | 24" size SD-24-SS | 12 lb. | 410 |
| | 30" size SD-30-SS | 15 lb. | 488 |
| Rigid Gas Log Lighter (for Natural Gas Only) | Single LG-1 | 2 lb. | 60 |
| | Case of 12 LG-1-12 | 19 lb. | 707 |
| 14" Cast Iron Gas Log Lighter (for Natural Gas Only) | Single LC-1 | 5 lb. | 97 |
| | Case of 6 LC-1-6 | 30 lb. | 582 |
| Cast Iron Fender (for All Gas Log Sets) | 18" size FF-04-18 | 8 lb. | 74 |
| | 24" size FF-04-24 | 10 lb. | 86 |
| | 30" size FF-04-30 | 12 lb. | 103 |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

New Products & Measuring Guide



2
0
2
5
-
2
0
2
6


To Use This Price Sheet:

- 1.** Select Burner System
- 2.** Select Log Style Design or Contemporary Media (*G21 & G23*)
- 3.** Select Log Size
- 4.** Select Controls & Accessories

Purchase Info. Key


- For all model numbers: ** = Insert size
- Price: \$
- Weight: #

New Products for 2025



G23 Fyre Spheres Burner System (Pg. 3)


Designed to showcase the modern look of Fyre Spheres in a vent-free setting, the new G23 burner system comes in popular 18” and 24” sizes with a choice of ODS equipped and ANSI certified millivolt or electronic remote control. The 4” diameter model US4 Carrera Marble, Epic Black and Graystone spheres are designed specially for pinned placement on the burner pan. Choose natural gas or propane models.



ODG15 Outdoor Only Burner System (Pg. 5)

The new ODG15 is the first Real Fyre ventless burner system designed for outdoor installation only. Certified to the ANSI Z21.97/CSA 2.41 outdoor decorative gas appliance standard, the ODG15 is offered in 24/30” size with remote operated electronic controls (-02 or -2VT) and your choice of Foothill Oak or Foothill Split Oak log sets. The burner pan is constructed of stainless steel and comes in either natural gas or propane versions.

Measuring your fireplace for a Real Fyre Vent-Free gas log set.



- 1** Front width (in inches)
- 2** Back width (in inches)
- 3** Depth (in inches)
- 4** Height (in inches)
- 5** Gas stub location
 - How far does the gas stub extend into the firebox?
 - What is the distance from the gas stub to the firebox floor?

For special sizing requirements exclusive to each burner system, refer to its particular Owner’s Manual.

Gas Logs

Vent-Free Burner Systems - G19A, ODG15 & G8E Series  **2025**

G19A Series Burner Systems

- **G19A Series Vent-Free Gas Logs sets are ANSI Certified and include:** Uniquely Designed Vent-Free Gas Logs • Certified Vent Free Burner with pre-assembled Remote Control Valve & ODS Safety System • Custom Grate • Connector Kit • Glowing Embers • Lava Granules. *Remote Systems include basic Transmitter and Receiver.
- Shipped for use w/ Natural Gas - specify if for Propane Gas by adding a "P" to the model number (e.g. G19A-24/30-15P).

G19A Burner System

|  G19A-24/30-15 | DESCRIPTION / WT. | CONTROL | MODEL # | 18"/20" | 24"/30" |
|---|--|--------------------|--------------------|----------------|----------------|
| | G19A Burner System | Variable Remote* | G19A-**-15 | \$1,539 | \$1,619 |
| | Weight: 18"/20" - 30# Weight: 24"/30" - 36# | Electronic Remote* | G19A-**-01V | 1,872 | 1,952 |

ODG15 Series Outdoor Burner Systems


- **ODG15 Series Gas Logs are certified as Outdoor Decorative Gas Appliances for outdoor use only** and include: Uniquely Designed Vent-Free Gas Logs • Stainless steel burner with pre-assembled electronic remote valve • Custom grate • Connector kit • Lava Stones. *Remote Systems include basic Transmitter and Receiver.
- Shipped for use w/ Natural Gas - specify if for Propane Gas by adding a "P" to the model number (e.g. ODG15-24/30-02P).



ODG15 Burner System

|  ODG15-24/30-2VT | DESCRIPTION / WT. | CONTROL | MODEL # | 24"/30" |
|---|-----------------------------|------------------|---------------------|----------------|
| | ODG15 Outdoor Burner System | ON/OFF Remote* | ODG15-**-02 | \$2,513 |
| | | Variable Remote* | ODG15-**-2VT | 2,538 |

G19A & ODG15 Compatible Gas Log Sets

|  Foothill Oak |  Foothill Split Oak | DESCRIPTION | FIREPLACE | MODEL # | 18" | 24" | 30" |
|--|--|--------------------|-------------|--------------------|--------------|--------------|--------------|
| | | Foothill Oak | Single View | FTO-**-33# | \$418 | \$471 | \$568 |
| | | Foothill Split Oak | Single View | FTSO-**-33# | 455 | 516 | 618 |
| | | | | | 33# | 50# | 54# |

G8E Series Burner System

- **G8E Series Gas Log Sets are ANSI Certified and include:** Vent Free Gas Logs • Decorative Front Panel • Certified Vent Free Burner with pre-assembled Control Valve and ODS Safety System • Custom Grate • Connector Kit. *Remote Systems include basic Transmitter and Receiver.
- Shipped for use w/ Natural Gas - specify if for Propane Gas by adding a "P" to the model number (e.g. G8E-16/20/24P).

G8E Burners

|  G8E Burner | DESCRIPTION / WT. | CONTROL | MODEL # | 16"/20"/24" |
|--|---------------------------|------------------|--------------------|--------------|
| | G8E Burner (20,000 BTU's) | Manual | G8E-**-12 | \$516 |
| | Weight: 12# | ON/OFF Remote* | G8E-**-15 | 894 |
| | | Variable Remote* | G8E-**-R | 979 |
| | G8E Burner (9,500 BTU's) | Manual | G8E-**-R-12 | 516 |
| | Weight: 12# | ON/OFF Remote* | G8E-**-R-12 | 894 |

G8E Compatible Gas Log Sets

|  Valley Oak | DESCRIPTION | FIREPLACE | MODEL # | 16" | 20" | 24" |
|--|------------------|-------------|---------------------|--------------|--------------|--------------|
| | Valley Oak | Single View | V08E-**-25# | \$304 | \$345 | \$384 |
| | Split Valley Oak | Single View | SV08E-**-27# | 326 | 367 | 406 |
| | | | | 25# | 29# | 35# |
| | | | | 27# | 33# | 36# |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities


Gas Logs

Vent-Free Burner Systems - G9 & G10 Series   **2025**


G9 Series Burner System

- **G9 Series Vent Free Gas Log Sets are ANSI Certified and Include:** Vent Free Gas Logs • Certified Vent Free Burner with pre-assembled Control Valve and ODS Safety System • Custom Grate • Connector Kit • Glowing Embers • Bryte Coals • Lava-Fyre Granules. *Remote Systems include basic Transmitter and Receiver.
- Shipped for use w/ Natural Gas - specify if for Propane Gas by adding a "P" to the model number (e.g. G9-20/24/30P).

G9 Burners

| | DESCRIPTION / WT. | CONTROL | MODEL # | 20"/24"/30" |
|---|---------------------------|------------------|-------------------|--------------|
|  G9 Standard Burner | G9 Burner System | Manual | G9-**- | \$720 |
| | Weight: 22-23# | ON/OFF Remote* | G9-**-12 | 1,104 |
| | | Variable Remote* | G9-**-15 | 1,223 |
| | G9 See-thru Burner System | ON/OFF Remote* | G9-2-**-12 | 1,457 |
| | Weight: 36# | | | |

G9 Compatible Gas Log Sets

| | DESCRIPTION | FIREPLACE | MODEL # | 20" | 24" | 30" |
|--|---------------------|-------------|------------------|---------------------|---------------------|---------------------|
|  Split Oak | Golden Oak Designer | Single View | RD9-**- | \$306 32# | \$332 35# | \$417 49# |
| | | See Thru | RD9-2-**- | -- | 441 50# | -- |
|  Meadow Oak | Split Oak | Single View | S9-**- | 330 31# | 360 34# | 450 48# |
| | | See Thru | S9-2-**- | -- | 491 50# | -- |
|  | Meadow Oak | Single View | M9-**- | 317 56# | 343 61# | 428 68# |
| | | See Thru | M9-2-**- | -- | 457 61# | -- |

G10 Series Burner System (Featuring the Vent-Free I-2000 Plus Burner System)

- **G10 Series Vent Free Gas Log Sets are ANSI Certified and Include:** Vent Free Gas Logs • Certified Vent Free Burner with pre-assembled Control Valve and ODS Safety System • Custom Grate • Connector Kit • Glowing Embers • Bryte Coals • Lava-Fyre Granules. *Remote Systems include basic Transmitter and Receiver.
- Shipped for use w/ Natural Gas - specify if for Propane Gas by adding a "P" to the model number (e.g. G10-24/30P).

G10 Burners

| | DESCRIPTION / WT. | CONTROL | MODEL # | 16"/18" | 24"/30" |
|---|-------------------------------------|--------------------|----------------------|--------------|----------------|
|  G10-24/30 | G10 Burner System | Manual | G10-**- | \$903 | \$1,009 |
| | Weight: 16"/18" - 22-25# | Variable Remote* | G10-**-15 | 1,386 | 1,492 |
| | Weight: 24"/30" - 26-30# | Electronic Remote* | G10-**-01V | 1,761 | 1,867 |
|  G10-24/30-SS | G10 Burner System (Stainless Steel) | Manual | G10-**-SS | 1,570 | 1,685 |
| | Weight: 16"/18" - 22-25# | Variable Remote* | G10-**-15-SS | 2,062 | 2,175 |
| | Weight: 24"/30" - 26-30# | Electronic Remote* | G10-**-01V-SS | 2,463 | 2,580 |

G10 Compatible Gas Log Sets

| | DESCRIPTION | FIREPLACE | MODEL # | 16/18" | 24" | 30" |
|---|-----------------------|-------------|-----------------|---------------------|---------------------|---------------------|
|  Charred Frontier Oak | Charred Frontier Oak | Single View | CHFR-**- | \$382 35# | \$436 41# | \$542 48# |
| | | Single View | CHAS-**- | 419 35# | 482 41# | 592 48# |
|  Charred Aged Split | Charred Aged Split | Single View | CHAB-**- | 490 35# | 552 41# | 656 48# |
| | | Single View | CHGS-**- | 506 35# | 575 41# | 683 48# |
|  Charred Alpine Birch | Charred Gnarled Split | Single View | GNO-**- | 473 35# | 533 41# | 632 48# |
| | Charred Gnarled Split | Single View | | | | |

Associated Energy Systems - Serving you with distribution centers in: Kent, WA | West Sacramento, CA | Denver, CO | Dallas, TX | Rogers, MN

2
0
2
5
-
2
0
2
6


Gas Logs

Vent-Free Burner Systems - G18 & G23 Series  **2025**

G18 Series Burner System

- **G18 Series Vent Free Gas Logs sets are ANSI certified and include:** Vent Free Gas Logs • Certified Vent Free Burner with pre-assembled Control Valve and ODS Safety System • Custom Grate • Connector Kit • Glowing Embers • Bryte Coals • Lava-Fyre Granules • Wood Chunks. *Remote Systems include basic Transmitter and Receiver.
- Shipped for use w/ Natural Gas - specify if for Propane Gas by adding a "P" to the model number (e.g. G18-24/30P).

G18 Burners



| DESCRIPTION / WT. | CONTROL | MODEL # | 16"/18" | 24"/30" |
|--|--------------------|-------------------|----------------|----------------|
| G18 Burner System Weight: 26-30# | Manual | G18-** | \$1,025 | \$1,148 |
| | Variable Remote* | G18-**-15 | 1,526 | 1,650 |
| | Electronic Remote* | G18-**-01V | 1,862 | 1,986 |
| G18 See-thru Burner System Weight: 35-40# | Variable Remote* | G18-2**-15 | 1,838 | 1,961 |

G18 Compatible Gas Log Sets



| DESCRIPTION | FIREPLACE | MODEL # | 16/18" | 24" | 30" |
|----------------------|-------------|-----------------|---------------------|---------------------|---------------------|
| Evening Fyre Charred | Single View | ECV-** | \$457 33# | \$522 38# | \$623 44# |
| | See-Thru | ECV-2-** | 580 45# | 644 52# | -- |
| Evening Fyre | Single View | EFV-** | 407 35# | 463 41# | 561 48# |
| | See-Thru | EFV-2-** | 522 50# | 589 55# | -- |
| Evening Fyre Split | Single View | ESV-** | 447 35# | 510 41# | 605 48# |
| | See-Thru | ESV-2-** | 565 50# | 632 55# | -- |

G23 Series Burner System

- **G23 Series Vent Free Spheres Burners are ANSI certified and include:** Fyre Spheres • Certified Vent Free Burner with pre-assembled Control Valve and ODS Safety System • Removable Front Panel • Connector Kit. *Remote Systems include basic Transmitter and Receiver.
- Shipped for use w/ Natural Gas - specify if for Propane Gas by adding a "P" to the model number (e.g. G23-24-12P).




G23 Series Burner



| DESCRIPTION / WT. | CONTROL | MODEL # | 18" | 24" |
|--------------------------------|--------------------|-------------------|----------------|----------------|
| G23 Fyre Spheres Burner System | ON/OFF Remote* | G23-**-12 | \$1,396 | \$1,516 |
| | Electronic Remote* | G23-**-01V | 1,875 | 1,995 |



Fyre Spheres



| DESCRIPTION / WT. | FIREPLACE | MODEL # | 18" | 24" |
|--------------------------------|-------------|------------------|-------------------------|-------------------------|
| 4" Carrera Marble Fyre Spheres | Single View | US4-**-CM | \$384 16 pcs. | \$528 22 pcs. |
| 4" Epic Black Fyre Spheres | Single View | US4-**-EB | 241 16 pcs. | 330 22 pcs. |
| 4" Gray Stone Fyre Spheres | Single View | US4-**-GS | 216 16 pcs. | 298 22 pcs. |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Gas Logs

Vent-Free Burner Systems - G21 Series



2025

G21 Series Burner System

- **G21 Series Vent-Free Glass sets are ANSI certified and include:** Stainless Steel Certified Vent-Free Burner with pre-assembled Remote Control Valve and ODS Safety System • Polished Reflective Panel • See-Thru includes Glass Front Panels. *Remote Systems include basic Transmitter and Receiver.
- Shipped for use w/ Natural Gas - specify if for Propane Gas by adding a "P" to the model number (e.g. G21-GL-24-12P).
- Amount of glass required is 7½ lbs for 18", 10 lbs for 24", and 15 lbs for 30" // 10 lbs for 18" See-Thru and 12½ lbs for 24" See-Thru.

G21 Glass Burner with On/Off Remote



| DESCRIPTION | TRIM | MODEL # | 18" | 24" | 30" |
|---|-----------------------------|-----------------------|----------------|----------------|----------------|
| G21 Glass Burner Weight: 20-30# | Polished Stainless Steel | G21-GL-**-12 | \$1,530 | \$1,650 | \$1,720 |
| G21 See-Thru Glass Burner Weight: 25-35# | Polished Stainless Steel | G21-GL-2-**-12 | 1,793 | 1,922 | -- |

Fyre Glass

***PLEASE NOTE: AES STOCKS 10LB ONLY**




| COLORS | 10 lb. Package \$104 | 40 lb. Bucket \$418 |
|----------------|--------------------------------|-------------------------------|
| Azuria | GL-10-F | GL-40-F |
| Black | GL-10-B | GL-40-B |
| Bronze | GL-10-Z | GL-40-Z |
| Caribbean Blue | GL-10-N | GL-40-N |
| Clear | GL-10-C | GL-40-C |
| Emerald | GL-10-E | GL-40-E |
| Star Fyre | GL-10-W | GL-40-W |

Reflective Fyre Glass



| COLORS | 10 lb. Package \$115 | 40 lb. Bucket \$456 |
|---------------------------|--------------------------------|-------------------------------|
| Azuria Reflective | GL-10-FR | GL-40-FR |
| Black Reflective | GL-10-BR | GL-40-BR |
| Bronze Reflective | GL-10-ZR | GL-40-ZR |
| Caribbean Blue Reflective | GL-10-NR | GL-40-NR |
| Copper Reflective | GL-10-QR | GL-40-QR |
| Emerald Reflective | GL-10-ER | GL-40-ER |
| Gold Reflective | GL-10-HR | GL-40-HR |
| Champagne Reflective | GL-10-CR | GL-40-CR |

Fyre Gems



| COLORS | 10 lb. Package \$88 | 40 lb. Bucket \$346 |
|-------------|-------------------------------|-------------------------------|
| Black Pearl | GLG-10-J | GLG-40-J |
| Blue Topaz | GLG-10-T | GLG-40-T |
| Champagne | GLG-10-D | GLG-40-D |
| Deep Amber | GLG-10-A | GLG-40-A |
| Emerald | GLG-10-E | GLG-40-E |
| Glacier | GLG-10-C | GLG-40-C |
| Sapphire | GLG-10-S | GLG-40-S |
| Ruby | GLG-10-RY | GLG-40-RY |

2
0
2
5
-
2
0
2
6

Accessories



Vent Free Valve & Control Body Options

| DESCRIPTION | MODEL | PRICE |
|--|---------------|--------------|
| Valve for G8E Manual - (N.G or L.P.) | SV-18 | \$148 |
| Valve for G9, G10 & G18 Manual - (N.G.) | SV-26 | 120 |
| Valve for G9, G10 & G18 Manual - (L.P.) | SV-27 | 120 |
| Control Body for G10-15 & G18-15 - (N.G.) | SV-24 | 385 |
| Control Body for G10-15P & G18-15P - (L.P.) | SV-25 | 385 |
| Control Body for Remote Style (-12) G8E & G9 - (N.G.) | SV-8 | 311 |
| Control Body for Remote Style (-12P) G8E & G9 - (L.P.) | SV-8P | 311 |
| Control Body for Remote Style (-12) G21 - (N.G.) | SV-43 | 311 |
| Control Body for Remote Style (-12P) G21 - (L.P.) | SV-43P | 311 |
| Control Body for Variable Remote Style (01V) G10 & G18 - (N.G.) | SV-42 | 444 |
| Control Body for Variable Remote Style (01VP) G10 & G18 - (L.P.) | SV-41 | 444 |
| Control Body for G19A-15 - (N.G.) | SV-51 | 385 |
| Control Body for G19A-15P - (L.P.) | SV-51P | 385 |
| Control Body for G19A-01V - (N.G.) | SV-46 | 473 |
| Control Body for G19A-01VP - (L.P.) | SV-46P | 473 |

Remote Compatible Options

| DESCRIPTION | MODEL | PRICE |
|---|-------------------|--------------|
| Basic ON/OFF Receiver/Transmitter Set | RR-1A | \$124 |
| Deluxe ON/OFF Receiver/Transmitter Set | RR-2A | 181 |
| Basic Variable Receiver/Transmitter Set for ("15" Product Only) | VR-1A | 150 |
| Deluxe Variable Receiver/Transmitter Set for ("15" Product Only) | VR-2A | 206 |
| Wood Chunk Decorative Cover (Vacuum packed) | WCDC-1 | 54 |
| Pine Cone Decorative Cover (Vacuum packed) | PCDC-1 | 58 |
| Charred Birch Decorative Cover (Vacuum packed) | WCBC-1 | 64 |
| Charred Birch Decorative Wood Chunk | WCAB-1 | 64 |
| ON/OFF Bluetooth Control w/ Golden Oak Cover ("12" Product Only) | RF-BTSR1-G | 240 |
| ON/OFF Bluetooth Control w/ White Birch Cover ("12" Product Only) | RF-BTSR1-B | 246 |
| Thermostat Control ("12" Product Only) | TS-12 | 86 |
| Wall Switch, Cover and Wiring ("12" Product Only) | WS-1 | 72 |
| Wall Timer, Cover and Wiring ("12" Product Only) | WS-2 | 176 |
| Wall Switch, Cover and Wiring ("15" Product Only) | WS-3 | 88 |
| Wall Switch ("01V" Product Only) | WS-6 | 149 |
| Power Supply ("01V" Product Only) | TR-03 | 138 |

Accessories

| DESCRIPTION | MODEL | PRICE |
|--|----------------|--------------|
| Valley Oak Wood Chips (4) and Pine Cones (3) <i>(vacuum packed, case of 6)</i> | DP-2-6 | \$458 |
| 4 Designer Pine Cones <i>(assorted sizes, vacuum packed, case of 6)</i> | PC-4-6 | 338 |
| 6 Wood Chips <i>(vacuum packed, case of 6)</i> | WC-6-6 | 405 |
| 6 Charred Wood Chips <i>(vacuum packed, case of 6)</i> | WCH-6-6 | 444 |
| 6 Acorns <i>(vacuum packed, case of 6)</i> | AC-6-6 | 287 |
| Lava Fyre Coals - Wt. 6# | LFC-6 | 33 |
| Lava Fyre Granules - Wt. 5# | LF-5 | 26 |
| Refresh Kit <i>(Incl.: 5# lava granules, Ember Glow, Bryte Coals & 6 Acorns)</i> | VFRK-1 | 88 |
| Replacement Embers (G9) | EM-9 | 21 |
| Replacement Embers (G10, G18, & G19A) | EM-10 | 24 |

Oxygen Depletion Sensors

| DESCRIPTION | MODEL | PRICE |
|------------------------------|-----------------|-------------|
| Natural Gas | ODS-0001 | \$71 |
| Propane Gas | ODS-0002 | 71 |
| Natural Gas with "12" Valve | ODS-0003 | 138 |
| Propane Gas with "12" Valve | ODS-0004 | 138 |
| Natural Gas with "01V" Valve | ODS-0005 | 72 |
| Propane Gas with "01V" Valve | ODS-0006 | 72 |

Gas Logs

Replacement Logs



2
0
2
5
-
2
0
2
6

Individual Replacement Logs - To Order: Specify Log Style and then Size (i.e. CHFRL-20BR)

| G8E Series | LOGS STYLE (Top & Bottom) | No. | 8tl | 8ty | 10tl | 11tr | 12br | 16bf | 20bf | 24bf |
|-------------------|---------------------------|--------------|------|-----|------|------|------|------|------|------|
| | Valley Oak | VOL8E | \$47 | 47 | 49 | 56 | 90 | 103 | 150 | 199 |

| G9 Series | LOGS STYLE (Top & Bottom) | No. | 8tr-2 | 8t-2 | 10ty-2 | 9ty | 10tc | 10tr | 10ty | 11t | 11tl | 17br | 20bf | 20br | 24bf | 24bf-2 | 30bf |
|------------------|---------------------------|-------------|-------|------|--------|-----|------|------|------|-----|------|------|------|------|------|--------|------|
| | Golden Oak Designer | RDL9 | \$45 | 46 | 46 | 48 | 48 | 48 | 52 | -- | 52 | 90 | 136 | 136 | 149 | 149 | 194 |
| | Split Oak | SL9 | \$47 | 49 | 49 | 52 | 52 | 52 | 58 | 52 | 58 | 99 | 143 | 143 | 152 | 152 | 201 |

| G10 Series Top Logs | LOGS STYLE (Top) | No. | 6tc | 7t | 8t | 9t | 9tr | 10t | 10tl | 10tr | 11t | 11tl | 11tr | 12tr | 12tl | 13t | 14tr | 15tl |
|----------------------------|----------------------|--------------|------|----|------|----|-----|-----|------|------|-----|------|------|------|------|-----|------|------|
| | Charred Frontier Oak | CHFRL | \$45 | 47 | -- | -- | 49 | 52 | -- | -- | -- | 54 | -- | 65 | 65 | -- | 79 | 79 |
| | Charred Aged Split | CHASL | \$48 | 50 | -- | 54 | 54 | 58 | -- | 58 | -- | 59 | -- | 69 | 69 | -- | 84 | 84 |
| | Charred Alpine Birch | CHABL | -- | -- | \$61 | 63 | -- | -- | 77 | 77 | 66 | 72 | 72 | -- | -- | 79 | -- | -- |

| G10 Series Bottom Logs | LOGS STYLE (Bottom) | No. | 15br | 16/18bf | 19br | 20br | 21br | 24bf | 24br | 30bf |
|-------------------------------|----------------------|--------------|-------|---------|------|------|------|------|------|------|
| | Charred Frontier Oak | CHFRL | \$104 | 136 | -- | 150 | -- | 161 | 161 | 200 |
| | Charred Aged Split | CHASL | \$110 | 143 | -- | 159 | -- | 166 | 166 | 203 |
| | Charred Alpine Birch | CHABL | \$159 | 166 | 171 | -- | 185 | 188 | -- | 209 |

| G18 Series Top Logs | LOGS STYLE (Top) | No. | 8t | 9t | 10t | 11tr | 12t | 12tl | 12ty | 13t | 13ty | 17ty | -2-11ty | -2-9t | -2-10t | -2-12t |
|----------------------------|----------------------|-------------|------|------|-----|------|-----|------|------|-----|------|------|---------|-------|--------|--------|
| | Evening Fyre Charred | ECVL | -- | \$64 | 65 | 69 | 79 | 79 | -- | 81 | 81 | 115 | 81 | 66 | 69 | 84 |
| | Evening Fyre | EFVL | -- | \$63 | 63 | 63 | 68 | 68 | -- | 75 | 75 | 106 | 69 | 69 | 63 | 72 |
| | Evening Fyre Split | ESVL | \$61 | 63 | 64 | 68 | 75 | -- | 79 | -- | -- | 110 | 79 | 64 | 67 | 80 |

| G18 Series Bottom Logs | LOGS STYLE (Bottom) | No. | 15br | 18bf | 20br | 24bf | 24br | 30bf | -2-18B1 | -2-18B2 | -2-24BF |
|-------------------------------|----------------------|-------------|-------|------|------|------|------|------|---------|---------|---------|
| | Evening Fyre Charred | ECVL | \$121 | 151 | 162 | 176 | 176 | 239 | 151 | 151 | 176 |
| | Evening Fyre | EFVL | \$110 | 143 | 151 | 163 | 163 | 230 | 143 | 143 | 163 |
| | Evening Fyre Split | ESVL | \$117 | 149 | 159 | 170 | 170 | 232 | 149 | 149 | 170 |

| G19A Series | LOGS STYLE (Top & Bottom) | No. | 7t | 8t | 9t | 10t | 10tl | 10tr | 11t | 12t | 12tc | 13t | 13tr | 14t | 15t | 17br | 18bf | 22br | 23br | 24bf | 30bf |
|--------------------|---------------------------|--------------|------|------|----|-----|------|------|-----|-----|------|-----|------|-----|-----|------|------|------|------|------|------|
| | Foothill Oak | FTOL | -- | \$63 | 65 | 66 | 66 | -- | 67 | 68 | -- | 78 | -- | -- | 97 | 119 | 175 | 159 | 168 | 183 | 257 |
| | Foothill Split Oak | FTSOL | \$56 | 63 | 65 | 66 | -- | 66 | -- | 70 | 81 | 78 | 78 | 92 | -- | 119 | 175 | 159 | -- | 183 | 257 |

Vent-Free Burner Systems BTU Ratings* (BTU x 1000)

| BURNER SYSTEM | 16/18" | | 18" | | 18/20" | | 24" | | 24/30" | | 30" | | 16/20/24" | | 20/24/30" | | |
|------------------------------|--------|----|-----|----|--------|----|-----|----|--------|----|-----|----|-----------|----|-----------|----|----|
| | NG | LP | NG | LP | NG | LP | NG | LP | NG | LP | NG | LP | NG | LP | NG | LP | |
| G8E Series | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 20 | 20 | -- | -- |
| G9 Series | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 36 | 36 |
| G9 Series (See-Thru) | -- | -- | -- | -- | -- | -- | 39 | 39 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| G10 Series | 35 | 32 | -- | -- | -- | -- | -- | -- | 37 | 37 | -- | -- | -- | -- | -- | -- | -- |
| G18 Series | 30 | 30 | -- | -- | -- | -- | -- | -- | 38 | 38 | -- | -- | -- | -- | -- | -- | -- |
| G18 Series (See-Thru) | 39 | 39 | -- | -- | -- | -- | 40 | 40 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| G19A Series | -- | -- | -- | -- | 34 | 30 | -- | -- | 40 | 36 | -- | -- | -- | -- | -- | -- | -- |
| ODG15 Series | -- | -- | -- | -- | -- | -- | -- | -- | 55 | 45 | -- | -- | -- | -- | -- | -- | -- |
| G21 Series | -- | -- | 30 | 27 | -- | -- | 35 | 30 | -- | -- | 40 | 35 | -- | -- | -- | -- | -- |
| G21 Series (See-Thru) | -- | -- | 37 | 35 | -- | -- | 40 | 40 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| G23 Series | -- | -- | 28 | 28 | -- | -- | 37 | 37 | -- | -- | -- | -- | -- | -- | -- | -- | -- |

* BTU Ratings when burners are on **High Setting** (when applicable).

Gas Logs

Hargrove Gas Logs (Vented)
Single Sided Loose Logs - Fresh Cut and Charred



2
0
2
5
-
2
0
2
6

Single Side Vented Loose Logs - Fresh Cut Series

When ordering a full log set, choose a log set below and match it w/accessory kit

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---|---|-------------|--------------|---------|
| Fresh Cut Series - Classic Oak | | | | |
| HGCLS1504AA | Classic Oak 4 Piece Loose Log Set, 15" | 16 lbs. | \$ 120.00 | N |
| HGCLS1805AA | Classic Oak 5 Piece Loose Log Set, 18" | 32 lbs. | \$ 213.00 | N |
| HGCLS2105AA | Classic Oak 5 Piece Loose Log Set, 21" | 41 lbs. | \$ 244.00 | Y |
| HGCLS2406AA | Classic Oak 6 Piece Loose Log Set, 24" | 44 lbs. | \$ 268.00 | Y |
| HGCLS3007AA | Classic Oak 7 Piece Loose Log Set, 30" | 58 lbs. | \$ 369.00 | Y |
| Fresh Cut Series - Grand Oak | | | | |
| HGGOS1805AA | Grand Oak 5 Piece Loose Log Set, 18" | 68 lbs. | \$ 291.00 | Y |
| HGGOS2105AA | Grand Oak 5 Piece Loose Log Set, 21" | 46 lbs. | \$ 342.00 | Y |
| HGGOS2406AA | Grand Oak 6 Piece Loose Log Set, 24" | 68 lbs. | \$ 447.00 | Y |
| HGGOS3007AA | Grand Oak 7 Piece Loose Log Set, 30" | 93 lbs. | \$ 577.00 | Y |
| Fresh Cut Series - Hargrove Select | | | | |
| HGHSS1807AA | Hargrove Select 7 Piece Loose Log Set, 18" | 41 lbs. | \$ 332.00 | Y |
| HGHSS2409AA | Hargrove Select 9 Piece Loose Log Set, 24" | 69 lbs. | \$ 577.00 | Y |
| HGHSS3010AA | Hargrove Select 10 Piece Loose Log Set, 30" | 94 lbs. | \$ 712.00 | Y |
| HGHSS4813AA | Hargrove Select 13 Piece Loose Log Set, 48" | 165 lbs. | \$ 1,234.00 | Y |
| Fresh Cut Series - Mountain Timber | | | | |
| HGMTS2406AA | Mountain Timber 6 Piece Loose Log Set, 24" | 74 lbs. | \$ 848.00 | Y |
| Fresh Cut Series - Western Pine | | | | |
| HGWPS2106AA | Western Pine Loose Log Set, 21" | 38 lbs. | \$ 388.00 | N |



Classic Oak



Hargrove Select



Mountain Timber



Western Pine

Single Side Vented Loose Logs - Charred Series

When ordering a full log set, choose a log set below and match it w/accessory kit

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---|--|-------------|--------------|---------|
| Charred Series - Blazing Pecan | | | | |
| HGBPS2104AA | Blazing Pecan Loose Log Set, 21" | 44 lbs. | \$ 479.00 | N |
| Charred Series - Inferno | | | | |
| HGISS1805AA | Inferno Series Loose Log Set, 18" | 23 lbs. | \$ 294.00 | Y |
| HGISS2106AA | Inferno Series 6 Piece Loose Log Set, 21" | 29 lbs. | \$ 353.00 | Y |
| Charred Series - Magnificent Inferno | | | | |
| HGMIS2106AA | Magnificent Inferno 6 Piece Loose Log Set, 21" | 41 lbs. | \$ 450.00 | Y |
| HGMIS2407AA | Magnificent Inferno 7 Piece Loose Log Set, 24" | 50 lbs. | \$ 555.00 | Y |
| HGMIS3008AA | Magnificent Inferno 8 Piece Loose Log Set, 30" | 62 lbs. | \$ 694.00 | Y |
| Charred Series - Supreme Ponderosa | | | | |
| HGSPS3008AA | Supreme Ponderosa Loose Log Set, 30" | 111 lbs. | \$ 934.00 | Y |
| HGSPS4812AA | Supreme Ponderosa 12 Piece Loose Log Set, 48" | 176 lbs. | \$ 1,596.00 | Y |
| Charred Series - Twilight Inferno | | | | |
| HGTIS2106AA | Twilight Inferno 6 Piece Loose Log Set, 21" | 37 lbs. | \$ 489.00 | Y |
| HGTIS2407AA | Twilight Inferno 7 Piece Loose Log Set, 24" | 51 lbs. | \$ 595.00 | Y |
| HGTIS3008AA | Twilight Inferno 8 Piece Loose Log Set, 30" | 59 lbs. | \$ 732.00 | N |
| HGTIS3610AA | Twilight Inferno 10 Piece Loose Log Set, 36" | 76 lbs. | \$ 864.00 | Y |

Gas Logs

Hargrove Gas Logs (Vented)

Single Sided Loose Logs Radiant and E-Burner Kits



Single Side Vented Loose Logs - Radiant Series

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|--|-------------|--------------|---------|
| Radiant Series - Aspen Timbers | | | | |
| HGATS2113RG | Aspen Timbers 13 Piece Loose Log Set, 21" | 12 lbs. | \$ 858.00 | Y |
| HGATS2414RG | Aspen Timbers 14 Piece Loose Log Set, 24" | 15 lbs. | \$ 967.00 | Y |
| HGATS3015RG | Aspen Timbers 15 Piece Loose Log Set, 30" | 21 lbs. | \$ 1,077.00 | Y |
| HGATS3616RG | Aspen Timbers 16 Piece Loose Log Set, 36" | 22 lbs. | \$ 1,136.00 | Y |
| Radiant Series - Canyon Timbers | | | | |
| HGCYS2113RG | Canyon Timbers Loose Log Set, 21" | 12 lbs. | \$ 709.00 | Y |
| HGCYS2416RG | Canyon Timbers Loose Log Set, 24" | 15 lbs. | \$ 820.00 | Y |
| HGCYS3017RG | Canyon Timbers Loose Log Set, 30" | 20 lbs. | \$ 933.00 | Y |
| HGCYS3619RG | Canyon Timbers Loose Log Set, 36" | 61 lbs. | \$ 974.00 | Y |
| Radiant Series - Cross Timbers | | | | |
| HGCTS2108RG | Cross Timbers 8 Piece Loose Log Set, 21" | 12 lbs. | \$ 622.00 | Y |
| HGCTS2409RG | Cross Timbers 9 Piece Loose Log Set, 24" | 15 lbs. | \$ 728.00 | Y |
| HGCTS3010RG | Cross Timbers 10 Piece Loose Log Set, 30" | 20 lbs. | \$ 841.00 | Y |
| HGCTS3611RG | Cross Timbers 11 Piece Loose Log Set, 36" | 21 lbs. | \$ 914.00 | Y |
| Radiant Series - Rustic Timbers | | | | |
| HGRTS2110RG | Rustic Timbers 10 Piece Loose Log Set, 21" | 11 lbs. | \$ 674.00 | Y |
| HGRTS2411RG | Rustic Timbers Loose Log Set, 24" | 14 lbs. | \$ 764.00 | Y |
| HGRTS3012RG | Rustic Timbers 12 Piece Loose Log Set, 30" | 16 lbs. | \$ 875.00 | Y |
| HGRTS3614RG | Rustic Timbers 14 Piece Loose Log Set, 36" | 18 lbs. | \$ 930.00 | Y |
| Radiant Series - Woodland Timbers | | | | |
| HGWTS2116RG | Woodland Timbers 16 Piece Loose Log Set, 21" | 12 lbs. | \$ 720.00 | Y |
| HGWTS2418RG | Woodland Timbers 18 Piece Loose Log Set, 24" | 15 lbs. | \$ 834.00 | Y |
| HGWTS3020RG | Woodland Timbers 20 Piece Loose Log Set, 30" | 20 lbs. | \$ 944.00 | Y |
| HGWTS3622RG | Woodland Timbers 22 Piece Loose Log Set, 36" | 21 lbs. | \$ 991.00 | Y |



Aspen Timbers



Cross Timbers



Rustic Timbers



E Burner

E-Burner Vented Kits

Minimum 14" depth required, includes burner, grate, sand or vermiculite, embers, volcanic cinder, fittings and a black flex connector

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---|-----------------------------------|-------------|--------------|---------|
| No Safety Pilot - Match Light | | | | |
| HG18RNEB0A5 | 18" - 21" E-Burner Vented Kit, NG | 32 lbs. | \$ 305.00 | Y |
| HG24RNEB0A5 | 24" E-Burner Vented Kit, NG | 39 lbs. | \$ 337.00 | Y |
| HG30RNEB0A5 | 28" - 30" E-Burner Vented Kit, NG | 40 lbs. | \$ 387.00 | Y |
| HG36RNEB0A5 | 36" E-Burner Vented Kit, NG | 53 lbs. | \$ 495.00 | Y |
| Factory Installed Latchtap w/On/Off Remote | | | | |
| HG18RNEB1H5 | 18" - 21" E-Burner Vented Kit, NG | 32 lbs. | \$ 946.00 | Y |
| HG24RNEB1H5 | 24" E-Burner Vented Kit, NG | 39 lbs. | \$ 978.00 | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Hargrove Gas Logs (Vented)

H-Burner and System 4 Kits




2
0
2
5
-
2
0
2
6

| H-Burner Vented Kits | | | | |
|---|--|-------------|--------------|---------|
| Minimum 14" depth required, includes burner, grate, sand or vermiculite, embers, volcanic cinder, fittings and a black flex connector | | | | |
| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
| No Safety Pilot - Match Light | | | | |
| HG18RNHB0A5 | 18" - 21" H-Burner Vented Kit, NG | 29 lbs. | \$ 370.00 | Y |
| HG24RNHB0A5 | 24" H-Burner Vented Kit, NG | 32 lbs. | \$ 400.00 | Y |
| HG30RNHB0A5 | 28-30" H-Burner Vented Kit, NG | 39 lbs. | \$ 451.00 | Y |
| HG36RNHB0A5 | 36" H-Burner Vented Kit, NG | 53 lbs. | \$ 561.00 | Y |
| Factory Installed Safety Pilot | | | | |
| HG24RNHB1B5 | 24" H-Burner Vented Kit, NG | 32 lbs. | \$ 647.00 | Y |
| Factory Installed Latchtap Pilot w/Remote Control | | | | |
| HG18RNHB1H5 | 18" - 21" H-Burner Vented Kit, NG | 29 lbs. | \$ 1,011.00 | Y |
| HG24RNHB1H5 | 24" H-Burner Vented Kit, NG | 32 lbs. | \$ 1,041.00 | Y |
| HG24RPHB1K5 | 24" H-Burner Accessory Kit, Variable Flame, LP | 39 lbs. | \$ 1,051.07 | Y |
| Factory Installed Pilot w/Variable Remote | | | | |
| HG18RNHB1F5 | 18" - 21" H-Burner Vented Kit, NG | 33 lbs. | \$ 1,109.00 | N |
| Factory Installed Variable Flame w/Remote Control | | | | |
| HG24RNHB1F5 | 24" H-Burner Vented Kit, NG | 32 lbs. | \$ 1,139.00 | Y |
| Factory Installed Millivolt Pilot w/Wall Switch | | | | |
| HG24RNHB2A5 | 24" H-Burner Vented Kit, NG | 32 lbs. | \$ 1,010.00 | N |



H Burner



System 4 Burner

| Standard System 4 Burner Kits | | | | |
|---|-----------------------------------|-------------|--------------|---------|
| Specialized for LP gas | | | | |
| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
| Factory Installed Safety Pilot | | | | |
| HG18CPSF1B5CMT | 18" - 21" System 4 Burner Kit, LP | 29 lbs. | \$ 797.00 | Y |
| HG24CPSF1B5CMT | 24" System 4 Burner Kit, LP | 32 lbs. | \$ 834.00 | Y |
| HG30CPSF1B5CMT | 28" - 30" System 4 Burner Kit, LP | 36 lbs. | \$ 871.00 | Y |
| Factory Installed Pilot w/Variable Remote | | | | |
| HG30CPSF1F5CMT | 30" LP Cool Mount Accessory Kit | 36 lbs. | \$ 1,363.00 | Y |
| Factory Installed Latchtap w/On/Off Remote | | | | |
| HG18CPSF1H5CMT | 18" - 21" System 4 Burner Kit, LP | 29 lbs. | \$ 1,191.00 | Y |
| HG24CPSF1H5CMT | 24" System 4 Burner Kit, LP | 32 lbs. | \$ 1,228.00 | Y |
| HG30CPSF1H5CMT | 28-30" System 4 Burner Kit, LP | 36 lbs. | \$ 1,265.00 | Y |

Gas Logs

Hargrove Gas Logs (Vented)

Single Sided and Large Burner Kits, Large Log Sets



Single Side Vented Burner - Hidden Control Kits

Includes HC burner, grate, sand or vermiculite, embers, volcanic cinder, fittings, black flex connector

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---------------------------------------|--------------------------------------|-------------|--------------|---------|
| Factory Installed Safety Pilot | | | | |
| HG18CNHC1T5 | 18-21" Single Side Vented Burner, NG | 29 lbs. | \$ 738.00 | N |
| HG24CNHC1T5 | 24" Single Side Vented Burner, NG | 32 lbs. | \$ 770.00 | N |
| HG30CNHC1T5 | 28-30" Single Side Vented Burner, NG | 39 lbs. | \$ 821.00 | N |
| HG36CNHC1T5 | 36" Single Side Vented Burner, NG | 53 lbs. | \$ 942.00 | N |

Single Side Large Burner Kits

Burner pan, custom grate, sand, embers, volcanic cinder, fittings, flex connector, NG only

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---|--|-------------|--------------|---------|
| Mountain Timber - No Safety Pilot - Match Light | | | | |
| HG36SNES0A3 | 36" NG Mountain Timber Large Burner Kit | 79 lbs. | \$ 1,168.00 | Y |
| Summit Oak - No Safety Pilot - Match Light | | | | |
| HG42SNBB0A3 | 42" NG Summit Oak Large Burner Kit | 75 lbs. | \$ 1,112.00 | Y |
| Summit Oak - Factory Installed Hi-Capacity Millivolt w/Wall Switch | | | | |
| HG42SPBB2B3 | 42" LP Summit Oak Large Burner Accessory Kit | 78 lbs. | \$ 1,994.00 | N |

Single Side Large Vented Log Sets - Mountain Timber

When ordering a full set, choose a log kit and match it w/large burner kit

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---|------------------------------------|-------------|--------------|---------|
| Large Log Sets - Mountain Timber | | | | |
| HGMTS3608AA | Mountain Timber Large Log Set, 36" | 124 lbs. | \$ 1,510.00 | N |



Mountain Timber



Kodiak Char
(Double Stack)



Double Stack Burner

Kodiak Double Stack Logs

Choose a double stack logset and match w/double stack accessory kit

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---|--|-------------|--------------|---------|
| Kodiak Char Logs - Double Stack | | | | |
| HGKCS2409DS | Kodiak Char Double Stack Loose Log Set, 24" | 92 lbs. | \$ 825.00 | Y |
| HGKCS3611DS | Kodiak Char Double Stack 11 Piece Loose Log Set, 36" | 162 lbs. | \$ 1,374.00 | Y |
| Double Stack Kit No Safety Pilot - Match Light | | | | |
| HG36SNDS0A8 | 36" NG Double Stack Burner Accessory Kit | 67 lbs. | \$ 903.00 | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Gas Logs

Hargrove Gas Logs (Vented)
See Thru Log Sets and Burner Kits



2
0
2
5
-
2
0
2
6

| See Thru Vented Log Sets | | | | |
|---|---|-------------|--------------|---------|
| Field convertible to LP requires 2 pilot controls and 2 CPE-PCK or RS-PCK (one for each burner pan), sets need 22" depth, match w/accessory kit | | | | |
| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
| Classic Oak | | | | |
| HGCLS2106ST | Classic Oak See Thru 6 Piece Log Set, 21" | 58 lbs. | \$ 338.00 | N |
| Cross Timbers | | | | |
| HGCTS2416ST | Cross Timbers See Thru Log Set, 24" | 24 lbs. | \$ 1,141.00 | N |
| Rustic Timbers | | | | |
| HGRTS2418ST | Rustic Timbers See Thru Log Set, 24" | 20 lbs. | \$ 1,118.00 | N |
| Woodland Timbers | | | | |
| HGWTS3029ST | Woodland Timbers See Thru Log Set, 30" | 23 lbs. | \$ 1,327.00 | N |

| See Thru Vented Burner Kits | | | | |
|--|------------------------------------|-------------|--------------|---------|
| Includes burner, grate, sand or vermiculite, embers, volcanic cinder, fittings and connector | | | | |
| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
| No Safety Pilot - Match Light | | | | |
| HG24RNST0A5 | 24" See Thru Vented Burner Kit, NG | 54 lbs. | \$ 540.00 | Y |

| See Thru Vented Logs - Shallow | | | | |
|---|--|-------------|--------------|---------|
| Field convertible to LP requires 2 pilot controls and 2 CPE-PCK or RS-PCK (one for each burner pan), sets need 22" depth, match w/accessory kit | | | | |
| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
| Classic Oak | | | | |
| HGCLS2406SS | Classic Oak See Thru Shallow 6 Piece Log Set, 24" | 56 lbs. | \$ 314.00 | Y |
| Grand Oak | | | | |
| HGGOS2105SS | Grand Oak See Thru Shallow Log Set, 21" | 54 lbs. | \$ 404.00 | N |
| Inferno Series | | | | |
| HGISS2109SS | Inferno Series See Thru Shallow 9 Piece Log Set, 21" | 39 lbs. | \$ 520.00 | Y |
| HGISS2409SS | Inferno Series See Thru Shallow 9 Piece Log Set, 24" | 53 lbs. | \$ 728.00 | Y |
| Woodland Timbers Series | | | | |
| HGWS2118SS | Woodland Timbers See Thru Shallow Log Set, 21" | 11 lbs. | \$ 831.00 | N |

| See Thru Vented Burner Kits - Shallow | | | | |
|--|--|-------------|--------------|---------|
| Includes stainless steel burner, grate, sand or vermiculite, embers, volcanic cinder, fittings and connector | | | | |
| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
| Factory Installed Latchtap w/On/Off Remote | | | | |
| HG18RNSS1H5 | 18" See Thru Shallow Vented Burner Kit, NG | 43 lbs. | \$ 1,045.00 | N |

| See Thru Vented Burner Kits - System 4 - Shallow | | | | |
|--|--|-------------|--------------|---------|
| Includes stainless steel burner, grate, sand or vermiculite, embers, volcanic cinder, fittings and connector | | | | |
| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
| No Safety Pilot - Match Light | | | | |
| HG18SNS0A1 | 18" System 4 See Thru Shallow Accessory Kit, NG | 43 lbs. | \$ 428.34 | Y |
| Factory Installed Safety Pilot | | | | |
| HG18SPSS1B1SFCM | (HG18SPSS1B1SFCMT) 18" System 4 See Thru Shallow Accessory Kit, LP | 40 lbs. | \$ 1,165.00 | N |
| HG30SPSS1B1SFCM | (HG30SPSS1B1SFCMT) 30" System 4 See Thru Shallow Accessory Kit, LP | 50 lbs. | \$ 1,276.00 | Y |

Gas Logs

Hargrove Gas Logs (Vented)

Full Pan Burner Kits, Specialty Shapes and Media Options



Full Pan Vented Burner Kits

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|--|-------------|--------------|---------|
| No Safety Pilot Light - Match Light | | | | |
| HG18SNFP0A0 | 18" - 21" Full Pan Vented Burner Kit, NG | 35 lbs. | \$ 298.00 | N |
| HG30SNFP0A0 | 28" - 30" Full Pan Vented Burner Kit, NG | 52 lbs. | \$ 380.00 | N |
| Factory Installed Variable Flame w/Remote Control | | | | |
| HG24SNFP1F0 | Full Pan Vented Burner Kit, NG | 45 lbs. | \$ 1,082.00 | N |



Full Pan Burner



Specialty Shapes (Balls)

Full Pan Specialty Shapes

For use in standard, see thru, three sided or corner fireplaces

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|------------------------------|-------------|--------------|---------|
| Colonial Cannon Balls - Sets | | | | |
| HGFCBS2432FPBG | 4" Diameter Ball Set - Beige | 18 lbs. | \$ 460.00 | N |
| HGFCBS3038FPBL | 4" Diameter Ball Set - Black | 20 lbs. | \$ 550.00 | N |
| Colonial Cannon Balls - Individual Shapes | | | | |
| HG7004BG | 4" Diameter Ball - Beige | 2 lbs. | \$ 21.00 | N |
| HG7004BL | 4" Diameter Ball - Black | 2 lbs. | \$ 19.00 | Y |
| HG7004BR | 4" Diameter Ball - Brown | 2 lbs. | \$ 21.00 | N |

Burner Media Options

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|--|-------------|--------------|---------|
| Fireglass | | | | |
| HGBKN10FG | (HGQMBR1010) Non-Reflective Midnight Black 1/4" Fireglass (10 lb. bag) | 10 lbs. | \$ 88.50 | N |
| HGBLN10FG | (HGQPR10) Non-Reflective Blue Lagoon 1/4" Fireglass (10 lb. bag) | 10 lbs. | \$ 88.50 | N |
| Volcanic Firepit Cinder | | | | |
| HGVCFPL | 1" to 3" Volcanic Cinder - 5 Gal. Bucket - 1 Cubic Ft. | 30 lbs. | \$ 92.00 | Y |
| Glass "H" Tube Burners | | | | |
| HG18SNHT0A0 | 18" H-Tube Accessory kit - Matchlight | 22 lbs. | \$ 292.00 | Y |
| <i>"H" tube burners include sand, cinder, black non-whistling flex connectors and fittings, NG only.</i> | | | | |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Gas Logs

Hargrove Gas Logs (Vented/Vent-Free)
Outdoor Burners and Logs




2
0
2
5
-
2
0
2
6

| Outdoor Log Burner Kit | | | | |
|--|--------------------------------|-------------|--------------|---------|
| Includes burner, pan, grate, large and small cinder, fittings and flex connector | | | | |
| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
| Stainless Steel - Matchlight - NG | | | | |
| HG30SNSK0A5 | 30" Outdoor Log Burner Kit, NG | 60 lbs. | \$ 1,039.00 | N |



Wilderness Split
Outdoor



Stainless Outdoor
Log Burner Kit

| Outdoor Firepit Logs | | | | |
|----------------------------------|--|-------------|--------------|---------|
| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
| Wilderness Split Log Sets | | | | |
| HGWSS2004FL | Wilderness Split 4 Piece Firepit Log Set, 20" | 30 lbs. | \$ 370.00 | Y |
| HGWSS3007FL | Wilderness Split 7 Piece Firepit Log Set, 30" | 84 lbs. | \$ 955.00 | Y |
| Wilderness Char Log Sets | | | | |
| HGWCS3010FL | Wilderness Split 10 Piece Firepit Log Set, 30" | 67 lbs. | \$ 870.00 | Y |
| HGWCS5019FL | Wilderness Split 15 Piece Firepit Log Set, 50" | 140 lbs. | \$ 1,678.00 | N |

Gas Logs

Hargrove Gas Logs (Vented)

Olde World Basket, Pinnacle Logs (Rumford) and Burner Kits



| Olde World Basket | | | | |
|---|---|-------------|--------------|---------|
| May be ordered w/refractory logs or ceramic fiber coals, min 10" depth. Includes volcanic cinder, vermiculite, fittings, black flex connector | | | | |
| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
| HGOBLO19N1T | Olde World Basket - Full Set w/Logs - NG | 64 lbs. | \$ 1,150.00 | N |
| HGOBCO19N1T | Olde World Basket - Full Set w/Coals - NG | 54 lbs. | \$ 1,150.00 | N |
| HGOBLO19P1T | Olde World Basket - Full Set w/Logs - LP | 64 lbs. | \$ 1,150.00 | N |
| Safety Pilot Remote Kits | | | | |
| HGAFSCK | Variable Flame Height w/RC-S6V-ST Remote Control Included | 1 lbs. | \$ 372.00 | Y |
| Kiva Gas Log Set | | | | |
| HGKIS1005AA | Kiva Logs Only | 17 lbs. | \$ 227.00 | Y |



Olde World Basket



Pinnacle Short Stack (Seirra)



Pinnacle Mid Stack (Everest)

| Pinnacle Logs | | | | |
|-----------------------------------|--------------------------------|-------------|--------------|---------|
| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
| Pinacle Logs - Short Stack | | | | |
| HGSR1204PL | 12" Pinnacle Logs, Short Stack | 6 lbs. | \$ 239.00 | N |
| Pinacle Logs - Mid Stack | | | | |
| HGEVS3008PL | 30" Pinnacle Logs, Mid Stack | 10 lbs. | \$ 565.00 | N |

| Pinnacle Burner Kits | | | | |
|---------------------------------------|--------------------------|-------------|--------------|---------|
| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
| Factory Installed Safety Pilot | | | | |
| HG12CNRM1T5 | 12" Pinnacle Burner Kits | 20 lbs. | \$ 678.00 | N |
| Electronic Ignition | | | | |
| HG30CNRM3F5 | 30" Pinnacle Burner Kits | 35 lbs. | \$ 1,542.00 | N |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Gas Logs

Hargrove Gas Logs (Vented)
Pilot Controls, Kits and Parts



2
0
2
5
-
2
0
2
6

Standard Safety Pilot Controls

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---|---|-------------|--------------|---------|
| Valve Heat Shields | | | | |
| HGHCPCCL | Concrete, Universal Heat Shield for Standard, Latchtap, and Variable Flame Valves | 1 lbs. | \$ 29.00 | Y |
| HGHSSWU445 | Metal, Universal Heat Shield for Standard, Latchtap and Variable Flame Valve | 1 lbs. | \$ 29.00 | Y |
| Valve Heat Shields | | | | |
| HGCPEPO | Manual Safety Pilot Control - Parts Only | 4 lbs. | \$ 214.00 | Y |
| Latchtap Kits | | | | |
| HGLCKRC | Latchtap Block Kit (ON/OFF) for CPE-PO w/RC-S6V-LT Remote Control Included | 1 lbs. | \$ 397.00 | Y |
| HGLCKBC | Latch-Tap Block Kit (ON/OFF) for CPE-PO with BPBCS Bark Chip Switch Included | 1 lbs. | \$ 421.00 | N |
| HGLCKWS | Latchtap Block Kit (ON/OFF) for CPE-PO w/WGWS Wall Switch Included | 1 lbs. | \$ 356.00 | N |
| HGLCKWWS | Latch-Tap Block Kit (ON/OFF) for CPE-PO with WS-S6V-LT Wall Switch Included | 1 lbs. | \$ 439.00 | N |
| Safety Pilot Kit Parts | | | | |
| HGCPC | Manual Safety Pilot Control - Valve only | 1 lbs. | \$ 122.00 | Y |
| HGSPCEH | Safety Pilot Control - Extension Handle | 1 lbs. | \$ 14.00 | Y |
| HGSPCK | Safety Pilot Control - Knob Only | 1 lbs. | \$ 11.00 | N |
| HGCLCBLOCK | Latchtap Block | 1 lbs. | \$ 219.00 | Y |
| Variable Flame Safety Pilot Kits | | | | |
| HGMHEPORC | Variable Flame Height Valve Kit, includes RC-S6V-MX remote, valve and pilot | 5 lbs | \$ 706.00 | Y |
| HGMHEPOBC | Variable Flame Height Valve Kit, includes BPBCS Bark Chip Switch, valve and pilot | 5 lbs | \$ 667.00 | N |
| HGMHEPOWS | Variable Flame Height Valve Kit, includes WS-S6V-WIRED Wall Switch, valve and pilot | 5 lbs | \$ 599.00 | N |
| HGMHCC | Variable Safety Pilot Control - Valve only | 1 lbs. | \$ 448.00 | N |
| HGSVO | Gearbox/Motor Remote | 1 lbs. | \$ 135.00 | N |

Standard Cool Mount Safety Pilot Kits

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|-------------------------------------|---|-------------|--------------|---------|
| Cool Mount Safety Pilot Kits | | | | |
| HGCPMTPO | Cool Mount Safety Pilot Control | 5 lbs. | \$ 214.00 | N |
| HGLTCMTPORC | Cool Mount Safety Pilot with Latchtap (on/off) and Remote Control | 6 lbs. | \$ 608.00 | Y |
| HGMHCMTPORC | Cool Mount Safety Pilot with Variable Flame Height and Skytech Remote Control | 6 lbs. | \$ 706.00 | Y |
| HGMHCMTPORCA | Cool Mount Safety Pilot with Variable Flame Height and Acumen Remote Control | 6 lbs. | \$ 706.00 | N |
| HGRMCMTPO18 | Cool Mount Safety Pilot w/ Millivolt Valve and Wall Switch | 6 lbs. | \$ 577.00 | N |
| HGRMBCMTPO18 | High Capacity Cool Mount Safety Pilot w/ Millivolt Valve and Wall Switch | 7 lbs. | \$ 816.00 | N |

Pilots Assembly Parts

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|-----------|--|-------------|--------------|---------|
| HGRST18 | 18" Thermocouple - Use w/CPE or SKS | 1 lbs. | \$ 21.00 | Y |
| HGRSTPB18 | 18" Thermocouple & Pilot Burner Assembly - Use w/CPE or SKS (SPECIFY NG OR LP) | 1 lbs. | \$ 34.00 | Y |
| HGRSTPB36 | 36" Thermocouple & Pilot Burner Assembly - Use w/CPE or SKS (SPECIFY NG OR LP) | 1 lbs. | \$ 46.00 | Y |

Hargrove Gas Logs (Vented)

Gas Valves, Accessories, Conversion Kits, Electronic Ignition



750 Millivolt Combination Gas Valves

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|--|-------------|--------------|---------|
| Millivolt Safety Pilot Control | | | | |
| HGRMEPO | Millivolt Safety Pilot Control - Parts Only (w/48" pilot leads) | 5 lbs. | \$ 577.00 | Y |
| High Capacity Millivolt Safety Pilot Kit | | | | |
| HGRMBEPO | High Capacity (150,000 BTU) Millivolt Pilot Control - Parts Only (w/48" pilot leads) | 5 lbs. | \$ 816.00 | Y |
| Millivolt Valves and Pilot Assembly Parts | | | | |
| HGRSMVNGC | Millivolt Safety Pilot Control - Valve Only | 2 lbs. | \$ 409.00 | N |
| HGRSBMVC | High Capacity (150,000 BTU) Millivolt Pilot Control - Valve Only | 2 lbs. | \$ 648.00 | Y |
| HGRSTP48 | 48" Thermopile for MV System | 1 lbs. | \$ 81.00 | Y |
| HGRSTPGNG18 | 18" Thermopile & Pilot Burner for MV System NG | 1 lbs. | \$ 128.00 | Y |
| HGRSTPGLP18 | 18" Thermopile & Pilot Burner for MV System LP | 1 lbs. | \$ 128.00 | Y |
| HGRSTPGNG48 | 48" Thermopile & Pilot Burner for MV System NG | 1 lbs. | \$ 139.00 | Y |
| HGRSTPGLP48 | 48" Thermopile & Pilot Burner for MV System LP | 1 lbs. | \$ 139.00 | N |

Remote Controls and Switching Accessories

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|--|-------------|--------------|---------|
| Remote Control Receiver Heat Shield | | | | |
| HGFRCHSCL | Remote Control Receiver Heat Shield - Fiber Cover and Base | 1 lbs. | \$ 57.00 | Y |

Electronic Ignition (On/Off) Systems (Vented Sets)

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--------------------------------------|---|-------------|--------------|---------|
| Electronic Ignition Pilot Kit | | | | |
| HGDEIPO | Electronic Ignition Safety Pilot Control - Parts Only | 6 lbs. | \$ 626.00 | Y |

LP Conversion Kits for DEI-PO Electronic Ignition Pilot Controls

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|--|-------------|--------------|---------|
| vermiculite, air mixer and pilot orifice included. | | | | |
| HGDXPCK30 | For 30" to 36" Sets (#42 orifice on Air Mixer) | 4 lbs. | \$ 106.00 | Y |

Electronic Ignition (Variable Flame Systems (Vented Sets)

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--------------|---------------------|-------------|--------------|---------|
| Parts | | | | |
| HGAFPM | Hi/Low Power Module | 1 lbs. | \$ 76.00 | N |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Hargrove Gas Logs (Vented)

Control System Concealer (CSC)



2
0
2
5
-
2
0
2
6

Control System Concealer (CSC)

Variable Flame Electronic Ignition with Remote Control ~ The Control System Concealer (CSC) is a false floor that hides a variable flame electronic ignition system underneath ~ It stands 2.5" tall and can be ordered as a parts-only kit and paired with a match light (see "Pilot Kits with Floor") set or ordered as a complete kit (see "Full Burner Kits") in NG or LP

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---|---|-------------|--------------|---------|
| Pilot Kits with Floor (Variable Flame Remote, NG) | | | | |
| HG18NMXRRC | 30"(Front) x 17" (Back) x 12.5" (Depth) - MUST ADD MATCH LIGHT ACCESSORY KIT - NG | - | \$ 1,105.00 | N |
| HG24NMXRRC | 36"(Front) x 23" (Back) x 12.5" (Depth) - MUST ADD MATCH LIGHT ACCESSORY KIT - NG | - | \$ 1,133.00 | Y |
| HG30NMXRRC | 42"(Front) x 29" (Back) x 12.5" (Depth) - MUST ADD MATCH LIGHT ACCESSORY KIT - NG | - | \$ 1,161.00 | N |
| HG36NMXRRC | 48"(Front) x 35" (Back) x 12.5" (Depth) - MUST ADD MATCH LIGHT ACCESSORY KIT - NG | - | \$ 1,191.00 | N |
| <i>with Bluetooth Smart Receiver - Add "BT" to end of SKU and \$260 Up Charge</i> | | | | |
| Full Burner Kits with Floor - "Ember Burner" (Variable Flame Remote, NG) | | | | |
| HG18CNEB3X5 | Ember Burner - 30"(Front) x 17" (Back) x 12.5" (Depth) - NG | - | \$ 1,424.00 | Y |
| HG24CNEB3X5 | Ember Burner - 36"(Front) x 23" (Back) x 12.5" (Depth) - NG | - | \$ 1,484.00 | N |
| HG30CNEB3X5 | Ember Burner - 42"(Front) x 29" (Back) x 12.5" (Depth) - NG | - | \$ 1,562.00 | N |
| HG36CNEB3X5 | Ember Burner - 48"(Front) x 35" (Back) x 12.5" (Depth) - NG | - | \$ 1,700.00 | Y |
| <i>with Bluetooth Smart Receiver - Add "BT" to end of SKU and \$260 Up Charge</i> | | | | |
| Full Burner Kits with Floor - "Ember Burner" (Variable Flame Remote, LP) | | | | |
| HG18CPEB3X5 | Ember Burner - 30"(Front) x 17" (Back) x 12.5" (Depth) - LP | - | \$ 1,457.00 | N |
| HG24CPEB3X5 | Ember Burner - 36"(Front) x 23" (Back) x 12.5" (Depth) - LP | - | \$ 1,517.00 | Y |
| HG30CPEB3X5 | Ember Burner - 42"(Front) x 29" (Back) x 12.5" (Depth) - LP | - | \$ 1,595.00 | Y |
| HG36CPEB3X5 | Ember Burner - 48"(Front) x 35" (Back) x 12.5" (Depth) - LP | - | \$ 1,733.00 | Y |
| <i>with Bluetooth Smart Receiver - Add "BT" to end of SKU and \$260 Up Charge</i> | | | | |
| Full Burner Kits with Floor - "H Burner" (Variable Flame Remote, NG) | | | | |
| HG18CNHB3X5 | H Burner - 30"(Front) x 17" (Back) x 12.5" (Depth) - NG | - | \$ 1,489.00 | N |
| HG24CNHB3X5 | H Burner - 36"(Front) x 23" (Back) x 12.5" (Depth) - NG | - | \$ 1,547.00 | Y |
| HG30CNHB3X5 | H Burner - 42"(Front) x 29" (Back) x 12.5" (Depth) - NG | - | \$ 1,626.00 | Y |
| HG36CNHB3X5 | H Burner - 48"(Front) x 35" (Back) x 12.5" (Depth) - NG | - | \$ 1,766.00 | N |
| <i>with Bluetooth Smart Receiver - Add "BT" to end of SKU and \$260 Up Charge</i> | | | | |
| Full Burner Kits with Floor - "H Burner" (Variable Flame Remote, LP) | | | | |
| HG18CPHB3X5 | H Burner - 30"(Front) x 17" (Back) x 12.5" (Depth) - LP | - | \$ 1,503.00 | N |
| HG24CPHB3X5 | H Burner - 36"(Front) x 23" (Back) x 12.5" (Depth) - LP | - | \$ 1,561.00 | N |
| HG30CPHB3X5 | H Burner - 42"(Front) x 29" (Back) x 12.5" (Depth) - LP | - | \$ 1,640.00 | N |
| HG36CPHB3X5 | H Burner - 48"(Front) x 35" (Back) x 12.5" (Depth) - LP | - | \$ 1,780.00 | N |
| <i>with Bluetooth Smart Receiver - Add "BT" to end of SKU and \$260 Up Charge</i> | | | | |
| Full Burner Kits with Floor - "4 Floor" (Variable Flame Remote, LP) | | | | |
| HG18CPSF3X5 | 4 Floor - 30"(Front) x 17" (Back) x 12.5" (Depth) - LP | - | \$ 1,688.00 | N |
| HG24CPSF3X5 | 4 Floor - 36"(Front) x 23" (Back) x 12.5" (Depth) - LP | - | \$ 1,753.00 | Y |
| HG30CPSF3X5 | 4 Floor - 42"(Front) x 29" (Back) x 12.5" (Depth) - LP | - | \$ 1,818.00 | N |
| HG36CPSF3X5 | 4 Floor - 48"(Front) x 35" (Back) x 12.5" (Depth) - LP | - | \$ 2,354.00 | N |
| <i>with Bluetooth Smart Receiver - Add "BT" to end of SKU and \$260 Up Charge</i> | | | | |
| LP Conversion Kits (for use with "Ember Burner" Control System Concealer) | | | | |
| <i>Converts single sided Ember Burner from NG to LP Operation - Includes Vermiculite, Air Mixer and Pilot Orifice</i> | | | | |
| HGMEIPCK18 | for 15" - 27" Sets (#48 Orifice on Air Mixer) | - | \$ 94.00 | N |
| HGMEIPCK30 | for 30" - 36" Sets (#38 Orifice on Air Mixer) | - | \$ 94.00 | N |



Control System Concealer
(Logs Not Included)

Gas Logs

Hargrove Gas Logs (Vented)
Replacement (Refractory, Individual Logs and Parts)



Replacement Refractory Panels

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|-----------|--|-------------|--------------|---------|
| HGU2428 | Universal Refractory Panel 24" x 28" - 1" Thick - In Qty's of 1-29 | 35 lbs. | \$ 206.13 | Y |
| HGU2440 | Universal Refractory Panel 24" x 40" - 1" Thick - In Qty's of 1-29 | 55 lbs. | \$ 230.04 | Y |

Individual Logs

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|----------------------|-----------|-------------|--------------|---------|
| Cross Timbers | | | | |
| HGF2522GO | 21" | 3 lbs. | \$ 141.00 | Y |
| Blazing Pecan | | | | |
| HG2511GO | 14" | 5 lbs. | \$ 76.00 | N |
| Grand Oak | | | | |
| HG0118GO | 18" | 12 lbs. | \$ 103.00 | Y |
| HG0119GO | 18" | 15 lbs. | \$ 107.00 | Y |
| HG0124GO | 24" | 25 lbs. | \$ 200.00 | Y |
| HG0128GO | 28" | 22 lbs. | \$ 180.00 | Y |
| Western Pine | | | | |
| HG1524GO | 24" | 20 lbs. | \$ 214.00 | N |

Parts

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---------------------------------------|---|-------------|--------------|---------|
| Ember Enhancing System | | | | |
| HGEM | Ember Wool - Vermiculite and Rock Wool, EM | 1 lbs. | \$ 25.84 | Y |
| Pedestal Grate Facing | | | | |
| HGPGF18 | Cast iron facing for 18"-21" vented sets - 18"-21" vent free sets | 5 lbs. | \$ 62.00 | Y |
| Bark, Chip, Twig and Pine Kits | | | | |
| HGCK6 | 4 - Bark Chips, 1 = Pine Cone #1203, 1 = Twig #0605GO | 9 lbs. | \$ 84.00 | Y |
| HGCCKGO | 4 - Decorative Charred Chips for Ember Bed | 2 lbs. | \$ 64.00 | Y |
| HGDPCK2 | 2 - Decorative Pine Cones - #1201, #1203 | 3 lbs. | \$ 41.00 | Y |
| Pine Cones and Acorns | | | | |
| HG1201BX | Small | 1 lbs. | \$ 25.00 | Y |
| HG1202BX | Small | 1 lbs. | \$ 25.00 | Y |
| HG1203BX | Small | 1 lbs. | \$ 25.00 | Y |
| HG1204BX | Small | 1 lbs. | \$ 25.00 | Y |
| HG1205BX | Medium | 2 lbs. | \$ 28.00 | Y |
| HGAR3CL | Cluster of 3 Acorns | 1 lbs. | \$ 12.00 | Y |
| Burner Pan Media | | | | |
| HGRW | Glowing Embers | 1 lbs. | \$ 35.00 | Y |
| HGPB5 | Platinum Bright Embers - 5 Gram Bag | 1 lbs. | \$ 68.00 | Y |
| HGVM | Vermiculite - 1 lb. Bag | 1 lbs. | \$ 33.00 | Y |
| Manual Valves | | | | |
| HGJCAPO | Gas Valve w/Knob - Rated 300 F | 2 lbs. | \$ 76.00 | Y |
| Misc. Parts | | | | |
| HGLOGBURNDISPLA | (HGBURNINGDISPLAY) BURNING DISPLAY, LOG BURN DISPLAY | 100 lbs. | \$ 365.56 | Y |
| HGDS | Damper Stop | 1 lbs. | \$ 5.00 | Y |
| HGFNCW18 | Stainless Non-Harmonic Flex Conn. - 3/8" OD X 18", Vented Sets | 1 lbs. | \$ 28.00 | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Gas Logs

Hargrove Gas Logs (Vent-Free)
Cimarron Timbers Logs and Switching Accessories



2
0
2
5
-
2
0
2
6

Cimarron Timbers Vent-Free

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---------------------------------------|--|-------------|--------------|---------|
| Millivolt Valve - NG | | | | |
| HGRGCI24N2C | 24" Cimarron Timbers with Millivolt Valve; Remote <i>Ready</i> , NG NEW | 62 lbs. | \$ 1,583.00 | TBD |
| HGRGCI30N2C | 30" Cimarron Timbers with Millivolt Valve; Remote <i>Ready</i> , NG NEW | 75 lbs. | \$ 1,654.00 | TBD |
| Millivolt Valve - LP | | | | |
| HGRGCI24P2C | 24" Cimarron Timbers with Millivolt Valve; Remote <i>Ready</i> , LP NEW | 62 lbs. | \$ 1,583.00 | TBD |
| HGRGCI30P2C | 30" Cimarron Timbers with Millivolt Valve; Remote <i>Ready</i> , LP NEW | 75 lbs. | \$ 1,654.00 | TBD |
| Variable Flame Valve - NG | | | | |
| HGRGCI24N1E | 24" Cimarron Timbers with Variable Flame Valve; Remote <i>Ready</i> , NG NEW | 62 lbs. | \$ 1,666.00 | TBD |
| HGRGCI30N1E | 30" Cimarron Timbers with Variable Flame Valve; Remote <i>Ready</i> , NG NEW | 75 lbs. | \$ 1,737.00 | TBD |
| Variable Flame Valve - LP | | | | |
| HGRGCI24P1E | 24" Cimarron Timbers with Variable Flame Valve; Remote <i>Ready</i> , LP NEW | 62 lbs. | \$ 1,666.00 | TBD |
| HGRGCI30P1E | 30" Cimarron Timbers with Variable Flame Valve; Remote <i>Ready</i> , LP NEW | 75 lbs. | \$ 1,737.00 | TBD |
| Electronic Ignition Valve - NG | | | | |
| HGRGCI24N3E | 24" Cimarron Timbers with Electronic Ignition Valve; <i>Includes Variable Remote</i> , NG NEW | 62 lbs. | \$ 2,142.00 | TBD |
| HGRGCI30N3E | 30" Cimarron Timbers with Electronic Ignition Valve; <i>Includes Variable Remote</i> , NG NEW | 75 lbs. | \$ 2,213.00 | TBD |
| Electronic Ignition Valve - LP | | | | |
| HGRGCI24P3E | 24" Cimarron Timbers with Electronic Ignition Valve; <i>Includes Variable Remote</i> , LP NEW | 62 lbs. | \$ 2,142.00 | TBD |
| HGRGCI30P3E | 30" Cimarron Timbers with Electronic Ignition Valve; <i>Includes Variable Remote</i> , LP NEW | 75 lbs. | \$ 2,213.00 | TBD |



Cimarron Timbers

Cimarron Timbers Switching Accessories

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---|---|-------------|--------------|---------|
| Millivolt (Vent-Free) Remote Control & Switching Accessories | | | | |
| HGRCS12VMV | Kit Includes 12 VDC Remote/Receiver - Remote Features: On/Off Function | 1 lbs. | \$ 124.00 | Y |
| HGRCI12VBT | Kit Includes 12VDC Remote/Receiver & Bluetooth Smart Phone Capability NEW | 1 lbs. | \$ 270.00 | TBD |
| HGBTIBUG | Includes Bluetooth Module Control for Smart Phone Capability NEW | 1 lbs. | \$ 190.00 | TBD |
| HGRCS12VMVT | Thermostatic On/Off Function | 1 lbs. | \$ 203.00 | N |
| HGRCS301P | Thermostatic, Programmable, Full LCD Touchscreen Display | 1 lbs. | \$ 345.00 | N |
| HGRCA110VA | Requires 110 Volt A/C Electricity - Remote Features: On/Off Function, Child-Proof Switch | 1 lbs. | \$ 211.00 | N |
| HGTST | Wall Mount Thermostat Control (not recommended for vented sets) | 1 lbs. | \$ 59.00 | N |
| HGBCS | Bark Chip Switch, On/Off Function | 1 lbs. | \$ 29.00 | Y |
| HGPCS | 2 Piece Pine Cone Switch, On/Off Function | 2 lbs. | \$ 35.00 | N |
| HGWS | Wall Switch, On/Off Function | 1 lbs. | \$ 29.00 | N |
| Variable Flame (Vent-Free) Remote Control & Switching Accessories | | | | |
| HGRCS6VMX | DC Powered Remote/Receiver for Variable Flame System Valves | 1 lbs. | \$ 204.00 | Y |
| HGRCS6VMXT | DC Powered Remote/Receiver for Variable Flame Valves, w/Thermostat (Not Recommended for Vented Sets) | 1 lbs. | \$ 271.00 | N |
| HGRCR300 | Remote/Receiver for Variable Flame Systems, Full LCD Display, Thermostatic and Child Safety Lock | 1 lbs. | \$ 345.00 | N |
| Electronic Ignition (Vent-Free) Remote Control & Switching Accessories | | | | |
| HGBTMEIMOD | Includes Bluetooth Module Control for Smart Phone Capability NEW | 1 lbs. | \$ 316.00 | TBD |

Gas Logs

Hargrove Gas Logs (Vent-Free)
Birch Timbers Logs and Switching Accessories



Birch Timbers Vent-Free

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---------------------------------------|---|-------------|--------------|---------|
| Millivolt Valve - NG | | | | |
| HGRGBI24N2C | 24" Birch Timbers with Millivolt Valve; Remote <i>Ready</i> , NG NEW | 62 lbs. | \$ 1,653.00 | TBD |
| HGRGBI30N2C | 30" Birch Timbers with Millivolt Valve; Remote <i>Ready</i> , NG NEW | 75 lbs. | \$ 1,735.00 | TBD |
| Millivolt Valve - LP | | | | |
| HGRGBI24P2C | 24" Birch Timbers with Millivolt Valve; Remote <i>Ready</i> , LP NEW | 62 lbs. | \$ 1,653.00 | TBD |
| HGRGBI30P2C | 30" Birch Timbers with Millivolt Valve; Remote <i>Ready</i> , LP NEW | 75 lbs. | \$ 1,735.00 | TBD |
| Variable Flame Valve - NG | | | | |
| HGRGBI24N1E | 24" Birch Timbers with Variable Flame Valve; Remote <i>Ready</i> , NG NEW | 62 lbs. | \$ 1,736.00 | TBD |
| HGRGBI30N1E | 30" Birch Timbers with Variable Flame Valve; Remote <i>Ready</i> , NG NEW | 75 lbs. | \$ 1,818.00 | TBD |
| Variable Flame Valve - LP | | | | |
| HGRGBI24P1E | 24" Birch Timbers with Variable Flame Valve; Remote <i>Ready</i> , LP NEW | 62 lbs. | \$ 1,736.00 | TBD |
| HGRGBI30P1E | 30" Birch Timbers with Variable Flame Valve; Remote <i>Ready</i> , LP NEW | 75 lbs. | \$ 1,818.00 | TBD |
| Electronic Ignition Valve - NG | | | | |
| HGRGBI24N3E | 24" Birch Timbers with Electronic Ignition Valve; <i>Includes Variable Remote</i> , NG NEW | 62 lbs. | \$ 2,213.00 | TBD |
| HGRGBI30N3E | 30" Birch Timbers with Electronic Ignition Valve; <i>Includes Variable Remote</i> , NG NEW | 75 lbs. | \$ 2,294.00 | TBD |
| Electronic Ignition Valve - LP | | | | |
| HGRGBI24P3E | 24" Birch Timbers with Electronic Ignition Valve; <i>Includes Variable Remote</i> , LP NEW | 62 lbs. | \$ 2,313.00 | TBD |
| HGRGBI30P3E | 30" Birch Timbers with Electronic Ignition Valve; <i>Includes Variable Remote</i> , LP NEW | 75 lbs. | \$ 2,294.00 | TBD |



Birch Timbers

Birch Timbers Switching Accessories

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---|---|-------------|--------------|---------|
| Millivolt (Vent-Free) Remote Control & Switching Accessories | | | | |
| HGRCS12VMV | Kit Includes 12 VDC Remote/Receiver - Remote Features: On/Off Function | 1 lbs. | \$ 124.00 | Y |
| HGRCI12VBT | Kit Includes 12VDC Remote/Receiver & Bluetooth Smart Phone Capability NEW | 1 lbs. | \$ 270.00 | TBD |
| HGBTIBUG | Includes Bluetooth Module Control for Smart Phone Capability NEW | 1 lbs. | \$ 190.00 | TBD |
| HGRCS12VMVT | Thermostatic On/Off Function | 1 lbs. | \$ 203.00 | N |
| HGRCS301P | Thermostatic, Programmable, Full LCD Touchscreen Display | 1 lbs. | \$ 345.00 | N |
| HGRCA110VA | Requires 110 Volt A/C Electricity - Remote Features: On/Off Function, Child-Proof Switch | 1 lbs. | \$ 211.00 | N |
| HGTST | Wall Mount Thermostat Control (not recommended for vented sets) | 1 lbs. | \$ 59.00 | N |
| HGBCS | Bark Chip Switch, On/Off Function | 1 lbs. | \$ 29.00 | Y |
| HGPCS | 2 Piece Pine Cone Switch, On/Off Function | 2 lbs. | \$ 35.00 | N |
| HGWS | Wall Switch, On/Off Function | 1 lbs. | \$ 29.00 | N |
| Variable Flame (Vent-Free) Remote Control & Switching Accessories | | | | |
| HGRCS6VMX | DC Powered Remote/Receiver for Variable Flame System Valves | 1 lbs. | \$ 204.00 | Y |
| HGRCS6VMXT | DC Powered Remote/Receiver for Variable Flame Valves, w/Thermostat (Not Recommended for Vented Sets) | 1 lbs. | \$ 271.00 | N |
| HGRRCR300 | Remote/Receiver for Variable Flame Systems, Full LCD Display, Thermostatic and Child Safety Lock | 1 lbs. | \$ 345.00 | N |
| Electronic Ignition (Vent-Free) Remote Control & Switching Accessories | | | | |
| HGBTMEIIMOD | Includes Bluetooth Module Control for Smart Phone Capability NEW | 1 lbs. | \$ 316.00 | TBD |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Gas Logs

Hargrove Gas Logs (Vent-Free)
Yukon Char Logs and Switching Accessories



2
0
2
5
-
2
0
2
6

| Yukon Char Vent-Free | | | | | |
|----------------------------------|---|-------------|--------------|---------|--|
| Item Code | Item Name | Ship Weight | Retail Price | Stocked | |
| Manual Valve - NG | | | | | |
| HGETYC18N1G | 18" Yukon Char w/Manual Valve, NG | 50 lbs. | \$ 1,069.00 | N | |
| HGETYC24N1G | 24" Yukon Char w/Manual Valve, NG | 62 lbs. | \$ 1,099.00 | N | |
| HGETYC30N1G | 30" Yukon Char w/Manual Valve, NG | 75 lbs. | \$ 1,132.00 | N | |
| Millivolt Valve - NG | | | | | |
| HGETYC18N2C | 18" Yukon Char w/Millivolt Valve, Remote Ready, NG | 50 lbs. | \$ 1,363.00 | Y | |
| HGETYC24N2C | 24" Yukon Char w/Millivolt Valve, Remote Ready, NG | 62 lbs. | \$ 1,395.00 | Y | |
| HGETYC30N2C | 30" Yukon Char w/Millivolt Valve, Remote Ready, NG | 75 lbs. | \$ 1,426.00 | Y | |
| Variable Flame Valve - NG | | | | | |
| HGETYC18N1E | 18" Yukon Char w/Variable Flame Valve, Remote Ready, NG | 50 lbs. | \$ 1,480.00 | N | |
| HGETYC24N1E | 24" Yukon Char w/Variable Flame Valve, Remote Ready, NG | 62 lbs. | \$ 1,509.00 | Y | |
| HGETYC30N1E | 30" Yukon Char w/Variable Flame Valve, Remote Ready, NG | 75 lbs. | \$ 1,541.00 | N | |
| Manual Valve - LP | | | | | |
| HGETYC18P1G | 18" Yukon Char w/Manual Valve, LP | 50 lbs. | \$ 1,069.00 | N | |
| HGETYC24P1G | 24" Yukon Char w/Manual Valve, LP | 62 lbs. | \$ 1,099.00 | N | |
| HGETYC30P1G | 30" Yukon Char w/Manual Valve, LP | 75 lbs. | \$ 1,132.00 | N | |
| Millivolt Valve - LP | | | | | |
| HGETYC18P2C | 18" Yukon Char w/Millivolt Valve, Remote Ready, NG | 50 lbs. | \$ 1,363.00 | Y | |
| HGETYC24P2C | 24" Yukon Char w/Millivolt Valve, Remote Ready, NG | 62 lbs. | \$ 1,395.00 | Y | |
| HGETYC30P2C | 30" Yukon Char w/Millivolt Valve, Remote Ready, NG | 75 lbs. | \$ 1,426.00 | Y | |
| Variable Flame Valve - LP | | | | | |
| HGETYC18P1E | 18" Yukon Char w/Variable Flame Valve, Remote Ready, LP | 50 lbs. | \$ 1,480.00 | N | |
| HGETYC24P1E | 24" Yukon Char w/Variable Flame Valve, Remote Ready, LP | 62 lbs. | \$ 1,509.00 | Y | |
| HGETYC30P1E | 30" Yukon Char w/Variable Flame Valve, Remote Ready, LP | 75 lbs. | \$ 1,541.00 | N | |



Yukon Char

| Yukon Char Switching Accessories | | | | | |
|---|--|-------------|--------------|---------|--|
| Item Code | Item Name | Ship Weight | Retail Price | Stocked | |
| Millivolt (Vent-Free) Remote Control & Switching Accessories | | | | | |
| HGRCS12VMV | Kit Includes 12 VDC Remote/Receiver - Remote Features: On/Off Function | 1 lbs. | \$ 124.00 | Y | |
| HGRCI12VBT | Kit Includes 12VDC Remote/Receiver & Bluetooth Smart Phone Capability NEW | 1 lbs. | \$ 270.00 | TBD | |
| HGBTIBUG | Includes Bluetooth Module Control for Smart Phone Capability NEW | 1 lbs. | \$ 190.00 | TBD | |
| HGRCS12VMVT | Thermostatic On/Off Function | 1 lbs. | \$ 203.00 | N | |
| HGRCS301P | Thermostatic, Programmable, Full LCD Touchscreen Display | 1 lbs. | \$ 345.00 | N | |
| HGRCA110VA | Requires 110 Volt A/C Electricity - Remote Features: On/Off Function, Child-Proof Switch | 1 lbs. | \$ 211.00 | N | |
| HGTST | Wall Mount Thermostat Control | 1 lbs. | \$ 59.00 | N | |
| HGBCS | Bark Chip Switch, On/Off Function | 1 lbs. | \$ 29.00 | Y | |
| HGPCS | 2 Piece Pine Cone Switch, On/Off Function | 2 lbs. | \$ 35.00 | N | |
| HGWS | Wall Switch, On/Off Function | 1 lbs. | \$ 29.00 | N | |
| Variable Flame (Vent-Free) Remote Control & Switching Accessories | | | | | |
| HGRCS6VMX | DC Powered Remote/Receiver for Variable Flame System Valves | 1 lbs. | \$ 204.00 | Y | |
| HGRCS6VMXT | DC Powered Remote/Receiver for Variable Flame Valves, w/Thermostat (Not Recommended for Vented Sets) | 1 lbs. | \$ 271.00 | N | |
| HGRCR300 | Remote/Receiver for Variable Flame Systems, Full LCD Display, Thermostatic and Child Safety Lock | 1 lbs. | \$ 345.00 | N | |
| Electronic Ignition (Vent-Free) Remote Control & Switching Accessories | | | | | |
| HGBTMEIIMOD | Includes Bluetooth Module Control for Smart Phone Capability NEW | 1 lbs. | \$ 316.00 | TBD | |

Gas Logs

Hargrove Gas Logs (Vent-Free)
Heritage Char Logs and Switching Accessories



Heritage Char Vent-Free

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|----------------------------------|--|-------------|--------------|---------|
| Manual Valve - NG | | | | |
| HGETHC18N1G | 18" Heritage Char w/Manual Valve, NG | 50 lbs. | \$ 1,049.00 | N |
| HGETHC24N1G | 24" Heritage Char w/Manual Valve, NG | 62 lbs. | \$ 1,077.00 | N |
| HGETHC30N1G | 30" Heritage Char w/Manual Valve, NG | 75 lbs. | \$ 1,109.00 | N |
| Millivolt Valve - NG | | | | |
| HGETHC18N2C | 18" Heritage Char w/Millivolt Valve, Remote Ready, NG | 50 lbs. | \$ 1,337.00 | N |
| HGETHC24N2C | 24" Heritage Char w/Millivolt Valve, Remote Ready, NG | 62 lbs. | \$ 1,366.00 | N |
| HGETHC30N2C | 30" Heritage Char w/Millivolt Valve, Remote Ready, NG | 75 lbs. | \$ 1,398.00 | N |
| Variable Flame Valve - NG | | | | |
| HGETHC18N1E | 18" Heritage Char w/Variable Flame Valve, Remote Ready, NG | 50 lbs. | \$ 1,453.00 | N |
| HGETHC24N1E | 24" Heritage Char w/Variable Flame Valve, Remote Ready, NG | 62 lbs. | \$ 1,480.00 | N |
| HGETHC30N1E | 30" Heritage Char w/Variable Flame Valve, Remote Ready, NG | 75 lbs. | \$ 1,509.00 | N |
| Manual Valve - LP | | | | |
| HGETHC18P1G | 18" Heritage Char w/Manual Valve, LP | 50 lbs. | \$ 1,049.00 | N |
| Manual Valve - LP | | | | |
| HGETHC24P1G | 24" Heritage Char w/Manual Valve, LP | 62 lbs. | \$ 1,077.00 | N |
| HGETHC30P1G | 30" Heritage Char w/Manual Valve, LP | 75 lbs. | \$ 1,109.00 | N |
| Millivolt Valve - NG | | | | |
| HGETHC18P2C | 18" Heritage Char w/Millivolt Valve, Remote Ready, NG | 50 lbs. | \$ 1,337.00 | N |
| HGETHC24P2C | 24" Heritage Char w/Millivolt Valve, Remote Ready, NG | 62 lbs. | \$ 1,366.00 | N |
| HGETHC30P2C | 30" Heritage Char w/Millivolt Valve, Remote Ready, NG | 75 lbs. | \$ 1,398.00 | N |
| Variable Flame Valve - LP | | | | |
| HGETHC18P1E | 18" Heritage Char w/Variable Flame Valve, Remote Ready, LP | 50 lbs. | \$ 1,453.00 | N |
| HGETHC24P1E | 24" Heritage Char w/Variable Flame Valve, Remote Ready, LP | 62 lbs. | \$ 1,480.00 | N |
| HGETHC30P1E | 30" Heritage Char w/Variable Flame Valve, Remote Ready, LP | 75 lbs. | \$ 1,509.00 | N |



Heritage Char

Heritage Char Switching Accessories

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---|--|-------------|--------------|---------|
| Millivolt (Vent-Free) Remote Control & Switching Accessories | | | | |
| HGRCS12VMV | Kit Includes 12 VDC Remote/Receiver - Remote Features: On/Off Function | 1 lbs. | \$ 124.00 | Y |
| HGRCI12VBT | Kit Includes 12VDC Remote/Receiver & Bluetooth Smart Phone Capability NEW | 1 lbs. | \$ 270.00 | TBD |
| HGBTIBUG | Includes Bluetooth Module Control for Smart Phone Capability NEW | 1 lbs. | \$ 190.00 | TBD |
| HGRCS12VMVT | Thermostatic On/Off Function | 1 lbs. | \$ 203.00 | N |
| HGRCS301P | Thermostatic, Programmable, Full LCD Touchscreen Display | 1 lbs. | \$ 345.00 | N |
| HGRCA110VA | Requires 110 Volt A/C Electricity - Remote Features: On/Off Function, Child-Proof Switch | 1 lbs. | \$ 211.00 | N |
| HGTST | Wall Mount Thermostat Control (Not Recommended for Vented Sets) | 1 lbs. | \$ 59.00 | N |
| HGBCS | Bark Chip Switch, On/Off Function | 1 lbs. | \$ 29.00 | Y |
| HGPCS | 2 Piece Pine Cone switch, On/Off Function | 2 lbs. | \$ 35.00 | N |
| HGWS | Wall Switch, On/Off Function | 1 lbs. | \$ 29.00 | N |
| Variable Flame (Vent-Free) Remote Control & Switching Accessories | | | | |
| HGRCS6VMX | DC Powered Remote/Receiver for Variable Flame System Valves | 1 lbs. | \$ 204.00 | Y |
| HGRCS6VMXT | DC Powered Remote/Receiver for Variable Flame Valves, w/Thermostat (Not Recommended for Vented Sets) | 1 lbs. | \$ 271.00 | N |
| HGRRCR300 | Remote/Receiver for Variable Flame Systems, Full LCD Display, Thermostatic and Child Safety Lock | 1 lbs. | \$ 345.00 | N |
| Electronic Ignition (Vent-Free) Remote Control & Switching Accessories | | | | |
| HGBTMEIIMOD | Includes Bluetooth Module Control for Smart Phone Capability NEW | 1 lbs. | \$ 316.00 | TBD |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Gas Logs

Hargrove Gas Logs (Vent-Free)
Charleston Glow Logs and Switching Accessories



2
0
2
5
-
2
0
2
6

Charleston Glow Vent Free

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|----------------------------------|--|-------------|--------------|---------|
| Manual Valve - NG | | | | |
| HGEFCG22N1G | 22" Charleston Glow w/Manual Valve, NG | 25 lbs. | \$ 999.00 | N |
| HGEFCG26N1G | 26" Charleston Glow w/Manual Valve, NG | 30 lbs. | \$ 1,028.00 | N |
| Millivolt Valve - NG | | | | |
| HGEFCG22N2C | 22" Charleston Glow w/Millivolt Valve, Remote Ready, NG | 25 lbs. | \$ 1,292.00 | Y |
| HGEFCG26N2C | 26" Charleston Glow w/Millivolt Valve, Remote Ready, NG | 30 lbs. | \$ 1,320.00 | Y |
| Variable Flame Valve - NG | | | | |
| HGEFCG22N1E | 22" Charleston Glow w/Variable Flame Valve, Remote Ready, NG | 25 lbs. | \$ 1,411.00 | N |
| HGEFCG26N1E | 26" Charleston Glow w/Variable Flame Valve, Remote Ready, NG | 30 lbs. | \$ 1,439.00 | N |
| Manual Valve - LP | | | | |
| HGEFCG22P1G | 22" Charleston Glow w/Manual Valve, LP | 25 lbs. | \$ 999.00 | N |
| HGEFCG26P1G | 26" Charleston Glow w/Manual Valve, LP | 30 lbs. | \$ 1,028.00 | N |
| Millivolt Valve - LP | | | | |
| HGEFCG22P2C | 22" Charleston Glow w/Millivolt Valve, Remote Ready, LP | 25 lbs. | \$ 1,292.00 | Y |
| HGEFCG26P2C | 26" Charleston Glow w/Millivolt Valve, Remote Ready, LP | 30 lbs. | \$ 1,320.00 | N |
| Variable Flame Valve - LP | | | | |
| HGEFCG22P1E | 22" Charleston Glow w/Variable Flame Valve, Remote Ready, LP | 25 lbs. | \$ 1,411.00 | N |
| HGEFCG26P1E | 26" Charleston Glow w/Variable Flame Valve, Remote Ready, LP | 30 lbs. | \$ 1,439.00 | Y |



Charleston Glow

Charleston Glow Switching Accessories

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---|---|-------------|--------------|---------|
| Millivolt (Vent-Free) Remote Control & Switching Accessories | | | | |
| HGRCS12VMV | Kit Includes 12 VDC Remote/Receiver - Remote Features: On/Off Function | 1 lbs. | \$ 124.00 | Y |
| HGRCI12VBT | Kit Includes 12VDC Remote/Receiver & Bluetooth Smart Phone Capability NEW | 1 lbs. | \$ 270.00 | TBD |
| HGBTIBUG | Includes Bluetooth Module Control for Smart Phone Capability NEW | 1 lbs. | \$ 190.00 | TBD |
| HGRCS12VMVT | Thermostatic On/Off Function | 1 lbs. | \$ 203.00 | N |
| HGRCS301P | Thermostatic, Programmable, Full LCD Touchscreen Display | 1 lbs. | \$ 345.00 | N |
| HGRCA110VA | Requires 110 Volt A/C Electricity - Remote Features: On/Off Function, Child-Proof Switch | 1 lbs. | \$ 211.00 | N |
| HGTST | Wall Mount Thermostat Control (Not Recommended for Vented Sets) | 1 lbs. | \$ 59.00 | N |
| HGBCS | Bark Chip Switch, On/Off Function | 1 lbs. | \$ 29.00 | Y |
| HGPCS | 2 Piece Pine Cone Switch, On/Off Function | 2 lbs. | \$ 35.00 | N |
| HGWS | Wall Switch, On/Off Function | 1 lbs. | \$ 29.00 | N |
| Variable Flame (Vent-Free) Remote Control & Switching Accessories | | | | |
| HGRCS6VMX | DC Powered Remote/Receiver for Variable Flame System Valves | 1 lbs. | \$ 204.00 | Y |
| HGRCS6VMXT | DC Powered Remote/Receiver for Variable Flame Valves w/Thermostat (Not Recommended for Vented Sets) | 1 lbs. | \$ 271.00 | N |
| HGRCR300 | Remote/Receiver for Variable Flame Systems, Full LCD Display, Thermostatic and Child Safety Lock | 1 lbs. | \$ 345.00 | N |
| Electronic Ignition (Vent-Free) Remote Control & Switching Accessories | | | | |
| HGBTMEIIMOD | Includes Bluetooth Module Control for Smart Phone Capability NEW | 1 lbs. | \$ 316.00 | TBD |

Gas Logs

Hargrove Gas Logs (Vent-Free)
Element Series Logs, Switching Accessories and Media



Element Series Vent Free

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|-----------------------------|--|-------------|--------------|---------|
| Millivolt Valve - NG | | | | |
| HGESCS18N2C | 18" Element Series w/Millivolt Valve, Remote Ready, NG | 11 lbs. | \$ 1,246.00 | N |
| HGESCS24N2C | 24" Element Series w/Millivolt Valve, Remote Ready, NG | 13 lbs. | \$ 1,321.00 | N |
| HGESCS30N2C | 30" Element Series w/Millivolt Valve, Remote Ready, NG | 15 lbs. | \$ 1,395.00 | N |
| Millivolt Valve - LP | | | | |
| HGESCS18P2C | 18" Element Series w/Millivolt Valve, Remote Ready, LP | 11 lbs. | \$ 1,246.00 | N |
| HGESCS24P2C | 24" Element Series w/Millivolt Valve, Remote Ready, LP | 13 lbs. | \$ 1,321.00 | N |
| HGESCS30P2C | 30" Element Series w/Millivolt Valve, Remote Ready, LP | 15 lbs. | \$ 1,395.00 | N |

Element Series Switching Accessories

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---|--|-------------|--------------|---------|
| Millivolt (Vent-Free) Remote Control & Switching Accessories | | | | |
| HGRCS12VMV | Kit Includes 12 VDC Remote/Receiver - Remote Features: On/Off Function | 1 lbs. | \$ 124.00 | Y |
| HGRCI12VBT | Kit Includes 12VDC Remote/Receiver & Bluetooth Smart Phone Capability NEW | 1 lbs. | \$ 270.00 | TBD |
| HGBTIBUG | Includes Bluetooth Module Control for Smart Phone Capability NEW | 1 lbs. | \$ 190.00 | TBD |
| HGRCS12VMVT | Thermostatic On/Off Function | 1 lbs. | \$ 203.00 | N |
| HGRCS301P | Thermostatic, Programmable, Full LCD Touchscreen Display | 1 lbs. | \$ 345.00 | N |
| HGRCA110VA | Requires 110 Volt A/C Electricity - Remote Features: On/Off Function, Child-Proof Switch | 1 lbs. | \$ 211.00 | N |
| HGTST | Wall Mount Thermostat Control | 1 lbs. | \$ 59.00 | N |
| HGBCS | Bark Chip Switch, On/Off Function | 1 lbs. | \$ 29.00 | Y |
| HGPCS | 2 Piece Pine Cone Switch, On/Off Function | 2 lbs. | \$ 35.00 | N |
| HGWS | Wall Switch, On/Off Function | 1 lbs. | \$ 29.00 | N |



Twig Set for Element Series



Glass for Element Series



River Stones for Element Series

Media Options for Element Series

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---|--|-------------|--------------|---------|
| Fireglass | | | | |
| HGBKN10FG | (HGQMBR1010) Non-Reflective Midnight Black 1/4" Fireglass (10 lb. bag) | 10 lbs. | \$ 88.50 | N |
| HGBLN10FG | (HGQPR10) Non-Reflective Blue Lagoon 1/4" Fireglass (10 lb. bag) | 10 lbs. | \$ 88.50 | N |
| Element 24" w/Blazing River Stones | | | | |
| HGESRRK18 | 18" Multi-Colored Set | 15 lbs. | \$ 168.00 | N |
| HGESRRK24 | 24" Multi-Colored Set | 20 lbs. | \$ 219.00 | N |
| HGESRRK30 | 30" Multi-Colored Set | 25 lbs. | \$ 279.00 | N |
| Element 24" w/Aspen Twig Set | | | | |
| HGESATK18 | 2 Piece Twig Set | 5 lbs. | \$ 70.00 | N |
| HGESATK24 | 3 Piece Twig Set | 8 lbs. | \$ 105.00 | N |
| HGESATK30 | 4 Piece Twig Set | 11 lbs. | \$ 139.00 | N |
| Element 24" w/Driftwood Twig Set | | | | |
| HGESDTK18 | 2 Piece Twig Set | 6 lbs. | \$ 64.00 | N |
| HGESDTK24 | 3 Piece Twig Set | 7 lbs. | \$ 80.00 | N |
| HGESDTK30 | 4 Piece Twig Set | 11 lbs. | \$ 126.00 | N |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Gas Logs

Hargrove Gas Logs (Vent-Free)
Weathered Oak Logs and Switching Accessories



2
0
2
5
-
2
0
2
6

Weathered Oak Vent Free

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|-----------------------------|---|-------------|--------------|---------|
| Manual Valve - NG | | | | |
| HGVFWR18N1G | 18" Weathered Oak w/Manual Valve, NG | 25 lbs. | \$ 526.00 | Y |
| HGVFWR24N1G | 24" Weathered Oak w/Manual Valve, NG | 30 lbs. | \$ 546.00 | N |
| Millivolt Valve - NG | | | | |
| HGVFWR18N2C | 18" Weathered Oak w/Millivolt Valve, Remote Ready, NG | 25 lbs. | \$ 671.00 | Y |
| HGVFWR24N2C | 30" Weathered Oak w/Millivolt Valve, Remote Ready, NG | 30 lbs. | \$ 691.00 | Y |
| Manual Valve - LP | | | | |
| HGVFWR18P1G | 18" Weathered Oak w/Manual Valve, LP | 25 lbs. | \$ 526.00 | Y |
| HGVFWR24P1G | 24" Weathered Oak w/Manual Valve, LP | 30 lbs. | \$ 546.00 | Y |
| Millivolt Valve - LP | | | | |
| HGVFWR18P2C | 18" Weathered Oak w/Millivolt Valve, Remote Ready, LP | 25 lbs. | \$ 671.00 | Y |
| HGVFWR24P2C | 24" Weathered Oak w/Millivolt Valve, Remote Ready, LP | 30 lbs. | \$ 691.00 | Y |



Weathered Oak

Weathered Oak Switching Accessories

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---|--|-------------|--------------|---------|
| Millivolt (Vent-Free) Remote Control & Switching Accessories | | | | |
| HGRCS12VMV | Kit Includes 12 VDC Remote/Receiver - Remote Features: On/Off Function | 1 lbs. | \$ 124.00 | Y |
| HGRCI12VBT | Kit Includes 12VDC Remote/Receiver & Bluetooth Smart Phone Capability NEW | 1 lbs. | \$ 270.00 | TBD |
| HGBTIBUG | Includes Bluetooth Module Control for Smart Phone Capability NEW | 1 lbs. | \$ 190.00 | TBD |
| HGRCS12VMVT | Thermostatic On/Off Function | 1 lbs. | \$ 203.00 | N |
| HGRCS301P | Thermostatic, Programmable, Full LCD Touchscreen Display | 1 lbs. | \$ 345.00 | N |
| HGRCA110VA | Requires 110 Volt A/C Electricity - Remote Features: On/Off Function, Child-Proof Switch | 1 lbs. | \$ 211.00 | N |
| HGTST | Wall Mount Thermostat Control (Not Recommended for Vented Sets) | 1 lbs. | \$ 59.00 | N |
| HGBCS | Bark Chip Switch, On/Off Function | 1 lbs. | \$ 29.00 | Y |
| HGPCS | 2 Piece Pine Cone switch, On/Off Function | 2 lbs. | \$ 35.00 | N |
| HGWS | Wall Switch, On/Off Function | 1 lbs. | \$ 29.00 | N |

Designer Hearth
Accessories



| JEWELRY - GLASS | | | |
|--|--|---------------|----------------|
| Large Broken Glass 10lbs. (1/2" - 3/4") | | | |
| <i>Item Number</i> | <i>Description</i> | <i>Retail</i> | <i>Stocked</i> |
| FGGLBLACK10 | Pepper (Black) Irregularly Shaped Glass | \$39.99 | Y |
| FGGLCOPPER10 | Cola Irregularly Shaped Glass | 39.99 | Y |
| FGGLCRYSTAL10 | Crystal (Clear) Irregularly Shaped Glass | 39.99 | Y |
| FGGLDARKBLUE10 | Blueberry (Dark Blue) Irregularly Shaped Glass | 39.99 | Y |
| FGGLLIGHTBLUE10 | Caribbean/Paradise Blend Irregularly Shaped Glass | 39.99 | Y |
| FGGLSEABREEZE10 | Seabreeze (Ocean Blue) Irregularly Shaped Glass | 39.99 | Y |
| Reflective Broken Glass 10lbs. (1/2" - 3/4") | | | |
| FGGRLBLACK10 | Black Reflective Fireglass | 59.00 | Y |
| FGGRLBRONZE10 | Bronze Reflective Fireglass | 59.00 | Y |
| FGGRLCOBALT10 | Cobalt Reflective Fireglass | 59.00 | Y |
| FGGRLCOPPER10 | Copper Reflective Fireglass | 59.00 | TBD |
| FGGRLSILVER10 | Silver Reflective Fireglass | 59.00 | TBD |
| LAVA ROCK | | | |
| FGLAVA10 | 10 lb. Bag of 1 to 2" Black Lava Rock | \$29.00 | Y |
| FGLS50 | 50 lb. Bag of Lava Stones - Ranging from 1 1/2" to 2" Size | 199.00 | Y |

Fireglass Plus
Glass, Accessories & Burners

2
0
2
5
-
2
0
2
6

| FireGlass Plus | | | | |
|---|--|-------------|--------------|---------|
| Master packs are 4 bags/case. | | | | |
| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
| 1/4" Non-Reflective Fireglass - 10lb Bag | | | | |
| FSQG10 | 1/4" Gunmetal - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 47.50 | LTSD |
| FSQCB10 | 1/4" Caribbean Blue - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 47.50 | LTSD |
| FSQC10 | 1/4" Copper - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 47.50 | LTSD |
| FSQCI10 | 1/4" Crystal Ice - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 55.00 | LTSD |
| 1/4" Reflective Fireglass - 10lb Bag | | | | |
| FSQBR10 | 1/4" Bronze Reflective - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 55.00 | LTSD |
| FSQER10 | 1/4" Emerald Reflective - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 55.00 | LTSD |
| FSQGR10 | 1/4" Gunmetal Reflective - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 55.00 | LTSD |
| FSQBLR10 | 1/4" Blue Lagoon Reflective - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 55.00 | LTSD |
| FSQCBR10 | 1/4" Caribbean Blue Reflective - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 55.00 | LTSD |
| FSQCR10 | 1/4" Copper Reflective - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 55.00 | LTSD |
| FSQCHR10 | 1/4" Champagne Reflective - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 55.00 | LTSD |
| FSQJR10 | 1/4" Jade Reflective - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 55.00 | LTSD |
| FSQPR10 | 1/4" Platinum Reflective - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 55.00 | LTSD |
| FSQSR10 | 1/4" Sapphire Reflective - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 55.00 | LTSD |
| FSQMBR10 | 1/4" Midnight Black Reflective - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 55.00 | LTSD |
| FSQGRR10 | 1/4" Goldrush Reflective - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 55.00 | LTSD |
| 1/2" Reflective Fireglass - 10lb Bag | | | | |
| FSHC10 | 1/2" Crystal Ice - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 65.00 | LTSD |
| FSHCR10 | 1/2" Copper Reflective - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 65.00 | LTSD |
| FSHBR10 | 1/2" Bronze Reflective - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 65.00 | LTSD |
| FSHMBR10 | 1/2" Midnight Black Reflective - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 65.00 | LTSD |
| FSHSR10 | 1/2" Sapphire Reflective - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 65.00 | LTSD |
| FSHGR10 | 1/2" Gun Metal Reflective - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 65.00 | LTSD |
| FSHPR10 | 1/2" Platinum Reflective - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 65.00 | LTSD |
| FSHBLR10 | 1/2" Blue Lagoon Reflective - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 65.00 | LTSD |
| FSHCBR10 | 1/2" Caribbean Blue Reflective - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 65.00 | LTSD |
| FSHGRR10 | 1/2" Goldrush Reflective - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 65.00 | LTSD |
| 1/4" Reflective Fireglass - 10lb Bag | | | | |
| FSQSB10 | Sedona Blend - Rosegold, Bronze and Platinum Reflective - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 65.00 | LTSD |
| FSQOB10 | Outlaw Blend - Sapphire, Midnight Black and Platinum Reflective - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 65.00 | LTSD |
| FSQBB10 | Bermuda Blend - Caribbean, Sapphire and Crystal Ice Reflective - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 65.00 | LTSD |
| FSQSHB10 | Shamrock Blend - Emerald, Midnight Black and Platinum Reflective - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 65.00 | LTSD |
| Accessories | | | | |
| FSFGPOLS10 | 10 lb. Bag Black Lava - 3/8" - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 20.00 | LTSD |
| FSFGPOLM10 | 10 lb. Bag Black Lava - 1" - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 20.00 | LTSD |
| FSFGPBS10 | 10 lb. Bag Black Sand - LIMITED TO STOCK ON HAND | 10 lbs. | \$ 20.00 | LTSD |
| FSFGPRLM20 | Rolled Lava 20 lb. Bag 3-5" - LIMITED TO STOCK ON HAND | 20 lbs. | \$ 60.00 | LTSD |
| FSFGPRLM50 | Rolled Lava 50 lb. Bag 3-5" - LIMITED TO STOCK ON HAND | 50 lbs. | \$ 150.00 | LTSD |
| FSFGPRLS20 | Rolled Lava 20 lb. Bag 1-2" - LIMITED TO STOCK ON HAND | 20 lbs. | \$ 60.00 | LTSD |
| FSFGPRLS50 | Rolled Lava 50 lb. Bag 1-2" - LIMITED TO STOCK ON HAND | 50 lbs. | \$ 150.00 | LTSD |
| Burners | | | | |
| FSFGPH18 | 18" H-Burner and Connector Kit - LIMITED TO STOCK ON HAND | 2 lbs. | \$ 90.00 | LTSD |
| FSFGPH24 | 24" H-Burner and Connector Kit - LIMITED TO STOCK ON HAND | 2.5 lbs. | \$ 110.00 | LTSD |
| FSFGPH30 | 30" H-Burner and Connector Kit - LIMITED TO STOCK ON HAND | 3 lbs. | \$ 120.00 | LTSD |
| FSFGPR18 | 18" Fire ring Burner - LIMITED TO STOCK ON HAND | 4 lbs. | \$ 120.00 | LTSD |
| FSFGPR24 | 24" Fire ring Burner - LIMITED TO STOCK ON HAND | 5 lbs. | \$ 170.00 | LTSD |
| FSFGPR30 | 30" Fire ring Burner - LIMITED TO STOCK ON HAND | 7 lbs. | \$ 210.00 | LTSD |

Fireplace Accessories

Section 600

2
0
2
5
-
2
0
2
6

| Page Number | Vendor | Product | Sold Regionally | Publish Date |
|-------------|--|--|-----------------|--------------|
| 601-603 | Graysen Woods | Hearth Pads, Extensions | | 11/24 |
| 604 | Graysen Woods | Hearth Pad & Extension Order Form | | 11/24 |
| 605 | HY-C | Ember Guard Steel Hearth Pads | | 07/25 |
| 606 | HY-C | Flame Genie Wood Pellet Fire Pit | | 07/25 |
| 606 | HY-C | Log Racks | | 07/25 |
| 606 | Rutland | Fireplace Gloves | | 05/22 |
| 607 | Goods of the Woods LIMITED TO STOCK ON HAND | Magical Color Cones, Pine Cone Firestarters | | 08/22 |
| 607 | Goods of the Woods LIMITED TO STOCK ON HAND | Hearth Rugs | | 08/22 |
| 608 | Condar | Totes, Tote Baskets, Stove Scents, Screens | | 08/24 |
| 609 | Liberty Foundry (HYC) | Grates | | 07/25 |
| 610 | Empire | Vent Free Infrared Heaters | | 06/25 |
| 611 | Empire | Vent Free Blue Flame Heaters | | 06/25 |
| 612 | Empire | HearthRite Vent Free Infrared Heaters | | 06/25 |
| 613 | Empire | HearthRite Vent Free Blue Flame Heaters | | 06/25 |
| 614 | Empire | Direct Vent Wall Furnaces (no Therm) | | 06/25 |
| 615 | Empire | Direct Vent Wall Furnaces (incl. Therm) | | 06/25 |
| 616 | Empire | Vinyl Siding and Vent Extension Kits for Heaters | | 06/25 |
| 617 | Empire | Direct Vent Counterflow Wall Furnaces | | 06/25 |
| 618 | Empire | B-Vent Counterflow Wall Furnaces (no Therm) | | 06/25 |
| 619 | Empire | B-Vent Counterflow Wall Furnaces (incl. Therm) | | 06/25 |
| 620 | Empire | B-Vent Room Heaters (no Visual) | | 06/25 |
| 621 | Empire | B-Vent Visual Flame Room Heaters | | 06/25 |

PLEASE NOTE: Not all products are sold throughout all AES territories/regions. If "Sold Regionally" please contact AES Inside Sales for availability 800-682-9722

Or by visiting...

order.aes4home.com



For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Associated Energy Systems - Serving you with distribution centers in: Kent, WA | West Sacramento, CA | Denver, CO | Dallas, TX | Rogers, MN

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Graysen Woods

Hearth Pads

Fireplace Accessories

2
0
2
5
-
2
0
2
6

Ceramic Series

12x12 Tiles



48" x 48" and + Hearth Pads = \$50 Surcharge
1-3 = Surcharge Applies
4+ = Surcharge Waived

Ceramic Series

12x24 Tiles



Metal Trim Hearth Pad Retails Wall & Corner

| Pad Size | Ceramic | Monarch/ Yellowstone | Stone |
|----------|----------|-------------------------|----------|
| 32x32 | \$399.00 | \$469.00 | \$569.00 |
| 36x36 | 439.00 | 509.00 | 629.00 |
| 40x40 | 509.00 | 579.00 | 719.00 |
| 40x48* | 579.00 | 699.00 | 809.00 |
| 48x48 | 639.00 | 739.00 | 949.00 |
| 48x54* | 709.00 | 839.00 | 989.00 |
| 54x54 | 839.00 | 969.00 | 1,259.00 |
| 60x60 | 969.00 | 1,119.00 | 1,369.00 |

For prices on customs and edge trim options please see Pg. 603
 *Size not available in corner style hearth pad

Hearth Pad Special Options

| Special Options | Retail |
|---|----------|
| Vintage Tile Layout (12x12 Tiles Only) | \$115.00 |
| Two Tone Tile Layout (12x12 Tiles Only) | 94.00 |
| Air Hole/Gas Line Cutout | 94.00 |
| Upgrade to Thermal Guard (Type 2) | 94.00 |

Stone Series

12x12 Tiles



Due to varying sizes in stone, Stone Series pads need to be used with a stove that has adjustable feet.

Fireplace Accessories



Graysen Woods

Hearth Pads

Pricing listed below is for single color hearth pads. Hearth Pads in size 40" x 48" and 48" x 54" are available in Wall-style ONLY.

To complete the Item Number for your hearth pad:

1. Enter {W} for Wall or {C} for Corner
2. Enter Tile Color Identifier Letters to End of SKU
3. Example: "GPF{ }32M_" to "GPFW32MGY"

48" x 48" and + Hearth Pads = \$50 Surcharge
1-3 = Surcharge Applies
4+ = Surcharge Waived

12x12 Tiles

Ceramic Series (12x12 Tiles)

Tile Colors: Greige (GR), Grey (GY)

| Item No. | Size | Wt. | Metal Trim Retail |
|------------|----------|----------|-------------------|
| GPF{ }32M_ | 32 x 32* | 75 lbs. | \$399.00 |
| GPF{ }36M_ | 36 x 36* | 92 lbs. | 439.00 |
| GPF{ }40M_ | 40 x 40 | 109 lbs. | 509.00 |
| GPFW4048M_ | 40 x 48* | 135 lbs. | 579.00 |
| GPF{ }48M_ | 48 x 48 | 143 lbs. | 639.00 |
| GPFW4854M_ | 48 x 54* | 174 lbs. | 709.00 |
| GPF{ }54M_ | 54 x 54* | 180 lbs. | 839.00 |
| GPF{ }60M_ | 60 x 60* | 220 lbs. | 969.00 |



12x24 Tiles

Ceramic Series (12x24 Tiles)

Tile Colors: Amplify Black (ABK), Intensity Pebble (IP), Jute Charcoal (JC), Reverb Ash (RA)

| Item No. | Size | Wt. | Metal Trim Retail |
|-------------|----------|----------|-------------------|
| GPFR{ }32M_ | 32 x 32* | 75 lbs. | \$399.00 |
| GPFR{ }36M_ | 36 x 36* | 92 lbs. | 439.00 |
| GPFR{ }40M_ | 40 x 40 | 109 lbs. | 509.00 |
| GPFRW4048M_ | 40 x 48* | 135 lbs. | 579.00 |
| GPFR{ }48M_ | 48 x 48 | 143 lbs. | 639.00 |
| GPFRW4854M_ | 48 x 54* | 174 lbs. | 709.00 |
| GPFR{ }54M_ | 54 x 54* | 180 lbs. | 839.00 |
| GPFR{ }60M_ | 60 x 60* | 220 lbs. | 969.00 |



Monarch Series (12x12 Tiles)

Tile Colors: **Monarch (CB) LIMITED AVAILABILITY**

| Item No. | Size | Wt. | Metal Trim Retail |
|------------|----------|----------|-------------------|
| GPF{ }32M_ | 32 x 32* | 75 lbs. | \$469.00 |
| GPF{ }36M_ | 36 x 36* | 92 lbs. | 509.00 |
| GPF{ }40M_ | 40 x 40 | 109 lbs. | 579.00 |
| GPFW4048M_ | 40 x 48* | 135 lbs. | 669.00 |
| GPF{ }48M_ | 48 x 48 | 143 lbs. | 739.00 |
| GPFW4854M_ | 48 x 54* | 174 lbs. | 839.00 |
| GPF{ }54M_ | 54 x 54* | 180 lbs. | 969.00 |
| GPF{ }60M_ | 60 x 60* | 220 lbs. | 1,119.00 |



Yellowstone Series (12x24 Tiles)

Tile Colors: Yellowstone (YS)

| Item No. | Size | Wt. | Metal Trim Retail |
|-------------|----------|----------|-------------------|
| GPFR{ }32M_ | 32 x 32* | 75 lbs. | \$469.00 |
| GPFR{ }36M_ | 36 x 36* | 92 lbs. | 509.00 |
| GPFR{ }40M_ | 40 x 40 | 109 lbs. | 579.00 |
| GPFRW4048M_ | 40 x 48* | 135 lbs. | 669.00 |
| GPFR{ }48M_ | 48 x 48 | 143 lbs. | 739.00 |
| GPFRW4854M_ | 48 x 54* | 174 lbs. | 839.00 |
| GPFR{ }54M_ | 54 x 54* | 180 lbs. | 969.00 |
| GPFR{ }60M_ | 60 x 60* | 220 lbs. | 1,119.00 |



Stone Series (12x12 Tiles)

Tile Colors: Natural Slate (SL)

| Item No. | Size | Wt. | Metal Trim Retail |
|------------|----------|----------|-------------------|
| GPF{ }32M_ | 32 x 32* | 69 lbs. | \$569.00 |
| GPF{ }36M_ | 36 x 36* | 88 lbs. | 629.00 |
| GPF{ }40M_ | 40 x 40 | 108 lbs. | 719.00 |
| GPFW4048M_ | 40 x 48* | 139 lbs. | 809.00 |
| GPF{ }48M_ | 48 x 48 | 147 lbs. | 949.00 |
| GPFW4854M_ | 48 x 54* | 183 lbs. | 989.00 |
| GPF{ }54M_ | 54 x 54* | 189 lbs. | 1,259.00 |
| GPF{ }60M_ | 60 x 60* | 230 lbs. | 1,369.00 |



Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplace Accessories

Graysen Woods

Hearth Extensions and Added Options



12x12 Tiles




| Size | Tile Series | Metal Trim Retail |
|-----------------------------|--|-------------------|
| GPFW4812M <i>(48x12)</i> | Ceramic (12x12) | \$399.00 |
| | Monarch (12x12) (LIMITED AVAILABILITY) | 469.00 |
| | Natural Stone (12x12) | 489.00 |
| GPFW4818M <i>(48x18)</i> | Ceramic (12x12) | 419.00 |
| | Monarch (12x12) (LIMITED AVAILABILITY) | 489.00 |
| | Natural Stone (12x12) | 509.00 |

12x24 Tiles



| Size | Tile Series | Metal Trim Retail |
|-----------------------------|--------------------------------|-------------------|
| GPFW4812M <i>(48x12)</i> | Ceramic (12x24) | \$399.00 |
| | Yellowstone (12x24) NEW | 469.00 |
| GPFW4818M <i>(48x18)</i> | Ceramic (12x24) | 419.00 |
| | Yellowstone (12x24) NEW | 489.00 |



Hearth Extension (shown 12x12 tiles)

Custom Size and Custom Layout Hearth Pads or Hearth Extensions in Metal Only!

| Custom Hearth Pad and Hearth Extension Options | Retail |
|--|-------------------------|
| Ceramic | \$70.00 Per Square Foot |
| Monarch (LIMITED AVAILABILITY) & Yellowstone (NEW) | 80.00 Per Square Foot |
| Stone | 98.00 Per Square Foot |

Minimum Charge for any Custom Pad or Extension - \$375.00 (To find the Square Footage of your Hearth Pad or Hearth Extension, Multiply the Length times the Width (in inches) and Divide that number by 144.)

AFTER 3 CHANGES TO A CUSTOM PAD/CAD DRAWING A \$25 FEE WILL INCUR FOR EACH ADDITIONAL REVISION.

SPECIAL ORDERS

These Special Order Options apply to "Standard Size" Hearth Pads or Extensions

| STANDARD Hearth Pad and Hearth Extension Options | Retail |
|--|---------|
| Multiple Tile Colors | \$94.00 |
| Customer's Tile | 94.00 |
| Outside Air Hole | 94.00 |
| Vintage Tile Layout (12x12 Tile Only) | 115.00 |
| No Lops or Extra Lops | 94.00 |
| Thermal Guard - High Heat Hearth Pad | 94.00 |

These Special Order Options apply to "Custom Size" Hearth Pads or Extensions

| CUSTOM Hearth Pad and Hearth Extension Options | Retail |
|--|---------|
| Multiple Tile Colors | \$94.00 |
| Customer's Tile | 94.00 |
| Outside Air Hole | 94.00 |
| Vintage Tile Layout (12x12 Tile Only) | 115.00 |
| Thermal Guard - High Heat Hearth Pad | 94.00 |

2
0
2
5
-
2
0
2
6

Fireplace Accessories

Graysen Woods

Hearth Pad and Extension Order Form



48" x 48" and + Hearth Pads = \$50 Surcharge
1-3 = Surcharge Applies
4+ = Surcharge Waived

Company: _____ AES Customer #: _____

Phone: _____ Fax: _____ Date: _____


Ship Via: _____ PO #: _____ Job Ref: _____

Authorized Signature: _____

| Tile Selection | | | |
|-----------------------------|----|--------------------------|---------------------------|
| Ceramic Series | | Pad Color | Border Color ¹ |
| 12x12 Tiles (Square) | | | |
| Greige | GR | <input type="checkbox"/> | <input type="checkbox"/> |
| Grey | GY | <input type="checkbox"/> | <input type="checkbox"/> |
| Monarch LTSD | CB | <input type="checkbox"/> | <input type="checkbox"/> |
| Stone Series | | Pad Color | Border Color ¹ |
| Natural Slate | | SL | <input type="checkbox"/> |


1 - HEARTH PADS & EXTENSIONS - Please check all that apply
Pad Type and Dimensions - For custom sizes, please submit a drawing along with this order form.

12x12 Tiles (Square) - Check for Availability and Colors




| Tile Selection | | | |
|--------------------------------|-----|--------------------------|---------------------------|
| Ceramic Series | | Pad Color | Border Color ¹ |
| 12x24 Tiles (Rectangle) | | | |
| Amplify Black | ABK | <input type="checkbox"/> | NA |
| Intensity Pebble | IP | <input type="checkbox"/> | NA |
| Jute Charcoal | JC | <input type="checkbox"/> | NA |
| Reverb Ash | RA | <input type="checkbox"/> | NA |
| NEW Yellowstone | YS | <input type="checkbox"/> | N/A |

12x24 Tiles (Rectangle) - Check for Availability and Colors



| Pad/Extension Trim | |
|--------------------|--------------------------|
| Trim | |
| Metal | <input type="checkbox"/> |

Vintage Tile Layout (12x12 Tiles Only, Special Order)



CUSTOM PAD - Drawing Attached

| Dimensions | | Square Footage <i>(Needed For Custom Sizes Only)</i> | Other Options <i>(Outside Air Hole is only available for Hearth Pads)</i> | |
|---|---------|--|--|---|
| _____ " | _____ " | $(\text{Width} \times \text{Depth}) = \text{_____}$ 144 | Customer Tile <input type="checkbox"/> | Outside Air Hole <input type="checkbox"/> |
| Width | Depth | | Thermal Guard High Heat Protection <input type="checkbox"/> | Two-Tone ¹ <input type="checkbox"/> |
| Custom Size <input type="checkbox"/> | | | Vintage layout <input type="checkbox"/> | <i>Please select a border color for Two-Tone option</i> |
| Custom Drawing Attached <input type="checkbox"/> | | | | |

Hearth Pad & Extension Total \$ _____

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplace Accessories

Ember Guard by HYC
Steel Hearth Pads & Extensions



2
0
2
5
-
2
0
2
6

Ember Guard

Features:

- Made in the USA
- Clean and Contemporary Design
- Ember Protection Only (Type 1)
- 10-Gauge (3/16") Steel Hearth Protection
- Low Profile
- 1" Radius Corners
- Scratch-Resistant Polyester Powder Coat Finish
- No Thermal Protection
- For Use with Heating Appliances Requiring Ember Protection Only

| Item No. | Description | Wt. | Retail | Stocked |
|--------------------------------------|--|---------|----------|---------|
| Standard (Square) Hearth Pads | | | | |
| HCEP3636B | Black Ember Protector 36" x 36" | 50 lbs. | \$702.99 | Y |
| HCEP3648B | Black Ember Protector 36" x 48" | 67 lbs. | 712.99 | Y |
| HCEP4242B | Black Ember Protector 42" x 42" | 69 lbs. | 721.99 | Y |
| HCEP4848B | Black Ember Protector 48" x 48" | 90 lbs. | 731.99 | Y |
| Corner Hearth Pads | | | | |
| HCEPC3636B | Black Ember Protector - Corner 36" x 36" | 50 lbs. | \$702.99 | Y |
| HCEPC4242B | Black Ember Protector - Corner 42" x 42" | 68 lbs. | 721.99 | Y |
| HCEPC4848B | Black Ember Protector - Corner 48" x 48" | 88 lbs. | 731.99 | Y |
| Extension Hearth Pads | | | | |
| HCEP1848B | Black Ember Protector 18" x 48" | 33 lbs. | \$513.99 | Y |



Fireplace Accessories



HY-C

Flame Genie

Flame Genie Pellet Fire Pit

Enjoy a unique Fire Pit experience without the smoke, sparks and cleanup hassels. The Flame Genie produces maximum flame utilizing Gravitational Afterburner System which also minimizes smoke. The delightful flame pattern can be enjoyed for hours. Flame Genie burns clean and easy to handle wood pellets, producing minimal ash, and requires little cleanup.

| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|----------|--|------|---------|----------|---------|
| HCFG16 | Flame Genie Fire Pit 16" - Painted Black | 1 | 14 lbs. | \$109.00 | Y |
| HCFG16SS | Flame Genie Fire Pit 16" - Stainless Steel | 1 | | 299.00 | Y |
| HCFG19 | Flame Genie "Inferno" Fire Pit 19" - Painted Black | 1 | | 189.00 | Y |
| HCFG19SS | Flame Genie "Inferno" Fire Pit 19" - Stainless Steel | 1 | | 469.00 | Y |
| HCFGT | Flame Genie Tote for 16" Model | 1 | | 9.99 | Y |
| HCFGT19 | Flame Genie Tote for 19" Model | 1 | | 15.99 | Y |



1. Add pellets up to fill line.
2. Light w/gelled firestarter, fatwood or other solid starter.
3. Wait a few minutes, sit back and enjoy the unique burn.
4. Add small amounts of pellets at a time when re-filling to minimize smothering of the flame/smoke.



HY-C

Log Racks

Log Racks

Add 2x4's of any length to customize the storage you need. Keeps firewood off the ground protecting it from rot and insects, and allows it to dry easily for safer burning. Heavy-duty construction, black powder-coated finish. Vinyl cover opens with a front flap allowing easy access to firewood.

| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|-----------|--|------|---------|----------|---------|
| HCSLRA | Tubular Rack Kit, Adjustable Length (12"W x 42"H) | 1 | 15 lbs. | \$115.99 | Y |
| HCSERM | 4 Foot Heavy Duty Medium Log Rack | | | 295.99 | TBD |
| HCSERMEXT | 4 Foot Extension for HCSERM Log Rack (connect multiple for even more length) | | | 204.99 | TBD |



HCSLRA



HCSERM

Rutland

Fireplace Gloves

Fireplace Gloves

| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|----------|------------------|------|-------|---------|---------|
| RT702 | Fireplace Gloves | 1 | 1 lb. | \$33.98 | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplace Accessories

**Goods of the Woods
LIMITED TO STOCK ON HAND**



2
0
2
5
-
2
0
2
6

Magical Color Cones for Wood Fires

Natural pine cones processed with paraffin wax create dancing blue and green flames when tossed into a wood burning fire. Each cone lasts for 6-8 minutes. Not for use in gas fireplaces.

| Item No. | Description | Wt. | Retail | Stocked |
|----------|-----------------------------|--------|---------|---------|
| GW10100 | Large Bag | 3 lbs. | \$26.99 | LTSD |
| GW10101 | Bamboo Basket w/Color Cones | - | 23.29 | LTSD |

Pine Cone Firestarters

A special firestarter consisting of a loblolly pine cone and wick, set into a special wax formula base shaped like a large muffin. Place one of these firestarters on a bottom log of your fire and light the wick. Your fire will be safely and easily started. Cones burn for up to 30 minutes each. Not for use in gas fireplaces or charcoal cooking fires.

| Item No. | Description | Pcs. per Carton | Wt. | Retail | Stocked |
|----------|-------------|-----------------|--------|---------|---------|
| GW10274 | Mesh Bag | 12 | 5 lbs. | \$30.29 | LTSD |

Genuine Georgia Fatwood Firestarter

Fatwood is resin-rich heartwood found in decaying pine stumps in the forests of Georgia. When used as kindling, firewood can be started with a single match. Fatwood is a completely natural product that adds a delightful aroma to the hearth.

| Item No | Description | Wt | Retail | Stocked |
|---------|------------------------|---------|---------|---------|
| GW10250 | Bundle | 2 lbs. | \$13.49 | LTSD |
| GW10251 | Berry Box Large Bundle | 4 lbs. | 19.99 | LTSD |
| GW10252 | Large Box | 10 lbs. | 43.79 | LTSD |
| GW10256 | Burlap Bag, Small | 6 lbs. | 29.99 | LTSD |

Scented Cones & Potpourri

Natural decorative pine cones scented with aromas that will delight your senses.

| | | | | |
|---------|----------------------------|-------|--------|------|
| GW10287 | Cinnamon Scented Cones Bag | 1 lb. | \$9.99 | LTSD |
| GW10289 | Pine Scented Cones Bag | 1 lb. | 9.99 | LTSD |
| GW10290 | Potpourri Cello Bag | 1 lb. | 20.29 | LTSD |

Log Carriers

| | | | | |
|---------|------------------------------|--|---------|------|
| GW10912 | Canvas Log Carrier, Green | | \$39.00 | LTSD |
| GW10914 | Canvas Log Carrier, Burgundy | | 39.00 | LTSD |



Color Firestones



Genuine Georgia Fatwood



Scented Pine Cones

Rugs - Oriental II (Level Four)

3 1/2-foot half round rugs made of 100% olefin. Rich, heavy, antique hand woven look with 50% more fibers than standard rugs. Aged faded look. 42" x 25".

| Item No. | Description | Retail | Stocked |
|----------|-------------|----------|---------|
| GW10491 | Southwest | \$114.49 | LTSD |
| GW10494 | Regal Wine | 114.49 | LTSD |

Rugs - Braided Multicolor (Level Four)

4-foot half-round rugs made of 100% polypropylene. Reversible construction 48" x 31".

| | | | |
|---------|-------|----------|------|
| GW10692 | Green | \$149.00 | LTSD |
| GW10694 | Beige | 149.00 | LTSD |

Rugs - Vista

30" x 50" Rectangular 100% olefin. For lodges, cabins and dens. Nature scenes and southwest designs.

| | | | |
|---------|--------------|----------|------|
| GW11043 | Desert Beige | \$149.00 | LTSD |
|---------|--------------|----------|------|

Rugs - Flame

100% Polyester, approx. 48" x 27"

| Item No. | Description | Retail | Stocked |
|----------|-------------|---------|---------|
| GW10703 | Crimson | \$89.00 | LTSD |

Fireplace Accessories

Condar

Fireplace Accessories



Half Kettle Humidifier

A decorative and useful touch for the hearth. Helping to supply much needed moisture to dry winter air, this half-kettle fits snugly on the narrow ledge of any fireplace insert as it measures only 4" deep and holds over 2 quarts of water. The Half Kettle is crafted of hand-cast aluminum rather than cheaper cast-iron, and will never rust or corrode. Packaged in a sturdy gift box.

| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|----------|--|------|--------|----------|---------|
| CDHKB | Classic Black Half Kettle, Brass Handle | 6 | 4 lbs. | \$212.99 | Y |
| CDHKBC | Half Kettle Steamer, Matte Black with Chrome handle | | | 212.99 | N |
| CDHKBL | Half Kettle Steamer, Alumina Blue with Chrome Handle | | | 212.99 | Y |

Stove Scents

Add wonderful aromas to the air by adding 4-6 drops of Stove Scents to a stovetop steamer and let the steam gently perfume the air. For gas, oil or pellet stoves, simply apply a few drops directly on the clay Stove Stone and lay on top of the appliance. Oils are one fluid ounce per bottle. Sold in case quantities only.

| | | | | | |
|--------|--|----|--------|----------|------|
| CDSC | Counter Display | 1 | 6 lbs. | \$292.99 | LTSD |
| | Contains 4 bottles of Carolina Breeze, Serenade, Winter Garland and Spice Cake and 8 scent stones; refillable. | | | | |
| CDSC12 | Scent Stones Refill | 12 | 3 lbs. | 147.99 | LTSD |
| CDSCCB | Carolina Breeze Oil | 16 | 3 lbs. | 147.99 | N |
| CDSCSC | Spice Cake Oil | 16 | 3 lbs. | 147.99 | Y |
| CDSCSR | Serenade Oil | 16 | 3 lbs. | 147.99 | LTSD |

Holiday Scents

| | | | | | |
|--------|---------------------|----|--------|----------|---|
| CDSCHW | Holiday Welcome Oil | 16 | 3 lbs. | \$147.99 | N |
|--------|---------------------|----|--------|----------|---|

Screens

| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|----------|--|------|-----|---------|---------|
| CD918 | 18"Hx24"W Satin Black Screen Panels w/Rings (Pair) | 1 | - | \$72.99 | N |
| CD920 | 20"Hx24"W Satin Black Screen Panels w/Rings (Pair) | 1 | - | 81.99 | N |
| CD922 | 22"Hx24"W Satin Black Screen Panels w/Rings (Pair) | 1 | - | 81.99 | N |
| CD924 | 24"Hx24"W Satin Black Screen Panels w/Rings (Pair) | 1 | - | 89.99 | N |
| CD966 | Screen Pulls (Rings Only) - Satin Black | 1 | - | 9.29 | TBD |

Classic Black
Half Kettle, Brass
Handle



Polished Aluminum
Half Kettle, Black
Handle

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplace Accessories

Liberty Foundry
Fireplace Grates



2
0
2
5
-
2
0
2
6

Cast Iron Franklin Fireplace Grates

3-year warranty. The Franklin Collection fireplace grates are one piece, flat bottom, basket style grates for use in small fireplaces and Franklin stoves. The heavy-duty cast iron construction keeps logs where they belong so your fire burns neatly, safely and more efficiently and allows air to reach the logs from all angles.

| Item No. | Height | Width | Depth | Back | Wt. | Retail | Stocked |
|----------|--------|-------|-------|---------|---------|----------|---------|
| HCG22BX | 5-1/4" | 22" | 12" | 18-1/2" | 20 lbs. | \$224.99 | Y |
| HCG27BX | 5-3/4" | 27" | 12" | 22" | 23 lbs. | 251.99 | Y |



LFG27

Cast Iron Saf-T-Grates

A unique self-feeding curved body keeps hot embers and logs from rolling for a carefree fire. Numerous holes allow the fire to breathe while preventing hot embers from falling into ash. Each leg is adjustable, preventing the grate from rocking on uneven hearth floors.

| Item No. | Description | Front | Back | Depth | Wt. | Retail | Stocked |
|----------|----------------------|---------|------|----------|---------|----------|---------|
| HCGT18BX | Zero Clearance Grate | 18" | 14" | 12" | 22 lbs. | \$241.99 | N |
| HCGT22BX | Standard Grate | 22-1/2" | 18" | 16 -1/2" | 32 lbs. | 282.99 | N |



LFGT22

G200 Series Steel Grates

One piece 5/8" solid steel bar construction, keeps logs where they belong so your fire burns neatly, safely and more efficiently

| Item No. | Description | Front | Back | Depth | Wt. | Retail | Stocked |
|----------|------------------------|-------|------|-------|---------|----------|---------|
| HCG20018 | (HCG20018BX) 18" Grate | 18" | 12" | 12" | 10 lbs. | \$173.99 | Y |
| HCG20024 | (HCG20024BX) 24" Grate | 24" | 21" | 15" | 15 lbs. | 192.99 | Y |
| HCG20027 | (HCG20027BX) 27" Grate | 27" | 24" | 15" | 16 lbs. | 210.99 | Y |
| HCG20030 | (HCG20030BX) 30" Grate | 30" | 27" | 15" | 20 lbs. | 229.99 | Y |



G200 Series

Empire
Heaters



Vent-Free Infrared Heaters - White

- Does not require electricity; operates in a power outage
- Made in U.S.A.
- Pallet Quantity:
 - SR6 - 42 units
 - SR10 - 42 units
 - SR18 - 30 units
 - SR30 - 30 units



Includes:

Barrier Grid

| INFRARED HEATERS | BTU | DESCRIPTION | WEIGHT | LIST PRICE |
|------------------|--------|---|--------|------------|
| SR6WLP | 6,000 | Manual 1-Heat Setting, 6,000 Btu, White | 18 | \$ 529.00 |
| SR6WNAT | 6,000 | Manual 1-Heat Setting, 6,000 Btu, White | 18 | \$ 529.00 |
| SR10WLP | 10,000 | Manual 1-Heat Setting, 10,000 Btu, White | 18 | \$ 529.00 |
| SR10WNAT | 10,000 | Manual 1-Heat Setting, 10,000 Btu, White | 18 | \$ 529.00 |
| SR10TWLP | 10,000 | Hydraulic Thermostat, 10,000 Btu, White | 18 | \$ 665.00 |
| SR10TWNAT | 10,000 | Hydraulic Thermostat, 10,000 Btu, White | 18 | \$ 665.00 |
| SR18WLP | 18,000 | Manual 3-Heat Settings, 18,000 Btu, White | 27 | \$ 655.00 |
| SR18WNAT | 18,000 | Manual 3-Heat Settings, 18,000 Btu, White | 27 | \$ 655.00 |
| SR18TWLP | 18,000 | Hydraulic Thermostat, 18,000 Btu, White | 27 | \$ 819.00 |
| SR18TWNAT | 18,000 | Hydraulic Thermostat, 18,000 Btu, White | 27 | \$ 819.00 |
| SR30WLP | 30,000 | Manual 3-Heat Settings, 30,000 Btu, White | 36 | \$ 839.00 |
| SR30WNAT | 30,000 | Manual 3-Heat Settings, 30,000 Btu, White | 36 | \$ 839.00 |
| SR30TWLP | 30,000 | Hydraulic Thermostat, 30,000 Btu, White | 36 | \$1,069.00 |
| SR30TWNAT | 30,000 | Hydraulic Thermostat, 30,000 Btu, White | 36 | \$1,069.00 |

| ACCESSORIES | | DESCRIPTION | WEIGHT | LIST PRICE |
|-------------|--|---|--------|------------|
| SRB18W | | Blower, White, Fits SR18 | 4 | \$ 199.00 |
| SRB18TW | | Blower, Auto, White, fits SR18T, BF10, BF20 | 4 | \$ 205.00 |
| SRB30W | | Blower, White, Fits SR30 | 4 | \$ 199.00 |
| SRB30TW | | Blower, Auto, White, fits SR30, BF30 | 4 | \$ 205.00 |
| SRS10W | | Stand, White, Fits SR6, SR10 | 3 | \$ 94.00 |
| SRS18W | | Stand, White, Fits SR18, BF10, BF20 | 3 | \$ 94.00 |
| SRS30W | | Stand, White, Fits SR30, BF30 | 3 | \$ 94.00 |

Note: Stands may not be used in bedroom installations.

Empire
Heaters

EMPIRE

2
0
2
5
-
2
0
2
6

Vent-Free Blue Flame Heaters - White

- Does not require electricity; operates in a power outage
- Made in U.S.A.
- Pallet Quantity: 30 units

Includes:

Barrier Screen



| BLUE FLAME HEATERS | BTU | DESCRIPTION | WEIGHT | LIST PRICE |
|--------------------|--------|---|--------|------------|
| BF10WLP | 10,000 | Modulating Hydraulic Thermostat, 10,000 Btu, Barrier, White | 29 | \$ 695.00 |
| BF10WNAT | 10,000 | Modulating Hydraulic Thermostat, 10,000 Btu, Barrier, White | 29 | \$ 695.00 |
| BF20WLP | 20,000 | Modulating Hydraulic Thermostat, 20,000 Btu, Barrier, White | 29 | \$ 735.00 |
| BF20WNAT | 20,000 | Modulating Hydraulic Thermostat, 20,000 Btu, Barrier, White | 29 | \$ 735.00 |
| BF30WLP | 30,000 | Modulating Hydraulic Thermostat, 30,000 Btu, Barrier, White | 38 | \$ 849.00 |
| BF30WNAT | 30,000 | Modulating Hydraulic Thermostat, 30,000 Btu, Barrier, White | 38 | \$ 849.00 |

| ACCESSORIES | | DESCRIPTION | WEIGHT | LIST PRICE |
|-------------|--|---|--------|------------|
| SRB18TW | | Blower, Auto, White, fits SR18T, BF10, BF20 | 4 | \$ 205.00 |
| SRB30TW | | Blower, Auto, White, fits SR30, BF30 | 4 | \$ 205.00 |
| SRS18W | | Stand, White, Fits SR18, BF10, BF20 | 3 | \$ 94.00 |
| SRS30W | | Stand, White, Fits SR30, BF30 | 3 | \$ 94.00 |

Note: Stands may not be used in bedroom installations.

Fireplace Accessories

Empire
Heaters

EMPIRE

HearthRite Vent-Free Infrared Heaters

- Does not require electricity; operates in a power outage
- Imported
- Pallet Quantity:

- HRW06 - 36 units
- HRW10 - 36 units
- HRW17 - 30 units
- HRW18 - 30 units
- HRW25 - 24 units
- HRW30 - 24 units



Includes:

Barrier Grid

| INFRARED HEATERS | BTU | DESCRIPTION | WEIGHT | LIST PRICE |
|------------------|--------|-------------------------------------|--------|------------|
| HRW060ML | 6,000 | Manual control, 6,000 Btu, Propane | 18.5 | \$ 284.00 |
| HRW060MN | 6,000 | Manual control, 6,000 Btu, Nat | 18.5 | \$ 284.00 |
| HRW10ML | 10,000 | Manual control, 10,000 Btu, Propane | 19 | \$ 304.00 |
| HRW10MN | 10,000 | Manual control, 10,000 Btu, Nat | 19 | \$ 304.00 |
| HRW10TL | 10,000 | Thermostat, 10,000 Btu, Propane | 19.25 | \$ 374.00 |
| HRW10TN | 10,000 | Thermostat, 10,000 Btu, Nat | 19.25 | \$ 374.00 |
| HRW17ML | 16,800 | Manual control, 16,800 Btu, Propane | 22 | \$ 344.00 |
| HRW17TL | 17,100 | Thermostat, 17,100 Btu, Propane | 22.25 | \$ 454.00 |
| HRW18MN | 18,000 | Manual control, 18,000 Btu, Nat | 22 | \$ 344.00 |
| HRW18TN | 18,000 | Thermostat, 18,000 Btu, Nat | 22.25 | \$ 454.00 |
| HRW25ML | 25,000 | Manual control, 25,000 Btu, Propane | 29.5 | \$ 414.00 |
| HRW25TL | 25,000 | Thermostat, 25,000 Btu, Propane | 30 | \$ 529.00 |
| HRW30MN | 30,000 | Manual control, 30,000 Btu, Nat | 29.5 | \$ 414.00 |
| HRW30TN | 30,000 | Thermostat, 30,000 Btu, Nat | 30 | \$ 529.00 |

| ACCESSORIES | | DESCRIPTION | WEIGHT | LIST PRICE |
|-------------|--|---|--------|------------|
| HABLR | | Blower, fits HRW17, HRW18, HRW25, HRW30, HBW20, HBW30 | 5 | \$ 92.00 |
| HABF | | Stand - fits HBW06, HBW10, HRW06, HRW10, HRW17, HRW18, HRW25, HRW30, HBW20, HBW30 | 1 | \$ 47.00 |

Note: Stands may not be used in bedroom installations.

Fireplace Accessories

Empire
Heaters

EMPIRE

2
0
2
5
-
2
0
2
6

HearthRite Vent-Free Blue Flame Heaters

- Does not require electricity; operates in a power outage
- Imported
- Pallet Quantity:
 - HBW06 - 36 units
 - HBW10 - 36 units
 - HBW20 - 30 units
 - HBW30 - 24 units



Includes:

Barrier Screen

| BLUE FLAME HEATERS | BTU | DESCRIPTION | WEIGHT | LIST PRICE |
|--------------------|--------|------------------------------------|--------|------------|
| HBW06ML | 6,000 | Manual control, 6,000 Btu, Propane | 18.5 | \$ 264.00 |
| HBW06MN | 6,000 | Manual control, 6,000 Btu, Nat | 18.5 | \$ 264.00 |
| HBW10TL | 10,000 | Thermostat, 10,000 Btu, Propane | 19 | \$ 314.00 |
| HBW10TN | 10,000 | Thermostat, 10,000 Btu, Nat | 19 | \$ 314.00 |
| HBW20TL | 20,000 | Thermostat, 20,000 Btu, Propane | 21.25 | \$ 439.00 |
| HBW20TN | 20,000 | Thermostat, 20,000 Btu, Nat | 21.25 | \$ 439.00 |
| HBW30TL | 30,000 | Thermostat, 30,000 Btu, Propane | 28.25 | \$ 519.00 |
| HBW30TN | 30,000 | Thermostat, 30,000 Btu, Nat | 28.25 | \$ 519.00 |

| ACCESSORIES | | DESCRIPTION | WEIGHT | LIST PRICE |
|-------------|--|---|--------|------------|
| HABLR | | Blower, fits HRW17, HRW18, HRW25, HRW30, HBW20, HBW30 | 5 | \$ 92.00 |
| HABF | | Stand - fits HBW06, HBW10, HRW06, HRW10, HRW17, HRW18, HRW25, HRW30, HBW20, HBW30 | 1 | \$ 47.00 |

Note: Stands may not be used in bedroom installations.

Fireplace Accessories

Empire
Heaters

EMPIRE

Direct-Vent Wall Furnaces

- Thermostat not included
- Does not require electricity; operates in a power outage
- Made in U.S.A.
- Pallet Quantity: 30 units



| WALL FURNACE | BTU | DESCRIPTION | WEIGHT | LIST PRICE |
|--------------|--------|-------------------------------|--------|------------|
| DV210SGXLP | 10,000 | MV w/o Thermostat, 10,000 Btu | 40 | \$1,305.00 |
| DV210SGXNAT | 10,000 | MV w/o Thermostat, 10,000 Btu | 40 | \$1,305.00 |
| DV215SGXLP | 15,000 | MV w/o Thermostat, 15,000 Btu | 50 | \$1,469.00 |
| DV215SGXNAT | 15,000 | MV w/o Thermostat, 15,000 Btu | 50 | \$1,469.00 |

| ACCESSORIES | DESCRIPTION | WEIGHT | LIST PRICE |
|-------------|---|--------|------------|
| TMV | Wall Thermostat, Reed Switch | 2 | \$ 48.00 |
| TRW | Wall Thermostat, Wireless | 2 | \$ 265.00 |
| TDV1 | Wall Thermostat, Digital | 1 | \$ 145.00 |
| DVB1 | Blower, Auto | 5 | \$ 335.00 |
| VSK1 | Slim-Line Vent Kit for Vinyl Siding Horizontal, incl outside wall plate with vent shield, for DV210/215 | 2.5 | \$ 67.00 |
| DV822 | Vinyl Siding Vent Kit for Empire Round Vent Kit | 5 | \$ 119.00 |

| CONVERSION KIT FOR DV210SGX | DESCRIPTION | WEIGHT | LIST PRICE |
|-----------------------------|----------------|--------|------------|
| 17080 | Nat to Propane | 1 | \$ 102.00 |
| 17081 | Propane to Nat | 1 | \$ 102.00 |

| CONVERSION KIT FOR DV215SGX | DESCRIPTION | WEIGHT | LIST PRICE |
|-----------------------------|----------------|--------|------------|
| 17082 | Nat to Propane | 1 | \$ 102.00 |
| 17083 | Propane to Nat | 1 | \$ 102.00 |

Fireplace Accessories

Empire
Heaters

EMPIRE


2
0
2
5
-
2
0
2
6

Direct-Vent Wall Furnaces

- Does not require electricity; operates in a power outage
- Made in U.S.A.
- Pallet Quantity: 7 units

Includes:

Thermostat



| WALL FURNACE | BTU | DESCRIPTION | WEIGHT | LIST PRICE |
|--------------|--------|-----------------------------|--------|------------|
| DV25SGLP | 25,000 | MV w/Thermostat, 25,000 Btu | 93 | \$1,825.00 |
| DV25SGNAT | 25,000 | MV w/Thermostat, 25,000 Btu | 91 | \$1,825.00 |
| DV35SGLP | 35,000 | MV w/Thermostat, 35,000 Btu | 96 | \$1,969.00 |
| DV35SGNAT | 35,000 | MV w/Thermostat, 35,000 Btu | 94 | \$1,969.00 |

| ACCESSORIES | | DESCRIPTION | WEIGHT | LIST PRICE |
|-------------|--|---|--------|------------|
| TMV | | Wall Thermostat, Reed Switch | 2 | \$ 48.00 |
| TRW | | Wall Thermostat, Wireless | 2 | \$ 265.00 |
| TDV1 | | Wall Thermostat, Digital | 1 | \$ 145.00 |
| DRB1 | | Blower, Auto | 8 | \$ 325.00 |
| VSK2 | | Slim-Line Vent Kit for Vinyl Siding Horizontal, incl outside wall plate with vent shield, for DV25/35, DVC35/55 | 4 | \$ 67.00 |
| DV822 | | Vinyl Siding Vent Kit for Empire Round Vent Kit | 5 | \$ 119.00 |

| CONVERSION KIT FOR DV25 | | DESCRIPTION | WEIGHT | LIST PRICE |
|-------------------------|--|----------------|--------|------------|
| 17084 | | Nat to Propane | 1 | \$ 102.00 |
| 17085 | | Propane to Nat | 1 | \$ 102.00 |


| CONVERSION KIT FOR DV35 | | DESCRIPTION | WEIGHT | LIST PRICE |
|-------------------------|--|----------------|--------|------------|
| 17086 | | Nat to Propane | 1 | \$ 102.00 |
| 17087 | | Propane to Nat | 1 | \$ 102.00 |

Empire
Heaters

EMPIRE


Vinyl Siding Kits and Vent Extension Kits

DV822 - Includes Siding Kit Only



Does not include vent tube, cap, or wall plate. These items ship with unit.

VSK1 and VSK2 - Includes Outside



Does not include vent tube or cap. These items ship with unit.

| VINYL SIDING KITS | BTU | DESCRIPTION | WEIGHT | LIST PRICE |
|-------------------|-----|---|--------|------------|
| VSK1 | | Slim-Line Vent Kit for Vinyl Siding Horizontal, incl outside wall plate with vent shield, for DV210/215 | 2.5 | \$ 67.00 |
| VSK2 | | Slim-Line Vent Kit for Vinyl Siding Horizontal, incl outside wall plate with vent shield, for DV25/35, DVC35/55 | 4 | \$ 67.00 |
| DV822 | | Vinyl Siding Vent Kit for Empire Round Vent Kit | 5 | \$ 119.00 |

| DV210SGX | DESCRIPTION | WEIGHT | LIST PRICE |
|----------|--|--------|------------|
| TH345 | Extension Tube, Flue Outlet 3-in. for walls 13 to 19 in., for DV210SGX | 2 | \$ 39.00 |
| TH346 | Extension Tube, Air Inlet 5-in. for walls 13 to 19-in., for DV210SGX | 2 | \$ 51.00 |

| DV215SGX | DESCRIPTION | WEIGHT | LIST PRICE |
|----------|--|--------|------------|
| TH357* | Vent Extension Kit for walls 13 to 19 in., for DV215SGXNAT | 1 | \$ 76.00 |
| TH358* | Vent Extension Kit for walls 13 to 19 in., for DV215SGXLP | 2 | \$ 76.00 |

* Approved for US and Canada for installation with DV215SGX-2. Not approved for DV215SGX-1 in Canada

| DV35SGX | DESCRIPTION | WEIGHT | LIST PRICE |
|---------|--|--------|------------|
| DV983 | Vent Extension Kit for walls 13 to 19 in for DV35NAT | 1 | \$ 78.00 |
| DV984 | Vent Extension Kit for walls 13 to 19 in for DV35LP | 1 | \$ 78.00 |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplace Accessories

Empire
Heaters

EMPIRE

2
0
2
5
-
2
0
2
6

Direct-Vent Counterflow Wall Furnaces

- Thermostat not included
- Made in U.S.A.
- Pallet Quantity:
DVC35 18 units
DVC55 6 units

Includes:

- DVC35 models include DV1273 Vent Kit
- DVC55 models include DV600 Vent Kit (Ships in two cartons)



| COUNTERFLOW WALL FURNACE | BTU | DESCRIPTION | WEIGHT | LIST PRICE |
|--------------------------|--------|--|--------|------------|
| DVC35SPPXLP | 35,000 | 24V System w/o Thermostat, 35,000 Btu/Standing Pilot | 107 | \$2,599.00 |
| DVC35SPPXNAT | 35,000 | 24V System w/o Thermostat, 35,000 Btu/Standing Pilot | 107 | \$2,599.00 |
| DVC35IPXLP | 35,000 | 24V System w/o Thermostat, 35,000 Btu/Electronic Pilot | 107 | \$3,095.00 |
| DVC35IPXNAT | 35,000 | 24V System w/o Thermostat, 35,000 Btu/Electronic Pilot | 107 | \$3,095.00 |
| DVC55SPPXLP | 55,000 | 24V System w/o Thermostat, 55,000 Btu/Standing Pilot | 123 | \$2,909.00 |
| DVC55SPPXNAT | 55,000 | 24V System w/o Thermostat, 55,000 Btu/Standing Pilot | 123 | \$2,909.00 |
| DVC55IPXLP | 55,000 | 24V System w/o Thermostat, 55,000 Btu/Electronic Pilot | 123 | \$3,489.00 |
| DVC55IPXNAT | 55,000 | 24V System w/o Thermostat, 55,000 Btu/Electronic Pilot | 123 | \$3,489.00 |

| ACCESSORIES | | DESCRIPTION | WEIGHT | LIST PRICE |
|-------------|--|---|--------|------------|
| TRW | | Wall Thermostat, Wireless | 2 | \$ 265.00 |
| TDV1 | | Wall Thermostat, Digital | 1 | \$ 145.00 |
| T24V | | Wall Thermostat, 24 V | 1 | \$ 41.00 |
| SOR1 | | Side Outlet Register | 2 | \$ 175.00 |
| SOK1 | | Side Outlet Kit, 10-in. | 7 | \$ 199.00 |
| VSK2 | | Slim-Line Vent Kit for Vinyl Siding Horizontal, incl outside wall plate with vent shield, for DV25/35, DVC35/55 | 4 | \$ 67.00 |
| DV822 | | Vinyl Siding Vent Kit for Empire Round Vent Kit | 5 | \$ 119.00 |

| CONVERSION KIT FOR DVC35SPPX | | DESCRIPTION | WEIGHT | LIST PRICE |
|------------------------------|--|----------------|--------|------------|
| DV1344 | | Nat to Propane | 1 | \$ 225.00 |
| DV1346 | | Propane to Nat | 1 | \$ 219.00 |

| CONVERSION KIT FOR DVC35IPX | | DESCRIPTION | WEIGHT | LIST PRICE |
|-----------------------------|--|----------------|--------|------------|
| DV1348 | | Nat to Propane | 1 | \$ 429.00 |
| DV1350 | | Propane to Nat | 1 | \$ 529.00 |

| CONVERSION KIT FOR DVC55SPPX | | DESCRIPTION | WEIGHT | LIST PRICE |
|------------------------------|--|----------------|--------|------------|
| 682270 | | Nat to Propane | 1 | \$ 235.00 |
| 682161 | | Propane to Nat | 1 | \$ 285.00 |

| CONVERSION KIT FOR DVC55IPX | | DESCRIPTION | WEIGHT | LIST PRICE |
|-----------------------------|--|----------------|--------|------------|
| 682269 | | Nat to Propane | 1 | \$ 219.00 |
| 682160 | | Propane to Nat | 1 | \$ 285.00 |

Fireplace Accessories

Empire
Heaters

EMPIRE

B-Vent Counterflow Wall Furnaces

- Thermostat not included
- Made in U.S.A.
- Pallet Quantity: 18 units



| COUNTERFLOW WALL FURNACE | BTU | DESCRIPTION | WEIGHT | LIST PRICE |
|--------------------------|--------|--|--------|------------|
| FAW40SPPXLP | 40,000 | 24V System w/o Thermostat, 40,000 Btu/Standing Pilot | 110 | \$2,269.00 |
| FAW40SPPXNAT | 40,000 | 24V System w/o Thermostat, 40,000 Btu/Standing Pilot | 110 | \$2,269.00 |
| FAW40IPXLP | 40,000 | 24V System w/o Thermostat, 40,000 Btu/Electronic Pilot | 110 | \$2,795.00 |
| FAW40IPXNAT | 40,000 | 24V System w/o Thermostat, 40,000 Btu/Electronic Pilot | 110 | \$2,795.00 |
| FAW55SPPXLP | 55,000 | 24V System w/o Thermostat, 55,000 Btu/Standing Pilot | 135 | \$2,599.00 |
| FAW55SPPXNAT | 55,000 | 24V System w/o Thermostat, 55,000 Btu/Standing Pilot | 135 | \$2,599.00 |
| FAW55IPXLP | 55,000 | 24V System w/o Thermostat, 55,000 Btu/Electronic Pilot | 135 | \$3,169.00 |
| FAW55IPXNAT | 55,000 | 24V System w/o Thermostat, 55,000 Btu/Electronic Pilot | 135 | \$3,169.00 |

| ACCESSORIES | DESCRIPTION | WEIGHT | LIST PRICE |
|-------------|--|--------|------------|
| TRW | Wall Thermostat, Wireless | 2 | \$ 265.00 |
| TDV1 | Wall Thermostat, Digital | 1 | \$ 145.00 |
| T24V | Wall Thermostat, 24 V | 1 | \$ 41.00 |
| SOR1 | Side Outlet Register | 2 | \$ 175.00 |
| SOK1 | Side Outlet Kit, 10-in. | 7 | \$ 199.00 |
| ROK1 | 10-in. Rear Outlet Kit | 9 | \$ 269.00 |
| FVE24DB | Vent Enclosure, 24-in., fits FAW40 w/DV648DBF | 7 | \$ 165.00 |
| FVE34DB | Vent Enclosure, 34-inch, fits FAW40 w/DV648DBF | 10 | \$ 175.00 |
| FVE46DB | Vent Enclosure, 46-inch, fits FAW40 w/DV648DBF | 14 | \$ 199.00 |
| DV651DB | Vent Enclosure 14-in., fits FAW55 w/DV648DBD | 6 | \$ 175.00 |
| DV665DB | Vent Enclosure 24-in., fits FAW55 w/DV648DBD | 9 | \$ 189.00 |
| DV666DB | Vent Enclosure 36-in., fits FAW55 w/DV648DBD | 14 | \$ 189.00 |
| DV648DBF | Oval-to-Round Flue Adapter - Double Wall, fits FAW40 | 3 | \$ 229.00 |
| DV648DBD | Oval-to-Round Flue Adapter - Double Wall, fits FAW55 | 3 | \$ 229.00 |

| CONVERSION KIT FOR FAW40SPPX | DESCRIPTION | WEIGHT | LIST PRICE |
|------------------------------|----------------|--------|------------|
| DV1345 | Nat to Propane | 1 | \$ 225.00 |
| DV1347 | Propane to Nat | 1 | \$ 225.00 |
| CONVERSION KIT FOR FAW40IPX | DESCRIPTION | WEIGHT | LIST PRICE |
| DV1349 | Nat to Propane | 1 | \$ 435.00 |
| DV1351 | Propane to Nat | 1 | \$ 519.00 |
| CONVERSION KIT FOR FAW55SPPX | DESCRIPTION | WEIGHT | LIST PRICE |
| 682270 | Nat to Propane | 1 | \$ 235.00 |
| 682161 | Propane to Nat | 1 | \$ 285.00 |
| CONVERSION KIT FOR FAW55IPX | DESCRIPTION | WEIGHT | LIST PRICE |
| 682269 | Nat to Propane | 1 | \$ 219.00 |
| 682160 | Propane to Nat | 1 | \$ 285.00 |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplace Accessories

Empire
Heaters

EMPIRE

B-Vent Wall Furnaces

- Thermostat not included
- Does not require electricity; operates in a power outage
- Made in U.S.A.
- Pallet Quantity:
GWT25W 21 units
GWT35W 21 units
GWT50W 12 units



Includes:

- GWT25 includes GWTH2535W Header
- GWT35 includes GWTH2535W Header
- GWT50 includes GWTH50W Header

| GRAVITY WALL FURNACE | BTU | DESCRIPTION | WEIGHT | LIST PRICE |
|----------------------|--------|-----------------------|--------|------------|
| GWT25WLP | 25,000 | MV, 25,000 Btu, White | 75 | \$1,275.00 |
| GWT25WNAT | 25,000 | MV, 25,000 Btu, White | 75 | \$1,275.00 |
| GWT35WLP | 35,000 | MV, 35,000 Btu, White | 81 | \$1,379.00 |
| GWT35WNAT | 35,000 | MV, 35,000 Btu, White | 81 | \$1,379.00 |
| GWT50WLP | 50,000 | MV, 50,000 Btu, White | 131 | \$1,845.00 |
| GWT50WNAT | 50,000 | MV, 50,000 Btu, White | 131 | \$1,845.00 |

| ACCESSORIES | DESCRIPTION | WEIGHT | LIST PRICE |
|-------------|---|--------|------------|
| TMV | Wall Thermostat, Reed Switch | 2 | \$ 48.00 |
| TRW | Wall Thermostat, Wireless | 2 | \$ 265.00 |
| TDV1 | Wall Thermostat, Digital | 1 | \$ 145.00 |
| GWRBT | Remote Bulb Thermostat | 1 | \$ 215.00 |
| GWTB2W | Blower, Auto, White | 8 | \$ 459.00 |
| GWTH2535W | Header, White, (included with furnace), fits GWT25W, GWT35W | 2 | \$ 72.00 |
| GWTH50W | Header, White, (included with furnace), fits GWT50W | 4 | \$ 78.00 |
| GWTR1W | Rear Register Kit, White, fits GWT25W, GWT35W | 5 | \$ 229.00 |
| GWTW2W | Out-of-Wall Installation Kit, White, fits GWT25W, GWT35W | 23 | \$ 489.00 |

| CONVERSION KIT FOR GWT25W | DESCRIPTION | WEIGHT | LIST PRICE |
|---------------------------|----------------|--------|------------|
| 17088 | Nat to Propane | 1 | \$ 102.00 |
| 17089 | Propane to Nat | 1 | \$ 102.00 |

| CONVERSION KIT FOR GWT35W | DESCRIPTION | WEIGHT | LIST PRICE |
|---------------------------|----------------|--------|------------|
| 17090 | Nat to Propane | 1 | \$ 102.00 |
| 17091 | Propane to Nat | 1 | \$ 102.00 |

| CONVERSION KIT FOR GWT50W | DESCRIPTION | WEIGHT | LIST PRICE |
|---------------------------|----------------|--------|------------|
| 17092 | Nat to Propane | 1 | \$ 102.00 |
| 17093 | Propane to Nat | 1 | \$ 102.00 |

2
0
2
5
-
2
0
2
6

Fireplace Accessories

Empire
Heaters

EMPIRE

B-Vent Room Heaters

- Does not require electricity; operates in a power outage
- Made in U.S.A.
- Pallet Quantity: 6 units

Includes:

Hydraulic Thermostat



| ROOM HEATER | BTU | DESCRIPTION | WEIGHT | LIST PRICE |
|-------------|--------|--|--------|------------|
| RH25LP | 25,000 | Console, Hydraulic Thermostat, 25,000 Btu/Standing Pilot | 88 | \$1,535.00 |
| RH25NAT | 25,000 | Console, Hydraulic Thermostat, 25,000 Btu/Standing Pilot | 88 | \$1,535.00 |
| RH35LP | 35,000 | Console, Hydraulic Thermostat, 35,000 Btu/Standing Pilot | 88 | \$1,669.00 |
| RH35NAT | 35,000 | Console, Hydraulic Thermostat, 35,000 Btu/Standing Pilot | 88 | \$1,669.00 |

| ACCESSORIES | | DESCRIPTION | WEIGHT | LIST PRICE |
|-------------|--|---------------------------|--------|------------|
| DRB1 | | Blower, Auto | 8 | \$ 325.00 |
| DVP1 | | Floor Pad, 36 x 14 inches | 10 | \$ 115.00 |

| CONVERSION KIT FOR RH25 | | DESCRIPTION | WEIGHT | LIST PRICE |
|-------------------------|--|----------------|--------|------------|
| 33728 | | Propane to Nat | 1 | \$ 69.00 |
| 33730 | | Nat to Propane | 1 | \$ 69.00 |

| CONVERSION KIT FOR RH35 | | DESCRIPTION | WEIGHT | LIST PRICE |
|-------------------------|--|----------------|--------|------------|
| 33729 | | Propane to Nat | 1 | \$ 69.00 |
| 33731 | | Nat to Propane | 1 | \$ 69.00 |

Fireplace Accessories

Empire
Heaters

EMPIRE

B-Vent Visual Flame Room Heaters

- Does not require electricity; operates in a power outage
- Made in U.S.A.
- Pallet Quantity: 6 units

Includes:

Hydraulic Thermostat



2
0
2
5
-
2
0
2
6

| VISUAL FLAME ROOM HEATERS WITH BLOWERS | BTU | DESCRIPTION | WEIGHT | LIST PRICE |
|--|--------|--|--------|------------|
| RH50BLP | 50,000 | Visual Flame, Hydraulic Thermostat Blower, 50,000 Btu | 124 | \$2,475.00 |
| RH50BNAT | 50,000 | Visual Flame, Hydraulic Thermostat Blower, 50,000 Btu | 124 | \$2,475.00 |
| RH65BLP | 65,000 | Visual Flame, Hydraulic Thermostat, Standing Pilot, Blower, 65,000 Btu | 142 | \$2,689.00 |
| RH65BNAT | 65,000 | Visual Flame, Hydraulic Thermostat, Standing Pilot, Blower, 65,000 Btu | 142 | \$2,689.00 |

| CLOSED FRONT ROOM HEATERS | BTU | DESCRIPTION | WEIGHT | LIST PRICE |
|---------------------------|--------|--|--------|------------|
| RH50CLP | 50,000 | Closed Front, Hydraulic Thermostat, Standing Pilot, 50,000 Btu | 124 | \$1,759.00 |
| RH50CNAT | 50,000 | Closed Front, Hydraulic Thermostat, Standing Pilot, 50,000 Btu | 124 | \$1,759.00 |
| RH65CLP | 65,000 | Closed Front, Hydraulic Thermostat, Standing Pilot, 65,000 Btu | 142 | \$1,945.00 |
| RH65CNAT | 65,000 | Closed Front, Hydraulic Thermostat, Standing Pilot, 65,000 Btu | 142 | \$1,945.00 |

| CLOSED FRONT ROOM HEATERS WITH BLOWERS | BTU | DESCRIPTION | WEIGHT | LIST PRICE |
|--|--------|---|--------|------------|
| RH50CBLP | 50,000 | Closed Front w/Blower, Hydraulic Thermostat, Standing Pilot, 50,000 Btu | 124 | \$2,039.00 |
| RH50CBNAT | 50,000 | Closed Front w/Blower, Hydraulic Thermostat, Standing Pilot, 50,000 Btu | 124 | \$2,039.00 |
| RH65CBLP | 65,000 | Closed Front w/Blower, Hydraulic Thermostat, Standing Pilot, 65,000 Btu | 142 | \$2,225.00 |
| RH65CBNAT | 65,000 | Closed Front w/Blower, Hydraulic Thermostat, Standing Pilot, 65,000 Btu | 142 | \$2,225.00 |

| ACCESSORIES | | DESCRIPTION | WEIGHT | LIST PRICE |
|-------------|--|---|--------|------------|
| FRB3 | | Blower, Auto | 10 | \$ 305.00 |
| RAD8 | | Radiants & Supports, Fits RH50B, RH65B | 12 | \$ 355.00 |
| RHL2 | | Log Kit, Fits RH50B, RH65B | 6.4 | \$ 135.00 |
| RH425 | | Floor Pad 36 x 21, Fits RH50 (all); RH65(all) | 10 | \$ 159.00 |

| CONVERSION KIT FOR RH50 | | DESCRIPTION | WEIGHT | LIST PRICE |
|-------------------------|--|----------------|--------|------------|
| 33724 | | Nat to Propane | 1 | \$ 69.00 |
| 33726 | | Propane to Nat | 1 | \$ 69.00 |

| CONVERSION KIT FOR RH65 | | DESCRIPTION | WEIGHT | LIST PRICE |
|-------------------------|--|----------------|--------|------------|
| 44496 | | Nat to Propane | 1 | \$ 69.00 |
| 33727 | | Propane to Nat | 1 | \$ 69.00 |

Fireplaces, Inserts & Stoves

Section 700

2
0
2
5
-
2
0
2
6



| Page Number | Vendor | Product | Sold Regionally | Publish Date |
|---|----------|-------------|-----------------|--------------|
| Kingsman Freestanding Direct Vent Gas Stoves | | | | |
| 703-704 | Kingsman | KFFDV200S | ✓ | 05/25 |
| 705 | Kingsman | KFFDV350 | ✓ | 05/25 |
| 706-707 | Kingsman | KFFDV451 | ✓ | 05/25 |
| Kingsman Zero Clearance Direct Vent Gas Fireplaces | | | | |
| 708-709 | Kingsman | KFZCV3622 | ✓ | 05/25 |
| 710-711 | Kingsman | KFZCVRB3622 | ✓ | 05/25 |
| 712-713 | Kingsman | KFZCVRB47 | ✓ | 05/25 |
| 714-715 | Kingsman | KFZCVRB60 | ✓ | 05/25 |
| 716-717 | Kingsman | KFZCVRB72 | ✓ | 05/25 |
| 718-719 | Kingsman | KFHBZDV3624 | ✓ | 05/25 |
| 720-721 | Kingsman | KFHBZDV3628 | ✓ | 05/25 |
| 722-723 | Kingsman | KFHBZDV4224 | ✓ | 05/25 |
| 724-725 | Kingsman | KFHBZDV4228 | ✓ | 05/25 |
| 726-727 | Kingsman | KFBHZDV4736 | ✓ | 05/25 |
| 728-729 | Kingsman | KFZCV34 | ✓ | 05/25 |
| 730-731 | Kingsman | KFZCV34H | ✓ | 05/25 |
| 732-733 | Kingsman | KFZCV39 | ✓ | 05/25 |
| 734-735 | Kingsman | KFZCV39H | ✓ | 05/25 |
| 736-737 | Kingsman | KFZCV42 | ✓ | 05/25 |
| 738-739 | Kingsman | KFZCV42H | ✓ | 05/25 |
| Kingsman Multi-Sided Direct Vent Fireplace | | | | |
| 740 | Kingsman | KFMCVP42 | ✓ | 05/25 |
| 741-742 | Kingsman | KFMCVP42H | ✓ | 05/25 |
| 743-744 | Kingsman | KFMCVST42 | ✓ | 05/25 |
| 745-746 | Kingsman | KFMCVST42H | ✓ | 05/25 |
| Kingsman Direct Vent Gas Inserts | | | | |
| 747-748 | Kingsman | KFIDV24 | ✓ | 05/25 |
| 749-750 | Kingsman | KFIDV26 | ✓ | 05/25 |



For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Associated Energy Systems - Serving you with distribution centers in: Kent, WA | West Sacramento, CA | Denver, CO | Dallas, TX | Rogers, MN

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplaces, Inserts & Stoves

Section 700



| Page Number | Vendor | Product | Sold Regionally | Publish Date |
|--|------------|---|--------------------|--------------|
| Kingsman Direct Vent Gas Inserts (Continued) | | | | |
| 751-752 | Kingsman | KFIDV34 | ✓ | 05/25 |
| 753-754 | Kingsman | KFIDV44 | ✓ | 05/25 |
| Kingsman Venting Accessories | | | | |
| 755-757 | Kingsman | Venting Accessories | ✓ | 05/25 |
| True North Wood Stoves and Inserts | | | | |
| 759 | True North | TN10 Freestanding | ✓ | 06/25 |
| 759 | True North | TN20 Freestanding | ✓ | 06/25 |
| 759 | True North | TN25C Freestanding | ✓ | 06/25 |
| 759 | True North | TN20 Insert | ✓ | 06/25 |
| True North Gas Stoves | | | | |
| 760 | True North | TN24 Freestanding | ✓ | 06/25 |
| True North Pellet Stoves and Inserts | | | | |
| 760 | True North | TN40 Freestanding | ✓ | 06/25 |
| 760 | True North | TN40 Insert | ✓ | 06/25 |
| Empire Vented Gas Products | | | | |
| 761 | Empire | Rushmore 36 Fireplace | STOCK MODEL | 06/25 |
| 762 | Empire | Rushmore 40 Fireplace | STOCK MODEL | 06/25 |
| 763 | Empire | Rushmore 40 See Through Fireplace | STOCK MODEL | 06/25 |
| 764 | Empire | Rushmore 50 Fireplace | STOCK MODEL | 06/25 |
| 765 | Empire | Rushmore 30 Insert | STOCK MODEL | 06/25 |
| 766 | Empire | Rushmore 35 Insert | STOCK MODEL | 06/25 |
| 767 | Empire | McKinley 60 Linear Fireplace | STOCK MODEL | 06/25 |
| 768 | Empire | Boulevard 36 & 48 Contemporary Fireplace | STOCK MODEL | 06/25 |
| 769 | Empire | Boulevard 60 & 72 Contemporary Fireplace | STOCK MODEL | 06/25 |
| 770 | Empire | Boulevard 48 Contemporary See Thru Fireplace | STOCK MODEL | 06/25 |
| 771 | Empire | Tahoe 36 Deluxe Fireplace | STOCK MODEL | 06/25 |
| 772 | Empire | Tahoe 42 Deluxe Fireplace | STOCK MODEL | 06/25 |
| 773 | Empire | Tahoe 36 Clean Face Deluxe Fireplace | STOCK MODEL | 06/25 |
| 774 | Empire | Tahoe 42 Clean Face Premium Fireplace | STOCK MODEL | 06/25 |
| 775 | Empire | Tahoe 36 Clean Face Peninsula & See Through Fireplace | STOCK MODEL | 06/25 |
| PLEASE NOTE: Not all products are sold throughout all AES territories/regions. If "Sold Regionally" please contact AES Inside Sales | | | | |

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Associated Energy Systems - Serving you with distribution centers in: Kent, WA | West Sacramento, CA | Denver, CO | Dallas, TX | Rogers, MN

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplaces, Inserts & Stoves

Section 700

2
0
2
5
-
2
0
2
6



| Page Number | Vendor | Product | Sold Regionally | Publish Date |
|--|--------|--|-----------------|--------------|
| Empire Vented Gas Products (Continued) | | | | |
| 776 | Empire | Innsbrook Small Insert | STOCK MODEL | 06/25 |
| 777 | Empire | Innsbrook Medium Insert | STOCK MODEL | 06/25 |
| 778 | Empire | Innsbrook Large Insert | STOCK MODEL | 06/25 |
| 779 | Empire | Spirit Small Steel Stove | STOCK MODEL | 06/25 |
| 779 | Empire | Spirit Medium Steel Stove | STOCK MODEL | 06/25 |
| 780-783 | Empire | Venting - 4 x 6 5/8", 5 x 8", Stove, Insert and Power Vent | | 06/25 |
| Empire Vent Free Gas Products | | | | |
| 784 | Empire | Breckenridge 32 Deluxe Firebox (VF) | STOCK MODEL | 06/25 |
| 785 | Empire | Breckenridge 36 Deluxe Firebox (VF) | STOCK MODEL | 06/25 |
| 786 | Empire | Breckenridge 42 Deluxe Firebox (VF) | STOCK MODEL | 06/25 |
| 787 | Empire | Boulevard 36, 48, 60 & 72 Linear Fireplace (VF) | STOCK MODEL | 06/25 |
| 788 | Empire | Spirit Small & Medium Steel Stove (VF) | | 06/25 |
| Empire Wood Products | | | | |
| 789 | Empire | Blackburn Wood Firebox | STOCK MODEL | 06/25 |
| 790-791 | Empire | Blackburn Wood Firebox | STOCK MODEL | 06/25 |
| 792 | Empire | Venting for Blackburn & Aspen Wood Fireboxes | STOCK MODEL | 06/25 |
| 793 | Empire | Gateway 1700 Wood Stove | STOCK MODEL | 06/25 |
| 794 | Empire | Gateway 2300 Wood Stove | STOCK MODEL | 06/25 |
| 795 | Empire | Gateway 3500 Wood Stove | STOCK MODEL | 06/25 |
| 796 | Empire | Archway 1700 Wood Insert | STOCK MODEL | 06/25 |
| 797 | Empire | Archway 2300 Wood Insert | STOCK MODEL | 06/25 |
| PLEASE NOTE: Not all products are sold throughout all AES territories/regions. If "Sold Regionally" please contact AES Inside Sales | | | | |

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Associated Energy Systems - Serving you with distribution centers in: Kent, WA | West Sacramento, CA | Denver, CO | Dallas, TX | Rogers, MN

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplaces, Inserts & Stoves

Kingsman
Freestanding Direct Vent Gas Stoves



2
0
2
5
-
2
0
2
6

KFFDV200S - Freestanding Direct Vent Gas Stoves

Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, Ceramic Glass, Glowing Embers, Hi/Lo SIT Valve, On/Off Switch, Leg Model, Uses KFZDVDKA Adapter 4/7" Top Flue, Safety Screen, 30,000 BTU NG, 26,000 BTU LP

| Best Selling Package | Retail |
|---|-------------|
| FDV200S Freestanding Stove Proflame 2, NG, Remote, Thermostat, Fan, Log Set and Refractory Liner (KFFDV200SNE2, KFLOGF200 and KFFDV200RL) | \$ 4,051.00 |

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|-----------------------------|---|-------------|--------------|---------|
| Unit Body (Required) | | | | |
| KFFDV200SN | Free Standing Stove - Millivolt - NG - Black | N/A | \$ 2,614.00 | N |
| KFFDV200SLP | Free Standing Stove - Millivolt - LP - Black | N/A | \$ 2,674.00 | N |
| KFFDV200SNE2 | Free Standing Stove - Proflame 2 IPI - Includes-Remote-Thermostat-Mod-Fan - NG | N/A | \$ 3,437.00 | N |
| KFFDV200SLPE2 | Free Standing Stove - Proflame 2 IPI - Includes-Remote-Thermostat-Mod-Fan - LP | N/A | \$ 3,498.00 | N |
| KF200DVCKLP | Conversion Kit - Millivolt - To LP | N/A | \$ 97.00 | N |
| KF200DVCKNG | Conversion Kit - Millivolt - To NG | N/A | \$ 97.00 | N |
| KF200DVCKLP2 | Conversion Kit - IPI Proflame 2 - To LP | N/A | \$ 209.00 | N |
| KF200DVCKNG2 | Conversion Kit - IPI Proflame 2 - To NG | N/A | \$ 209.00 | N |
| Log Set (Required) | | | | |
| KFLOGF200 | Log Set - Five Piece Fiber Split Oak | N/A | \$ 351.00 | Y |
| Optional Accessories | | | | |
| KFF45FK | Fan Kit w/Variable Speed Control (Temperature Sensing) | 6 lbs. | \$ 392.00 | Y |
| KFFDV200RL | Refractory Liner | N/A | \$ 263.00 | N |
| KFZDVDKA | Dura-Vent Adapter | 2 lbs. | \$ 85.00 | Y |

Fireplaces, Inserts & Stoves

Kingsman
Freestanding Direct Vent Gas Stoves



KFFDV200S - Freestanding Direct Vent Gas Stoves

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|-------------------------------------|---|-------------|--------------|---------|
| Thermostats, Remote Controls | | | | |
| KFZ2MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | Y |
| KFZ80PT | Thermostat Programmable Digital - Wall Mount - MV/PF1 | 0.5 lbs. | \$ 188.00 | N |
| ST1001A | Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) | 1 lbs. | \$ 219.00 | Y |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | Y |
| KFWMBH | Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness | 1 lbs. | \$ 231.00 | N |

Fireplaces, Inserts & Stoves

Kingsman
Freestanding Direct Vent Gas Stoves



2
0
2
5
-
2
0
2
6

KFFDV350 - Freestanding Direct Vent Gas Stoves

Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, Fan, Bay Viewing Area, Black Louver, Adjustable SIT Valve, **Uses KFZDVDKA Adapter, 4/7" Top Flue, 37,000 BTU NG, 35,000 BTU LP**

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|--|-------------|--------------|---------|
| Unit Body (Required) | | | | |
| KFFDV350N | Free Standing Stove - Millivolt - NG | 120 lbs. | \$ 2,270.00 | Y |
| KFFDV350LP | Free Standing Stove - Millivolt - LP | 120 lbs. | \$ 2,350.00 | N |
| KFFDV350NE2 | Free Standing Stove - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - NG | 130 lbs. | \$ 3,504.00 | N |
| KFFDV350LPE2 | Free Standing Stove - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - LP | 130 lbs. | \$ 3,585.00 | N |
| KF350DVCKLP | Conversion Kit - Millivolt - To LP | 1 lbs. | \$ 97.00 | Y |
| KF350DVCKNG | Conversion Kit - Millivolt - To NG | 1 lbs. | \$ 97.00 | N |
| KF350DVCKLP12 | Conversion Kit - IPI Proflame 2 - To LP | 1 lbs. | \$ 209.00 | N |
| KF350DVCKNG12 | Conversion Kit - IPI Proflame 2 - To NG | 1 lbs. | \$ 209.00 | N |
| Door Front (Required) | | | | |
| KFF35DB | Door Frame and Ceramic Glass - Black | 15 lbs. | \$ 776.00 | Y |
| Log Set (Required) | | | | |
| KFLOGF35 | Log Set - Fiber Split Oak | 12 lbs. | \$ 447.00 | Y |
| Accessories | | | | |
| KFF45FK | Fan Kit - PF1/MV w/Variable Speed Control (Temperature Sensing) | 6 lbs. | \$ 392.00 | Y |
| KFF35RL | Refractory Liner | 12 lbs. | \$ 205.00 | Y |
| KFZDVDKA | Dura-Vent Adapter | 2 lbs. | \$ 85.00 | Y |
| KFF35BVC | B-Vent Converter (4/7" DV to 4" B-Vent) | 1 lbs. | \$ 289.00 | N |
| Thermostats and Remote Controls | | | | |
| KFZ2MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | Y |
| KFZ8OPT | Thermostat Programmable Digital - Wall Mount - MV/PF1 | 0.5 lbs. | \$ 188.00 | N |
| ST1001A | Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) | 1 lbs. | \$ 219.00 | Y |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | Y |
| KFWMBH | Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness | 1 lbs. | \$ 231.00 | N |

Fireplaces, Inserts & Stoves

Kingsman
Freestanding Direct Vent Gas Stoves



KFFDV451 - Freestanding Direct Vent Gas Stoves

Freestanding Direct Vent Gas Stove, Listed for USA/Canada as a Gas Fired Direct Vent Room Heater, Includes Dual Burner, Ceramic Glass, Glowing Embers, Hi/Lo SIT Valve, On/Off Switch, Efficiency above 70% NG/LP, Safety Screen Barrier, Approved for Mobile Home (Direct Vent Model Only), Approved for Bedroom or Bed Sitting Room

Uses KFZDVDKA Adapter, 4/7" Inch Top Flue

| Best Selling Package | Retail |
|---|-------------|
| FDV451 Freestanding Stove Proflame 2, NG, Charcoal Door Front, Flat Black Posts and Charcoal Side Doors (KFFDV451NE2, KFF450FBL, KFF451SDSBL and KFLOGF451) | \$ 4,845.00 |

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---|---|-------------|--------------|---------|
| Unit Body (Required) | | | | |
| KFFDV451N | Freestanding Stove - Millivolt - 34,500 BTU for NG - Charcoal | 125 lbs. | \$ 2,171.00 | N |
| KFFDV451LP | Freestanding Stove - Millivolt - 31,000 BTU for LP - Charcoal | 125 lbs. | \$ 2,250.00 | N |
| KFFDV451NE2 | Free Standing Stove - Proflame 2 IPI - Includes Remote-Thermostat-Mod-Fan - NG | 125 lbs. | \$ 3,400.00 | Y |
| KFFDV451LPE2 | Free Standing Stove - Proflame 2 IPI - Includes Remote-Thermostat-Mod-Fan - LP | 125 lbs. | \$ 3,481.00 | N |
| KF450DVCKLP | Conversion Kit - Millivolt - To LP | 1 lbs. | \$ 97.00 | Y |
| KF450DVCKNG | Conversion Kit - Millivolt - To NG | 1 lbs. | \$ 97.00 | N |
| KF450DVCKLP2 | Conversion Kit - IPI Proflame 2 - To LP | 1 lbs. | \$ 209.00 | Y |
| KF450DVCKNG2 | Conversion Kit - IPI Proflame 2 - To NG | 1 lbs. | \$ 209.00 | N |
| Door Fronts (Required for Each Unit) | | | | |
| KFF450FBL | Door Face & Vent Lid - Charcoal w/Flat Black Posts & Safety Screen | 32 lbs. | \$ 566.00 | Y |
| Side Doors (Required for Each Unit) | | | | |
| KFF451SDSBL | Charcoal Solid Panel w/Black Frame | 23 lbs. | \$ 365.00 | Y |
| Media (1 Required for Each Unit) | | | | |
| KFLOGF451 | Log Set - Oak | 9 lbs. | \$ 514.00 | Y |
| KFZ5GC | Glass Media - 1/2" Bronze - 5 lbs. (Maximum Glass 15 lbs.) | 5 lbs. | \$ 114.00 | Y |
| KFRBCB1 | Cannonballs - Assorted Size and Colors | 16.5 lbs. | \$ 417.00 | Y |
| Accessories | | | | |
| KFF45FK | Fan Kit w/Variable Speed Control (Temperature Sensing) | 6 lbs. | \$ 392.00 | Y |
| KFF451RLT | Refractory Liner - Traditional | 10 lbs. | \$ 429.00 | N |
| KFF451RLH | Refractory Liner - Herringbone | 10 lbs. | \$ 429.00 | N |
| KFF451PL | Porcelain Liner - 3 Piece | 13 lbs. | \$ 490.00 | N |
| KFF7DBC | Decorative Black Collar 7" | 2 lbs. | \$ 44.00 | N |
| KFF7DTP | Decorative Black Wall Trim Plate | 4 lbs. | \$ 46.00 | N |
| KFF45LG | Log Grate | 1.2 lbs. | \$ 142.00 | N |
| KFF35BVC | B-Vent Converter (4/7" DV to 4" B-Vent) | N/A | \$ 289.00 | N |
| KFZDVDKA | Dura-Vent Adapter | 2 lbs. | \$ 85.00 | Y |
| Thermostats and Remote Controls | | | | |
| KFZ2MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplaces, Inserts & Stoves

Kingsman
 Freestanding Direct Vent Gas Stoves



2
0
2
5
-
2
0
2
6

KFFDV451 - Freestanding Direct Vent Gas Stoves

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|---|-------------|--------------|---------|
| Thermostats and Remote Controls | | | | |
| KFZ80PT | Thermostat Programmable Digital Millivolt Wall Mount (1F80-40) | 0.5 lbs. | \$ 188.00 | N |
| ST1001A | Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) | 1 lbs. | \$ 219.00 | Y |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | Y |
| KFWMBH | Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness | 1 lbs. | \$ 231.00 | N |

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



KFZCV3622 - Zero Clearance Clean View Direct Vent Gas Fireplace

Listed for USA/Canada, Includes: Tempered Glass, Tube Burner, SIT Valve w/ Hi/Lo Adjustment, Wall Switch, Safety Screen,
Uses KFZDVDF/ICTM4AA4 Adapters, 4/7" Angled Flue, Framing 36 3/8" W x 37 1/4" H x 17 1/2"D

For Complete Unit: Order Unit and Log Set

| Basic Package | Retail |
|--|-------------|
| ZCV3622 Fireplace IPI, NG and Log Set (KFZCV3622NE, KFLOGC51) (Suggested Remote ST1001A) | \$ 2,602.00 |

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---|---|-------------|--------------|---------|
| Unit | | | | |
| KFZCV3622N | Fireplace, Millivolt Valve (as above) NG, 21,000 BTU | 94 lbs. | \$ 1,842.00 | Y |
| KFZCV3622LP | Fireplace, Millivolt Valve (as above) LP 21,000 BTU | 94 lbs. | \$ 1,922.00 | Y |
| KFZCV3622NE | Fireplace, IPI Valve (as above) NG, 21,000 BTU LIMITED TO STOCK ON HAND | 94 lbs. | \$ 2,188.00 | Y |
| KFZCV3622LPE | Fireplace, IPI Valve (as above) LP 21,000 BTU LIMITED TO STOCK ON HAND | 94 lbs. | \$ 2,267.00 | Y |
| KFZCV3622NEDX | Fireplace, IPI Dexen PF1 Valve (as above) NG WILL NOT SHIP UNTIL SIT IPI STOCK IS DEPLETED (KFZCV3622NE) | 94 lbs. | \$ 2,188.00 | Y |
| KFZCV3622LPEDX | Fireplace, IPI Dexen PF1 Valve (as above) LP WILL NOT SHIP UNTIL SIT IPI STOCK IS DEPLETED (KFZCV3622LPE) | 94 lbs. | \$ 2,267.00 | Y |
| KF3622CKLP | Conversion Kit - Millivolt - To LP | 1 lbs. | \$ 97.00 | Y |
| KF3622CKNG | Conversion Kit - Millivolt - To NG | 1 lbs. | \$ 97.00 | N |
| KF3622CKLPI | Conversion Kit - IPI - To LP | 1 lbs. | \$ 114.00 | Y |
| KF3622CKNGI | Conversion Kit - IPI - To NG | 0.4 lbs. | \$ 114.00 | N |
| KF3622CKLPIDX | Conversion Kit - Dexen IPI- To LP | 1 lbs. | \$ 114.00 | N |
| KF3622CKNGIDX | Conversion Kit - Dexen IPI - To NG | 1 lbs. | \$ 114.00 | N |
| Log Set (Required for Each Unit) | | | | |
| KFLOGC51 | Log Set - Split Oak (ZCV3622) | 8 lbs. | \$ 414.00 | Y |
| Surround | | | | |
| KFZCV36S1BL | Surround - Black - Coverage 34 1/16" H x 39" W - Covers Framing Dimensions - Unit Must be Installed Flush to Wall | 12 lbs. | \$ 302.00 | N |
| KFZCV36SWFBL | Flat Surround - Black - Covers Framing Dimensions of Solara II - Clean View - Unit Must be Finished Flush to Drywall | N/A | \$ 474.00 | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



2
0
2
5
-
2
0
2
6

| KFZCV3622 - Zero Clearance Clean View Direct Vent Gas Fireplace | | | | |
|--|---|-------------|--------------|---------|
| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
| Accessories/Options | | | | |
| KFZCV3622PRL | Porcelain Reflective Panel Liner (3 PCE) | 7.5 lbs. | \$ 330.00 | Y |
| KFZCV3622ML | Metal Brick Liner (3 PCE) | 4 lbs. | \$ 244.00 | Y |
| KFZ36FK | Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing) | 5 lbs. | \$ 386.00 | Y |
| KFZ2MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | Y |
| KFZ80PT | Thermostat Programmable Digital Millivolt Wall Mount (1F80-40) | 0.5 lbs. | \$ 188.00 | N |
| KFDCHS | Heat Shield - Required for Millivolt Remote Receivers | 1 lbs. | \$ 24.00 | N |
| ST1001A | Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) | 1 lbs. | \$ 219.00 | Y |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | Y |
| KFGTFRCN | Remote Control Millivolt - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,232.00 | Y |
| KFEGTRC | Remote Control IPI Proflame 1 - Thermostat | 1.3 lbs. | \$ 644.00 | Y |
| KFEGTMRCN | Remote Control IPI Proflame 1 - Thermostat/Modulating - NG | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTMRCP | Remote Control IPI Proflame 1 - Thermostat/Modulating - LP | 1.3 lbs. | \$ 876.00 | Y |
| KFWMBH | Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness | 1 lbs. | \$ 231.00 | N |
| KFGTRCDX | Remote Control - Thermostat - Dexen | #N/A | \$ 561.00 | N |
| KF1023PBSW1 | Toggle Switch for Dexen - Toggle Between AC Power and Battery Backup | #N/A | \$ 24.00 | N |
| KF1023P055L | Cold Climate Switch (CPI/IPI) for Dexen | N/A | TBD | N |
| KFZDVDFFA | Duravent Fireplace Adapter - 23.5 Degree | 2.5 lbs. | \$ 133.00 | Y |
| ICTM4AA4 | ICC Angled Adapter | 2 lbs. | \$ 215.00 | Y |
| Decorate the Bottom of Your Fireplace with Log Bits | | | | |
| KFVLBIT6 | Log Bits - Small Six Piece Kit | 2 lbs. | \$ 139.00 | Y |

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



KFZCVRB3622 - Zero Clearance Clean View Direct Vent Gas Fireplace

Listed for USA/Canada as a Vented Gas Fireplace, Includes: Linear Burner, Decorative Bronze Glass, SIT Valve with Hi/Lo Adjustment, Wall Switch, **Uses KFZDVDF/ICTM4AA4 Adapters, 4/7" Angled Flue**, Tempered Glass, Safety Screen, 17,500 BTU, Framing 36 3/8" W x 37 1/4" H x 17 1/2"

For Complete Unit: Order Unit and Surround

| Basic Package | Retail |
|---|-------------|
| ZCVRB3622 Fireplace Dexen IPI, NG and Bronze Glass (KFZCVRB3622NEDX) (Suggested Remote ST1001A) | \$ 2,350.00 |

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|-----------------|---|-------------|--------------|---------|
| Unit | | | | |
| KFZCVRB3622N | Fireplace Linear, Millivolt Valve (as above) NG | 97 lbs. | \$ 2,000.00 | Y |
| KFZCVRB3622LP | Fireplace Linear, Millivolt Valve (as above) LP | 97 lbs. | \$ 2,082.00 | N |
| KFZCVRB3622NE | Fireplace, IPI Dexen PF1 Valve (as above) NG | 97 lbs. | \$ 2,350.00 | Y |
| KFZCVRB3622LPE | Fireplace, IPI Dexen PF1 Valve (as above) LP | 97 lbs. | \$ 2,431.00 | N |
| KF3622RBCKLP | Conversion Kit - Millivolt - To LP | 1 lbs. | \$ 97.00 | Y |
| KF3622RBCKNG | Conversion Kit - Millivolt - To NG | 1 lbs. | \$ 97.00 | N |
| KF3622RBCKLPIDX | Conversion Kit - Dexen IPI- To LP | #N/A | TBD | N |
| KF3622RBCKNGIDX | Conversion Kit - Dexen IPI - To NG | #N/A | TBD | N |

Surround (Covers 36"W x 22-1/2"H)

The fireplace must be covered up to an 1/8" of the opening with noncombustible materials.

| | | | | |
|----------------|--|---------|-----------|---|
| KFZCVRB36SBL | Surround Trim Kit -1 1/2" Wide - Black | 13 lbs. | \$ 429.00 | Y |
| KFZCVRB36SSS | Surround Trim Kit - 1 1/2" Wide - Stainless Steel | 10 lbs. | \$ 713.00 | Y |
| KFZCVRB36SWFBL | Flat Surround - Covers Framing Dimensions of Skyline - Clean View - Unit Must be Finished Flush to Drywall | N/A | \$ 474.00 | Y |

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



2
0
2
5
-
2
0
2
6

KFZCVRB3622 - Zero Clearance Clean View Direct Vent Gas Fireplace

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|----------------------------|---|-------------|--------------|---------|
| Accessories/Options | | | | |
| KFULK2 | Universal Light Kit - Two Lamps | 5 lbs. | \$ 328.00 | Y |
| KFZ3622PRL | Porcelain Reflective Panel Liner (3 PCE) | 10 lbs. | \$ 330.00 | Y |
| KFZ36FK | Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing) | 5 lbs. | \$ 386.00 | Y |
| KFZ2MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | Y |
| KFZ80PT | Thermostat Programmable Digital Millivolt Wall Mount (1F80-40) | 0.5 lbs. | \$ 188.00 | N |
| KFDCHS | Heat Shield - Required for Millivolt Remote Receivers | 1 lbs. | \$ 24.00 | N |
| ST1001A | Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) | 1 lbs. | \$ 219.00 | Y |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | Y |
| KFWMBH | Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness | 1 lbs. | \$ 231.00 | N |
| KFGTRCDX | Remote Control - Thermostat - Dexen | #N/A | \$ 561.00 | N |
| KF1023PBSW1 | Toggle Switch for Dexen - Toggle Between AC Power and Battery Backup | #N/A | \$ 24.00 | N |
| KF1023P055L | Cold Climate Switch (CPI/IPI) for Dexen | N/A | TBD | N |
| KFZDVDFFA | Duravent Fireplace Adapter - 23.5 Degree | 2.5 lbs. | \$ 133.00 | Y |
| ICTM4AA4 | ICC Angled Adapter | 2 lbs. | \$ 215.00 | Y |

Fireplaces, Inserts & Stoves



Kingsman
Zero Clearance Direct Vent Gas Fireplaces

KFZCVRB47 Zero Clearance Direct Vent Gas Fireplace 47" Wide

Listed for USA/Canada as a Vented Gas Fireplace, Includes: Linear Burner, Bronze Glass Media, SIT Valve with Hi/Lo Adjustment, **Uses KFZDVDKA Adapter, 4/7" Top Flue**, Tempered Glass 40 5/8 W x 13 7/8" H, Safety Screen, Framing 47" W x 36 1/2" H x 18 1/4" D, 23,000 BTU, Max Media 5 LBS

The Fireplace Enclosure May Be Ventilated for Cool Touch Walls and reduced Mantel Clearances. Ventilation up to 105 Sq./Inches will be required. Minimum Enclosure Height is 70", see Manual for details. NOTE: To vent the chase, removal of vent shields is required.

| Basic Package | Retail |
|---|-------------|
| ZCVRB47 Fireplace IPI, NG, Bronze Glass and Front Grill (KFZCVRB47NE and KFV46EG) (Suggested Remote ST1001A) | \$ 4,386.00 |

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---------------|---|-------------|--------------|---------|
| Unit | | | | |
| KFZCVRB47N | Fireplace Linear, Millivolt Valve (as above) NG | N/A | \$ 3,831.00 | Y |
| KFZCVRB47LP | Fireplace Linear, Millivolt Valve (as above) LP | N/A | \$ 3,895.00 | N |
| KFZCVRB47NE | Fireplace Linear, IPI Valve (as above) NG | N/A | \$ 4,166.00 | Y |
| KFZCVRB47LPE | Fireplace Linear, IPI Valve (as above) LP | N/A | \$ 4,228.00 | N |
| KF46ZRBACKLP | Conversion Kit - Millivolt - To LP | 1 lbs. | \$ 97.00 | N |
| KF46ZRBACKNG | Conversion Kit - Millivolt - To NG | 1 lbs. | \$ 97.00 | N |
| KF46ZRBACKLPI | Conversion Kit - IPI - To LP | 1 lbs. | \$ 114.00 | Y |
| KF46ZRBACKNGI | Conversion Kit - IPI - To NG | 1 lbs. | \$ 114.00 | N |

Optional - When Ventilating Enclosure - Ventilation up to 105 Sq. Inches

CHOOSE GRILL OR CUSTOM GRILL OR ADEQUATE OPENING AS PER MANUAL

| | | | | |
|-----------|---|---------|-----------|---|
| KFVL60EGS | Grill - Side Enclosure (Pair) - Unfinished (15 1/4" W X 6 5/8" H) | N/A | \$ 373.00 | N |
| KFV46EG | Grill - Front of Enclosure - Unfinished (46 9/16" W x 2 1/2" H) | 14 lbs. | \$ 220.00 | Y |

Optional Wall Surround (Covers 44 5/8"W X 17 3/4"H)

| | | | | |
|---------------|---|-----|-----------|---|
| KFZCVRB47S1BL | Surround Trim Kit -1 1/2" Wide - Black | N/A | \$ 429.00 | Y |
| KFZCVRB47S1SS | Surround Trim Kit - 1 1/2" Wide - Stainless Steel | N/A | \$ 713.00 | N |

Optional Fireplace Accessories

| | | | | |
|-------------|---|-----------|-----------|---|
| KFZCVRB47PL | Porcelain Reflective Panel Liner (3 PCE) | N/A | \$ 479.00 | Y |
| KFRBCB1 | Cannonballs - Assorted size and colors | 16.5 lbs. | \$ 417.00 | Y |
| KFZ46FK | Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing) | 5 lbs. | \$ 386.00 | Y |
| KFULK2 | Universal Light Kit - Two Lamps (For Millivolt/PF1) | 5 lbs. | \$ 328.00 | Y |
| KFV47PTLK | Tile Lip Kit | N/A | \$ 78.00 | N |
| KFZDVDKA | Dura-Vent Adapter | N/A | \$ 85.00 | Y |

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



2
0
2
5
-
2
0
2
6

KFZCVRB47 Zero Clearance Direct Vent Gas Fireplace 47" Wide

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|---|-------------|--------------|---------|
| Thermostats and Remote Controls | | | | |
| KFZ2MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | Y |
| KFZ8OPT | Thermostat Programmable Digital - Wall Mount - MV/PF1 | 0.5 lbs. | \$ 188.00 | N |
| ST1001A | Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) | 1 lbs. | \$ 219.00 | Y |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | Y |
| KFGTFRCN | Remote Control Millivolt - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,232.00 | Y |
| KFGTFRCP | Remote Control Millivolt - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,232.00 | Y |
| KFEGTRC | Remote Control IPI Proflame 1 - Thermostat | 1.3 lbs. | \$ 644.00 | Y |
| KFEGTMRCN | Remote Control IPI Proflame 1 - Thermostat/Modulating - NG | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTMRCP | Remote Control IPI Proflame 1 - Thermostat/Modulating - LP | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTFRCN | Remote Control IPI - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,175.00 | Y |
| KFEGTFRCP | Remote Control IPI - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,175.00 | Y |
| KFWMBH | Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness | 1 lbs. | \$ 231.00 | N |

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



KFZCVRB60 Zero Clearance Direct Vent Gas Fireplace 60" Wide

Listed for USA/Canada as a Vented Gas Fireplace, Includes: Linear Burner, Bronze Glass Media, SIT Valve with Hi/Lo Adjustment, 5/8" Angled Flue, Tempered Glass 60" W x 17 7/8" H, Safety Screen, Framing 66 9/16" W x 43" H x 19 1/4" D, 35,000 BTU, Max Media 10 LBS

The Fireplace Enclosure May Be Ventilated for Cool Touch Walls and reduced Mantel Clearances. Ventilation up to 200 Sq./Inches will be required. Minimum Enclosure Height is 76", see Manual for details. NOTE: To vent the chase, removal of vent shields is required.

| Basic Package | Retail |
|--|-------------|
| ZCVRB60 Fireplace IPI, NG, Bronze Glass and Front Grill (KFZCVRB60NE and KFVL60EG) (Suggested Remote ST1001A) | \$ 5,369.00 |

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|----------------|---|-------------|--------------|---------|
| Unit | | | | |
| KFZCVRB60N | Fireplace Linear, Millivolt Valve (as above) NG | N/A | \$ 4,703.00 | N |
| KFZCVRB60LP | Fireplace Linear, Millivolt Valve (as above) LP | N/A | \$ 4,774.00 | N |
| KFZCVRB60NE | Fireplace Linear, IPI Valve (as above) NG | N/A | \$ 5,026.00 | Y |
| KFZCVRB60LPE | Fireplace Linear, IPI Valve (as above) LP | N/A | \$ 5,086.00 | N |
| KF60ZCVRBCKLP | Conversion Kit - Millivolt - To LP | N/A | \$ 97.00 | N |
| KF60ZCVRBCKNG | Conversion Kit - Millivolt - To NG | N/A | \$ 97.00 | N |
| KF60ZCVRBCKLPI | Conversion Kit - IPI - To LP | N/A | \$ 114.00 | N |
| KF60ZCVRBCKNGI | Conversion Kit - IPI - To NG | N/A | \$ 114.00 | N |

Optional - When Ventilating Enclosure - Ventilation up to 200 Sq./Inches

CHOOSE GRILL OR CUSTOM GRILL OR ADEQUATE OPENING AS PER MANUAL

| | | | | |
|-----------|---|-----|-----------|---|
| KFVL60EGS | Grill - Enclosure Side (Pair) - Unfinished (15 1/4" W X 6 5/8" H) | N/A | \$ 373.00 | N |
| KFVL60EG | Grill - Front for Enclosure -Unfinished (60 5/8" W x 3 5/8" H) | N/A | \$ 343.00 | Y |

Optional Wall Surround (COVERS 64"W X 23"H)

| | | | | |
|---------------|---|-----|-------------|---|
| KFZCVRB60S1BL | Surround Trim Kit -1 1/2" Wide - Black | N/A | \$ 768.00 | Y |
| KFZCVRB60S1SS | Surround Trim Kit - 1 1/2" Wide - Stainless Steel | N/A | \$ 1,061.00 | N |

Optional Fireplace Accessories

| | | | | |
|-------------|---|-----------|-----------|---|
| KFZCVRB60PL | Porcelain Reflective Panel Liner (3 PCE) | N/A | \$ 568.00 | Y |
| KFRBCB1 | Cannonballs - Assorted size and colors | 16.5 lbs. | \$ 417.00 | Y |
| KFZ46FK | Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing) | 5 lbs. | \$ 386.00 | Y |
| KFULK64 | Universal Light Kit - Four Lamps (For Millivolt/PF1) | N/A | \$ 545.00 | N |
| KFV60PTLK | Tile Lip Kit for Promat Board | N/A | \$ 97.00 | Y |

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



2
0
2
5
-
2
0
2
6

KFZCVRB60 Zero Clearance Direct Vent Gas Fireplace 60" Wide

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|---|-------------|--------------|---------|
| Thermostats and Remote Controls | | | | |
| KFZ2MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | Y |
| KFZ8OPT | Thermostat Programmable Digital - Wall Mount - MV/PF1 | 0.5 lbs. | \$ 188.00 | N |
| ST1001A | Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) | 1 lbs. | \$ 219.00 | Y |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | Y |
| KFGTFRCN | Remote Control Millivolt - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,232.00 | Y |
| KFGTFRCP | Remote Control Millivolt - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,232.00 | Y |
| KFEGTRC | Remote Control IPI Proflame 1 - Thermostat | 1.3 lbs. | \$ 644.00 | Y |
| KFEGTMRCN | Remote Control IPI Proflame 1 - Thermostat/Modulating - NG | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTMRCP | Remote Control IPI Proflame 1 - Thermostat/Modulating - LP | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTFRCN | Remote Control IPI - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,175.00 | Y |
| KFEGTFRCP | Remote Control IPI - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,175.00 | Y |
| KFWMBH | Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire | 1 lbs. | \$ 231.00 | N |

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



KFZCVRB72 Zero Clearance Direct Vent Gas Fireplace 72" Wide

Listed for USA/Canada as a Vented Gas Fireplace, Includes: Linear Burner, Bronze Glass Media, SIT Valve with Hi/Lo Adjustment, **5/8" Top Flue**, Ceramic Glass 73 1/16" W x 17 7/8" H, Invisi-Mesh Safety Screen, Framing 79 1/8" W x 42" H x 19" D (unvented chase), 50,000 BTU

Note: If using ICC hard pipe, a starter piece of Duravent must be used at flue of fireplace

The Fireplace Enclosure May Be Ventilated for Cool Touch Walls and reduced Mantel Clearances. Minimum ventilation of 285 sq. inches is required. Minimum Enclosure Height is 79", see Manual for details. NOTE: To vent the chase, removal of vent shields is required.

| Basic Package | Retail |
|---|-------------|
| ZCVRB72 Fireplace IPI, NG, Bronze Glass and Front Grill (KFZCVRB72NE and KFVL72EG) (Suggested Remote ST1001A) | \$ 8,998.00 |

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|----------------|--|-------------|--------------|---------|
| Unit | | | | |
| KFZCVRB72N | Fireplace Linear, Millivolt Valve (as above) NG NEW | N/A | TBD | N |
| KFZCVRB72LP | Fireplace Linear, Millivolt Valve (as above) LP NEW | N/A | TBD | N |
| KFZCVRB72NE | Fireplace Linear, IPI Valve (as above) NG NEW | N/A | \$ 8,612.00 | N |
| KFZCVRB72LPE | Fireplace Linear, IPI Valve (as above) LP NEW | N/A | TBD | N |
| KF72ZCVRBCKLP | Conversion Kit - Millivolt - To LP | 1 lbs. | TBD | N |
| KF72ZCVRBCKNG | Conversion Kit - Millivolt - To NG | 1 lbs. | TBD | N |
| KF72ZCVRBCKLPI | Conversion Kit - IPI - To LP | 1 lbs. | TBD | N |
| KF72ZCVRBCKNGI | Conversion Kit - IPI - To NG | 1 lbs. | TBD | N |

Optional - When Ventilating Enclosure - Ventilation up to 285 Sq./Inches

CHOOSE GRILL OR CUSTOM GRILL OR ADEQUATE OPENING AS PER MANUAL

| | | | | |
|-----------|---|-----|-----------|---|
| KFVL72EGS | Grill - Enclosure Side (Pair) - Unfinished (15 1/4" W x 9" H) | N/A | \$ 386.00 | N |
| KFVL72EG | Grill - Front for Enclosure - Unfinished (78 5/8" W x 3 5/8" H) | N/A | \$ 386.00 | N |

Optional Wall Surround (COVERS 64"W X 23"H)

| | | | | |
|---------------|---|-----|-----------|---|
| KFZCVRB72S1BL | Surround Trim Kit -1 1/2" Wide - Black | N/A | \$ 886.00 | N |
| KFZCVRB72S1SS | Surround Trim Kit - 1 1/2" Wide - Stainless Steel | N/A | TBD | N |

Optional Fireplace Accessories

| | | | | |
|-------------|---|-----------|-----------|---|
| KFZCVRB72PL | Porcelain Reflective Panel Liner (5 PCE) | N/A | \$ 731.00 | N |
| KFRBCB1 | Cannonballs - Assorted size and colors | 16.5 lbs. | \$ 417.00 | Y |
| KFZ46FK | Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing) | 5 lbs. | \$ 386.00 | Y |
| KFULK64 | Universal Light Kit - Four Lamps (For Millivolt/PF1) | N/A | \$ 545.00 | N |
| KF72ZRBTLK | Tile Lip Kit for Promat Board | N/A | TBD | N |

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



2
0
2
5
-
2
0
2
6

KFZCVRB72 Zero Clearance Direct Vent Gas Fireplace 72" Wide

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|---|-------------|--------------|---------|
| Thermostats and Remote Controls | | | | |
| KFZ2MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | Y |
| KFZ80PT | Thermostat Programmable Digital - Wall Mount - MV/PF1 | 0.5 lbs. | \$ 188.00 | N |
| ST1001A | Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) | 1 lbs. | \$ 219.00 | Y |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | Y |
| KFGTFRCN | Remote Control Millivolt - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,232.00 | Y |
| KFGTFRCP | Remote Control Millivolt - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,232.00 | Y |
| KFEGTRC | Remote Control IPI Proflame 1 - Thermostat | 1.3 lbs. | \$ 644.00 | Y |
| KFEGTMRCN | Remote Control IPI Proflame 1 - Thermostat/Modulating - NG | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTMRCP | Remote Control IPI Proflame 1 - Thermostat/Modulating - LP | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTFRCN | Remote Control IPI - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,175.00 | Y |
| KFEGTFRCP | Remote Control IPI - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,175.00 | Y |
| KFWMBH | Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire | 1 lbs. | \$ 231.00 | N |

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



KFHBZDV3624 - Zero Clearance Direct Vent Gas Fireplace

Listed for USA/Canada, Dual Burner, SIT Nova Valve with Hi/Lo Adjustment, Wall Switch, Tempered Glass, Safety Screen, Framing 36 3/8" W x 35" H x 17" D, Uses KFZDVDF/ICTM4AA4 Adapter, 4"/7" Angled Flue

For Complete Unit: Order Unit, Log Set and Grill or Designer Clean View Kit

Best Selling Package

Retail

HBZDV3624 Fireplace Millivolt, NG, Burnt Oak Log Set, Clean View Kit, Traditional Liner and Fan Kit (KFHBZDV3624N, KFLOGC44, KFHB36CVCK, KFHB36RLT and KFZ36FK) (Suggested Remote ST1001A)

\$ 3,517.00

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|--|-------------|--------------|---------|
| Unit | | | | |
| KFHBZDV3624N | Fireplace Decorative Top Flue, Millivolt, NG, 24,000 BTU | 98 lbs. | \$ 2,020.00 | Y |
| KF3624HBCKLP | Conversion Kit-From NG to LP | 1 lbs. | \$ 97.00 | Y |
| KFHBZDV3624NE | Fireplace Decorative Top Flue, IPI, NG, 24,000 BTU | 98 lbs. | \$ 2,364.00 | Y |
| KF3624HBCKLPI | Conversion Kit-From NG to LP IPI | 1 lbs. | \$ 114.00 | Y |
| Log Set (Required for Each Unit) | | | | |
| KFLOGC44 | Log Set - Eight Piece - Burnt Oak (3320, 3624/28, 4224/28 Series) | 14 lbs. | \$ 375.00 | Y |
| Grill Kit or Designer Clean View Kit (Required for Each Unit) | | | | |
| KFHB36CVCK | Designer Clean View Circulating Kit | 18 lbs. | \$ 434.00 | Y |
| KFHB36GBL | Grill Kit - Black | 4.5 lbs. | \$ 110.00 | Y |
| Accessories/Options | | | | |
| KFHB36RLT | Refractory Fiber Brick Liner (3 PCE) - Traditional | 25 lbs. | \$ 302.00 | Y |
| KFHB36RLH | Refractory Fiber Brick Liner (3 PCE) - Herringbone | 25 lbs. | \$ 302.00 | Y |
| KFHB36PL | Porcelain Reflective Panel Liner (3 PCE) | 15 lbs. | \$ 496.00 | N |
| KFZ36FK | Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing) | 5 lbs. | \$ 386.00 | Y |
| KFZDVDF | Duravent Fireplace Adapter - 23.5 Degree | 2.5 lbs. | \$ 133.00 | Y |
| ICTM4AA4 | ICC Angled Adapter | 2 lbs. | \$ 215.00 | Y |
| KFDCHS | Remote Control Heat shield - (For Z1RC, ZART) | 1 lbs. | \$ 24.00 | N |
| KF22MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | Y |
| KFZ80PT | Thermostat Programmable Digital Millivolt Wall Mount | 0.5 lbs. | \$ 188.00 | N |
| ST1001A | Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) | 1 lbs. | \$ 219.00 | Y |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | Y |
| KFGTFRCN | Remote Control Millivolt - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,232.00 | Y |
| KFGTFRCP | Remote Control Millivolt - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,232.00 | Y |
| KFEGTRC | Remote Control IPI Proflame 1 - Thermostat | 1.3 lbs. | \$ 644.00 | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



2
0
2
5
-
2
0
2
6

KFHBZDV3624 - Zero Clearance Direct Vent Gas Fireplace

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|---|-------------|--------------|---------|
| Accessories/Options | | | | |
| KFEGTMRCN | Remote Control IPI Proflame 1 - Thermostat/Modulating - NG | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTMRCP | Remote Control IPI Proflame 1 - Thermostat/Modulating - LP | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTFRCN | Remote Control IPI - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,175.00 | Y |
| KFEGTFRCP | Remote Control IPI - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,175.00 | Y |
| KFWMBH | Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness | 1 lbs. | \$ 231.00 | N |
| Decorative Surrounds - For Louvered Units Only (Coverage 41 1/8"W x 35 1/2"H) | | | | |
| KFHB36SBL | Surround - Black | 5 lbs. | \$ 302.00 | N |
| Decorate the Bottom of your Fireplace with Log Bits | | | | |
| KFVLBIT6 | Log Bits - Small Six Piece Kit | 2 lbs. | \$ 139.00 | Y |

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



KFHBZDV3628 - Zero Clearance Direct Vent Gas Fireplace

Listed for USA/Canada, Includes: Dual Burner, Millivolt Nova SIT with Hi/Lo Adjustment, Wall Switch, Ceramic Glass, Safety Screen, Framing 36 3/8" W x 35" H x 17" D, **Uses KFZDVDF/ICTM4AA4 Adapter, 4"/7" Angled Flue**

For Complete Unit: Order Unit, Log Set and Grill or Designer Clean View Kit

Best Selling Package

Retail

HBZDV3628 Fireplace IPI, NG, Burnt Oak Log Set, Clean View Kit, Traditional Liner and Fan Kit (KFHBZDV3628NE, KFLOGC44, KFHB36CVCK, KFHB36RLT and KFZ36FK) (Suggested Remote ST1001A) \$ 4,690.00

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|-----------|-----------|-------------|--------------|---------|
|-----------|-----------|-------------|--------------|---------|

Unit

| | | | | |
|---------------|---|---------|-------------|---|
| KFHBZDV3628N | Fireplace Heater Rated Top Flue, Millivolt, NG, Ceramic Glass, 28,000 BTU @ 75% Efficient. Approved for Bedroom and Mobile Home | 98 lbs. | \$ 2,846.00 | N |
| KF3628HBCKLP | Conversion Kit-From NG to LP | 1 lbs. | \$ 97.00 | Y |
| KFHBZDV3628NE | Fireplace Heater Rated Top Flue, IPI, NG, Ceramic Glass, 28,000 BTU @ 75% Efficient. Approved for Bedroom and Mobile Home | 98 lbs. | \$ 3,193.00 | N |
| KF3628HBCKLPI | Conversion Kit-From NG to LP IPI | 1 lbs. | \$ 114.00 | Y |

Log Set (Required for Each Unit)

| | | | | |
|----------|---|---------|-----------|---|
| KFLOGC44 | Log Set - Eight Piece - Burnt Oak (3320, 3624/28, 4224/28 Series) | 14 lbs. | \$ 375.00 | Y |
|----------|---|---------|-----------|---|

Grill Kit or Designer Clean View Kit (Required for Each Unit)

| | | | | |
|------------|-------------------------------------|----------|-----------|---|
| KFHB36CVCK | Designer Clean View Circulating Kit | 18 lbs. | \$ 434.00 | Y |
| KFHB36GBL | Grill Kit - Black | 4.5 lbs. | \$ 110.00 | Y |

Accessories/Options

| | | | | |
|-----------|---|----------|-----------|---|
| KFHB36RLT | Refractory Fiber Brick Liner (3 PCE) - Traditional | 25 lbs. | \$ 302.00 | Y |
| KFHB36RLH | Refractory Fiber Brick Liner (3 PCE) - Herringbone | 25 lbs. | \$ 302.00 | Y |
| KFHB36PL | Porcelain Reflective Panel Liner (3 PCE) | 15 lbs. | \$ 496.00 | N |
| KFZ36FK | Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing) | 5 lbs. | \$ 386.00 | Y |
| KFZDVDF | Duravent Fireplace Adapter - 23.5 Degree | 2.5 lbs. | \$ 133.00 | Y |
| ICTM4AA4 | ICC Adapter | 2 lbs. | \$ 215.00 | Y |

Accessories/Options

| | | | | |
|----------|--|----------|-------------|---|
| KFDCHS | Remote Control Heat Shield - (For Z1RC, ZART) | 1 lbs. | \$ 24.00 | N |
| KFZ2MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | N |
| KFZ80PT | Thermostat Programmable Digital Millivolt Wall Mount | 0.5 lbs. | \$ 188.00 | N |
| ST1001A | Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) | 1 lbs. | \$ 219.00 | Y |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | Y |
| KFGTFRCN | Remote Control Millivolt - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,232.00 | Y |
| KFGTFRCP | Remote Control Millivolt - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,232.00 | Y |

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



2
0
2
5
-
2
0
2
6

KFHBZDV3628 - Zero Clearance Direct Vent Gas Fireplace

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---|---|-------------|--------------|---------|
| Accessories/Options | | | | |
| KFEGTRC | Remote Control IPI Proflame 1 - Thermostat | 1.3 lbs. | \$ 644.00 | Y |
| KFEGTMRCN | Remote Control IPI Proflame 1 - Thermostat/Modulating - NG | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTMRCP | Remote Control IPI Proflame 1 - Thermostat/Modulating - LP | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTFRCN | Remote Control IPI - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,175.00 | Y |
| KFEGTFRCP | Remote Control IPI - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,175.00 | Y |
| KFWMBH | Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness | 1 lbs. | \$ 231.00 | N |
| Surrounds - For Louvered Units Only (Coverage 41 1/8"W x 35 1/2"H) | | | | |
| KFHB36SBL | Surround - Black | 5 lbs. | \$ 302.00 | N |
| Decorate the Bottom of your Fireplace with Log Bits | | | | |
| KFVLBIT6 | Log Bits - Small Six Piece Kit | 2 lbs. | \$ 139.00 | Y |

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



KFHBZDV4224 - Zero Clearance Direct Vent Gas Fireplace

Listed for USA/Canada, Dual Burner, SIT Nova Valve with Hi/Lo Adjustment, Wall Switch, Tempered Glass, Safety Screen, Framing 42 3/8" W x 37 1/4" H x 17" D, Uses KFZDVDF/ICTM4AA4 Adapter, 4/7" Angled Flue

For Complete Unit: Order Unit, Log Set and Grill or Designer Clean View Kit

Best Selling Package

Retail

HBZDV4224 Fireplace Millivolt, NG, Burnt Oak Log Set, Clean View Kit, Traditional Brick Liner and Fan Kit (KFHBZDV4224N, KFLOGC44, KFHB42CVCK, KFHB42RLT and KFZ36FK) (Suggested Remote ST1001A)

\$ 3,913.00

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|-----------|-----------|-------------|--------------|---------|
|-----------|-----------|-------------|--------------|---------|

| | | | | |
|---------------|---|----------|-------------|---|
| Unit | | | | |
| KFHBZDV4224N | Fireplace Decorative Top Flue, Millivolt, NG, 24,000 BTU | 113 lbs. | \$ 2,328.00 | Y |
| KFHBZDV4224NE | Fireplace Decorative Top Flue, IPI, NG, 24,000 BTU (In California Only) | 113 lbs. | \$ 2,674.00 | Y |
| KF4224HBCKLP | Conversion Kit-From NG to LP | 1 lbs. | \$ 97.00 | Y |
| KF4224HBCKLPI | Conversion Kit-From NG to LP IPI | 1 lbs. | \$ 114.00 | Y |

Log Set (Required for Each Unit)

| | | | | |
|----------|---|---------|-----------|---|
| KFLOGC44 | Log Set - Eight Piece - Burnt Oak (3320, 3624/28, 4224/28 Series) | 14 lbs. | \$ 375.00 | Y |
|----------|---|---------|-----------|---|

Grill Kit or Designer Clean View Kit (Required for Each Unit)

| | | | | |
|------------|-------------------------------------|---------|-----------|---|
| KFHB42CVCK | Designer Clean View Circulating Kit | 20 lbs. | \$ 477.00 | Y |
| KFHB42GBL | Grill Kit - Black | 5 lbs. | \$ 120.00 | Y |

Accessories/Options

| | | | | |
|-----------|--|----------|-------------|---|
| KFHB42RLT | Refractory Fiber Brick Liner (3 PCE) - Traditional | 25 lbs. | \$ 347.00 | Y |
| KFHB42RLH | Refractory Fiber Brick Liner (3 PCE) - Herringbone | 25 lbs. | \$ 347.00 | Y |
| KFHB42PL | Porcelain Reflective Panel Liner (3 PCE) | 15 lbs. | \$ 546.00 | Y |
| KFZ36FK | Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing) | 5 lbs. | \$ 386.00 | Y |
| KFZDVDF | DuraVent Fireplace Adapter - 23.5 Degree | 2.5 lbs. | \$ 133.00 | Y |
| ICTM4AA4 | ICC Adapter | 2 lbs. | \$ 215.00 | Y |
| KFDCHS | Remote Control Heat Shield - (For Z1RC, ZART) | 1 lbs. | \$ 24.00 | N |
| KFZ2MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | Y |
| KFZ8OPT | Thermostat Programmable Digital Millivolt Wall Mount | 0.5 lbs. | \$ 188.00 | N |
| ST1001A | Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) | 1 lbs. | \$ 219.00 | Y |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | Y |
| KFGTFRCN | Remote Control Millivolt - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,232.00 | Y |
| KFGTFRCP | Remote Control Millivolt - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,232.00 | Y |
| KFEGTRC | Remote Control IPI Proflame 1 - Thermostat | 1.3 lbs. | \$ 644.00 | Y |

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



2
0
2
5
-
2
0
2
6

KFHBZDV4224 - Zero Clearance Direct Vent Gas Fireplace

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|---|-------------|--------------|---------|
| Accessories/Options | | | | |
| KFEGTMRCN | Remote Control IPI Proflame 1 - Thermostat/Modulating - NG | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTMRCP | Remote Control IPI Proflame 1 - Thermostat/Modulating - LP | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTFRCN | Remote Control IPI - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,175.00 | Y |
| KFEGTFRCP | Remote Control IPI - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,175.00 | Y |
| KFWMBH | Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness | 1 lbs. | \$ 231.00 | N |
| Surrounds - For Louvered Units Only (Coverage 45 1/8"W x 37 5/8"H) | | | | |
| KFHB42SBL | Surround - Black | 7 lbs. | \$ 318.00 | N |
| Decorate the Bottom of your Fireplace with Log Bits | | | | |
| KFVLBIT6 | Log Bits - Small Six Piece Kit | 2 lbs. | \$ 139.00 | Y |
| For Venting, please see Kingsman venting page or use one of the following adapters: KFZDVDFDA - Dura-Vent // ICTM4AA4 - ICC | | | | |

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



KFHBZDV4228 - Zero Clearance Direct Vent Gas Fireplace

Listed for USA/Canada, Dual Burner, SIT Nova Valve with Hi/Lo Adjustment, Wall Switch, Ceramic Glass, Safety Screen, Framing 42 3/8" W x 37 1/4" H x 17" D, Uses KFZDVDF/ICTM4AA4 Adapter, 4/7" Angled Flue

Best Selling Package

Retail

HBZDV4228 Fireplace Millivolt, NG, Burnt Oak Log Set, Clean View Kit, Traditional Brick Liner and Fan Kit (KFHBZDV4228N, KFLOGC44, KFHB42CVCK, KFHB42RLT and KFZ36FK) (Suggested Remote ST1001A) \$ 5,099.00

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|--|-------------|--------------|---------|
| Unit | | | | |
| KFHBZDV4228N | Fireplace, Millivolt Valve, NG, 28,000 BTU | 113 lbs. | \$ 3,514.00 | N |
| KFHBZDV4228LP | Fireplace, Millivolt Valve, LP, 26,000 BTU | 113 lbs. | \$ 3,574.00 | N |
| KFHBZDV4228NE | Fireplace, IPI Valve, NG, 28,000 BTU | 113 lbs. | \$ 3,857.00 | N |
| KFHBZDV4228LPE | Fireplace, IPI Valve, LP, 26,000 BTU | 113 lbs. | \$ 3,920.00 | N |
| KF4228HBCKLP | Conversion Kit - Millivolt - To LP | 1 lbs. | \$ 97.00 | Y |
| KF4228HBCKNG | Conversion Kit - Millivolt - To NG | 1 lbs. | \$ 97.00 | N |
| KF4228HBCKLPI | Conversion Kit - IPI - To LP | 1 lbs. | \$ 114.00 | Y |
| KF4228HBCKNGI | Conversion Kit - IPI - To NG | 1 lbs. | \$ 114.00 | N |
| Log Set (Required for Each Unit) | | | | |
| KFLOGC44 | Log Set - Eight Piece - Burnt Oak (3320, 3624/28, 4224/28 Series) | 14 lbs. | \$ 375.00 | Y |
| Grill Kit or Designer Clean View Kit (Required for Each Unit) | | | | |
| KFHB42CVCK | Designer Clean View Circulating Kit | 20 lbs. | \$ 477.00 | Y |
| KFHB42GBL | Grill Kit - Black | 5 lbs. | \$ 120.00 | Y |
| Fireplace Accessory Options | | | | |
| KFHB42RLT | Refractory Fiber Brick Liner (3 PCE) - Traditional | 25 lbs. | \$ 347.00 | Y |
| KFHB42RLH | Refractory Fiber Brick Liner (3 PCE) - Herringbone | 25 lbs. | \$ 347.00 | Y |
| KFHB42PL | Porcelain Reflective Panel Liner (3 PCE) | 15 lbs. | \$ 546.00 | Y |
| KFZ36FK | Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing) | 5 lbs. | \$ 386.00 | Y |
| KFZDVDF | DuraVent Fireplace Adapter - 23.5 Degree | 2.5 lbs. | \$ 133.00 | Y |
| ICTM4AA4 | ICC Adapter | 2 lbs. | \$ 215.00 | Y |
| KFDCHS | Remote Control Heat Shield - (For Z1RC, ZART) | 1 lbs. | \$ 24.00 | N |
| KFZ2MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | Y |
| KFZ8OPT | Thermostat Programmable Digital Millivolt Wall Mount | 0.5 lbs. | \$ 188.00 | N |
| ST1001A | Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) | 1 lbs. | \$ 219.00 | Y |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | Y |
| KFGTFRCN | Remote Control Millivolt - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,232.00 | Y |
| KFGTFRCP | Remote Control Millivolt - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,232.00 | Y |

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



2
0
2
5
-
2
0
2
6

KFHBZDV4228 - Zero Clearance Direct Vent Gas Fireplace

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|---|-------------|--------------|---------|
| Fireplace Accessory Options | | | | |
| KFEGTRC | Remote Control IPI Proflame 1 - Thermostat | 1.3 lbs. | \$ 644.00 | Y |
| KFEGTMRCN | Remote Control IPI Proflame 1 - Thermostat/Modulating - NG | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTMRCP | Remote Control IPI Proflame 1 - Thermostat/Modulating - LP | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTFRCN | Remote Control IPI - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,175.00 | Y |
| KFEGTFRCP | Remote Control IPI - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,175.00 | Y |
| KFWMBH | Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness | 1 lbs. | \$ 231.00 | N |
| Decorative Surrounds - For Louvered Units Only (Coverage 45 1/8"W x 37 5/8"H) | | | | |
| KFHB42SBL | Surround - Black | 7 lbs. | \$ 318.00 | N |
| Decorative Log Bits | | | | |
| KFVLBIT6 | Log Bits - Small Six Piece Kit | 2 lbs. | \$ 139.00 | Y |
| For Venting, please see Kingsman venting page or use one of the following adapters: KFZDVDFDA - Dura-Vent // ICTM4AA5 - ICC | | | | |



Kingsman

Zero Clearance Direct Vent Gas Fireplaces

KFHBZDV4736 - Zero Clearance Direct Vent Gas Fireplace 47"

Listed for USA/Canada, Dual Burner, Milli Volt Sit Valve with Hi/Lo Adjustment Wall Switch, Tempered Glass, Safety Screen, Uses KFZDVDFFA/ICTM4AA4 Adapter, 4/7" Angled Flue, Framing (Louvered) 47 3/8" W x 43 1/8" H x 19 1/2" D

Best Selling Package

Retail

HBZDV4736 Fireplace Millivolt, NG, Oak Log Set, Clean View Kit, Traditional Brick Liner and Fan Kit (KFHBZDV4736N, KFLOGF36, KFHB47CVCK, KFHB47RLT and KFZ36FK (Suggested Remote ST1001A)

\$ 5,083.00

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|---|-------------|--------------|---------|
| Unit | | | | |
| KFHBZDV4736N | Fireplace, Millivolt (as above) NG, 40,000 BTU | 135 lbs. | \$ 3,071.00 | N |
| KFHBZDV4736LP | Fireplace, Millivolt (as above) LP, 36,000 BTU | 135 lbs. | TBD | N |
| KFHBZDV4736NE | Fireplace, IPI (as above) NG, 40,000 BTU | 135 lbs. | \$ 3,416.00 | N |
| KFHBZDV4736LPE | Fireplace, IPI (as above) LP, 36,000 BTU | 135 lbs. | TBD | N |
| KF4740HBCKLP | Conversion Kit - Millivolt - To LP | 1 lbs. | \$ 97.00 | Y |
| KF4740HBCKNG | Conversion Kit - Millivolt - To NG | 1 lbs. | \$ 97.00 | N |
| KF4740HBCKLPI | Conversion Kit - IPI - To LP | 1 lbs. | \$ 114.00 | Y |
| KF4740HBCKNGI | Conversion Kit - IPI - To NG | 1 lbs. | \$ 114.00 | N |
| Log Set (Required for Each Unit) | | | | |
| KFLOGF36 | Log Set - Fiber Split Oak | 12 lbs. | \$ 596.00 | Y |
| Grill Kit or Designer Clean View Kit (Required for Each Unit) | | | | |
| KFHB47CVCK | Designer Clean View Circulating Kit | 20 lbs. | \$ 536.00 | Y |
| KFHB47GBL | Grill Kit - Black | 6 lbs. | \$ 140.00 | N |
| Optional Brick or Porcelain Liners | | | | |
| KFHB47RLT | Refractory Fiber Brick Liner (4 PCE) - Traditional | 25 lbs. | \$ 494.00 | Y |
| KFHB47RLH | Refractory Fiber Brick Liner (4 PCE) - Herringbone | 25 lbs. | \$ 494.00 | Y |
| KFHB47RRH | Refractory Fiber Brick Liner (4 PCE) - Red Herringbone | 25 lbs. | \$ 494.00 | N |
| KFHB47PL | Porcelain Reflective Panel Liner (3 PCE) | 15 lbs. | \$ 773.00 | N |
| Optional Fireplace Accessories | | | | |
| KFZ36FK | Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing) | 5 lbs. | \$ 386.00 | Y |
| KFZDVDFFA | Duravent Fireplace Adapter - 23.5 Degree | 2.5 lbs. | \$ 133.00 | Y |
| ICTM4AA4 | ICC Adapter | 2 lbs. | \$ 215.00 | Y |
| Decorate the Bottom of Your Fireplace with Log Bits | | | | |
| KFVLBIT6 | Log Bits - Small Six Piece Kit | 2 lbs. | \$ 139.00 | Y |

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



2
0
2
5
-
2
0
2
6

KFHBZDV4736 - Zero Clearance Direct Vent Gas Fireplace 47"

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---|---|-------------|--------------|---------|
| Optional Thermostats and Remote Controls | | | | |
| KFZ2MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | Y |
| KFZ8OPT | Thermostat Programmable Digital - Wall Mount - MV/PF1 | 0.5 lbs. | \$ 188.00 | N |
| ST1001A | Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) | 1 lbs. | \$ 219.00 | Y |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | Y |
| KFGTFRCN | Remote Control Millivolt - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,232.00 | Y |
| KFGTFRCP | Remote Control Millivolt - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,232.00 | Y |
| KFEGTRC | Remote Control IPI Proflame 1 - Thermostat | 1.3 lbs. | \$ 644.00 | Y |
| KFEGTMRCN | Remote Control IPI Proflame 1 - Thermostat/Modulating - NG | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTMRCP | Remote Control IPI Proflame 1 - Thermostat/Modulating - LP | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTFRCN | Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,175.00 | Y |
| KFEGTFRCP | Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,175.00 | Y |
| KFWMBH | Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness | 1 lbs. | \$ 231.00 | N |

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



KFZCV34 - Zero Clearance Clean View Direct Vent Gas Fireplace

Listed for USA/Canada as a Decorative Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment, Wall Switch Tempered Glass Viewing Area 25 1/4" W x 20 3/4" H, Safety Screen, Framing 33 1/4" W x 36 1/8" H x 18 1/8" D, 19,000 BTU's NG, 18,000 BTU's LP.

Uses KFZDVDF/ICTM4AA4 Adapter, 4/7" Angled Flue

Most Popular Package

Retail

ZCV34 Fireplace, IPI, NG, Eight Piece Log Set, Fan Kit and Remote (KFZCV34NE, KFLOGC44, KFZ46FK and KFEGTRC)

\$ 4,018.00

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--------------|--|-------------|--------------|---------|
| Unit | | | | |
| KFZCV34N | Fireplace, Millivolt Valve (as above) NG | N/A | \$ 2,272.00 | Y |
| KFZCV34LP | Fireplace, Millivolt Valve (as above) LP | N/A | \$ 2,356.00 | N |
| KFZCV34NE | Fireplace, IPI PF1 Valve (as above) NG | N/A | \$ 2,613.00 | Y |
| KFZCV34LPE | Fireplace, IPI PF1 Valve (as above) LP | N/A | \$ 2,697.00 | N |
| KF34ZCVCKLP | Conversion Kit - Millivolt - To LP | 1 lbs. | \$ 97.00 | N |
| KF34ZCVCKNG | Conversion Kit - Millivolt - To NG | 1 lbs. | \$ 97.00 | N |
| KF34ZCVCKLPI | Conversion Kit - IPI - To LP | 1 lbs. | \$ 114.00 | N |
| KF34ZCVCKNGI | Conversion Kit - IPI - To NG | 1 lbs. | \$ 114.00 | N |

Choose Grill for Ventilation or Other Optional Chase Solutions

| | | | | |
|----------|---|-----|-----------|---|
| KFV34EGS | Grill - Enclosure Side (Pair) - Unfinished (11 1/4" W X 6" H) | N/A | \$ 355.00 | Y |
| KFV34EG | Grill - Enclosure Front - Unfinished (32 5/16" W X 4 3/8" H) | N/A | \$ 266.00 | Y |

Choose Log Set or Glass Media Accessories

| | | | | |
|----------|------------------------------------|---------|-----------|---|
| KFLOGC44 | Log Set - Eight Piece - Burnt Oak | 14 lbs. | \$ 375.00 | Y |
| KFZ5GC | Glass Media - 1/2" Bronze - 5 lbs. | 5 lbs. | \$ 114.00 | Y |

Optional Media Accessories

| | | | | |
|----------|--|-----------|-----------|---|
| KFRBCB1 | Cannonballs - Assorted Size and Colors | 16.5 lbs. | \$ 417.00 | Y |
| KFVLBIT6 | Log Bits - Small Six Piece Kit | 2 lbs. | \$ 139.00 | Y |

Optional Liners

| | | | | |
|------------|--|-----|-----------|---|
| KFZCV34RLT | Refractory Fiber Brick Liner (3 PCE) - Traditional | N/A | \$ 398.00 | N |
| KFZCV34RLH | Refractory Fiber Brick Liner (3 PCE) - Herringbone | N/A | \$ 398.00 | N |
| KFZCV34PL | Porcelain Reflective Panel Liner (3 PCE) | N/A | \$ 546.00 | N |

Optional Electrical Components

| | | | | |
|---------|---|--------|-----------|---|
| KFZ46FK | Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing) | 5 lbs. | \$ 386.00 | Y |
|---------|---|--------|-----------|---|

Surrounds and Tile Lip Kit

| | | | | |
|---------------|---|-----|-----------|---|
| KFZCV34S1BL | Surround - Hearth Mount 2 3/4" Wide (Covers 33 7/8" W x 30 3/4" H) | N/A | \$ 413.00 | N |
| KFZCV34S1PFBL | Surround - Picture Frame 4" Wide (Covers 36 5/16" W x 33 3/8" H) | N/A | \$ 413.00 | N |
| KFZCV34S2PFBL | Surround - Picture Frame 1 5/8" Wide (Covers 31 11/16" W x 28 3/4" H) | N/A | \$ 382.00 | N |
| KF34ZCVTLK | Tile Lip Kit | N/A | \$ 77.00 | N |

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



2
0
2
5
-
2
0
2
6

KFZCV34 - Zero Clearance Clean View Direct Vent Gas Fireplace

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|--|-------------|--------------|---------|
| Optional Thermostats and Remote Controls | | | | |
| KFZ2MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | Y |
| KFZ80PT | Thermostat Programmable Digital - Wall Mount - MV/PF1 | 0.5 lbs. | \$ 188.00 | Y |
| KFWMBH | Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 | 1 lbs. | \$ 231.00 | N |
| ST1001A | Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) | 1 lbs. | \$ 219.00 | Y |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | N |
| KFEGTRC | Remote Control IPI Proflame 1 - Thermostat | 1 lbs. | \$ 644.00 | Y |
| KFEGTMRCN | Remote Control IPI Proflame 1 - Thermostat/Modulating - NG | 1 lbs. | \$ 876.00 | Y |
| KFEGTMRCP | Remote Control IPI Proflame 1 - Thermostat/Modulating - LP | 1 lbs. | \$ 876.00 | Y |
| Non-Vented Chase with Horizontal Venting Requires a Wall Thimble Shield | | | | |
| KFZ58WTS | Horizontal Wall Thimble Shield (for Non Vented Chase) | 4.5 lbs. | \$ 49.00 | N |

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



KFZCV34H - Zero Clearance Clean View Direct Vent Gas Fireplace

Listed for USA/Canada as a Decorative Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment, Wall Switch
Ceramic Glass Viewing Area 25 1/4" W x 20 3/4" H, Safety Screen, Framing 33 1/4" W x 36 1/8" H x 18 1/8" D, 19,000 BTU's NG, 18,000 BTU's LP.

Uses KFZDVDF/ICTM4AA4 Adapter, 4/7" Angled Flue

| Most Popular Package | Retail |
|--|-------------|
| ZCV34 Fireplace, Millivolt, NG, Front Grill and Eight Piece Log Set (KFZCV34NH, KFV34EG and KFLOGC44) (Suggested Remote ST1001A) | \$ 3,409.00 |

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--------------|--|-------------|--------------|---------|
| Unit | | | | |
| KFZCV34NH | Fireplace, Millivolt Valve (as above) NG | N/A | \$ 2,768.00 | N |
| KFZCV34LPH | Fireplace, Millivolt Valve (as above) LP | N/A | \$ 2,852.00 | N |
| KFZCV34NHE | Fireplace, IPI PF1 Valve (as above) NG | N/A | \$ 3,109.00 | N |
| KFZCV34LPHE | Fireplace, IPI PF1 Valve (as above) LP | N/A | \$ 3,193.00 | N |
| KF34ZCVCKLP | Conversion Kit - Millivolt - To LP | 1 lbs. | \$ 97.00 | N |
| KF34ZCVCKNG | Conversion Kit - Millivolt - To NG | 1 lbs. | \$ 97.00 | N |
| KF34ZCVCKLPI | Conversion Kit - IPI - To LP | 1 lbs. | \$ 114.00 | N |
| KF34ZCVCKNGI | Conversion Kit - IPI - To NG | 1 lbs. | \$ 114.00 | N |

Choose Grill for Ventilation or Other Optional Chase Solutions

| | | | | |
|----------|---|-----|-----------|---|
| KFV34EGS | Grill - Enclosure Side (Pair) - Unfinished (11 1/4" W X 6" H) | N/A | \$ 355.00 | N |
| KFV34EG | Grill - Enclosure Front - Unfinished (32 5/16" W X 4 3/8" H) | N/A | \$ 266.00 | N |

Choose Log Set or Glass Media

| | | | | |
|----------|------------------------------------|---------|-----------|---|
| KFLOGC44 | Log Set - Eight Piece - Burnt Oak | 14 lbs. | \$ 375.00 | Y |
| KFZ5GC | Glass Media - 1/2" Bronze - 5 lbs. | 5 lbs. | \$ 114.00 | Y |

Choose Media Accessories

| | | | | |
|----------|--|-----------|-----------|---|
| KFRBCB1 | Cannonballs - Assorted size and colors | 16.5 lbs. | \$ 417.00 | Y |
| KFVLBIT6 | Log Bits - Small Six Piece Kit | 2 lbs. | \$ 139.00 | Y |

Optional Liners

| | | | | |
|------------|--|-----|-----------|---|
| KFZCV34RLT | Refractory Fiber Brick Liner (3 PCE) - Traditional | N/A | \$ 398.00 | N |
| KFZCV34RLH | Refractory Fiber Brick Liner (3 PCE) - Herringbone | N/A | \$ 398.00 | N |
| KFZCV34PL | Porcelain Reflective Panel Liner (3 PCE) | N/A | \$ 546.00 | N |

Optional Electrical Components

| | | | | |
|---------|---|--------|-----------|---|
| KFZ46FK | Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing) | 5 lbs. | \$ 386.00 | Y |
|---------|---|--------|-----------|---|

Surrounds and Tile Lip Kit

| | | | | |
|---------------|---|-----|-----------|---|
| KFZCV34S1BL | Surround - Hearth Mount 2 3/4" Wide (Covers 33 7/8" W x 30 3/4" H) | N/A | \$ 413.00 | N |
| KFZCV34S1PFBL | Surround - Picture Frame 4" Wide (Covers 36 5/16" W x 33 3/8" H) | N/A | \$ 413.00 | N |
| KFZCV34S2PFBL | Surround - Picture Frame 1 5/8" Wide (Covers 31 11/16" W x 28 3/4" H) | N/A | \$ 382.00 | N |
| KF34ZCVTLK | Tile Lip Kit | N/A | \$ 77.00 | N |

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



2
0
2
5
-
2
0
2
6

KFZCV34H - Zero Clearance Clean View Direct Vent Gas Fireplace

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|--|-------------|--------------|---------|
| Optional Thermostats and Remote Controls | | | | |
| KFZ2MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | Y |
| KFZ80PT | Thermostat Programmable Digital - Wall Mount - MV/PF1 | 0.5 lbs. | \$ 188.00 | Y |
| KFWMBH | Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 | 1 lbs. | \$ 231.00 | N |
| ST1001A | Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) | 1 lbs. | \$ 219.00 | Y |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | N |
| KFEGTRC | Remote Control IPI Proflame 1 - Thermostat | 1 lbs. | \$ 644.00 | Y |
| KFEGTMRCN | Remote Control IPI Proflame 1 - Thermostat/Modulating - NG | 1 lbs. | \$ 876.00 | Y |
| KFEGTMRCP | Remote Control IPI Proflame 1 - Thermostat/Modulating - LP | 1 lbs. | \$ 876.00 | Y |
| Non-Vented Chase with Horizontal Venting Requires a Wall Thimble Shield | | | | |
| KFZ58WTS | Horizontal Wall Thimble Shield (for Non Vented Chase) | 4.5 lbs. | \$ 49.00 | N |

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



KFZCV39 - Zero Clearance Clean View Direct Vent Gas Fireplace

Listed for USA/Canada as a Decorative Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment, Wall Switch, Tempered Glass, Viewing Area 29 5/8" W x 24 1/8" H, Safety Screen, Framing 39 1/2" W x 37 7/8" H x 18 1/2" D, Uses KFZDVDA/ICTM4AA4 Adapter, 4/7" Angled Flue

FOR UNIT BODIES W/"VENTILATED CHASE COMPATIBLE" IN DESCRIPTION - The Fireplace Chase may be Vented for Cool Touch Walls and Reduced Mantel Clearances. Ventilation Plates Must be Removed from Top of Appliance. Minimum Enclosure Height for a Vented Chase is 72". See Installation Manual for Details.

| Best Selling Package | Retail |
|--|-------------|
| ZCV39 Fireplace IPI, NG, Five Piece Log Set, Brick Herringbone Liner, Fan Kit and Remote (KFZCV39NE, KFLOGF3, KFZCV39RLH, KFZ46FK and KFEGTRC) | \$ 4,476.00 |

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|-----------------|--|-------------|--------------|---------|
| Unit | | | | |
| KFZCV39N | Fireplace, Millivolt Valve, Ventilated Chase Compatible (as above) NG, 25,000 BTU | 150 lbs. | \$ 2,448.00 | Y |
| KFZCV39LP-NONVC | Fireplace, Millivolt Valve, (as above) LP, 25,000 BTU LIMITED TO STOCK ON HAND | #N/A | \$ 2,532.00 | N |
| KFZCV39LP | Fireplace, Millivolt Valve, Ventilated Chase Compatible (as above) LP, 25,000 BTU WILL NOT SHIP UNTIL KFZCV39LP-NONVC STOCK DEPLETED | 150 lbs. | \$ 2,532.00 | TBD |
| KFZCV39NE | Fireplace, IPI Valve, Ventilated Chase Compatible (as above) NG, 25,000 BTU | 150 lbs. | \$ 2,789.00 | Y |
| KFZCV39LPE | Fireplace, IPI Valve, Ventilated Chase Compatible (as above) LP, 25,000 BTU | 150 lbs. | \$ 2,874.00 | Y |
| KF39ZCVCKLP | Conversion Kit - Millivolt - To LP | 1 lbs. | \$ 97.00 | Y |
| KF39ZCVCKNG | Conversion Kit - Millivolt - To NG | 1 lbs. | \$ 97.00 | N |
| KF39ZCVCKLPI | Conversion Kit - IPI - To LP | 1 lbs. | \$ 114.00 | Y |
| KF39ZCVCKNGI | Conversion Kit - IPI - To NG | 1 lbs. | \$ 114.00 | N |

Ventilating Enclosure - Choose Grill or Other Chase Option Per Manual

| | | | | |
|----------|--|---|-----------|---|
| KFV39EGS | FOR VENTILATED UNITS ONLY - Grill - Enclosure Side (Pair) - Unfinished - (Opening 12 1/2" x 6 1/8") | - | \$ 390.00 | Y |
| KFV39EG | FOR VENTILATED UNITS ONLY - Grill - Enclosure Front - Unfinished - (Opening 36 1/2" x 3 5/8") | - | \$ 276.00 | Y |

Log Set, Rock Set, or Glass Set (One Required for Each Unit)

| | | | | |
|-----------|--|-----------|-----------|---|
| KFLOGF3 | Log Set - Five Piece - Fiber Split Oak | 7 lbs. | \$ 436.00 | Y |
| KFLOGC3 | Log Set - Five Piece - Glo-Cast (Concrete) Split Oak LIMITED TO STOCK ON HAND | 20 lbs. | \$ 345.00 | Y |
| KFZCV39GT | Glass Tray for KFZCV39 - (Requires 15 lbs. of Glass Media) | 8 lbs. | \$ 184.00 | Y |
| KFZ5GC | Glass Media - 1/2" Bronze - 5 lbs. | 5 lbs. | \$ 114.00 | Y |
| KFRBCB1 | Cannonballs - Assorted Size and Colors | 16.5 lbs. | \$ 417.00 | Y |
| KFULK2 | Universal Light Kit - Two Lamps (for use with KFZCV39GT Glass Tray) | 5 lbs. | \$ 328.00 | Y |

Surrounds and Safety Screens

| | | | | |
|---------------|---|---------|-----------|---|
| KFZCV39S1BL | Surround - Hearth Mount 4" Wide (Covers 40 5/8" W x 35" H) | 11 lbs. | \$ 435.00 | Y |
| KFZCV39S1PFBL | Surround - Picture Frame 4" Wide (Covers 40 5/8" x 37" H) | 15 lbs. | \$ 435.00 | N |
| KFZCV39S2PFBL | Surround - Picture Frame 1 5/8" Wide (Covers 36 1/8" W x 32 1/2" H) | 15 lbs. | \$ 397.00 | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



2
0
2
5
-
2
0
2
6

KFZCV39 - Zero Clearance Clean View Direct Vent Gas Fireplace

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|---|-------------|--------------|---------|
| Fireplace Accessories Options | | | | |
| KFZCV39RLT | Refractory Fiber Brick Liner (3PCE) - Traditional | 15 lbs. | \$ 436.00 | Y |
| KFZCV39RLH | Refractory Fiber Brick Liner (3PCE) - Herringbone | 15 lbs. | \$ 436.00 | Y |
| KFZCV39RRH | Refractory Fiber Brick Liner (3PCE) - Red Herringbone | 15 lbs. | \$ 436.00 | Y |
| KFZCV39RLS | Refractory Fiber Brick Liner (3PCE) - Stacked Brick | 15 lbs. | \$ 436.00 | Y |
| KFZCV39PL | Porcelain Reflective Panel Liner (3PCE) | 22 lbs. | \$ 536.00 | Y |
| KFZ46FK | Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing) | 5 lbs. | \$ 386.00 | Y |
| KFZDVDFDA | Duravent Fireplace Adapter - 23.5 Degree | 2.5 lbs. | \$ 133.00 | Y |
| ICTM4AA4 | ICC Adapter | 2 lbs. | \$ 215.00 | Y |
| KFZCVTLK | Tile Lip Kit (for Finishing Materials - Tile and Brick) | 3 lbs. | \$ 77.00 | Y |
| Log Bit Decorations | | | | |
| KFVLBIT6 | Log Bits - Small Six Piece Kit | 2 lbs. | \$ 139.00 | Y |
| Thermostats and Remote Controls | | | | |
| KFZ2MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | Y |
| KFZ80PT | Thermostat Programmable Digital Millivolt Wall Mount | 0.5 lbs. | \$ 188.00 | N |
| ST1001A | Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) | 1 lbs. | \$ 219.00 | Y |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | Y |
| KFGTFRCN | Remote Control Millivolt - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,232.00 | Y |
| KFGTFRCP | Remote Control Millivolt - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,232.00 | Y |
| KFEGTRC | Remote Control IPI Proflame 1 - Thermostat | 1.3 lbs. | \$ 644.00 | Y |
| KFEGTMRCN | Remote Control IPI Proflame 1 - Thermostat/Modulating - NG | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTMRCP | Remote Control IPI Proflame 1 - Thermostat/Modulating - LP | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTFRCN | Remote Control IPI - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,175.00 | Y |
| KFEGTFRCP | Remote Control IPI - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,175.00 | Y |
| KFWMBH | Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness | 1 lbs. | \$ 231.00 | N |

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



KFZCV39H - Zero Clearance Clean View Direct Vent Gas Fireplace

Listed for USA/Canada as a Vented Gas Fireplace Heater, SIT Valve with Hi/Lo Flame Adjustment, Wall Switch, Ceramic Glass, Viewing Area 29 5/8" W x 24 1/8" H, Safety Screen, Framing 39 1/2" W x 37 7/8" H x 18 1/2" D, Uses KFZDVDF/ICTM4AA4 Adapter, 4/7" Angled Flue

FOR UNIT BODIES W/"VENTILATED CHASE COMPATIBLE" IN DESCRIPTION - The Fireplace Chase may be Vented for Cool Touch Walls and Reduced Mantel Clearances. Ventilation Plates Must be Removed from Top of Appliance. Minimum Enclosure Height for a Vented Chase is 72". See Installation Manual for Details.

Best Selling Package

Retail

ZCV39 Fireplace Millivolt, NG, Five Piece Log Set, Brick Herringbone Log Set and Fan Kit (KFZCV39NH, KFLOGF3, KFZCV39RLH and KFZ46FK) (Suggested Remote ST1001A) \$ 4,781.00

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---------------|---|-------------|--------------|---------|
| Unit | | | | |
| KFZCV39NH | Fireplace, Millivolt Valve Ventilated Chase Compatible (as above) NG, 28,000 BTU | 150 lbs. | \$ 3,216.00 | Y |
| KFZCV39LPH | Fireplace, Millivolt Valve Ventilated Chase Compatible (as above) LP, 29,000 BTU | 150 lbs. | \$ 3,302.00 | N |
| KFZCV39NHE | Fireplace, IPI Valve, Ventilated Chase Compatible (as above) NG, 28,000 BTU | 150 lbs. | \$ 3,560.00 | Y |
| KFZCV39LPHE | Fireplace, IPI Valve, Ventilated Chase Compatible (as above) LP, 29,000 BTU | 150 lbs. | \$ 3,646.00 | N |
| KF39ZCVCKLPH | Conversion Kit - Millivolt - To LP | 1 lbs. | \$ 97.00 | Y |
| KF39ZCVCKNGH | Conversion Kit - Millivolt - To NG | 1 lbs. | \$ 97.00 | N |
| KF39ZCVCKLPHI | Conversion Kit - IPI - To LP | 1 lbs. | \$ 114.00 | Y |
| KF39ZCVCKNHI | Conversion Kit - IPI - To NG | 1 lbs. | \$ 114.00 | N |

Ventilating Enclosure - Choose Grill or Other Chase Option Per Manual

| | | | | |
|----------|--|---|-----------|---|
| KFV39EGS | FOR VENTILATED UNITS ONLY - Grill - Enclosure Side (Pair) - Unfinished - (Opening 12 1/2" x 6 1/8") | - | \$ 390.00 | Y |
| KFV39EG | FOR VENTILATED UNITS ONLY - Grill - Enclosure Front - Unfinished - (Opening 36 1/2" x 3 5/8") | - | \$ 276.00 | Y |

Log Set, Rock Set, or Glass Set (One Required for Each Unit)

| | | | | |
|-----------|--|-----------|-----------|---|
| KFLOGF3 | Log Set - Five Piece - Fiber Split Oak | 7 lbs. | \$ 436.00 | Y |
| KFLOGC3 | Log Set - Five Piece - Glo-Cast (Concrete) Split Oak LIMITED TO STOCK ON HAND | 20 lbs. | \$ 345.00 | Y |
| KFZCV39GT | Glass Tray for KFZCV39 - (Requires 15 lbs. of Glass Media) | 8 lbs. | \$ 184.00 | Y |
| KFZ5GC | Glass Media - 1/2" Bronze - 5 lbs. | 5 lbs. | \$ 114.00 | Y |
| KFRBCB1 | Cannonballs - Assorted Size and Colors | 16.5 lbs. | \$ 417.00 | Y |
| KFULK2 | Universal Light Kit - Two Lamps (for use with KFZCV39/42GT Glass Tray) | 5 lbs. | \$ 328.00 | Y |

Surrounds and Safety Screens

| | | | | |
|---------------|---|---------|-----------|---|
| KFZCV39S1BL | Surround - Hearth Mount 4" Wide (Covers 40 5/8" W x 35" H) | 11 lbs. | \$ 435.00 | Y |
| KFZCV39S1PFBL | Surround - Picture Frame 4" Wide (Covers 40 5/8" x 37 H) | 15 lbs. | \$ 435.00 | N |
| KFZCV39S2PFBL | Surround - Picture Frame 1 5/8" Wide (Covers 36 1/8" W x 32 1/2" H) | 15 lbs. | \$ 397.00 | Y |

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



2
0
2
5
-
2
0
2
6

KFZCV39H - Zero Clearance Clean View Direct Vent Gas Fireplace

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|---|-------------|--------------|---------|
| Fireplace Accessories Options | | | | |
| KFZCV39RLT | Refractory Fiber Brick Liner (3PCE) - Traditional | 15 lbs. | \$ 436.00 | Y |
| KFZCV39RLH | Refractory Fiber Brick Liner (3PCE) - Herringbone | 15 lbs. | \$ 436.00 | Y |
| KFZCV39RRH | Refractory Fiber Brick Liner (3PCE) - Red Herringbone | 15 lbs. | \$ 436.00 | Y |
| KFZCV39RLS | Refractory Fiber Brick Liner (3PCE) - Stacked Brick | 15 lbs. | \$ 436.00 | Y |
| KFZCV39PL | Porcelain Reflective Panel Liner (3PCE) | 22 lbs. | \$ 536.00 | Y |
| KFZ46FK | Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing) | 5 lbs. | \$ 386.00 | Y |
| KFZDVDFFA | Duravent Fireplace Adapter - 23.5 Degree | 2.5 lbs. | \$ 133.00 | Y |
| ICTM4AAA4 | ICC Adapter | 2 lbs. | \$ 215.00 | Y |
| KFZCVTLK | Tile Lip Kit (for Finishing Materials - Tile and Brick) | 3 lbs. | \$ 77.00 | Y |
| Log Bit Decorations | | | | |
| KFVLBIT6 | Log Bits - Small Six Piece Kit | 2 lbs. | \$ 139.00 | Y |
| Thermostats and Remote Controls | | | | |
| KFZ2MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | Y |
| KFZ8OPT | Thermostat Programmable Digital Millivolt Wall Mount | 0.5 lbs. | \$ 188.00 | N |
| ST1001A | Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) | 1 lbs. | \$ 219.00 | Y |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | Y |
| KFGTFRCN | Remote Control Millivolt - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,232.00 | Y |
| KFGTFRCP | Remote Control Millivolt - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,232.00 | Y |
| KFEGTRC | Remote Control IPI Proflame 1 - Thermostat | 1.3 lbs. | \$ 644.00 | Y |
| KFEGTMRCN | Remote Control IPI Proflame 1 - Thermostat/Modulating - NG | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTMRCP | Remote Control IPI Proflame 1 - Thermostat/Modulating - LP | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTFRCN | Remote Control IPI - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,175.00 | Y |
| KFEGTFRCP | Remote Control IPI - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,175.00 | Y |
| KFWMBH | Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness | 1 lbs. | \$ 231.00 | N |

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



KFZCV42 - Zero Clearance Clean View Direct Vent Gas Fireplace

Listed for USA/Canada as a Decorative Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment, Wall Switch, Tempered Glass, Viewing Area 33 5/8" W x 27 1/4" H, Safety Screen, Framing 42 1/2" W x 41" H x 18 1/2" D, Uses KFZDVDA/ICTM4AA4 Adapter, 4/7"

Angled Flue

FOR UNIT BODIES W/"VENTILATED CHASE COMPATIBLE" IN DESCRIPTION - The Fireplace Chase may be Vented for Cool Touch Walls and Reduced Mantel Clearances. Ventilation Plates Must be Removed from Top of Appliance. Minimum Enclosure Height for a Vented Chase is 72". See Installation Manual for Details.

Best Selling Package

Retail

ZCV42 Fireplace IPI, Five Piece Log Set, Brick Herringbone Liner and Fan Kit (KFZCV42NE, KFLOGF3, KFZCV42RLH, KFZ46FK) (Suggested Remote ST1001A) \$ 4,387.00

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--------------|--|-------------|--------------|---------|
| Unit | | | | |
| KFZCV42N | Fireplace, Millivolt Valve Ventilated Chase Compatible (as above) NG, 25,000 BTU | 154 lbs. | \$ 2,745.00 | Y |
| KFZCV42LP | Fireplace, Millivolt Valve, Ventilated Chase Compatible (as above) LP, 25,000 BTU | 154 lbs. | \$ 2,832.00 | Y |
| KFZCV42NE | Fireplace, IPI Valve, Ventilated Chase Compatible (as above) NG, 25,000 BTU | 154 lbs. | \$ 3,090.00 | Y |
| KFZCV42LPE | Fireplace, IPI Valve, Ventilated Chase Compatible (as above) LP, 25,000 BTU | 154 lbs. | \$ 3,176.00 | N |
| KF42ZCVCKLP | Conversion Kit - Millivolt - To LP | 1 lbs. | \$ 97.00 | Y |
| KF42ZCVCKNG | Conversion Kit - Millivolt - To NG | 1 lbs. | \$ 97.00 | N |
| KF42ZCVCKLPI | Conversion Kit - IPI - To LP | 1 lbs. | \$ 114.00 | Y |
| KF42ZCVCKNGI | Conversion Kit - IPI - To NG | 1 lbs. | \$ 114.00 | N |

Ventilating Enclosure - Choose Grill or Other Chase Option Per Manual

| | | | | |
|----------|--|---|-----------|---|
| KFV39EGS | FOR VENTILATED UNITS ONLY - Grill - Enclosure Side (Pair) - Unfinished - (Opening 12 1/2" x 6 1/8") | - | \$ 390.00 | Y |
| KFV39EG | FOR VENTILATED UNITS ONLY - Grill - Enclosure Front - Unfinished - (Opening 36 1/2" x 3 5/8") | - | \$ 276.00 | Y |

Log Set, Rock Set, Or Glass Set (One Required for Each Unit)

| | | | | |
|-----------|--|-----------|-----------|---|
| KFLOGF3 | Log Set - Five Piece - Fiber Split Oak | 7 lbs. | \$ 436.00 | Y |
| KFLOGC3 | Log Set - Five Piece - Glo-Cast (Concrete) Split Oak LIMITED TO STOCK ON HAND | 20 lbs. | \$ 345.00 | Y |
| KFZCV42GT | Glass Tray for KFZCV42 - (Requires 20 lbs. of Glass Media) | 8 lbs. | \$ 193.00 | Y |
| KFZ5GC | Glass Media - 1/2" Bronze - 5 lbs. | 5 lbs. | \$ 114.00 | Y |
| KFRBCB1 | Cannonballs - Assorted Size and Colors | 16.5 lbs. | \$ 417.00 | Y |
| KFULK2 | Universal Light Kit - Two Lamps (for use with KFZCV39/42GT Glass Tray) | 5 lbs. | \$ 328.00 | Y |

Surrounds and Safety Screens

| | | | | |
|---------------|---|---------|-----------|---|
| KFZCV42S1BL | Surround - Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H) | 11 lbs. | \$ 492.00 | Y |
| KFZCV42S1PFBL | Surround - Picture Frame 4" Wide (Covers 44 5/8" x 40 1/8" H) | 15 lbs. | \$ 492.00 | Y |
| KFZCV42S2PFBL | Surround - Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H) | 15 lbs. | \$ 435.00 | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplaces, Inserts & Stoves

Kingsman
Zero Clearance Direct Vent Gas Fireplaces



2
0
2
5
-
2
0
2
6

KFZCV42 - Zero Clearance Clean View Direct Vent Gas Fireplace

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|---|-------------|--------------|---------|
| Fireplace Accessories Options | | | | |
| KFZCV42RLT | Refractory Fiber Brick Liner (3PCE) - Traditional | 15 lbs. | \$ 475.00 | Y |
| KFZCV42RLH | Refractory Fiber Brick Liner (3PCE) - Herringbone | 15 lbs. | \$ 475.00 | Y |
| KFZCV42RRH | Refractory Fiber Brick Liner (3PCE) - Red Herringbone | 15 lbs. | \$ 475.00 | N |
| KFZCV42RLS | Refractory Fiber Brick Liner (3PCE) - Stacked Brick | 15 lbs. | \$ 475.00 | Y |
| KFZCV42PL | Porcelain Reflective Panel Liner (3PCE) | 22 lbs. | \$ 577.00 | Y |
| KFZ46FK | Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing) | 5 lbs. | \$ 386.00 | Y |
| KFZDVDFFA | Duravent Fireplace Adapter - 23.5 Degree | 2.5 lbs. | \$ 133.00 | Y |
| ICTM4AAA4 | ICC Adapter | 2 lbs. | \$ 215.00 | Y |
| KFZCVTLK | Tile Lip Kit (for Finishing Materials - Tile and Brick) | 3 lbs. | \$ 77.00 | Y |
| Log Bit Decorations | | | | |
| KFVLBIT6 | Log Bits - Small Six Piece Kit | 2 lbs. | \$ 139.00 | Y |
| Thermostats and Remote Controls | | | | |
| KFZ2MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | Y |
| KFZ80PT | Thermostat Programmable Digital Millivolt Wall Mount | 0.5 lbs. | \$ 188.00 | N |
| ST1001A | Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) | 1 lbs. | \$ 219.00 | Y |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | Y |
| KFGTFRCN | Remote Control Millivolt - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,232.00 | Y |
| KFGTFRCP | Remote Control Millivolt - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,232.00 | Y |
| KFEGTRC | Remote Control IPI Proflame 1 - Thermostat | 1.3 lbs. | \$ 644.00 | Y |
| KFEGTMRCN | Remote Control IPI Proflame 1 - Thermostat/Modulating - NG | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTMRCP | Remote Control IPI Proflame 1 - Thermostat/Modulating - LP | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTFRCN | Remote Control IPI - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,175.00 | Y |
| KFEGTFRCP | Remote Control IPI - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,175.00 | Y |
| KFWMBH | Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness | 1 lbs. | \$ 231.00 | N |

Fireplaces, Inserts & Stoves

Kingsman
Multi-Sided Direct Vent Gas Fireplaces



KFZCV42H - Zero Clearance Clean View Direct Vent Gas Fireplace

Listed for USA/Canada as a Vented Gas Fireplace Heater, SIT Valve with Hi/Lo Flame Adjustment, Wall Switch, Ceramic Glass Viewing Area 33 5/8" W x 27 1/4" H, Safety Screen, Framing 42 1/2" W x 41" H x 18 1/2" D, Uses KFZDVDFIA/ICTM4AA4 Adapter, 4/7" Angled Flue

FOR UNIT BODIES W/"VENTILATED CHASE COMPATIBLE" IN DESCRIPTION - The Fireplace Chase may be Vented for Cool Touch Walls and Reduced Mantel Clearances. Ventilation Plates Must be Removed from Top of Appliance. Minimum Enclosure Height for a Vented Chase is 72". See Installation Manual for Details.

Best Selling Package

Retail

ZCV42 Fireplace IPI, NG, Five Piece Log Set, Brick Herringbone Liner and Fan Kit (KFZCV42NHE, KFLOGF3, KFZCV42RLH and KFZ46FK) (Suggested Remote ST1001A)

\$ 5,558.00

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|--|-------------|--------------|---------|
| Unit | | | | |
| KFZCV42NH | Fireplace, Millivolt Valve Ventilated Chase Compatible (as above) NG, 29,500 BTU | 154 lbs. | \$ 3,919.00 | N |
| KFZCV42LPH | Fireplace, Millivolt Valve Ventilated Chase Compatible (as above) LP, 29,000 BTU | 154 lbs. | \$ 4,004.00 | N |
| KFZCV42NHE | Fireplace, IPI Valve, Ventilated Chase Compatible (as above) NG, 29,500 BTU | 154 lbs. | \$ 4,261.00 | N |
| KFZCV42LPHE | Fireplace, IPI Valve, Ventilated Chase Compatible (as above) LP, 29,000 BTU | 154 lbs. | \$ 4,346.00 | N |
| KF42ZCVCKLPH | Conversion Kit - Millivolt - To LP | 1 lbs. | \$ 97.00 | N |
| KF42ZCVCKNGH | Conversion Kit - Millivolt - To NG | 1 lbs. | \$ 97.00 | N |
| KF42ZCVCKLPHI | Conversion Kit - IPI - To LP | 1 lbs. | \$ 114.00 | Y |
| KF42ZCVCKNGHI | Conversion Kit - IPI - To NG | 1 lbs. | \$ 114.00 | N |
| Ventilating Enclosure - Choose Grill or Other Chase Option Per Manual | | | | |
| KFV39EGS | FOR VENTILATED UNITS ONLY - Grill - Enclosure Side (Pair) - Unfinished - (Opening 12 1/2" x 6 1/8") | - | \$ 390.00 | Y |
| KFV39EG | FOR VENTILATED UNITS ONLY - Grill - Enclosure Front - Unfinished - (Opening 36 1/2" x 3 5/8") | - | \$ 276.00 | Y |
| Log Set, Rock Set, or Glass Set (One Required for Each Unit) | | | | |
| KFLOGF3 | Log Set - Five Piece - Fiber Split Oak | 7 lbs. | \$ 436.00 | Y |
| KFLOGC3 | Log Set - Five Piece - Glo-Cast (Concrete) Split Oak LIMITED TO STOCK ON HAND | 20 lbs. | \$ 345.00 | Y |
| KFZCV42GT | Glass Tray for KFZCV42 - (Requires 20 lbs. of Glass Media) | 8 lbs. | \$ 193.00 | Y |
| KFZ5GC | Glass Media - 1/2" Bronze - 5 lbs. | 5 lbs. | \$ 114.00 | Y |
| KFRBCB1 | Cannonballs - Assorted Size and Colors | 16.5 lbs. | \$ 417.00 | Y |
| KFULK2 | Universal Light Kit - Two Lamps (for use with KFZCV39/42GT Glass Tray) | 5 lbs. | \$ 328.00 | Y |
| Surrounds and Safety Screens | | | | |
| KFZCV42S1BL | Surround - Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H) | 11 lbs. | \$ 492.00 | Y |
| KFZCV42S1PFBL | Surround - Picture Frame 4" Wide (Covers 44 5/8" x 40 1/8" H) | 15 lbs. | \$ 492.00 | Y |
| KFZCV42S2PFBL | Surround - Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H) | 15 lbs. | \$ 435.00 | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplaces, Inserts & Stoves

Kingsman
Multi-Sided Direct Vent Gas Fireplaces



2
0
2
5
-
2
0
2
6

KFZCV42H - Zero Clearance Clean View Direct Vent Gas Fireplace

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|---|-------------|--------------|---------|
| Fireplace Accessories Options | | | | |
| KFZCV42RLT | Refractory Fiber Brick Liner (3PCE) - Traditional | 15 lbs. | \$ 475.00 | Y |
| KFZCV42RLH | Refractory Fiber Brick Liner (3PCE) - Herringbone | 15 lbs. | \$ 475.00 | Y |
| KFZCV42RRH | Refractory Fiber Brick Liner (3PCE) - Red Herringbone | 15 lbs. | \$ 475.00 | N |
| KFZCV42RLS | Refractory Fiber Brick Liner (3PCE) - Stacked Brick | 15 lbs. | \$ 475.00 | Y |
| KFZCV42PL | Porcelain Reflective Panel Liner (3PCE) | 22 lbs. | \$ 577.00 | Y |
| KFZ46FK | Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing) | 5 lbs. | \$ 386.00 | Y |
| KFZDVDFFA | Duravent Fireplace Adapter - 23.5 Degree | 2.5 lbs. | \$ 133.00 | Y |
| ICTM4AA4 | ICC Adapter | 2 lbs. | \$ 215.00 | Y |
| KFZCVTLK | Tile Lip Kit (for Finishing Materials - Tile and Brick) | 3 lbs. | \$ 77.00 | Y |
| Log Bit Decorations | | | | |
| KFVLBIT6 | Log Bits - Small Six Piece Kit | 2 lbs. | \$ 139.00 | Y |
| Thermostats and Remote Controls | | | | |
| KFZ2MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | Y |
| KFZ80PT | Thermostat Programmable Digital Millivolt Wall Mount | 0.5 lbs. | \$ 188.00 | N |
| ST1001A | Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) | 1 lbs. | \$ 219.00 | Y |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | Y |
| KFGTFRCN | Remote Control Millivolt - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,232.00 | Y |
| KFGTFRCP | Remote Control Millivolt - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,232.00 | Y |
| KFEGTRC | Remote Control IPI Proflame 1 - Thermostat | 1.3 lbs. | \$ 644.00 | Y |
| KFEGTMRCN | Remote Control IPI Proflame 1 - Thermostat/Modulating - NG | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTMRCP | Remote Control IPI Proflame 1 - Thermostat/Modulating - LP | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTFRCN | Remote Control IPI - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,175.00 | Y |
| KFEGTFRCP | Remote Control IPI - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,175.00 | Y |
| KFWMBH | Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness | 1 lbs. | \$ 231.00 | N |

For Venting, please see Kingsman venting page or use one of the following adapters: **KFZDVDFFA - Dura-Vent // ICTM4AA5 - ICC**

Fireplaces, Inserts & Stoves

Kingsman
Multi-Sided Direct Vent Gas Fireplaces



KFMCVP42 - Multi-Sided Clean View Peninsula Direct Vent Gas Fireplace

Listed for USA/Canada as a Vented Gas Fireplace Includes: ANSI Z21.50, RH Burner, Three Sides Open, SIT Nova Valve with Hi/Lo Adjustment, Wall Switch, Safety Screens, Tempered Glass, Back, **Uses KFZ58DFA/ICTM5AA1 Adapter, 5/8" Angled Flue**

For Complete Unit: Order Unit, Log Grate and Oak Log Set OR Glass Tray and Glass Media or Driftwood Log Set

Best Selling Package

Retail

MCVP42 Peninsula Fireplace IPI, NG, Log Grate and Oak Log Set (KFMCVP42NE, KFM42LG and KFM42LOG4)

\$ 6,581.00

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|-------------|--|-------------|--------------|---------|
| Unit | | | | |
| KFMCVP42N | Peninsula Fireplace, Millivolt (as above) NG, 30,250 BTU | 260 lbs. | \$ 5,101.00 | N |
| KFMCVP42LP | Peninsula Fireplace, Millivolt (as above) LP, 28,500 BTU | 260 lbs. | \$ 5,185.00 | N |
| KFMCVP42NE | Peninsula Fireplace, IPI (as above) NG, 30,250 BTU | 260 lbs. | \$ 5,443.00 | Y |
| KF42MPCKLP | Conversion Kit - Millivolt - To LP | 1 lbs. | \$ 97.00 | Y |
| KF42MPCKNG | Conversion Kit - Millivolt - To NG | 1 lbs. | \$ 97.00 | N |
| KF42MPCKLPI | Conversion Kit - IPI - To LP | 1 lbs. | \$ 114.00 | Y |
| KF42MPCKNGI | Conversion Kit - IPI - To NG | 1 lbs. | \$ 114.00 | N |

Choose Log Grate & Log Set or Glassy Tray & Media (Required for Each Unit)

| | | | | |
|-----------|--|-----------|-----------|---|
| KFM42LG | Log Grate (need to choose log set) - Not for Use with LP | 28 lbs. | \$ 193.00 | Y |
| KFM42LOG4 | Log Set - Oak - Not for Use with LP | 13 lbs. | \$ 945.00 | Y |
| KFMP42GT | Glass Tray for MCPV42 (requires 10 lbs. of glass media) | 11 lbs. | \$ 193.00 | Y |
| KFM42LOG3 | Log Set - Driftwood - This Log Set Can Only be Used with Glass Tray KFMST42GT | 16 lbs. | \$ 945.00 | N |
| KFZ5GC | Glass Media - 1/2" Bronze - 5 lbs. | 5 lbs. | \$ 114.00 | N |
| KFRBCB1 | Cannonballs - Assorted size and colors | 16.5 lbs. | \$ 417.00 | Y |
| KFULK3 | Universal Light Kit - Two Lamps (for use with Glass Tray) | 7 lbs. | \$ 328.00 | Y |

Fireplace Accessories Options

| | | | | |
|-------------|--|--------|-----------|---|
| KFMP42RLT | Refractory Fiber Brick Liner - Traditional | 5 lbs. | \$ 218.00 | N |
| KFMP42PL | Porcelain Reflective Panel Liner | 6 lbs. | \$ 220.00 | Y |
| KF42MCVPTLK | Tile Lip Kit - 8 Piece | #N/A | TBD | N |
| KFVLBIT6 | Log Bits - Small Six Piece Kit | 2 lbs. | \$ 139.00 | Y |
| KFZ58DFA | Dura-Vent Hard Pipe Adapter - REQUIRED WHEN USING RIGID VENTING ON MCVP42 | 3 lbs. | \$ 167.00 | Y |
| ICTM5AA1 | ICC Adapter | 6 lbs. | \$ 154.00 | Y |
| KFWMBH | Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness | 1 lbs. | \$ 231.00 | N |

For Venting, please see Kingsman venting page or use one of the following adapters: **KFZ58DFA - Dura-Vent // ICTM5AA1 - ICC**

Fireplaces, Inserts & Stoves

Kingsman
Multi-Sided Direct Vent Gas Fireplaces



2
0
2
5
-
2
0
2
6

| KFMCVP42H - Multi-Sided Clean View Peninsula Direct Vent Gas Fireplace | | | | |
|---|--|-------------|--------------|---------------|
| Listed for USA/Canada as a Vented Gas Fireplace Includes: ANSI Z21.88, RH Burner, Three Sides Open, SIT Nova Valve with Hi/Lo Adjustment, Wall Switch, Ceramic Glass, Safety Screens, Back, Uses KFZ58DFA/ICTM5AA1 Adapter, 5/8" Angled Flue | | | | |
| For Complete Unit: Order Unit, Log Grate and Oak Log Set OR Glass Tray and Glass Media or Driftwood Log Set | | | | |
| Best Selling Package | | | | Retail |
| MCVP42 Peninsula Fireplace IPI, NG, Log Grate, Oak Log Set and Remote Control w/Thermostat (KFMCVP42NHE, KFM42LG, KFM42LOG4 and KFEGTRC) | | | | \$ 9,619.00 |
| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
| Unit | | | | |
| KFMCVP42NH | Peninsula Fireplace, Millivolt (as above) NG, 31,250 BTU | 260 lbs. | \$ 7,495.00 | N |
| KFMCVP42LPH | Peninsula Fireplace, Millivolt (as above) LP, 29,000 BTU | 260 lbs. | \$ 7,579.00 | N |
| KFMCVP42NHE | Peninsula Fireplace, IPI (as above) NG, 31,250 BTU | 260 lbs. | \$ 7,837.00 | N |
| KFMCVP42LPHE | Peninsula Fireplace, IPI (as above) LP, 29,000 BTU | 260 lbs. | \$ 7,922.00 | N |
| KF42MPCKLPH | Conversion Kit - Millivolt - To LP | 1 lbs. | \$ 97.00 | Y |
| KF42MPCKNGH | Conversion Kit - Millivolt - To NG | 1 lbs. | \$ 97.00 | N |
| KF42MPCKLPHI | Conversion Kit - IPI - To LP | 1 lbs. | \$ 114.00 | Y |
| KF42MPCKNGHI | Conversion Kit - IPI - To NG | 1 lbs. | \$ 114.00 | N |
| Choose Log Grate & Log Set or Glass Tray & Media (Required for Each Unit) | | | | |
| KFM42LG | Log Grate (need to choose log set) - Not for Use with LP | 28 lbs. | \$ 193.00 | Y |
| KFM42LOG4 | Log Set - Oak - Not for Use with LP | 13 lbs. | \$ 945.00 | Y |
| KFMP42GT | Glass Tray for MCPV42 (requires 10 lbs. of glass media) | 11 lbs. | \$ 193.00 | Y |
| KFM42LOG3 | Log Set - Driftwood - This Log Set Can Only be Used with Glass Tray KFMST42GT | 16 lbs. | \$ 945.00 | N |
| KFZ5GC | Glass Media - 1/2" Bronze - 5 lbs. | 5 lbs. | \$ 114.00 | N |
| KFRBCB1 | Cannonballs - Assorted size and colors | 16.5 lbs. | \$ 417.00 | Y |
| KFULK3 | Universal Light Kit - Two Lamps (for use with glass tray) | 7 lbs. | \$ 328.00 | Y |
| KF42MVB258 | Pilot Shield - for Glass Tray and Log Grate (replacement part) | N/A | \$ 62.00 | N |
| Fireplace Accessories Options | | | | |
| KFMP42RLT | Refractory Fiber Brick Liner - Traditional | 5 lbs. | \$ 218.00 | N |
| KFMP42PL | Porcelain Reflective Panel Liner | 6 lbs. | \$ 220.00 | Y |
| KF42MCVPTLK | Tile Lip Kit - 8 Piece | #N/A | TBD | N |
| KFVLBIT6 | Log Bits - Small Six Piece Kit | 2 lbs. | \$ 139.00 | Y |
| KFZ58DFA | Dura-Vent Hard Pipe Adapter - REQUIRED WHEN USING RIGID VENTING ON MCVP42 | 3 lbs. | \$ 167.00 | Y |
| ICTM5AA1 | ICC Adapter | 6 lbs. | \$ 154.00 | Y |

Fireplaces, Inserts & Stoves

Kingsman
Multi-Sided Direct Vent Gas Fireplaces



KFMCPV42H - Multi-Sided Clean View Peninsula Direct Vent Gas Fireplace

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|---|-------------|--------------|---------|
| Thermostats & Remote Controls | | | | |
| KFZ2MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | Y |
| KFZ80PT | Thermostat Programmable Digital Millivolt Wall Mount | 0.5 lbs. | \$ 188.00 | N |
| ST1001A | Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) | 1 lbs. | \$ 219.00 | Y |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | Y |
| KFGTFRCN | Remote Control Millivolt - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,232.00 | Y |
| KFGTFRCP | Remote Control Millivolt - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,232.00 | Y |
| KFEGTRC | Remote Control IPI Proflame 1 - Thermostat | 1.3 lbs. | \$ 644.00 | Y |
| KFEGTMRCN | Remote Control IPI Proflame 1 - Thermostat/Modulating - NG | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTMRCP | Remote Control IPI Proflame 1 - Thermostat/Modulating - LP | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTFRCN | Remote Control IPI - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,175.00 | Y |
| KFEGTFRCP | Remote Control IPI - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,175.00 | Y |
| KFWMBH | Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness | 1 lbs. | \$ 231.00 | N |

For Venting, please see Kingsman venting page or use one of the following adapters: **KFZ58DFA - Dura-Vent // ICTM5AA1 - ICC**

Fireplaces, Inserts & Stoves

Kingsman
Multi-Sided Direct Vent Gas Fireplaces



2
0
2
5
-
2
0
2
6

KFMCVST42 - Multi-Sided Clean View See-Through Direct Vent Fireplace

Listed for USA/Canada as a Vented Gas Fireplace Includes: ANSI Z21.50, RH Burner, SIT Nova Valve with Hi/Lo Adjustment, Wall Switch, Safety Screens, Tempered Glass, Back, **Uses KFZ58FA/ICTM5AA1 Adapter, 5/8" Angled Flue**
For Complete Unit: Order Unit, Log Grate and Oak Log Set OR Glass Tray and Glass Media or Driftwood Log Set

Best Selling Package **Retail**

MCVST42 See-Through Fireplace IPI, NG, Log Grate, Oak Log Set and Remote Control w/Thermostat (KFMCVST42NE, KFM42LG, KFM42LOG4 and KFGTRC) \$ 7,348.00

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--------------|--|-------------|--------------|---------|
| Unit | | | | |
| KFMCVST42N | See Through Fireplace, Millivolt (as above) NG, 31,000 BTU | 260 lbs. | \$ 5,221.00 | N |
| KFMCVST42LP | See Through Fireplace, Millivolt (as above) LP, 29,250 BTU | 260 lbs. | \$ 5,311.00 | N |
| KFMCVST42NE | See Through Fireplace, IPI (as above) NG, 31,000 BTU | 260 lbs. | \$ 5,566.00 | Y |
| KFMCVST42LPE | See Through Fireplace, IPI (as above) LP, 29,250 BTU | 260 lbs. | \$ 5,674.00 | N |
| KF42MSTCKLP | Conversion Kit - Millivolt - To LP | 1 lbs. | \$ 97.00 | Y |
| KF42MSTCKNG | Conversion Kit - Millivolt - To NG | 1 lbs. | \$ 97.00 | N |
| KF42MSTCKLPI | Conversion Kit - IPI - To LP | 1 lbs. | \$ 114.00 | Y |
| KF42MSTCKNGI | Conversion Kit - IPI - To NG | 1 lbs. | \$ 114.00 | N |

Choose Log Grate & Log Set or Glass Tray & Media (Required for Each Unit)

| | | | | |
|------------|---|-----------|-----------|---|
| KFM42LG | Log Grate (need to choose log set) | 28 lbs. | \$ 193.00 | Y |
| KFM42LOG4 | Log Set - Oak | 13 lbs. | \$ 945.00 | Y |
| KFMST42GT | Glass Tray for MCPV42 (requires 10 lbs. of glass media) | 10 lbs. | \$ 193.00 | Y |
| KFM42LOG3 | Log Set - Driftwood - This Log Set Can Only be Used with Glass Tray KFMST42GT | 16 lbs. | \$ 945.00 | N |
| KFZ5GC | Glass Media - 1/2" Bronze - 5 lbs. | 5 lbs. | \$ 114.00 | N |
| KFRBCB1 | Cannonballs - Assorted size and colors | 16.5 lbs. | \$ 417.00 | Y |
| KFULK3 | Universal Light Kit - Two Lamps (for use with glass tray) | 7 lbs. | \$ 328.00 | Y |
| KF42MVB258 | Pilot Shield - for Glass Tray and Log Grate (replacement part) | N/A | \$ 62.00 | N |

Surrounds & Designer Doors

| | | | | |
|---------------|---|---------|-----------|---|
| KFZCV42S1BL | Surround - Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H) | 11 lbs. | \$ 492.00 | Y |
| kFZCV42S1PFBL | Surround - Picture Frame 4" Wide (Covers 44 5/8" W x 40 1/8" H) | 15 lbs. | \$ 492.00 | Y |
| kFZCV42S2PFBL | Surround - Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H) | 15 lbs. | \$ 435.00 | Y |

Fireplace Accessories Options

| | | | | |
|------------|---|---------|-----------|---|
| KFZCVTLK | Tile Lip Kit - (for Finishing Materials - tile, brick) | 3 lbs. | \$ 77.00 | Y |
| KFMST42RLT | Refractory Fiber Brick Liner (2 PCE) - Traditional | 12 lbs. | \$ 417.00 | Y |
| KFMST42PL | Porcelain Reflective Panel Liner (2 PCE) | 15 lbs. | \$ 439.00 | Y |
| KFZ46FK | Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing) | 5 lbs. | \$ 386.00 | Y |
| KFVLBIT6 | Log Bits - Small Six Piece Kit | 2 lbs. | \$ 139.00 | Y |
| KFZ58DFA | Dura-Vent Hard Pipe Adapter - REQUIRED WHEN USING RIGID VENTING ON MCVST42 | 3 lbs. | \$ 167.00 | Y |
| ICTM5AA1 | ICC Adapter | 6 lbs. | \$ 154.00 | Y |

Thermostats & Remote Controls

| | | | | |
|----------|--|----------|-----------|---|
| KFZ2MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | Y |
| KFZ80PT | Thermostat Programmable Digital Millivolt Wall Mount | 0.5 lbs. | \$ 188.00 | N |
| ST1001A | Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) | 1 lbs. | \$ 219.00 | Y |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |

Fireplaces, Inserts & Stoves

Kingsman
Multi-Sided Direct Vent Gas Fireplaces



KFMCVST42 - Multi-Sided Clean View See-Through Direct Vent Fireplace

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|---|---|-------------|--------------|---------|
| Thermostats & Remote Controls | | | | |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | Y |
| KFGTFRCN | Remote Control Millivolt - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,232.00 | Y |
| KFGTFRCP | Remote Control Millivolt - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,232.00 | Y |
| KFEGTRC | Remote Control IPI Proflame 1 - Thermostat | 1.3 lbs. | \$ 644.00 | Y |
| KFEGTMRCN | Remote Control IPI Proflame 1 - Thermostat/Modulating - NG | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTMRCP | Remote Control IPI Proflame 1 - Thermostat/Modulating - LP | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTFRCN | Remote Control IPI - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,175.00 | Y |
| KFEGTFRCP | Remote Control IPI - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,175.00 | Y |
| KFWMBH | Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness | 1 lbs. | \$ 231.00 | N |
| For Venting, please see Kingsman venting page or use one of the following adapters: KFZ58DFA - Dura-Vent // ICTM5AA1 - ICC | | | | |

Fireplaces, Inserts & Stoves

Kingsman
Multi-Sided Direct Vent Gas Fireplaces



2
0
2
5
-
2
0
2
6

| KFMCVST42H - Multi-Sided Clean View See-Through Direct Vent Fireplace | | | | |
|---|---|-------------|---------------|---------|
| Listed for USA/Canada as a Vented Gas Fireplace Includes: ANSI Z21.88, RH Burner, SIT Nova Valve with Hi/Lo Adjustment, Wall Switch, Safety Screens, Ceramic Glass, Back, Uses KFZ58DFA/ICTM5AA1 Adapter, 5/8" Angled Flue | | | | |
| For Complete Unit: Order Unit, Log Grate and Oak Log Set OR Glass Tray and Glass Media or Driftwood Log Set | | | | |
| Best Selling Package | | | Retail | |
| MCVST42 See-Through Fireplace IPI, NG, Log Grate, Oak Log Set and Remote Control w/Thermostat (KFMCVST42NHE, KFM42LG, KFM42LOG4 and KFEGTRC) | | | \$ 9,548.00 | |
| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
| Unit | | | | |
| KFMCVST42NH | See Through Fireplace, Millivolt (as above) NG, 31,000 BTU | 260 lbs. | \$ 7,425.00 | N |
| KFMCVST42LPH | See Through Fireplace, Millivolt (as above) LP, 29,250 BTU | 260 lbs. | \$ 7,509.00 | N |
| KFMCVST42NHE | See Through Fireplace, IPI (as above) NG, 31,000 BTU | 260 lbs. | \$ 7,766.00 | Y |
| KFMCVST42LPHE | See Through Fireplace, IPI (as above) LP, 29,250 BTU | 260 lbs. | \$ 7,851.00 | N |
| KF42MSTCKLPH | Conversion Kit - Millivolt - To LP | 1 lbs. | \$ 97.00 | Y |
| KF42MSTCKNGH | Conversion Kit - Millivolt - To NG | 1 lbs. | \$ 97.00 | N |
| KF42MSTCKLPHI | Conversion Kit - IPI - To LP | 1 lbs. | \$ 114.00 | Y |
| KF42MSTCKNGHI | Conversion Kit - IPI - To NG | 1 lbs. | \$ 114.00 | N |
| Choose Log Grate & Log Set or Glass Tray & Media (Required for Each Unit) | | | | |
| KFM42LG | Log Grate (need to choose log set) | 28 lbs. | \$ 193.00 | Y |
| KFM42LOG4 | Log Set - Oak | 13 lbs. | \$ 945.00 | Y |
| KFMST42GT | Glass Tray for MCPV42 (requires 10 lbs. of glass media) | 10 lbs. | \$ 193.00 | Y |
| KFM42LOG3 | Log Set - Driftwood - This Log Set Can Only be Used with Glass Tray KFMST42GT | 16 lbs. | \$ 945.00 | N |
| KFZ5GC | Glass Media - 1/2" Bronze - 5 lbs. | 5 lbs. | \$ 114.00 | N |
| KFRBCB1 | Cannonballs - Assorted size and colors | 16.5 lbs. | \$ 417.00 | Y |
| KFULK3 | Universal Light Kit - Two Lamps (for use with glass tray) | 7 lbs. | \$ 328.00 | Y |
| KF42MVB258 | Pilot Shield - for Glass Tray and Log Grate (replacement part) | N/A | \$ 62.00 | N |
| Surrounds & Designer Doors | | | | |
| KFZCV42S1BL | Surround - Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H) | 11 lbs. | \$ 492.00 | Y |
| kFZCV42S1PFBL | Surround - Picture Frame 4" Wide (Covers 44 5/8" W x 40 1/8" H) | 15 lbs. | \$ 492.00 | Y |
| kFZCV42S2PFBL | Surround - Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H) | 15 lbs. | \$ 435.00 | Y |
| Fireplace Accessories Options | | | | |
| KFZCVTLK | Tile Lip Kit - (for Finishing Materials - tile, brick) | 3 lbs. | \$ 77.00 | Y |
| KFMST42RLT | Refractory Fiber Brick Liner (2 PCE) - Traditional | 12 lbs. | \$ 417.00 | Y |
| KFMST42PL | Porcelain Reflective Panel Liner (2 PCE) | 15 lbs. | \$ 439.00 | Y |
| KFZ46FK | Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing) | 5 lbs. | \$ 386.00 | Y |
| KFVLBIT6 | Log Bits - Small Six Piece Kit | 2 lbs. | \$ 139.00 | Y |
| KFZ58DFA | Dura-Vent Hard Pipe Adapter - REQUIRED WHEN USING RIGID VENTING ON MCVST42 | 3 lbs. | \$ 167.00 | Y |
| ICTM5AA1 | ICC Adapter | 6 lbs. | \$ 154.00 | Y |

Fireplaces, Inserts & Stoves

Kingsman
Multi-Sided Direct Vent Gas Fireplaces



KFMCVST42H - Multi-Sided Clean View See-Through Direct Vent Fireplace

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|---|-------------|--------------|---------|
| Thermostats & Remote Controls | | | | |
| KFZ2MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | Y |
| KFZ80PT | Thermostat Programmable Digital Millivolt Wall Mount | 0.5 lbs. | \$ 188.00 | N |
| ST1001A | Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) | 1 lbs. | \$ 219.00 | Y |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | Y |
| KFGTFRCN | Remote Control Millivolt - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,232.00 | Y |
| KFGTFRCP | Remote Control Millivolt - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,232.00 | Y |
| KFEGTRC | Remote Control IPI Proflame 1 - Thermostat | 1.3 lbs. | \$ 644.00 | Y |
| KFEGTMRCN | Remote Control IPI Proflame 1 - Thermostat/Modulating - NG | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTMRCP | Remote Control IPI Proflame 1 - Thermostat/Modulating - LP | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTFRCN | Remote Control IPI - Thermostat/Modulating/Fan - NG | 1.3 lbs. | \$ 1,175.00 | Y |
| KFEGTFRCP | Remote Control IPI - Thermostat/Modulating/Fan - LP | 1.3 lbs. | \$ 1,175.00 | Y |
| KFWMBH | Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness | 1 lbs. | \$ 231.00 | N |

For Venting, please see Kingsman venting page or use one of the following adapters: **KFZ58DFA - Dura-Vent // ICTM5AA1 - ICC**

Fireplaces, Inserts & Stoves

Kingsman
Direct Vent Gas Insert



2
0
2
5
-
2
0
2
6

KFIDV24 - Direct Vent Gas Fireplace Insert

Listed for USA/Canada as a Vented Gas Fireplace, Includes Dual Burner with Glowing Embers, Ceramic Glass, Adjustable Valve, Blower, Two Three Inch Flues, 24,000 BTU/HR, Minimum Fireplace Opening (24 1/4" W x 18 1/2" H x 14" D)

For Complete Unit: Order Unit, Log Set or Glass Set and Clean View with Surround

| Best Selling Package | Retail |
|--|-------------|
| IDV24 Proflame 2 Insert, NG, Split Oak Log Set, Clean View Front and Surround (KFIDV24NE2, KFLOGF24OAK, KF124CV1BL and KF124S3827) | \$ 4,259.00 |

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--------------|---|-------------|--------------|---------|
| Unit | | | | |
| KFIDV24N | Insert Direct Vent - Millivolt - NG | - | \$ 2,171.00 | N |
| KFIDV24LP | Insert Direct Vent - Millivolt - LP | - | \$ 2,224.00 | N |
| KFIDV24NE | Insert Direct Vent - IPI PF1 - NG | - | \$ 2,480.00 | N |
| KFIDV24LPE | Insert Direct Vent - IPI PF1 - LP | - | \$ 2,533.00 | N |
| KFIDV24NE2 | Insert Direct Vent - IPI PF2 - Remote-Thermostat-Mod-Fan-Lights - NG | - | \$ 3,012.00 | Y |
| KFIDV24LPE2 | Insert Direct Vent - IPI PF2 - Remote-Thermostat-Mod-Fan-Lights - LP | - | \$ 3,083.00 | N |
| KF24IDVCKLP | Conversion Kit - Millivolt - To LP | 1 lbs. | \$ 97.00 | Y |
| KF24IDVCKNG | Conversion Kit - Millivolt - To NG | 1 lbs. | \$ 97.00 | N |
| KF24IDVCKLPI | Conversion Kit - IPI - To LP | 1 lbs. | \$ 114.00 | N |
| KF24IDVCKNGI | Conversion Kit - IPI - To NG | 1 lbs. | \$ 114.00 | N |
| KF24IDVCKLP2 | Conversion Kit - IPI Proflame 2 - To LP | 1 lbs. | \$ 209.00 | Y |
| KF24IDVCKNG2 | Conversion Kit - IPI Proflame 2 - To LP | 1 lbs. | \$ 209.00 | N |

Choose Log Set or Glass Media (Required)

| | | | | |
|-------------|--|-----------|-----------|---|
| KFLOGF24OAK | Log Set - Fiber Split Oak | #N/A | \$ 518.00 | Y |
| KFZ5GC | Glass Media - 1/2" Bronze - 5 lbs. | 5 lbs. | \$ 114.00 | Y |
| KFRBCB1 | Cannonballs - Assorted size and colors | 16.5 lbs. | \$ 417.00 | Y |

Choose Clean View Front and Appropriate Surround (Required)

| | | | | |
|--------------|--|------|-----------|---|
| KF124CV1BL | Clean View - Black - c/w Safety Screen - 35 1/4" W x 24 3/16" H x 13/16" D | #N/A | \$ 528.00 | Y |
| KF124S3827 | Surround - Black (Covers 37 13/16" W x 27" H) | #N/A | \$ 201.00 | Y |
| KF124SPF3829 | Surround - Picture Frame - Black (Covers 37 13/16" W x 28 7/8" H) | #N/A | \$ 254.00 | N |
| KF124SU4541 | Surround Universal - Black (Covers 45" W x 41" H) | #N/A | \$ 213.00 | Y |

Options and Accessories

| | | | | |
|------------|--|--------|-----------|---|
| KF134R40 | Riser For Surround (Raises Coverage Height 2 1/2") x 40" W | 1 lbs. | \$ 174.00 | N |
| KFIDV24RLT | Refractory Brick Liner (3 PCE) | #N/A | \$ 398.00 | N |

Fireplaces, Inserts & Stoves

Kingsman
Direct Vent Gas Insert



KFIDV24 - Direct Vent Gas Fireplace Insert

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|--|-------------|--------------|---------|
| Thermostats and Remote Controls | | | | |
| KFZ2MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | Y |
| KFZ8OPT | Thermostat Programmable Digital - Wall Mount - MV/PF1 | 0.5 lbs. | \$ 188.00 | N |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |
| KFEGTRC | Remote Control IPI Proflame 1 - Thermostat | 1.3 lbs. | \$ 644.00 | Y |
| KFEGTMRCN | Remote Control IPI Proflame 1 - Thermostat/Modulating - NG | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTMRCP | Remote Control IPI Proflame 1 - Thermostat/Modulating - LP | 1.3 lbs. | \$ 876.00 | Y |
| Venting Components - 3"x3" | | | | |
| KFIDVVT36 | Vertical Vent Termination - (3/3"), Mill Pac and Screws | 3.5 lbs. | \$ 220.00 | Y |
| KFIDVFK25 | Flex Pipe Kit (2 x 3" Dia x 25' Gas Flex Liner) | 19 lbs. | \$ 479.00 | Y |
| KFIDVLCP | Block Off Plate - For Lower Chase (11 3/4" x 14 3/4") | 5 lbs. | \$ 45.00 | N |
| KFZDV3FC | Flex Connector 3" Diameter | 1 lbs. | \$ 24.00 | N |
| Venting Components - 2"x3" | | | | |
| KFIDVVT36 | Vertical Vent Termination - (3/3"), Mill Pac and Screws | 3.5 lbs. | \$ 220.00 | Y |
| KF123FK25 | Flex Pipe Kit (2"x 25' & 3" x 25' Gas Flex Liner) | #N/A | TBD | N |
| KF123FAK | Flue Adaptor Kit - 2 x 2" to 3" Increaser and 6" to 7" Increaser | #N/A | TBD | N |
| KFIDVLCP | Block Off Plate - For Lower Chase (11 3/4" x 14 3/4") | 5 lbs. | \$ 45.00 | N |
| KFZDV2FC | Flex Connector 2" Diameter | #N/A | TBD | N |
| KFZDV3FC | Flex Connector 3" Diameter | 1 lbs. | \$ 24.00 | N |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplaces, Inserts & Stoves

Kingsman
Direct Vent Gas Insert



2
0
2
5
-
2
0
2
6

KFIDV26 - Direct Vent Gas Fireplace Insert

Listed for USA/Canada as a Vented Gas Fireplace Heater, Includes Dual Burner with Glowing Embers, Ceramic Glass, Safety Screen, Millivolt Valve, Variable Speed with Thermostat Controlled Blower, 30,000 BTU/HR NG, 28,500 BTU/HR LP, Efficiency of 75%, (Minimum Size of Fireplace for Component "Out" Installation 28" W x 19 1/2" H x 14 1/8"D. Minimum Size of Fireplace for Component "In" installation 31" W x 19 1/2" H x 14 1/8"D) **3" Intake 3" Exhaust**
For Complete Unit: Order Unit, Log Set or Glass Set and Clean View or Grill Kit

| Best Selling Package | Retail |
|--|-------------|
| IDV26 Proflame 2 Insert, NG, Split Oak Log Set and Slim Clean View Front (KFIDV26NE2, KFLOGF27 and KFI26CV1BL) | \$ 4,483.00 |

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--------------|---|-------------|--------------|---------|
| Unit | | | | |
| KFIDV26NE2 | Insert Direct Vent - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - NG | 96 lbs. | \$ 3,662.00 | N |
| KFIDV26LPE2 | Insert Direct Vent - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - LP | 96 lbs. | \$ 3,733.00 | N |
| KF26IDVCKLP2 | Conversion Kit - IPI Proflame 2 - To LP | N/A | \$ 209.00 | N |
| KF26IDVCKNG2 | Conversion Kit - IPI Proflame 2 - To NG | N/A | \$ 209.00 | N |
| KFIDV26N | Insert Direct Vent, Millivolt, NG | 109 lbs. | \$ 2,789.00 | Y |
| KFIDV26LP | Insert Direct Vent, Millivolt, LP | 109 lbs. | \$ 2,862.00 | N |
| KF26IDVCKLP | NG to LP Millivolt Conversion Kit | 1 lbs. | \$ 97.00 | Y |

Log Set or Glass Support Platform (One Required for Each Unit)

| | | | | |
|----------|--|----------|-----------|---|
| KFLOGF27 | Log Set - Fiber Split Oak (IDV26) | 5.8 lbs. | \$ 507.00 | Y |
| KFRSP10 | Glass Support Platform w/Bronze Decorative Glass for IDV26 | 21 lbs. | \$ 605.00 | Y |

Choose Your Clean View Kit (One Required)

| Clean View Front - Slim - Measures 35 5/8"W x 22 3/4"H | | | | |
|--|--|---------|-----------|---|
| KFI26CV1BL | Clean View Front, Slim - Black - 1 3/4" Depth | 12 lbs. | \$ 314.00 | Y |
| KFI26CV3BL | Clean View Front - Slim - Black - 3 1/2" Depth | 13 lbs. | \$ 364.00 | N |
| KFI26S1BL | Surround - Slim - Black - (Covers 42" W x 27 1/2" H) | 10 lbs. | \$ 209.00 | Y |
| KFI26SUBL | Surround Universal - Black - (Picture Frame Size 47 1/2" W x 35 5/8"H, Three Sided 47 1/2"W x 28 5/8" H) | 16 lbs. | \$ 299.00 | N |

| SERIES 1 - CLEAN VIEW FRONT - PICTURE FRAME 35 5/8"W X 25 7/8"H | | | | |
|---|--|---------|-----------|---|
| KFI26CVPF1BL | Clean View Front - Slim - Picture Frame - Black | 12 lbs. | \$ 415.00 | N |
| KFI26SPF1BL | Surround Picture Frame - Slim - Black - (Covers 39 3/8"W x 29 3/4" H) | 10 lbs. | \$ 282.00 | N |
| KFI26SUBL | Surround Universal - Black - (Picture Frame Size 47 1/2" W x 35 5/8"H, Three Sided 47 1/2"W x 28 5/8" H) | 16 lbs. | \$ 299.00 | N |

| SERIES 2 - CLEAN VIEW FRONT - WIDE - MEASURES 44 5/8"W X 26 5/8"H | | | | |
|---|--|---------|-----------|---|
| KFI26CV2BL | Clean View Front - Wide - Black | 16 lbs. | \$ 357.00 | N |
| KFI26CVPF2BL | Clean View Front - Wide - Picture Frame - Black | 23 lbs. | \$ 473.00 | N |
| KFI26SUBL | Surround Universal - Black - (Picture Frame Size 47 1/2" W x 35 5/8"H, Three Sided 47 1/2"W x 28 5/8" H) | 16 lbs. | \$ 299.00 | N |

Accessories/Options

| | | | | |
|------------|--|---------|-----------|---|
| KFI33R40 | Riser For Surround (2 1/2") - For Use on KFI33S4028B | 3 lbs. | \$ 174.00 | N |
| KFI33R44 | Riser For Surround (2 1/2") - For Use on KFI33S4430B | 3 lbs. | \$ 174.00 | N |
| SD3DF AFC | 3" Flex Connector - Normal SD discount applies - *Order 2* | N/A | \$ 29.72 | Y |
| KFIDV26RL | Refractory Brick Liner (3 Pce) | 6 lbs. | \$ 353.00 | N |
| KFIDV26PRL | Porcelain Reflective Panel Liner (3 Pce) | 10 lbs. | \$ 396.00 | Y |
| KFI33CS | Mantel Clearance Shield | 7 lbs. | \$ 46.00 | N |

Fireplaces, Inserts & Stoves

Kingsman

Direct Vent Gas Insert



KFIDV26 - Direct Vent Gas Fireplace Insert

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|----------------------------|---|-------------|--------------|---------|
| Accessories/Options | | | | |
| KFZ2MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | Y |
| KFZ8OPT | Thermostat Programmable Digital Millivolt Wall Mount | 0.5 lbs. | \$ 188.00 | N |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | Y |
| ST1001A | Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) | 1 lbs. | \$ 219.00 | Y |
| Venting Components | | | | |
| KFIDVVT36 | Vertical Vent Termination - (3/3") | 3.5 lbs. | \$ 220.00 | Y |
| KFIDVFK25 | Flex Pipe Kit (2 x 3" Dia x 25' Gas Flex Liner) | 19 lbs. | \$ 479.00 | Y |
| KFIDVLCP | Block Off Plate - For Lower Chase (11 3/4" x 14 3/4") | 5 lbs. | \$ 45.00 | N |
| KFZDV3FC | Flex Connector 3" Diameter | 1 lbs. | \$ 24.00 | N |
| KFWMBH | Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness | 1 lbs. | \$ 231.00 | N |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplaces, Inserts & Stoves

Kingsman
Direct Vent Gas Insert



2
0
2
5
-
2
0
2
6

| KFIDV34 - Direct Vent Gas Fireplace Inserts | | | | |
|---|---|-------------|--------------|---------------|
| Listed for USA/Canada as a Vented Gas Fireplace, Includes Dual Burner with Glowing Embers, Ceramic Glass, SIT Valve, Variable Controlled Blower, Two Three Inch Flues, 31,000 BTU/HR NG, 28,500 BTU/HR LP, Minimum Fireplace Opening Required 28 5/8" W x 21 1/2" H x 17 3/4" D | | | | |
| For Complete Unit: Order Unit, Log Set or Glass Set and Clean View Kit | | | | |
| Best Selling Package | | | | Retail |
| IDV34 Proflame 2 Insert, NG, Split Oak Log Set and Clean View Kit (KFIDV34NE2, KFLOGF35 and KF134CV1BL) | | | | \$ 4,283.00 |
| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
| Unit | | | | |
| KFIDV34NE2 | Insert Direct Vent - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - NG | N/A | \$ 3,290.00 | Y |
| KFIDV34LPE2 | Insert Direct Vent - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - LP | N/A | \$ 3,353.00 | N |
| KF33IDVCKLP2 | Conversion Kit - IPI Proflame 2 - To LP | #N/A | \$ 209.00 | N |
| KF33IDVCKNG2 | Conversion Kit - IPI Proflame 2 - To NG | N/A | \$ 209.00 | N |
| KFIDV34N | Insert Direct Vent (as above) - Millivolt - NG | N/A | \$ 2,419.00 | Y |
| KFIDV34LP | Insert Direct Vent (as above) - Millivolt - LP | N/A | \$ 2,480.00 | N |
| KFIDV34NE | Insert Direct Vent (as above) - IPI - NG | 96 lbs. | \$ 2,764.00 | Y |
| KFIDV34LPE | Insert Direct Vent (as above) - IPI - LP | N/A | \$ 2,825.00 | N |
| KF33IDVCKLP | Conversion Kit - Millivolt - To LP | 1 lbs. | \$ 97.00 | Y |
| KF33IDVCKNG | Conversion Kit - Millivolt - To NG | 1 lbs. | \$ 97.00 | N |
| KF33IDVCKLPI | Conversion Kit - IPI - To LP | 1 lbs. | \$ 114.00 | Y |
| KF33IDVCKNGI | Conversion Kit - IPI - To NG | 1 lbs. | \$ 114.00 | N |
| Log Set or Glass Support (Required for Each Unit) | | | | |
| KFLOGF35 | Log Set - Fiber Split Oak | 12 lbs. | \$ 447.00 | Y |
| KFRSP10 | Glass Support Platform - with Bronze Decorative Glass | 21 lbs. | \$ 605.00 | Y |
| Clean View CV1 - (Required for Each Unit) | | | | |
| KF134CV1BL | Clean View - Black - c/w Safety Screen - 35 1/4" W x 24 3/16" H x 13/16" D | N/A | \$ 546.00 | Y |
| Surrounds (for Additional Coverage) | | | | |
| KF134S3927BL | Surround - Black (Covers 39" W x 27 5/16" H) | N/A | \$ 207.00 | Y |
| KF134SPF4131BL | Surround - Picture Frame - Black (Covers 41 1/8" W x 31 3/8" H) | N/A | \$ 266.00 | Y |
| KF134SU4541BL | Surround Universal - Black (Covers 45" W x 41" H) | N/A | \$ 220.00 | N |
| Clean View CV5/6 - (Minimum Fireplace Opening - 26 1/4" W x 21 3/8"H x 14 3/8"D) | | | | |
| KF134CV6BL | Clean View w/ Backer Surround - Safety Screen - Black - (Covers 37 5/8"W x 26 15/16"H x 2 3/4"D) - Allows for an IDV34 to fit in the Same Opening as an IDV33 | N/A | \$ 760.00 | N |
| Riser for Surrounds (Raises Coverage Height by 2 1/2") | | | | |
| KF134R40 | Riser For Surround (2 1/2") x 40" W | N/A | \$ 174.00 | N |
| KF144R45 | Riser For Surround (2 1/2") x 45" W | N/A | \$ 174.00 | N |
| Fireplace Accessory Options | | | | |
| KFIDV33RL | Refractory Brick Liner (3 PCE) | 22 lbs. | \$ 209.00 | Y |
| KFIDV33PRL | Porcelain Reflective Panel Liner (3 PCE) | 25 lbs. | \$ 460.00 | Y |

Fireplaces, Inserts & Stoves

Kingsman Direct Vent Gas Insert



KFIDV34 - Direct Vent Gas Fireplace Inserts

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|---|-------------|--------------|---------|
| Thermostats, Remote Controls and Venting Components | | | | |
| KFZ2MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | Y |
| KFZ80PT | Thermostat Programmable Digital - Wall Mount - MV/PF1 | 0.5 lbs. | \$ 188.00 | N |
| ST1001A | Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) | 1 lbs. | \$ 219.00 | Y |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | Y |
| KFEGTRC | Remote Control IPI Proflame 1 - Thermostat | 1.3 lbs. | \$ 644.00 | Y |
| KFEGTMRCN | Remote Control IPI Proflame 1 - Thermostat/Modulating - NG | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTMRCP | Remote Control IPI Proflame 1 - Thermostat/Modulating - LP | 1.3 lbs. | \$ 876.00 | Y |
| KFWMBH | Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness | 1 lbs. | \$ 231.00 | N |
| KFIDVVT36 | Vertical Vent Termination - (3/3"), Mill Pac and Screws | 3.5 lbs. | \$ 220.00 | Y |
| KFIDVFK25 | Flex Pipe Kit (2 x 3" Dia x 25FT Gas Flex Liner) | 19 lbs. | \$ 479.00 | Y |
| KFIDVLCP | Block Off Plate - For Lower Chase (11 3/4" x 14 3/4") | 5 lbs. | \$ 45.00 | N |
| KFZDV3FC | Flex Connector 3" Diameter | 1 lbs. | \$ 24.00 | N |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplaces, Inserts & Stoves

Kingsman
Direct Vent Gas Insert



2
0
2
5
-
2
0
2
6

KFIDV44 - Direct Vent Gas Fireplace Insert

Listed for USA/Canada as a Vented Gas Fireplace, Includes Dual Burner with Glowing Embers, Ceramic Glass, SIT Valve, Variable Speed Blower, 3" Air Intake 4" Exhaust, 34,250 BTU NG, 30,000 BTU LP, Minimum Fireplace Opening: 32 7/8" W x 25 3/4" H x 18"D

For Complete Unit: Order Unit, Log Set or Glass Set and Clean View Kit

| Best Selling Package | Retail |
|--|-------------|
| IDV44 Proflame 2 Insert, NG, Split Oak Log Set, Clean View Kit (KFIDV44NE2, KFLOGF36 and KF144CV1BL) | \$ 4,960.00 |

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--------------|---|-------------|--------------|---------|
| Unit | | | | |
| KFIDV44NE2 | Insert Direct Vent - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - NG | N/A | \$ 3,831.00 | Y |
| KFIDV44LPE2 | Insert Direct Vent - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - LP | N/A | \$ 3,897.00 | N |
| KF43IDVCKLP2 | Conversion Kit - IPI Proflame 2 - To LP | N/A | TBD | N |
| KF43IDVCKNG2 | Conversion Kit - IPI Proflame 2 - To NG | N/A | TBD | N |
| KFIDV44N | Insert Direct Vent (as above) - Millivolt - NG | N/A | \$ 2,961.00 | N |
| KFIDV44LP | Insert Direct Vent (as above) - Millivolt - LP | N/A | \$ 3,023.00 | N |
| KFIDV44NE | Insert Direct Vent (as above) - IPI - NG | N/A | \$ 3,306.00 | Y |
| KFIDV44LPE | Insert Direct Vent (as above) - IPI - LP | N/A | \$ 3,366.00 | N |
| KF36IDVCKLP | Conversion Kit - Millivolt - To LP | 1 lbs. | \$ 97.00 | Y |
| KF36IDVCKNG | Conversion Kit - Millivolt - To NG | 1 lbs. | \$ 97.00 | N |
| KF36IDVCKLPI | Conversion Kit - IPI - To LP | 1 lbs. | \$ 114.00 | Y |
| KF36IDVCKNGI | Conversion Kit - IPI - To NG | 1 lbs. | \$ 114.00 | N |

Log Set or Glass Support Platform (Required for Each Unit)

| | | | | |
|----------|---|---------|-----------|---|
| KFLOGF36 | Log Set - Fiber Split Oak | 12 lbs. | \$ 596.00 | Y |
| KFRSP10 | Glass Support Platform - with Bronze Decorative Glass - IDV26/33/43 | 21 lbs. | \$ 605.00 | Y |

Clean View (Required for Each Unit)

| | | | | |
|------------|--|-----|-----------|---|
| KF144CV1BL | Clean View - Black - C/W Safety Screen - 39 9/16" W x 28 1/2"H x 13/16"D | N/A | \$ 533.00 | Y |
|------------|--|-----|-----------|---|

Surrounds (for Additional Coverage)

| | | | | |
|----------------|---|-----|-----------|---|
| KF144S4432BL | Surround - Black (Covers 44" W x 32 1/16" H) | N/A | \$ 253.00 | Y |
| KF144SPF4436BL | Surround Picture Frame - Black (Covers 44" W x 36" H) | N/A | \$ 314.00 | Y |
| KF144SU4742BL | Surround Universal - Black (Covers 47" W x 42" H) | N/A | \$ 258.00 | N |

Riser for Surrounds (Raises Coverage Height by 2 1/2")

| | | | | |
|----------|-------------------------------------|-----|-----------|---|
| KF144R45 | Riser For Surround (2 1/2") x 45" W | N/A | \$ 174.00 | N |
|----------|-------------------------------------|-----|-----------|---|

Fireplace Accessory Options

| | | | | |
|------------|---|---------|-----------|-------------|
| KFIDV36RLT | Refractory Fiber Brick Liner (3 PCE) - Traditional | 22 lbs. | \$ 265.00 | Y |
| KFIDV36RLH | Refractory Fiber Brick Liner (3 PCE) - Herringbone LIMITED TO STOCK ON H | 22 lbs. | \$ 265.00 | LTSD |
| KFIDV36PRL | Porcelain Reflective Panel Liner (3 PCE) | 14 lbs. | \$ 589.00 | Y |

Fireplaces, Inserts & Stoves

Kingsman

Direct Vent Gas Insert



KFIDV44 - Direct Vent Gas Fireplace Insert

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|--|---|-------------|--------------|---------|
| Thermostats, Remote Controls and Venting Components | | | | |
| KFZ2MT | Thermostat Digital - Vertical Wall Mount - MV/PF1 | 1 lbs. | \$ 120.00 | Y |
| KFZ80PT | Thermostat Programmable Digital - Wall Mount - MV/PF1 | 0.5 lbs. | \$ 188.00 | N |
| ST1001A | Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog) | 1 lbs. | \$ 219.00 | Y |
| KFGTRC | Remote Control Millivolt - Thermostat | 1 lbs. | \$ 547.00 | Y |
| KFGTMRCN | Remote Control Millivolt - Thermostat/Modulating - NG | 1 lbs. | \$ 775.00 | Y |
| KFGTMRCP | Remote Control Millivolt - Thermostat/Modulating - LP | 1 lbs. | \$ 775.00 | Y |
| KFEGTRC | Remote Control IPI Proflame 1 - Thermostat | 1.3 lbs. | \$ 644.00 | Y |
| KFEGTMRCN | Remote Control IPI Proflame 1 - Thermostat/Modulating - NG | 1.3 lbs. | \$ 876.00 | Y |
| KFEGTMRCP | Remote Control IPI Proflame 1 - Thermostat/Modulating - LP | 1.3 lbs. | \$ 876.00 | Y |
| KFWMBH | Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness | 1 lbs. | \$ 231.00 | N |
| KFIDVVT43 | Vertical Vent Termination - (4/3"), (Mill Pac and screws) | 4 lbs. | \$ 231.00 | N |
| KFI43FK25 | Flex Pipe Kit (3&4" Dia x 25FT Gas Flex Liner) | 13 lbs. | \$ 490.00 | Y |
| KFI43LCP | Block Off Plate - For Lower Chase (11 3/4" x 14 3/4") | 1 lbs. | \$ 45.00 | N |
| KFZDV3FC | Flex Connector 3" Diameter | 1 lbs. | \$ 24.00 | N |
| KFZDV4FC | Flex Connector 4" Diameter | 1 lbs. | \$ 24.00 | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplaces, Inserts & Stoves

Kingsman
4/7" Venting Accesories



2
0
2
5
-
2
0
2
6

4/7" Venting Accessories

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|-------------|--|-------------|--------------|---------|
| KFZDVHSK | Horizontal Round Termination Vent Starter Kit - 3 FT Length | 10 lbs. | \$ 307.00 | Y |
| | Horizontal Vent Termination, Wall Thimble, 36" Flex Pipe, Screws, Mill Pac. | | | |
| KFZDVHSKSQ | Horizontal Square Termination Vent Starter Kit - 3 FT Length | 10 lbs. | \$ 361.00 | Y |
| | Horizontal Vent Termination, Wall Thimble, 36" Flex Pipe, Screws, Mill Pac. | | | |
| KFZDVHSK5 | Horizontal Round Termination Vent Starter Kit - 5 FT Length | 11.5 lbs. | \$ 379.00 | Y |
| | Horizontal Vent Termination, Wall Thimble, 60" Flex Pipe, Screws, Mill Pac. | | | |
| KFZDVHSKSQ5 | Horizontal Square Termination Vent Starter Kit - 5 FT Length | 11.5 lbs. | \$ 436.00 | Y |
| | Horizontal Vent Termination, Wall Thimble, 60" Flex Pipe, Screws, Mill Pac. | | | |
| KFZDVFK5 | Flex Kit (4" Stainless & 7" Aluminum - Dia.) 5 FT | 5 lbs. | \$ 208.00 | Y |
| KFZDVFK8 | Flex Kit (4" Stainless & 7" Aluminum - Dia.) 8 FT | 8.3 lbs. | \$ 292.00 | Y |
| KFZDVFK20 | Flex Kit (4" Stainless & 7" Aluminum - Dia.) 20 FT | 19 lbs. | \$ 551.00 | Y |
| | *Kits are complete with Springs, Screws, Mill Pac. | | | |
| KFFDVVT40 | Vertical Vent Termination - Convertible Between 15' & 40' Vertical | 3.5 lbs. | \$ 225.00 | Y |
| KFFDVHT | Horizontal Vent Termination | 3 lbs. | \$ 209.00 | Y |
| KFFDVHSQ | Horizontal Square Vent Termination | 3 lbs. | \$ 258.00 | Y |
| KFFDVHSS | Horizontal Stucco Shield | 3 lbs. | \$ 68.00 | N |
| KFFDVHSCU | Safety Cage Universal for Horizontal Termination | 2 lbs. | \$ 136.00 | N |
| KFZDV4FC | Flex Connector 4" Diameter | 1 lbs. | \$ 24.00 | Y |
| KFZDV7FC | Flex Connector 7" Diameter | 1 lbs. | \$ 35.00 | Y |
| KFZDV4FCL | Flex Clamp 4" | 1 lbs. | \$ 19.00 | Y |
| KFZDV7FCL | Flex Clamp 7" | 1 lbs. | \$ 20.00 | Y |
| KFZDV4SS | Spring 4" Standoff Spacer | 0.1 lbs. | \$ 19.00 | Y |
| KFMDV38IS | Insulation Sleeve 3' - for Low Enclosures | 1 lbs. | \$ 65.00 | N |
| KFZDV AIS | Attic Insulation Shield | 4.5 lbs. | \$ 113.00 | Y |
| KFZDVVOS | Offset Support | 1 lbs. | \$ 48.00 | Y |
| KFZDVFS | Firestop Spacer | 1 lbs. | \$ 48.00 | Y |
| KFZDVRS | Roof Support | 3 lbs. | \$ 69.00 | Y |
| KFZDVVT | Wall Thimble (Horizontal Venting) | 4.5 lbs. | \$ 105.00 | Y |
| KFZDVSS | Siding Shield - Heat Deflector for KFFDVHT Round Termination | 2 lbs. | \$ 34.00 | Y |
| KFZDVSSLR | Siding Shield - Large Return - 2003 | 1.5 lbs. | \$ 81.00 | Y |
| KFZ47GP36 | Galvanized Pipe 4/7" x 36" (Vertical Installations) | 5 lbs. | \$ 221.00 | Y |
| KFZDVAAF | Flashing 7" c/w Storm Collar (1/12 to 7/12) | 3 lbs. | \$ 134.00 | Y |
| KFZDVAF2 | Flashing 7" c/w Storm Collar (8/12 to 12/12) | 3 lbs. | \$ 152.00 | Y |
| KFZDVAF3 | Flashing 7" c/w Storm Collar Flat | 3 lbs. | \$ 177.00 | Y |
| KFZDV7SC | Storm Collar 7" | 1 lbs. | \$ 27.00 | Y |
| KFZDV DKA | Dura-Vent Stove Adapter (for Direct Vent Stoves and ZCVRB47) | 2 lbs. | \$ 85.00 | Y |
| KFZDV DFA | Dura-Vent/ICC Fireplace Adapter (for MDV31, HBZDV36/42/47, ZCV39/42, ZCV3622, ZCVRB3622) | 2.5 lbs. | \$ 133.00 | Y |
| KFZ58DFA | 5/8" Hard Pipe Adapter | 3 lbs. | \$ 167.00 | Y |
| KFZDV DIA | Duravent Hard Pipe Adapter - Used to Connect 4x6-5/8" to 5/8" Hard Pipe at Termination End | 1.3 lbs. | \$ 199.00 | Y |
| ICTM4AA4 | 4" Angled Kingsman Adapter | 2 lbs. | \$ 215.00 | Y |
| ICTM4AA5 | 4/7" Straight Kingsman Adapter | 1.2 lbs. | \$ 154.00 | Y |

Fireplaces, Inserts & Stoves

Kingsman
5/8" Venting Accessories



5/8" Venting Accessories

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|------------|---|-------------|--------------|---------|
| KFZ58HSK5 | Horizontal Vent Starter Kit - 5/8" X 5 FT Flex, Termination, Wall Thimble | 11.5 lbs. | \$ 435.00 | Y |
| KFZ58HT | Horizontal Round Vent Termination - 5/8 | 4 lbs. | \$ 231.00 | N |
| KFZ58WTS | Horizontal Wall Thimble Shield (For Low Enclosures) | 4.5 lbs. | \$ 49.00 | N |
| KFFDVHSCU | Horizontal Safety Cage | 2 lbs. | \$ 136.00 | N |
| KFZ58WT | Horizontal Wall Thimble | 4.5 lbs. | \$ 105.00 | N |
| KFZ58SS | Siding Shield - Heat Deflector for Horizontal Round Termination | 1.5 lbs. | \$ 34.00 | N |
| KFZ58SSLR | Siding Shield - Large Return - for Square or Round Terminations | 1.5 lbs. | \$ 81.00 | N |
| KFZ58VT | Vertical Vent Termination - 5/8 | 4 lbs. | \$ 254.00 | Y |
| KFZ58AIS24 | Attic Insulation Shield - 24" | 8 lbs. | \$ 157.00 | Y |
| KFZDVVOS | Offset Support | 1 lbs. | \$ 48.00 | Y |
| KFZ58FS | Firestop Spacer | 1 lbs. | \$ 59.00 | Y |
| KFZ58RS | Roof Support | 3 lbs. | \$ 89.00 | N |
| KFZ58GP36 | Galvanized Pipe 5/8" Dia. x 36" (Vertical Installations) | 5 lbs. | \$ 256.00 | Y |
| KFZ58AAF | Flashing 8" c/w Storm Collar (1/12 to 7/12) | 3 lbs. | \$ 195.00 | Y |
| KFZ58AF2 | Flashing 8" c/w Storm Collar (8/12 to 12/12) | 3 lbs. | \$ 219.00 | N |
| KFZ58AF3 | Flashing 8" c/w Storm Collar - Flat | 3 lbs. | \$ 195.00 | N |
| KFZDV8SC | Storm Collar 8" | 1 lbs. | \$ 42.00 | N |
| KFZ58FK5 | Flex Kit (5" & 8" Dia.) x 5' Expanded (c/w Springs, Screws, Mill Pac) | 5 lbs. | \$ 222.00 | N |
| KFZ58FK8 | Flex Kit (5" & 8" Dia.) x 8' Expanded (c/w Springs, Screws, Mill Pac) | 8.25 lbs. | \$ 314.00 | Y |
| KFZ58FK20 | Flex Kit (5" & 8" Dia.) x 20' Expanded (c/w Springs, Screws, Mill Pac) | 19 lbs. | \$ 602.00 | Y |
| KFZDV5FC | Flex Connector 5" Diameter | 1 lbs. | \$ 30.00 | Y |
| KFZDV8FC | Flex Connector 8" Diameter | 1 lbs. | \$ 40.00 | Y |
| KFZDV5FCL | Flex Clamp 5" | 1 lbs. | \$ 20.00 | Y |
| KFZDV8FCL | Flex Clamp 8" | 1 lbs. | \$ 22.00 | N |
| KFZDV4SS | Spring - Standoff Spacer for Inner Pipe | 0.1 lbs. | \$ 19.00 | Y |
| KFZ58DFA | Hard Pipe Adapter - 5/8" - MCVST42/MCVP42 | 3 lbs. | \$ 167.00 | Y |
| ICTM5AA1 | 5" Kingsman Adapter | 6 lbs. | \$ 154.00 | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplaces, Inserts & Stoves

Kingsman
5/8" Power Venting



2
0
2
5
-
2
0
2
6

5/8" Power Vent Accessories

Note: Must use a one foot section of 5/8 DV hard pipe connected to the power vent on all installations.

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|-----------|---|-------------|--------------|---------|
| KFPVH58 | Horizontal Power Vent Starter Kit - Termination, Wall Thimble, 20 Ft Wiring Harness and Mill Pac - Control Module Required (not Included) | 18 lbs. | \$ 2,050.00 | Y |
| KFPVH58FM | Horizontal Power Vent Kit - Flush Mount - Termination, Wall Thimble, 20 FT Harness, Mill Pac - Control Module Required (not Included) | N/A | \$ 2,406.00 | N |

Must Choose Power Vent Control Module Type

| | | | | |
|------------|---|-----------|-------------|---|
| KFPVC58MV | Power Vent Control Module - Required for Millivolt models | 4.35 lbs. | \$ 1,595.00 | N |
| KFPVC58IPI | Power Vent Control Module - Required for IPI models | 2.75 lbs. | \$ 1,161.00 | N |
| KF584X12 | Harness for Proflame 2 IPI - Deluxe Models | N/A | \$ 135.00 | Y |

Choose Appropriate Length of Extension Harness

(Distance from the power vent to the appliance)

| | | | | |
|----------|---------------------------|--------|-----------|---|
| KFPVH20H | Harness Extension - 20 FT | 3 lbs. | \$ 423.00 | Y |
| KFPVH50H | Harness Extension - 50 FT | N/A | TBD | N |

Choose Type of Venting - Hard Pipe or Flex Vent

| | | | | |
|----------|---|----------|-----------|---|
| KFZ58DFA | Hard Pipe Adapter - 5/8" - MCVST42/MCVP42 | 3 lbs. | \$ 167.00 | Y |
| KFZ58PVA | Flex Pipe Adapter Kit - (to adapt flex pipe to power vent to hard pipe. (Must use a one foot section of 5/8 DV hard pipe connected to the power vent on all installations.) | 1.3 lbs. | \$ 68.00 | N |

Adapters

| | | | | |
|----------|---|----------|-----------|---|
| KFZDVDRA | Duravent - REDUCER - 5/8" TO 4x6 5/8" ADAPTER (Used at Flue of Fireplace) | N/A | \$ 199.00 | N |
| KFZDVDIA | Duravent Hard Pipe Adapter - (Used to Connect 4x6-5/8 to 5/8 Hard Pipe) | 1.3 lbs. | \$ 199.00 | Y |

Flex Venting Kits

| | | | | |
|-----------|--|-----------|-----------|---|
| KFZ58FK5 | Flex Kit (5" & 8" Dia.) x 5' Expanded (c/w Springs, Screws, Mill Pac) | 5 lbs. | \$ 222.00 | N |
| KFZ58FK8 | Flex Kit (5" & 8" Dia.) x 8' Expanded (c/w Springs, Screws, Mill Pac) | 8.25 lbs. | \$ 314.00 | Y |
| KFZ58FK20 | Flex Kit (5" & 8" Dia.) x 20' Expanded (c/w Springs, Screws, Mill Pac) | 19 lbs. | \$ 602.00 | Y |
| KFZDV5FC | Flex Connector 5" Diameter | 1 lbs. | \$ 30.00 | Y |
| KFZDV8FC | Flex Connector 8" Diameter | 1 lbs. | \$ 40.00 | Y |
| KFZDV5FCL | Flex Clamp 5" | 1 lbs. | \$ 20.00 | Y |
| KFZDV8FCL | Flex Clamp 8" | 1 lbs. | \$ 22.00 | N |
| KFZDV4SS | Spring - Standoff Spacer for Inner Pipe | 0.1 lbs. | \$ 19.00 | Y |
| KFPVH58WT | Wall Thimble for Power Vent | 4.5 lbs. | \$ 142.00 | N |

Fireplaces, Inserts & Stoves

True North
Wood Stoves & Inserts



2
0
2
5
-
2
0
2
6

True North TN10 Freestanding Wood Stove

Complete with cast iron door, side shields and legs ~ 0.8 cu/ft. firebox ~ 2020 EPA compliant ~ 1.4 grams/hour ~ 30,000 BTU's ~ Uses 6" chimney

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|----------------|--|-------------|--------------|---------|
| TN31010004 | TN10 Wood Stove with Legs | N/A | \$ 1,649.00 | N |
| Options | | | | |
| TN31140001 | (TNTRNO19BLOWA) Blower Kit | 6.4 lbs. | \$ 272.00 | Y |
| TN11100008 | (PE11100008) Outside Air Adapter, Wood, 3" | N/A | \$ 58.00 | Y |

True North TN20 Freestanding Wood Stoves

Complete with cast iron door and side shields ~ 2 cu/ft. firebox ~ 2020 EPA compliant ~ 1.6 grams/hour ~ 55,000 BTU's ~ Uses 6" chimney

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|----------------|--|-------------|--------------|---------|
| TN31010009 | TN20 Wood Stove with Legs, Met Black, Series B | 289 lbs. | \$ 1,999.00 | Y |
| TN31010010 | TN20 Wood Stove with Pedestal, Met Black, Series B | 289 lbs. | \$ 1,999.00 | Y |
| Options | | | | |
| TN31140001 | (TNTRNO19BLOWA) Blower Kit | 6.4 lbs. | \$ 272.00 | Y |
| TN11100005 | (PE11100005) Outside Air Adapter, Starter Ring, Wood | N/A | \$ 138.00 | N |

True North TN25C Freestanding Wood Stoves

Complete with cast iron door, side shields and either legs or pedestal ~ Electronic combustion assist ~ Passive cat technology ~ No manual bypass (automated) ~ 2 cu/ft. firebox ~ EPA 2020 certified ~ Efficiency 76% HHV ~ 30% Biomass tax credit qualified ~ 1.1 grams/hour ~ 60,000 BTU's ~ Uses 6" chimney

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|----------------|---|-------------|--------------|---------|
| TN31010016 | TN25C Wood Stove with Legs, Met Black NEW | - | \$ 2,749.00 | Y |
| TN31010017 | TN25C Wood Stove with Pedestal, Met Black NEW | - | \$ 2,749.00 | Y |
| Options | | | | |
| TN31490001 | Battery Pack for TN25C Electronic Combustion Assist <i>(for use in power outages)</i> | - | \$ 56.00 | Y |
| TN31140001 | (TNTRNO19BLOWA) Blower Kit | 6.4 lbs. | \$ 272.00 | Y |
| TN11100005 | (PE11100005) Outside Air Adapter, Starter Ring, Wood | N/A | \$ 138.00 | N |

True North TN20 Wood Insert

Complete with cast iron door, surround 38"W x 27"H x 2"D and blower ~ 2 cu/ft. firebox ~ 2020 EPA compliant ~ 1.6 grams/hour ~ 55,000 BTU's ~ Uses 6" chimney

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|----------------|--|-------------|--------------|---------|
| TN31040002 | TN20 Wood Insert, Met Black, Series B | N/A | \$ 2,249.00 | Y |
| Options | | | | |
| TN31120002 | (TN20BPMBKB) Backing Plate - 32"H x 48"W, Series B | N/A | \$ 167.00 | Y |
| TN31250001 | Surround Extension - 31"H x 46"W x 2"D | N/A | \$ 167.00 | N |

True North
Gas and Pellet Stoves



True North TN24 Freestanding Gas Stove

Ships complete with log burner & interior panels ~ Area mood lighting ~ 50% turndown with Proflame II SIT remote included ~ 24,000 BTU ~ 74.4% P.4 efficiency ~ AFUE 75% ~ 340 in2 glass size ~ Uses 4" x 6 5/8" venting (3" x 3" co-linear compatible with adapter)

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|----------------|---|-------------|--------------|---------|
| TN32010001 | (TN24BODYA) TN24 Freestanding Gas Stove | 198 lbs. | \$ 3,849.00 | N |
| Options | | | | |
| TN32180001 | (TN24LPKITA) TN24 LP Conversion Kit | N/A | \$ 167.00 | Y |
| TN92270001 | Vent Adaptor, Vertical - Does Not Fit Serial Numbers Prior to 2130010755 | N/A | \$ 360.00 | Y |



True North TN40 Freestanding Pellet Stoves

Comes complete with cast iron door and hopper ~ 80 lb. Hopper capacity ~ EPA 2020 certified ~ 1.3 g/hr ~ 40,000 BTU's ~ Uses 3" venting

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|------------|---|-------------|--------------|---------|
| TN33010002 | (TN40PEDA) TN40 Freestanding Pellet Stove - Pedestal | 286 lbs. | \$ 3,999.00 | N |
| TN33010001 | (TN40LEGA) TN40 Freestanding Pellet Stove - Leg Model | 325 lbs. | \$ 3,999.00 | N |

True North TN40 Pellet Insert

Comes complete with cast iron door, surround 42"W x 29"H and hopper ~ 80 lb. Hopper capacity ~ EPA 2020 certified ~ 0.69 g/hr ~ 36,000 BTU's ~ Uses 3" venting

| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
|----------------|--|-------------|--------------|---------|
| TN33040001 | (TN40INSA) TN40 Pellet Insert | N/A | \$ 4,449.00 | N |
| Options | | | | |
| TN33120001 | (TN40BPMBKA) Oversized Backing Plate - 34"H x 48"W x 1 1/2"D | N/A | \$ 184.00 | Y |

Fireplaces, Inserts & Stoves

Empire
Gas Fireplaces

EMPIRE

RUSHMORE
Clean-Face 36"

Ceramic Glass: 28 3/8 H x 31 3/4 W
 Venting: 5 x 8 Top Vent Only, 12-in min. rise before horizontal (with conventional venting)
 See Power Venting and conventional DV kits.
 Framing 51 1/2 H x 45 1/2 W x 22 1/2 D (see manual before framing)



2
0
2
5
-
2
0
2
6

**MULTI-FUNCTION SYSTEM INCLUDES THERMOSTAT
VARIABLE REMOTE CONTROL**

| | | |
|---|--------------|--------|
| DV Fireplace, Multi-Function Remote, LP (Req Log Set and Liner) | DVCT36CBP95P | \$6109 |
| DV Fireplace, Multi-Function Remote, NG (Req Log Set and Liner) | DVCT36CBP95N | \$6109 |

LOGS - REQUIRED

| | | |
|---|----------|-------|
| Log Set, Ceramic Fiber, Driftwood | LS36DINF | \$609 |
| Log Set, Ceramic Fiber, Traditional Charred | LS36TINF | \$579 |
| Log Set, 10-pc., Burncrete, Birch | LS36CBB | \$745 |

LINERS - REQUIRED

| | | |
|---|-----------|-------|
| Liner, Whitewashed Herringbone Brick, Ceramic Fiber | DVP36CPWH | \$519 |
| Liner, Rustic Brick | DVP36CPMB | \$549 |
| Liner, Old World Stone | DVP36CPWS | \$569 |
| Liner, Black Porcelain with Matte Black Ceiling & Floor | DVP36CPKR | \$995 |

HEAT MANAGEMENT


| | | |
|--|----------|--------|
| Gravity Heat Management (Includes 36" Plenum and 10' Flex) | HMGW36 | \$665 |
| External Forced Air Heat Management (Requires Flex Kit) | HMFA | \$1035 |
| Flex Vent Kit for Forced Air Kit (25' Flex and Clamps) | SD6DFA25 | \$349 |

ACCESSORIES

| | | |
|----------------------------------|-------|-------|
| Twin Blower, Auto Variable Speed | FBB21 | \$435 |
|----------------------------------|-------|-------|


CONVERSION KITS

| | | |
|-------------------------------|-------|-------|
| Conversion Kit, IPI, NG To LP | 37506 | \$101 |
| Conversion Kit, IPI, LP To NG | 37507 | \$101 |



FORGED IRON FRONTS AND INSETS

| | | |
|---|----------|--------|
| Forged Iron Frame, Black | DF36BL | \$1035 |
| Forged Iron Inset, Arch, Black | DF36RBL | \$405 |
| Forged Iron Inset, Rectangle, Black | DF36CBL | \$385 |
| Forged Iron Frame, Distressed Pewter | DF36FPD | \$1389 |
| Forged Iron Inset, Arch, Distressed Pewter | DF36RPD | \$529 |
| Forged Iron Inset, Rectangle, Distressed Pewter | DF36CPD | \$509 |
| Forged Iron Frame, Oil-Rubbed Bronze | DF36BZT | \$1389 |
| Forged Iron Inset, Arch, Oil-Rubbed Bronze | DF36RBZT | \$529 |
| Forged Iron Inset, Rectangle, Oil-Rubbed Bronze | DF36FBZT | \$509 |



BEVELED FRAMES

| | | |
|---|----------|--------|
| Beveled Frame, 1.5-in., Textured Black | DF362BLX | \$1139 |
| Beveled Frame, 1.5-in., Brushed Nickel | DF362CNB | \$1235 |
| Beveled Frame, 1.5-in., Oil-Rubbed Bronze | DF362BZT | \$1235 |

Fireplaces, Inserts & Stoves

Empire
Gas Fireplaces

EMPIRE

RUSHMORE
Clean-Face 40"

Ceramic Glass: 31½ H x 37 3/8 W
 Venting: 5 x 8 Top Vent Only, 12-in min. rise before horizontal (with conventional venting)
 See Power Venting and conventional DV kits.
 Framing 53½ H x 49½ W x 24 D (see manual before framing)



MULTI-FUNCTION SYSTEM INCLUDES THERMOSTAT VARIABLE REMOTE CONTROL

| | | |
|---|--------------|--------|
| DV Fireplace, Multi-Function Remote, LP (Req Log Set and Liner) | DVCT40CBP95P | \$6555 |
| DV Fireplace, Multi-Function Remote, NG (Req Log Set and Liner) | DVCT40CBP95N | \$6555 |

LOGS - REQUIRED

| | | |
|---|----------|-------|
| Log Set, 10-pc., Bumcrete, Birch | LS40CBB | \$859 |
| Log Set, Ceramic Fiber, Driftwood | LS40DINF | \$619 |
| Log Set, Ceramic Fiber, Traditional Charred | LS40TINF | \$589 |

LINERS - REQUIRED

| | | |
|---|-----------|--------|
| Liner, Whitewashed Herringbone Brick, Ceramic Fiber | DVP40CPWH | \$559 |
| Liner, Cottage Brick | DVP40PTB | \$559 |
| Liner, Traditional Stone | DVP40PTS | \$589 |
| Liner, Black Porcelain with Matte Black Ceiling & Floor | DVP40PKR | \$1069 |

HEAT MANAGEMENT


| | | |
|--|----------|--------|
| Gravity Heat Management (Includes 36" Plenum and 10' Flex) | HMGW36 | \$665 |
| External Forced Air Heat Management (Requires Flex Kit) | HMFA | \$1035 |
| Flex Vent Kit for Forced Air Kit (25' Flex and Clamps) | SD6DFA25 | \$349 |

ACCESSORIES

| | | |
|----------------------------------|-------|-------|
| Twin Blower, Auto Variable Speed | FBB21 | \$435 |
|----------------------------------|-------|-------|


CONVERSION KITS

| | | |
|-------------------------------|-------|-------|
| Conversion Kit, IPI, NG To LP | 36884 | \$101 |
| Conversion Kit, IPI, LP To NG | 36885 | \$101 |



FORGED IRON FRONTS AND INSERTS

| | | |
|---|-----------|--------|
| Forged Iron Frame, Black | DFF40BL | \$1295 |
| Forged Iron Inset, Arch, Black | DFF40RBL | \$425 |
| Forged Iron Inset, Rectangle, Black | DFF40CBL | \$405 |
| Forged Iron Frame, Distressed Pewter | DFF40FPD | \$1515 |
| Forged Iron Inset, Arch, Distressed Pewter | DFF40RPD | \$539 |
| Forged Iron Inset, Rectangle, Distressed Pewter | DFF40CPD | \$519 |
| Forged Iron Frame, Oil-Rubbed Bronze | DFF40BZT | \$1515 |
| Forged Iron Inset, Arch, Oil-Rubbed Bronze | DFF40RBZT | \$539 |
| Forged Iron Inset, Rectangle, Oil-Rubbed Bronze | DFF40FBZT | \$519 |



BEVELED FRAMES

| | | |
|---|----------|--------|
| Beveled Frame, 1.5-in., Textured Black | DF402BLX | \$1199 |
| Beveled Frame, 1.5-in., Oil-Rubbed Bronze | DF402BZT | \$1285 |
| Beveled Frame, 1.5-in., Brushed Nickel | DF402NB | \$1285 |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Empire
Gas Fireplaces

EMPIRE

2
0
2
5
-
2
0
2
6

RUSHMORE
Clean-Face 40" ST

Ceramic Glass: 31½ H x 37 3/8 W
Venting: 5 x 8 Top Vent Only, 24-in min. rise before horizontal (with conventional venting)
See Power Venting and conventional DV kits.
Framing - see manual before framing



MULTI-FUNCTION SYSTEM INCLUDES THERMOSTAT VARIABLE REMOTE CONTROL

| | | |
|--|--------------|--------|
| DV See Thru Fireplace, Multi-Function Remote, NG (Req Log Set and Liner) | DVCT40CSP95N | \$9525 |
| DV See Thru Fireplace, Multi-Function Remote, LP (Req Log Set and Liner) | DVCT40CSP95P | \$9525 |

LOGS - REQUIRED

| | | |
|--|---------|-------|
| Log Set, Multi-sided, Ceramic Fiber, Traditional Charred | LS40STB | \$925 |
|--|---------|-------|

LINERS - REQUIRED


| | | |
|--|-----------|-------|
| Liner, Cracked Red Fire Brick | DVP40PSFB | \$445 |
| Liner, Herringbone Brick, Whitewashed | DVP40PSWH | \$455 |
| Liner, Traditional Stone | DVP40PSTS | \$425 |
| Liner, Black Reflective with Matte Black Ceiling & Floor | DVP40PSKR | \$779 |

HEAT MANAGEMENT

| | | |
|--|----------|--------|
| Gravity Heat Management (Includes 36" Plenum and 10' Flex) | HMGW36 | \$665 |
| External Forced Air Heat Management (Requires Flex Kit) | HMFA | \$1035 |
| Flex Vent Kit for Forced Air Kit (25' Flex and Clamps) | SD6DFA25 | \$349 |

CONVERSION KITS

| | | |
|--------------------------|-------|-------|
| Conversion Kit, NG To LP | 40636 | \$101 |
| Conversion Kit, LP To NG | 40637 | \$101 |



FORGED IRON FRONTS AND INSETS

| | | |
|---|-----------|--------|
| Forged Iron Frame, Black | DFF40BL | \$1295 |
| Forged Iron Inset, Arch, Black | DFF40RBL | \$425 |
| Forged Iron Inset, Rectangle, Black | DFF40CBL | \$405 |
| Forged Iron Frame, Distressed Pewter | DFF40FPD | \$1515 |
| Forged Iron Inset, Arch, Distressed Pewter | DFF40RPD | \$539 |
| Forged Iron Inset, Rectangle, Distressed Pewter | DFF40CPD | \$519 |
| Forged Iron Frame, Oil-Rubbed Bronze | DFF40BZT | \$1515 |
| Forged Iron Inset, Arch, Oil-Rubbed Bronze | DFF40RBZT | \$539 |
| Forged Iron Inset, Rectangle, Oil-Rubbed Bronze | DFF40FBZT | \$519 |



BEVELED FRAMES

| | | |
|---|-----------|--------|
| Beveled Frame, 1.5-in., Textured Black | DF402BLX | \$1199 |
| Beveled Frame, 1.5-in., Oil-Rubbed Bronze | DF402BZT | \$1285 |
| Beveled Frame, 1.5-in., Brushed Nickel | DF402NB | \$1285 |
| Frame, Stainless Steel, for Exterior Installation | DFED409SS | \$2949 |

Fireplaces, Inserts & Stoves

Empire
Gas Fireplaces


EMPIRE

RUSHMORE
Clean-Face 50"

Ceramic Glass: 36 9/16 H x 47 3/8 W
Venting: 5 x 8 Top Vent Only, 12-in min. rise before horizontal (with conventional venting)
See Power Venting and conventional DV kits.
Framing 58½ H x 58½ W x 24 D (see manual before framing)



| MULTI-FUNCTION SYSTEM INCLUDES THERMOSTAT VARIABLE REMOTE CONTROL | | |
|--|--------------|--------|
| DV Fireplace, Multi-Function Remote, NG (Req Log Set and Liner) | DVCT50CBP95N | \$8955 |
| DV Fireplace, Multi-Function Remote, LP (Req Log Set and Liner) | DVCT50CBP95P | \$8955 |



| LOGS - REQUIRED | | |
|---|----------|--------|
| Log Set for TruFlame, Fiber – Forest Timber | LS50TINF | \$1015 |
| Log Set - Birch | LS50CBB | \$1099 |


| FORGED IRON FRONTS AND INSETS | | |
|---|-----------|--------|
| Forged Iron Frame, Black | DFF50BL | \$1409 |
| Forged Iron Inset, Arch, Black | DFF50RBL | \$579 |
| Forged Iron Inset, Rectangle, Black | DFF50CBL | \$559 |
| Forged Iron Frame, Distressed Pewter | DFF50FPD | \$1585 |
| Forged Iron Inset, Arch, Distressed Pewter | DFF50RPD | \$655 |
| Forged Iron Inset, Rectangle, Distressed Pewter | DFF50CPD | \$655 |
| Forged Iron Frame, Oil-Rubbed Bronze | DFF50BZT | \$1585 |
| Forged Iron Inset, Arch, Oil-Rubbed Bronze | DFF50RBZT | \$655 |
| Forged Iron Inset, Rectangle, Oil-Rubbed Bronze | DFF50FBZT | \$655 |

| LINERS - REQUIRED | | |
|---|-----------|--------|
| Liner, Whitewashed Herringbone Brick, Ceramic Fiber | DVP50CPWH | \$779 |
| Liner, Cracked Red Fire Brick | DVP50PFB | \$779 |
| Liner, Traditional Stone | DVP50PTS | \$765 |
| Liner, Black Porcelain with Matte Black Ceiling & Floor | DVP50PKR | \$1305 |

| HEAT MANAGEMENT | | |
|--|----------|--------|
| Gravity Heat Management (Includes 36" Plenum and 10' Flex) | HMGW36 | \$665 |
| External Forced Air Heat Management (Requires Flex Kit) | HMFA | \$1035 |
| Flex Vent Kit for Forced Air Kit (25' Flex and Clamps) | SD6DFA25 | \$349 |

| ACCESSORIES | | |
|----------------------------------|-------|-------|
| Twin Blower, Auto Variable Speed | FBB21 | \$435 |

| CONVERSION KITS | | |
|---------------------------|-------|-------|
| Conversion Kit - NG To LP | 38226 | \$101 |
| Conversion Kit - LP To NG | 38227 | \$101 |



| BEVELED FRAMES | | |
|---|----------|--------|
| Beveled Frame, 1.5-in., Textured Black | DF502BLX | \$1345 |
| Beveled Frame, 1.5-in., Oil-Rubbed Bronze | DF502BZT | \$1625 |
| Beveled Frame, 1.5-in., Brushed Nickel | DF502NB | \$1625 |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplaces, Inserts & Stoves

**Empire
Gas Fireplaces**

EMPIRE

**RUSHMORE INSERT
Insert 30"**

Ceramic Glass: 15¼ x 25½
Venting: 3 x 4 Flex
Installs as an insert in an existing fireplace.



2
0
2
5
-
2
0
2
6

DV TRUFLAME INSERT

| | | |
|--|--------------|--------|
| DV Fireplace Insert, Multi-Function Remote, NG (Req Log Set and Liner) | DVCT30CBN95N | \$4265 |
| DV Fireplace Insert, Multi-Function Remote, LP (Req Log Set and Liner) | DVCT30CBN95P | \$4265 |

LOG SETS (REQ)


| | | |
|---|----------|-------|
| Log Set, Ceramic Fiber, Driftwood | LS30DINF | \$445 |
| Log Set, Ceramic Fiber, Traditional Charred | LS30TINF | \$395 |

LINERS (REQ)

| | | |
|---|-----------|-------|
| Liner, Black Ceramic Glass with Matte Black Ceiling & Floor | DVP30CPKR | \$545 |
| Liner, Cottage Brick | DVP30CPTB | \$305 |
| Liner, Traditional Stone | DVP30CPTS | \$335 |
| Liner, Whitewashed Herringbone Brick, Ceramic Fiber | DVP30CPWH | \$365 |

CONVERSION KITS

| | | |
|--------------------------|-------|-------|
| Conversion Kit, NG To LP | 38289 | \$103 |
| Conversion Kit, LP To NG | 38290 | \$103 |



SURROUNDS AND SHROUD


| | | |
|--|------------|-------|
| Surround, 3-Sided, 1-Pc., (6x3x1), Black (36 W x 24 H x 1 D) | DS30631BL | \$309 |
| Surround, 3-Sided, 1-Pc., (9x6x1), Black (40 W x 27 H x 1 D) | DS30961BL | \$319 |
| Surround, 3-Sided, 1-Pc., (10x7x1), Black (42 W x 29 H x 1 D) | DS301071BL | \$335 |
| Surround, 3-Sided, 1-Pc., (12x7.5x1), Black (44 W x 31 H x 1 D) | DS301271BL | \$345 |
| Surround, Flush 3-Sided, 1-Pc., (6x3), Black (36 W x 24 H) | DS3063BL | \$335 |
| Surround, Flush 3-Sided, 1-Pc., (10x7), Black (42 W x 29 H) | DS30107BL | \$345 |
| Custom Surround, 3-Sided, Black | CS3SIDED | \$889 |
| Custom Surround, 4-Sided, Black | CS4SIDED | \$945 |
| Shroud, Black (48-in W x 35 3/4-in H, plus 2-in Bottom panel. Opening 36-in x 23 3/4-in) | SH1BL | \$229 |



Beveled Frame

BEVELED FRAMES

| | | |
|---|----------|--------|
| Beveled Frame, 1.5-in., Textured Black | DF302BLX | \$1169 |
| Beveled Frame, 1.5-in., Brushed Nickel | DF302BNB | \$1209 |
| Beveled Frame, 1.5-in., Oil-Rubbed Bronze | DF302BZT | \$1209 |



Forged Iron Frame

Arch Inset

Rectangle Inset

FORGED IRON FRONTS AND INSETS

| | | |
|---|-----------|--------|
| Forged Iron Frame, Black | DFF30BL | \$1459 |
| Forged Iron Inset, Rectangle, Black | DFF30CBL | \$375 |
| Forged Iron Inset, Rectangle, Oil-Rubbed Bronze | DFF30CBZT | \$425 |
| Forged Iron Inset, Rectangle, Distressed Pewter | DFF30CPD | \$425 |
| Forged Iron Frame, Oil-Rubbed Bronze | DFF30FBZT | \$1469 |
| Forged Iron Frame, Distressed Pewter | DFF30FPD | \$1429 |
| Forged Iron Inset, Arch, Black | DFF30RBL | \$415 |
| Forged Iron Inset, Arch, Oil-Rubbed Bronze | DFF30RBZT | \$455 |
| Forged Iron Inset, Arch, Distressed Pewter | DFF30RPD | \$455 |

Fireplaces, Inserts & Stoves

Empire
Gas Fireplaces

EMPIRE

RUSHMORE INSERT
Insert 35"

Ceramic Glass: 20¼ x 29½
Venting: 3 x 4 Flex
Installs as an insert in an existing fireplace



DV TRUFLAME INSERT

| | | |
|--|--------------|--------|
| DV Fireplace Insert, Multi-Function Remote, NG (Req Log Set and Liner) | DVCT35CBN95N | \$4699 |
| DV Fireplace Insert, Multi-Function Remote, LP (Req Log Set and Liner) | DVCT35CBN95P | \$4699 |

LOG SETS (REQ)


| | | |
|---|----------|-------|
| Log Set, Ceramic Fiber, Driftwood | LS35DINF | \$465 |
| Log Set, Ceramic Fiber, Traditional Charred | LS35TINF | \$415 |

LINERS (REQ)

| | | |
|---|-----------|-------|
| Liner, Black Ceramic Glass with Matte Black Ceiling & Floor | DVP35CPKR | \$709 |
| Liner, Cottage Brick | DVP35CPTB | \$315 |
| Liner, Traditional Stone | DVP35CPTS | \$339 |
| Liner, Whitewashed Herringbone Brick, Ceramic Fiber | DVP35CPWH | \$385 |

CONVERSION KITS

| | | |
|--------------------------|-------|-------|
| Conversion Kit, NG To LP | 38499 | \$103 |
| Conversion Kit, LP To NG | 38500 | \$103 |



SURROUNDS AND SHROUD

| | | |
|--|------------|-------|
| Surround, 3-Sided, 1-Pc., (6x3x1), Black (40 W x 29 H x 1 D) | DS35631BL | \$345 |
| Surround, 3-Sided, 1-Pc., (9x6x1), Black (44 W x 31 H x 1 D) | DS35961BL | \$355 |
| Surround, 3-Sided, 1-Pc., (10x7x1), Black (48 W x 33 H x 1 D) | DS351071BL | \$375 |
| Surround, 3-Sided, 1-Pc., (12x7.5x1), Black (52 W x 36 H x 1 D) | DS351271BL | \$395 |
| Surround, Flush 3-Sided, 1-Pc., (6x3), Black (40 W x 29 H) | DS3563BL | \$375 |
| Surround, Flush 3-Sided, 1-Pc., (10x7), Black (48 W x 33 H) | DS35107BL | \$395 |
| Custom Surround, 3-Sided, Black | CS3SIDED | \$889 |
| Custom Surround, 4-Sided, Black | CS4SIDED | \$945 |
| Shroud, Black (48-in W x 35 3/4-in H, plus 2-in Bottom panel. Opening 36-in x 23 3/4-in) | SH1BL | \$229 |



Beveled Frame

BEVELED FRAMES


| | | |
|---|----------|--------|
| Beveled Frame, 1.5-in., Textured Black | DF352BLX | \$1129 |
| Beveled Frame, 1.5-in., Brushed Nickel | DF352BNB | \$1235 |
| Beveled Frame, 1.5-in., Oil-Rubbed Bronze | DF352BZT | \$1235 |



Forged Iron Frame



Arch Inset



Rectangle Inset

FORGED IRON FRONTS AND INSETS

| | | |
|---|-----------|--------|
| Forged Iron Frame, Black | DFF35BL | \$1305 |
| Forged Iron Inset, Rectangle, Black | DFF35CBL | \$385 |
| Forged Iron Inset, Rectangle, Oil-Rubbed Bronze | DFF35CBZT | \$435 |
| Forged Iron Inset, Rectangle, Distressed Pewter | DFF35CPD | \$415 |
| Forged Iron Frame, Oil-Rubbed Bronze | DFF35FBZT | \$1555 |
| Forged Iron Frame, Distressed Pewter | DFF35FPD | \$1555 |
| Forged Iron Inset, Arch, Black | DFF35RBL | \$419 |
| Forged Iron Inset, Arch, Oil-Rubbed Bronze | DFF35RBZT | \$465 |
| Forged Iron Inset, Arch, Distressed Pewter | DFF35RPD | \$465 |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplaces, Inserts & Stoves

Empire
Gas Fireplaces

MCKINLEY
Linear 60"

Ceramic Glass: 18 1/4 H x 60 1/8 W
Venting: 4 x 6-5/8 Top Vent Only,
Framing 59 7/8 H x 75 1/8 W x 23 1/2 D
(see manual before framing)

EMPIRE

2
0
2
5
-
2
0
2
6



**MULTI-FUNCTION SYSTEM INCLUDES THERMOSTAT
VARIABLE REMOTE CONTROL**

| | | |
|--|---------------|--------|
| DV Linear Fireplace, Multi-Function Remote, NG (Req Log Set and Liner) | DVCTL60CFP95N | \$9625 |
|--|---------------|--------|

LOGS - REQUIRED

| | | |
|--|---------|-------|
| Log Set, Ceramic Fiber Traditional Maple | LS60LTF | \$725 |
| Log Set, Burncrete® Birch | LS60LBF | \$729 |

LINERS - REQUIRED

| | | |
|-------------------------|-----------|--------|
| Liner, Red Fire Brick | DVP60PRFB | \$1025 |
| Liner, Grey Fire Brick | DVP60PGFB | \$1025 |
| Liner, Black Reflective | DVP60TLKR | \$1245 |

ACCESSORIES

| | | |
|----------------------------------|-------|-------|
| Twin Blower, Auto Variable Speed | FBB21 | \$435 |
|----------------------------------|-------|-------|

CONVERSION KITS

| | | |
|---------------------------|-------|-------|
| Conversion Kit - NG To LP | 43772 | \$103 |
|---------------------------|-------|-------|



FRONTS - OPTIONAL

| | | |
|--|------------|--------|
| Decorative Forged Front, Black | DFF60TLBL | \$1655 |
| Decorative Forged Front, Oil-Rubbed Bronze | DFF60TLBZT | \$1739 |
| Decorative Forged Front, Hammered Pewter | DFF60TLHP | \$1635 |
| Beveled Frame, 1.5-in., Textured Black | DF60T2LBLX | \$1459 |
| Beveled Frame, 1.5-in., Brushed Nickel | DF60T2LBNB | \$1525 |
| Beveled Frame, 1.5-in., Oil-Rubbed Bronze | DF60T2LBZT | \$1605 |

POWER VENT (REQUIRED)

| | | |
|---|--------|--------|
| Horizontal Power Vent Termination for Plaza Series DV Fireplaces (Req Wire Harness) | DVKPMP | \$1399 |
| Vertical Conversion Kit (fits Power Vent Module DVKPMP) | DVKCVP | \$435 |

POWER VENT WIRE HARNESS (REQUIRED)

| | | |
|-----------------------|--------|-------|
| Wire Harness, 25 ft. | WHP25 | \$779 |
| Wire Harness, 50 ft. | WHP50 | \$879 |
| Wire Harness, 75 ft. | WHP75 | \$935 |
| Wire Harness, 100 ft. | WHP100 | \$985 |

HEAT MANAGEMENT

| | | |
|---|----------|--------|
| External Forced Air Heat Management (Requires Flex Kit) | HMFA | \$1035 |
| Flex Vent Kit for Forced Air Kit (25' Flex and Clamps) | SD6DFA25 | \$349 |

Fireplaces, Inserts & Stoves

Empire
Gas Fireplaces

EMPIRE

BOULEVARD
Linear 36-48

DVLL36:

Ceramic Glass: 13 x 36
Venting: 4 x 6 5/8 Top Vent Only, 12-in min. rise before horizontal (with conventional venting). See Power Venting and conventional DV kits.

Framing 49 1/2 H x 55 5/8 W x 21 1/2 D (see manual before framing)

DVLL48:

Ceramic Glass: 13 x 48
Venting: 4 x 6 5/8 Top Vent Only, 12-in min. rise before horizontal (with conventional venting). See Power Venting and conventional DV kits.

Framing 47 3/8 H x 67 5/8 W x 21 1/2 D (see manual before framing)



MILLIVOLT CONTROL WITH ON/OFF SWITCH

| | | |
|--|-------------|--------|
| DV Fireplace - Contemporary Linear, Multi-Function Remote, Black Liner, NG | DVLL36BP92N | \$5049 |
| DV Fireplace - Contemporary Linear, Multi-Function Remote, Black Liner, LP | DVLL36BP92P | \$5049 |
| DV Fireplace - Contemporary Linear, Multi-Function Remote, Black Liner, NG | DVLL48BP92N | \$5415 |
| DV Fireplace - Contemporary Linear, Multi-Function Remote, Black Liner, LP | DVLL48BP92P | \$5415 |

HEAT MANAGEMENT

| | | |
|--|----------|--------|
| Gravity Heat Management (Includes 36" Plenum and 10' Flex) | HMGW36 | \$665 |
| Gravity Heat Management (Includes 48" Plenum and 10' Flex) | HMGW48 | \$715 |
| External Forced Air Heat Management (Requires Flex Kit) | HMFA | \$1035 |
| Flex Vent Kit for Forced Air Kit (25' Flex and Clamps) | SD6DFA25 | \$349 |

LOG SETS

| | | |
|--|---------|-------|
| Log Set, 7 Rustic Logs, 11 Rocks, 5 SS Coils | LSM1THF | \$425 |
|--|---------|-------|

BLOWER

| | | |
|-----------------------------------|-------|-------|
| Blower, Auto Variable-Speed, Twin | FBB20 | \$425 |
|-----------------------------------|-------|-------|

Crushed Glass Quantities

36" = 5sq. ft. 48" = 6sq.

CRUSHED GLASS (REQ)

| | | |
|---|--------|------|
| Crushed Glass, Clear Frost, approx. 1 sq. ft. | DG1CLF | \$81 |
| Crushed Glass, Copper Reflective, approx. 1 sq. ft. | DG1BCR | \$81 |
| Crushed Glass, Bronze Reflective, approx. 1 sq. ft. | DG1BZR | \$81 |
| Crushed Glass, Blue Clear, approx. 1 sq. ft. | DG1BUC | \$81 |
| Crushed Glass, Black Polished, approx. 1 sq. ft. | DG1BKP | \$81 |

GLASS DROPLETS, ROCKS, AND PEBBLES

| | | |
|---|--------|-------|
| Droplets, 1/2-in., Glacier Ice, approx. 1 sq. ft. | DG1GC | \$49 |
| Decorative Rocks Assortment, approx. 1 sq. ft. | DR1FMA | \$185 |
| Decorative Pebble Assortment, approx. 1/2 sq. ft. | DRFPA | \$185 |

36 FRONTS

| | | |
|---|-----------|--------|
| Beveled Frame, 1.5-in., Textured Black | DF362LBLX | \$1159 |
| Beveled Frame, 1.5-in., Oil-Rubbed Bronze | DF362LBZT | \$1399 |
| Beveled Window Frame, Brushed Nickel | DF362LNB | \$1005 |
| Forged Iron Frame, Distressed Pewter | DFF36LFPD | \$1399 |
| Forged Iron Frame, Black | DFF36LBL | \$1335 |
| Forged Iron Frame, Oil-Rubbed Bronze | DFF36LBZT | \$1399 |
| Trim Kit, Beveled, Adjustable, 1-in., Matte Black | DF36LBL | \$255 |
| Trim Kit, Beveled, Adjustable, 1-in., Hammered Pewter | DF36LHP | \$255 |

48 FRONTS

| | | |
|---|-----------|--------|
| Beveled Frame, 1.5-in., Textured Black | DF482LBLX | \$1199 |
| Beveled Frame, 1.5-in., Oil-Rubbed Bronze | DF482LBZT | \$361 |
| Beveled Frame, 1.5-in., Brushed Nickel | DF482NB | \$1285 |
| Forged Iron Frame, Distressed Pewter | DFF48FPD | \$1489 |
| Forged Iron Frame, Black | DFF48LBL | \$1409 |
| Forged Iron Frame, Oil-Rubbed Bronze | DFF48LBZT | \$1489 |
| Trim Kit, Beveled, Adjustable, 1-in., Hammered Pewter | DF48HP | \$275 |

LINERS

| | | |
|--------------------------|-----------|-------|
| Liner, Black Porcelain | DVP36LPKR | \$529 |
| Liner, Ridgeback, Bronze | DVP36LPZ | \$489 |
| Liner, Black Porcelain | DVP48LKR | \$549 |
| Liner, Ridgeback, Bronze | DVP48LPZ | \$519 |

CONVERSION KITS

| | | |
|----------------------------------|-------|-------|
| 36 Conversion Kit, DV (LP To NG) | 40513 | \$103 |
| 36 Conversion Kit, DV NG To LP | 40512 | \$103 |
| 48 Conversion Kit, NG To LP | 40510 | \$103 |
| 48 Conversion Kit, LP To NG | 40511 | \$103 |

ACCESSORIES

| | | |
|---------------------|-----|-------|
| Lighting Kit, 120 V | LK9 | \$435 |
|---------------------|-----|-------|

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplaces, Inserts & Stoves

**Empire
Gas Fireplaces**

EMPIRE

2
0
2
5
-
2
0
2
6

**BOULEVARD
Linear 60-72**

DVLL60:

Ceramic Glass: 15 x 60
Venting: 5 x 8 Top Vent Only, 12-in min. rise before horizontal (with conventional venting) See Power Venting and conventional DV kits.
Framing 49 3/8 H x 79 5/8 W x 21 1/2 D (see manual before framing)

DVLL72:

Ceramic Glass: 15 x 72
Venting: 5 x 8 Top Vent Only, 12-in min. rise before horizontal (with conventional venting) See Power Venting and conventional DV kits.
Framing 61 5/8 H x 91 5/8 W x 21 1/2 D (see manual before framing)



**MULTI-FUNCTION SYSTEM INCLUDES THERMOSTAT
VARIABLE REMOTE CONTROL**

| | | |
|---|-------------|---------|
| DV Fireplace - Contemporary Linear, Multi-Function Remote, White Accent Light, NG | DVLL60BP90N | \$6989 |
| DV Fireplace - Contemporary Linear, Multi-Function Remote, White Accent Light, LP | DVLL60BP90P | \$6989 |
| DV Fireplace - Contemporary Linear, Multi-Function Remote, NG | DVLL72BP90N | \$10969 |
| DV Fireplace - Contemporary Linear, Multi-Function Remote, LP | DVLL72BP90P | \$10969 |

HEAT MANAGEMENT

| | | |
|--|----------|--------|
| Gravity Heat Management (Includes 60" Plenum and 10' Flex) | HMGW60 | \$765 |
| Gravity Heat Management (Includes 72" Plenum and 10' Flex) | HMGW72 | \$819 |
| External Forced Air Heat Management (Requires Flex Kit) | HMFA | \$1035 |
| Flex Vent Kit for Forced Air Kit (25' Flex and Clamps) | SD6DFA25 | \$349 |

LINERS (REQ)

| | | |
|--|----------|--------|
| Liner, Black Porcelain | DVP60LKR | \$665 |
| Liner, Ridgeback, Bronze | DVP60LPZ | \$559 |
| Liner, Reflective, Black Ceramic Glass | DVP72LKR | \$1159 |
| Liner, Ridgeback, Bronze | DVP72LPZ | \$655 |

Crushed Glass Quantities
60" = 7sq. ft. 72" = 8sq. ft.

CRUSHED GLASS (REQ)

| | | |
|---|--------|------|
| Crushed Glass, Clear Frost, approx. 1 sq. ft. | DG1CLF | \$81 |
| Crushed Glass, Copper Reflective, approx. 1 sq. ft. | DG1BCR | \$81 |
| Crushed Glass, Bronze Reflective, approx. 1 sq. ft. | DG1BZR | \$81 |
| Crushed Glass, Blue Clear, approx. 1 sq. ft. | DG1BUC | \$81 |
| Crushed Glass, Black Polished, approx. 1 sq. ft. | DG1BKP | \$81 |

60 FRONTS

| | | |
|---|-----------|--------|
| Beveled Frame, 1.5-in., Textured Black | DF602LBLX | \$1315 |
| Beveled Frame, 1.5-in., Brushed Nickel | DF602NB | \$1439 |
| Beveled Frame, 1.5-in., Oil-Rubbed Bronze | DF602LBZT | \$1699 |
| Forged Iron Frame, Distressed Pewter | DFF60FPD | \$1679 |
| Forged Iron Frame, Oil-Rubbed Bronze | DFF60LBZT | \$1679 |
| Trim Kit, Beveled, Adjustable, 1-in., Matte Black | DF60BL | \$285 |
| Trim Kit, Beveled, Adjustable, 1-in., Hammered Pewter | DF60HP | \$285 |

72 FRONTS

| | | |
|---|-----------|--------|
| Beveled Frame, 1.5-in., Textured Black | DF722LBLX | \$1669 |
| Forged Iron Frame, Black | DFF72LBL | \$1739 |
| Forged Iron Frame, Distressed Pewter | DFF72FPD | \$1825 |
| Trim Kit, Beveled, Adjustable, 1-in., Matte Black | DF72BL | \$339 |
| Trim Kit, Beveled, Adjustable, 1-in., Hammered Pewter | DF72HP | \$339 |

GLASS DROPLETS, ROCKS, AND PEBBLES

| | | |
|---|--------|-------|
| Droplets, 1/2-in., Glacier Ice, approx. 1 sq. ft. | DG1GC | \$49 |
| Decorative Rocks Assortment, approx. 1 sq. ft. | DR1FMA | \$185 |
| Decorative Pebble Assortment, approx. 1/2 sq. ft. | DRFPA | \$185 |

LOG SETS

| | | |
|--|---------|-------|
| Log Set, 7 Rustic Logs, 11 Rocks, 5 SS Coils | LSM1THF | \$425 |
|--|---------|-------|

LOG SETS (72 ONLY)

| | | |
|--|---------|-------|
| Log Set, 7 Rustic Logs, 11 Rocks, 5 SS Coils | LSM1THF | \$425 |
| Log Set, 11 Logs, Burncrete®, Driftwood | LS72DC | \$665 |

BLOWER

| | | |
|-----------------------------------|-------|-------|
| Blower, Auto Variable-Speed, Twin | FBB20 | \$425 |
|-----------------------------------|-------|-------|

ACCESSORIES

| | | |
|---------------------|-----|-------|
| Lighting Kit, 120 V | LK9 | \$435 |
|---------------------|-----|-------|

Empire
Gas Fireplaces

EMPIRE

BOULEVARD
Linear ST 48"

Ceramic Glass: 13 x 48
 Venting: 5 x 8 Top Vent Only, 12-in min. rise before horizontal (with conventional venting)
 See Power Venting and conventional DV kits.
 Framing 51-3/4 H x 68 W x 19-1/2 D (indoor wall)
 Framing 51-3/4 H x 68 W x 21-1/4 D (outdoor wall)
 (see manual before framing)



| MULTI-FUNCTION SYSTEM INCLUDES THERMOSTAT VARIABLE REMOTE CONTROL | | |
|---|-------------|--------|
| DV Linear See Through Fireplace - Multi-Function Remote, Req Liner and Decorative Crushed Glass, NG | DVLL48SP90N | \$8539 |
| DV Linear See Through Fireplace - Multi-Function Remote, Req Liner and Decorative Crushed Glass, LP | DVLL48SP90P | \$8539 |

| LOG SETS | | |
|--|---------|-------|
| Log Set, 7 Rustic Logs, 11 Rocks, 5 SS Coils | LSM1THF | \$425 |

| LINERS - REQUIRED | | |
|-----------------------------------|-----------|-------|
| Liner, Ledge Stone, Ceramic Fiber | DVP48SLG | \$355 |
| Liner, Black Porcelain | DVP48SLKR | \$465 |

| CONVERSION KITS | | |
|-------------------------------|-------|-------|
| Conversion Kit, DV (NG To LP) | 36434 | \$103 |
| Conversion Kit, DV (LP To NG) | 36435 | \$103 |

Crushed Glass Quantities
 48" = 8sq. ft.

| CRUSHED GLASS (REQ) | | |
|---|--------|------|
| Crushed Glass, Clear Frost, approx. 1 sq. ft. | DG1CLF | \$81 |
| Crushed Glass, Copper Reflective, approx. 1 sq. ft. | DG1BCR | \$81 |
| Crushed Glass, Bronze Reflective, approx. 1 sq. ft. | DG1BZR | \$81 |
| Crushed Glass, Blue Clear, approx. 1 sq. ft. | DG1BUC | \$81 |
| Crushed Glass, Black Polished, approx. 1 sq. ft. | DG1BKP | \$81 |

| 48 FRONTS | | |
|---|-----------|--------|
| Beveled Frame, 1.5-in., Textured Black | DF482LBLX | \$1199 |
| Beveled Frame, 1.5-in., Oil-Rubbed Bronze | DF482LBZT | \$361 |
| Beveled Frame, 1.5-in., Brushed Nickel | DF482NB | \$1285 |
| Forged Iron Frame, Distressed Pewter | DFF48FPD | \$1489 |
| Forged Iron Frame, Black | DFF48LBL | \$1409 |
| Forged Iron Frame, Oil-Rubbed Bronze | DFF48LBZT | \$1489 |
| Trim Kit, Beveled, Adjustable, 1-in., Hammered Pewter | DF48HP | \$275 |

| EXTERIOR FRAME | | |
|---|-----------|--------|
| Frame, Stainless Steel, for Exterior Installation | DFED489SS | \$2215 |

| GLASS DROPLETS, ROCKS, AND PEBBLES | | |
|---|--------|-------|
| Droplets, 1/2-in., Glacier Ice, approx. 1 sq. ft. | DG1GC | \$49 |
| Decorative Rocks Assortment, approx. 1 sq. ft. | DR1FMA | \$185 |
| Decorative Pebble Assortment, approx. 1/2 sq. ft. | DRFPA | \$185 |

Fireplaces, Inserts & Stoves

Empire
Gas Fireplaces

EMPIRE

TAHOE
Deluxe 36"

Tempered Glass: 20 x 30 1/2
Venting: 4 x 6 5/8 (Refer to manual for venting requirements)
Framing 35 3/4 H x 37 3/8 W x 16 3/8 D (see manual before framing)



2
0
2
5
-
2
0
2
6

| MILLIVOLT CONTROL WITH ON/OFF SWITCH | | |
|--------------------------------------|------------|--------|
| DV Fireplace, Millivolt, NG | DVD36FP30N | \$1759 |
| DV Fireplace, Millivolt, LP | DVD36FP30P | \$1759 |
| DV Fireplace, Millivolt, Blower, NG | DVD36FP31N | \$2089 |
| DV Fireplace, Millivolt, Blower, LP | DVD36FP31P | \$2089 |

| CONTROL OPTIONS FOR MILLIVOLT MODELS | | |
|--|--------|-------|
| Remote, Battery Receiver/Remote, On/Off | FRBC | \$219 |
| Remote, Battery Receiver/Remote, Thermostat | FRBTC2 | \$269 |
| Remote, Electric Receiver/Battery Remote, On/Off | FREC | \$209 |
| Remote, Battery Receiver/Remote, TouchScreen, Programmable | FRBTSP | \$349 |
| Wall Switch, On/Off | FWS1 | \$35 |
| Wall Thermostat, Reed Switch | TMV | \$48 |
| Wall Thermostat, Wireless | TRW | \$265 |


| IPI WITH ON/OFF SWITCH | | |
|-------------------------------|------------|--------|
| DV Fireplace, IPI, NG | DVD36FP70N | \$2029 |
| DV Fireplace, IPI, LP | DVD36FP70P | \$2029 |
| DV Fireplace, IPI, Blower, NG | DVD36FP71N | \$2329 |
| DV Fireplace, IPI, Blower, LP | DVD36FP71P | \$2329 |

| VARIABLE REMOTE FOR IP (INCL STEPPER MOTOR, THERMOSTAT REMOTE, AND WIRING) | | |
|--|------|-------|
| Remote, Var Flame Kit, NG | RVKN | \$365 |
| Remote, Var Flame Kit, LP | RVKP | \$365 |

| CONVERSION KITS | | |
|--------------------------------|-------|------|
| Conversion Kit, NG To LP | 18442 | \$72 |
| Conversion Kit, LP To NG | 18817 | \$72 |
| Conversion Kit, IPI (NG To LP) | 32882 | \$82 |
| Conversion Kit, IPI (LP To NG) | 31759 | \$82 |

| ACCESSORIES | | |
|---------------------------------------|------|-------|
| Blower, Auto | FBB4 | \$345 |
| Flex Gas Line, 24-in. Stainless Steel | GF24 | \$44 |
| Platinum Embers | PE20 | \$34 |
| Ember Kit | EK1 | \$94 |

| LINERS | | |
|--------------------------|---------|-------|
| Liner, Aged Brick | DVP2SA | \$279 |
| Liner, Stacked Limestone | DVP2SG | \$259 |
| Liner, Herringbone Brick | DVP2SH | \$269 |
| Liner, Black Porcelain | DVP2SKR | \$385 |



FRONTS
(REQUIRES A FIREPLACE BARRIER)

Select a Barrier or a Door Frame and Doors

| FIREPLACE BARRIER | | |
|--------------------------------|-----------|-------|
| Barrier, Black | DVFB36SBL | \$229 |
| Door Frame with Barrier, Black | DVWB2BL | \$245 |

| DOOR SET (REQ DOOR FRAME WITH BARRIER) | | |
|--|----------|-------|
| Door Set, Black, Rectangle | DVDB2CBL | \$529 |
| Door Set, Black, Mission Rectangle | DVDB2MBL | \$529 |
| Door Set, Black, Arch | DVRB2CBL | \$529 |
| Door Set, Black, Mission Arch | DVRB2MBL | \$529 |

| OUTER FRAME AND BOTTOM TRIM | | |
|-----------------------------------|--------|-------|
| Steel Frame, Black | DVF2BL | \$135 |
| Steel Frame, Hammered Pewter | DVF2HP | \$135 |
| Trim Kit, Bottom, Hammered Pewter | FBS2HP | \$64 |

| LOUVERS | | |
|-----------------------------------|---------|-------|
| Louvers, Black, Mission | DVG2MBL | \$389 |
| Louvers, Hammered Pewter, Mission | DVG2MHP | \$389 |
| Louvers, Black, Arch | DVG2ABL | \$389 |
| Louvers, Hammered Pewter, Arch | DVG2AHP | \$389 |

Fireplaces, Inserts & Stoves

Empire
Gas Fireplaces

EMPIRE

TAHOE
Deluxe 42"

Tempered Glass: 22 x 36½
Venting: 4 x 6 5/8 (Refer to manual for venting requirements)
Framing 37 3/8 H x 43 3/8 W x 16 3/8 D (see manual before framing)



| MILLIVOLT CONTROL WITH ON/OFF SWITCH | | |
|--------------------------------------|------------|--------|
| DV Fireplace, Millivolt, NG | DVD42FP30N | \$2125 |
| DV Fireplace, Millivolt, LP | DVD42FP30P | \$2125 |
| DV Fireplace, Millivolt, Blower, NG | DVD42FP31N | \$2455 |
| DV Fireplace, Millivolt, Blower, LP | DVD42FP31P | \$2455 |

| CONTROL OPTIONS FOR MILLIVOLT MODELS | | |
|--|--------|-------|
| Remote, Battery Receiver/Remote, On/Off | FRBC | \$219 |
| Remote, Battery Receiver/Remote, Thermostat | FRBTC2 | \$269 |
| Remote, Electric Receiver/Battery Remote, On/Off | FREC | \$209 |
| Remote, Battery Receiver/Remote, TouchScreen, Programmable | FRBTPS | \$349 |
| Wall Switch, On/Off | FWS1 | \$35 |
| Wall Thermostat, Reed Switch | TMV | \$48 |
| Wall Thermostat, Wireless | TRW | \$265 |


| IPI WITH ON/OFF SWITCH | | |
|-------------------------------|------------|--------|
| DV Fireplace, IPI, NG | DVD42FP70N | \$2389 |
| DV Fireplace, IPI, LP | DVD42FP70P | \$2389 |
| DV Fireplace, IPI, Blower, NG | DVD42FP71N | \$2689 |
| DV Fireplace, IPI, Blower, LP | DVD42FP71P | \$2689 |

| VARIABLE REMOTE FOR IP (INCL STEPPER MOTOR, THERMOSTAT REMOTE, AND WIRING) | | |
|--|------|-------|
| Remote, Var Flame Kit, NG | RVKN | \$365 |
| Remote, Var Flame Kit, LP | RVKP | \$365 |

| CONVERSION KITS | | |
|--------------------------------|-------|------|
| Conversion Kit, NG To LP | 18814 | \$72 |
| Conversion Kit, LP To NG | 18818 | \$72 |
| Conversion Kit, IPI (NG To LP) | 31760 | \$82 |
| Conversion Kit, IPI (LP To NG) | 31761 | \$82 |

| ACCESSORIES | | |
|---------------------------------------|------|-------|
| Blower, Auto | FBB4 | \$345 |
| Flex Gas Line, 24-in. Stainless Steel | GF24 | \$44 |
| Platinum Embers | PE20 | \$34 |
| Ember Kit | EK1 | \$94 |

| LINERS | | | |
|--------------------------|---------|-------|--|
| Liner, Aged Brick | DVP3SA | \$299 | |
| Liner, Stacked Limestone | DVP3SG | \$279 | |
| Liner, Herringbone Brick | DVP3SH | \$289 | |
| Liner, Black Porcelain | DVP3SKR | \$395 | |



FRONTS
(REQUIRES A FIREPLACE BARRIER)

Select a Barrier or a Door Frame and Doors

| FIREPLACE BARRIER | | |
|--------------------------------|-----------|-------|
| Barrier, Black | DVFB42TBL | \$245 |
| Door Frame with Barrier, Black | DVWB3BL | \$259 |

| DOOR SET (REQ DOOR FRAME WITH BARRIER) | | |
|--|----------|-------|
| Door Set, Black, Rectangle | DVDB3CBL | \$539 |
| Door Set, Black, Mission Rectangle | DVDB3MBL | \$539 |
| Door Set, Black, Arch | DVRB3CBL | \$539 |
| Door Set, Black, Mission Arch | DVRB3MBL | \$539 |

| OUTER FRAME AND BOTTOM TRIM | | |
|-----------------------------------|--------|-------|
| Steel Frame, Black | DVF3BL | \$139 |
| Steel Frame, Hammered Pewter | DVF3HP | \$139 |
| Trim Kit, Bottom, Hammered Pewter | FBS3HP | \$70 |

| LOUVERS | | |
|-----------------------------------|---------|-------|
| Louvers, Black, Mission | DVG3MBL | \$419 |
| Louvers, Hammered Pewter, Mission | DVG3MHP | \$419 |
| Louvers, Black, Arch | DVG3ABL | \$419 |
| Louvers, Hammered Pewter, Arch | DVG3AHP | \$419 |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Empire
Gas Fireplaces

EMPIRE

2
0
2
5
-
2
0
2
6

TAHOE CLEAN-FACE
Deluxe 36"

Tempered Glass: 20 x 30 1/2
Top or Rear Vent, Venting: 4 x 6 5/8
(Refer to manual for venting requirements)
Framing 39 H x 38 1/4 W x 18 D (see manual before framing)
Variable Speed Blower available as an Accessory

CLEAN-FACE FIREPLACE MILLIVOLT CONTROL WITH ON/OFF SWITCH

| | | |
|--|-------------|--------|
| DV Fireplace, Millivolt, Log Set, NG | DVCD36FP30N | \$2019 |
| DV Fireplace, Millivolt, Log Set, LP | DVCD36FP30P | \$2019 |
| DV Fireplace, Millivolt, Log Set, Blower, NG | DVCD36FP31N | \$2329 |
| DV Fireplace, Millivolt, Log Set, Blower, LP | DVCD36FP31P | \$2329 |

CLEAN-FACE INTERMITTENT PILOT W/ ON/OFF SWITCH

| | | |
|--|-------------|--------|
| DV Fireplace, IPI, Log Set, NG | DVCD36FP70N | \$2299 |
| DV Fireplace, IPI, Log Set, LP | DVCD36FP70P | \$2299 |
| DV Fireplace, IPI, Log Set, Blower, NG | DVCD36FP71N | \$2589 |
| DV Fireplace, IPI, Log Set, Blower, LP | DVCD36FP71P | \$2589 |

LINERS

| | | |
|--------------------------|---------|-------|
| Liner, Aged Brick | DVP2SA | \$279 |
| Liner, Stacked Limestone | DVP2SG | \$259 |
| Liner, Herringbone Brick | DVP2SH | \$269 |
| Liner, Black Porcelain | DVP2SKR | \$385 |

ACCESSORIES

| | | |
|---------------------------------------|------|-------|
| Blower, Auto | FBB4 | \$345 |
| Flex Gas Line, 24-in. Stainless Steel | GF24 | \$44 |
| Platinum Embers | PE20 | \$34 |
| Ember Kit | EK1 | \$94 |

CONTROL OPTIONS

| | | |
|--|--------|-------|
| Remote, Battery Receiver/Remote, On/Off | FRBC | \$219 |
| Remote, Battery Receiver/Remote, Thermostat | FRBTC2 | \$269 |
| Remote, Electric Receiver/Battery Remote, On/Off | FREC | \$209 |
| Remote, Battery Receiver/Remote, TouchScreen, Programmable | FRBTPS | \$349 |
| Wall Switch, On/Off | FWS1 | \$35 |
| Wall Thermostat, Reed Switch | TMV | \$48 |
| Wall Thermostat, Wireless | TRW | \$265 |

VARIABLE REMOTE FOR IP (INCL STEPPER MOTOR, THERMOSTAT REMOTE, AND WIRING)

| | | |
|---------------------------|------|-------|
| Remote, Var Flame Kit, NG | RVKN | \$365 |
| Remote, Var Flame Kit, LP | RVKP | \$365 |

CONVERSION KITS

| | | |
|--------------------------------|-------|------|
| Conversion Kit, NG To LP | 18442 | \$72 |
| Conversion Kit, LP To NG | 18817 | \$72 |
| Conversion Kit, IPI (NG To LP) | 32882 | \$82 |
| Conversion Kit, IPI (LP To NG) | 31759 | \$82 |

Empire

Gas Fireplaces

EMPIRE

TAHOE CLEAN-FACE

Premium 42"

Tempered Glass: 27 x 37

Venting: 4 x 6 5/8 Top Vent Only (Refer to manual for venting requirements)

Framing 49 1/4 H x 43 3/4 W x 17 5/8 D (see manual before framing)

CLEAN-FACE FIREPLACE MILLIVOLT CONTROL WITH ON/OFF SWITCH

| | | |
|-----------------------------|-------------|--------|
| DV Fireplace, Millivolt, NG | DVCP42BP30N | \$2445 |
| DV Fireplace, Millivolt, LP | DVCP42BP30P | \$2445 |

CLEAN-FACE INTERMITTENT PILOT W/ ON/OFF SWITCH

| | | |
|-----------------------|-------------|--------|
| DV Fireplace, IPI, NG | DVCP42BP70N | \$2755 |
| DV Fireplace, IPI, LP | DVCP42BP70P | \$2755 |

LOG SET (REQ)

| | | |
|-------------------------------|--------|-------|
| Log Set, 6-pc., Ceramic Fiber | LS42FF | \$305 |
|-------------------------------|--------|-------|

LINERS

| | | |
|--|----------|-------|
| Liner, Aged Brick | DVP42FAB | \$415 |
| Liner, Rustic Brick | DVP42FRB | \$415 |
| Liner, Black Porcelain (Replaces DVP42LKR) | DVP42NKR | \$519 |

ACCESSORIES

| | | |
|---------------------------------------|-------|-------|
| Blower, Auto, Variable-Speed | FBB10 | \$275 |
| Flex Gas Line, 24-in. Stainless Steel | GF24 | \$44 |
| Platinum Embers | PE20 | \$34 |
| Ember Kit | EK1 | \$94 |
| Lighting Kit, 120 V, Incl Rheostat | LK6 | \$295 |

CONTROL OPTIONS

| | | |
|--|--------|-------|
| Remote, Battery Receiver/Remote, On/Off | FRBC | \$219 |
| Remote, Battery Receiver/Remote, Thermostat | FRBTC2 | \$269 |
| Remote, Electric Receiver/Battery Remote, On/Off | FREC | \$209 |
| Remote, Battery Receiver/Remote, TouchScreen, Programmable | FRBTPS | \$349 |
| Wall Switch, On/Off | FWS1 | \$35 |
| Wall Thermostat, Reed Switch | TMV | \$48 |
| Wall Thermostat, Wireless | TRW | \$265 |

VARIABLE REMOTE FOR IP (INCL STEPPER MOTOR, THERMOSTAT REMOTE, AND WIRING)

| | | |
|---------------------------|------|-------|
| Remote, Var Flame Kit, NG | RVKN | \$365 |
| Remote, Var Flame Kit, LP | RVKP | \$365 |

CONVERSION KITS

| | | |
|--------------------------------------|-------|------|
| Conversion Kit, Millivolt (NG To LP) | 31772 | \$72 |
| Conversion Kit, Millivolt (LP To NG) | 31773 | \$72 |
| Conversion Kit, IPI (NG To LP) | 32878 | \$82 |
| Conversion Kit, IPI (LP To NG) | 32879 | \$82 |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplaces, Inserts & Stoves

Empire
Gas Fireplaces

EMPIRE

2
0
2
5
-
2
0
2
6

TAHOE CLEAN-FACE

Peninsula & ST 36"

Tempered Glass: 25 x 31 (25 x 16 1/16 Peninsula End)
Venting: 5 x 8; 45° Elbow required - (Refer to manual for venting requirements)
Framing DVCP36PP 42 1/2 H x 41 3/4 W x 23 D
Framing DVCP36SP 42 1/2 H x 45 1/2 W x 23 D
(See manual before framing)



| MILLIVOLT CONTROL WITH ON/OFF SWITCH | | |
|--|-------------|--------|
| DV Fireplace, Peninsula, Millivolt, NG | DVCP36PP30N | \$4835 |
| DV Fireplace, Peninsula, Millivolt, LP | DVCP36PP30P | \$4835 |
| DV Fireplace, See-Through, Millivolt, NG | DVCP36SP30N | \$4835 |
| DV Fireplace, See-Through, Millivolt, LP | DVCP36SP30P | \$4835 |

| INTERMITTENT PILOT CONTROL WITH ON/OFF SWITCH | | |
|---|-------------|--------|
| DV Fireplace, Peninsula, IPI, NG | DVCP36PP70N | \$5115 |
| DV Fireplace, Peninsula, IPI, LP | DVCP36PP70P | \$5115 |
| DV Fireplace, See-Through, IPI, NG | DVCP36SP70N | \$5115 |
| DV Fireplace, See-Through, IPI, LP | DVCP36SP70P | \$5115 |

| LOGS AND MEDIA (REQ) | | |
|---|----------|-------|
| Log Set, Multi-sided, 12-pc., 24-in., with Floor, Ceramic Fiber, Campfire | LSU24SPF | \$519 |
| Mixed Logs and Stones, Embers & Fireplace Floor | DG36MX | \$539 |

| LINERS (ORDER 1 FOR PENINSULA, ORDER 2 FOR SEE-THROUGH) | | |
|---|------------|-------|
| Liner, Fluted Black | DVP36PFLKR | \$295 |
| Liner, Black Porcelain | DVP36PKR | \$319 |
| Liner, Rustic Brick with Soldier Course | DVP36PRB | \$319 |

| ACCESSORIES | | |
|---------------------------------------|-------|-------|
| Blower, Variable-Speed | FBB14 | \$379 |
| Lighting Kit, 120 V, Incl Rheostat | LK7 | \$289 |
| Ember Kit | EK1 | \$94 |
| Flex Gas Line, 24-in. Stainless Steel | GF24 | \$44 |

| CONVERSION KITS | | |
|--------------------------|-------|------|
| Conversion Kit, NG To LP | 35396 | \$72 |
| Conversion Kit, LP To NG | 35395 | \$72 |
| Conversion Kit, NG To LP | 35398 | \$82 |
| Conversion Kit, LP To NG | 35397 | \$82 |

| VENT ELBOW (REQ, USE SAME MANUFACTURER AS REST OF VENT SYSTEM) | | |
|--|------------|-------|
| 45-degree Elbow | SD58DVAE45 | \$154 |

| CONTROL OPTIONS | | |
|--|--------|-------|
| Remote, Battery Receiver/Remote, On/Off | FRBC | \$219 |
| Remote, Battery Receiver/Remote, Thermostat | FRBTC2 | \$269 |
| Remote, Electric Receiver/Battery Remote, On/Off | FREC | \$209 |
| Remote, Battery Receiver/Remote, TouchScreen, Programmable | FRBTPS | \$349 |
| Wall Switch, On/Off | FWS1 | \$35 |
| Wall Thermostat, Reed Switch | TMV | \$48 |
| Wall Thermostat, Wireless | TRW | \$265 |

| VARIABLE REMOTE FOR IP (INCL STEPPER MOTOR, THERMOSTAT REMOTE, AND WIRING) | | |
|--|------|-------|
| Remote, Var Flame Kit, NG | RVKN | \$365 |
| Remote, Var Flame Kit, LP | RVKP | \$365 |

| ACCESSORIES | | |
|---------------------------------------|-------|-------|
| Blower, Variable-Speed | FBB14 | \$379 |
| Lighting Kit, 120 V, Incl Rheostat | LK7 | \$289 |
| Ember Kit | EK1 | \$94 |
| Flex Gas Line, 24-in. Stainless Steel | GF24 | \$44 |

| VENT KITS | | |
|--|---------|-------|
| DV thru-the-wall Flexible Vent Kit Horizontal- incl Cap, Wall Thimble, Collars, 4 ft of 5 x 8 flex venting, spacing, gear clamps | DVVK5F | \$535 |
| DV Fireplace Top Vent Kit, 4 to 6-in. wall thickness, Incl SD58DVAE90, SD58DVAHC, SD58DVA06, SD58DVAWTEC | DVVK5TP | \$589 |
| DV Fireplace Vent Kit Vertical - incl SD58DVAVCH, SD58DVASC, SD58DVAF6 | DVVK5VP | \$365 |

| DECORATIVE FRONTS | | |
|--|----------|--------|
| THE FRONTS FIT OVER THE BARRIER SCREENS INCLUDED WITH THE FIREPLACE. USE DF36 FRONTS FOR SEE-THROUGH OR PENINSULA; USE DF24 FRONTS FOR PENINSULA END ONLY. | | |
| Beveled Frame, 1.5-in., Oil-Rubbed Bronze | DF362PBZ | \$1209 |
| Beveled Frame, 1.5-in., Brushed Nickel | DF362PNB | \$1189 |
| Rectangle, 1.5-in., Oil-Rubbed Bronze, for peninsula fireplace end | DF242BZ | \$1069 |
| Rectangle, 1.5-in., Brushed Nickel, for peninsula fireplace end | DF242NB | \$1025 |

Fireplaces, Inserts & Stoves

Empire
Gas Inserts

EMPIRE

INNSBROOK INSERT
Insert Small

Ceramic Glass: 11 1/8 x 25 1/4
Venting: 3 x 3 Flex
Installs as an insert in an existing fireplace
Min. Opening 18 1/2 H x 28 1/4 W x 14 7/8 D



MILLIVOLT CONTROL WITH ON/OFF SWITCH

| | | |
|---|------------|--------|
| DV Gas Insert Fireplace, Millivolt, Log Set, Blower, NG | DVC20IN31N | \$2649 |
| DV Gas Insert Fireplace, Millivolt, Log Set, Blower, LP | DVC20IN31P | \$2649 |

INTERMITTENT PILOT CONTROL WITH ON/OFF SWITCH

| | | |
|---|------------|--------|
| DV Gas Insert Fireplace, IPI, Log Set, Blower, NG | DVC20IN71N | \$2899 |
| DV Gas Insert Fireplace, IPI, Log Set, Blower, LP | DVC20IN71P | \$2899 |

LINERS

| | | |
|--------------------------|---------|-------|
| Liner, Traditional Brick | DVP20DF | \$219 |
| Liner, Herringbone Brick | DVP20SH | \$209 |
| Liner, Washed Brick | DVP20BW | \$249 |
| Liner, Black Porcelain | DVP20KR | \$285 |

CONTROL OPTIONS

| | | |
|--|--------|-------|
| Remote, Battery Receiver/Remote, On/Off | FRBC | \$219 |
| Remote, Battery Receiver/Remote, Thermostat | FRBTC2 | \$269 |
| Remote, Electric Receiver/Battery Remote, On/Off | FREC | \$209 |
| Remote, Battery Receiver/Remote, TouchScreen, Programmable | FRBTPS | \$349 |
| Wall Switch, On/Off | FWS1 | \$35 |
| Wall Thermostat, Reed Switch | TMV | \$48 |
| Wall Thermostat, Wireless | TRW | \$265 |

VARIABLE REMOTE FOR IP (INCL STEPPER MOTOR, THERMOSTAT REMOTE, AND WIRING)

| | | |
|---------------------------|------|-------|
| Remote, Var Flame Kit, NG | RVKN | \$365 |
| Remote, Var Flame Kit, LP | RVKP | \$365 |

CONVERSION KITS

| | | |
|--------------------------------|-------|------|
| Conversion Kit, LP To NG - MV | 36395 | \$72 |
| Conversion Kit, NG To LP - MV | 36396 | \$72 |
| Conversion Kit, LP To NG - IPI | 36722 | \$82 |
| Conversion Kit, NG To LP - IPI | 36723 | \$82 |

FRONTS (REQ SURROUND)

| | | |
|--|----------|-------|
| Front, Black, Lancaster | DVF20HBL | \$375 |
| Front, Bronze, Lancaster | DVF20HBZ | \$405 |
| Doors, Black, Transom (non-operable) | DFD20DBL | \$455 |
| Front, Horizon (non-operable doors), Black | DFD20HBL | \$455 |

CAST IRON SURROUND (REQ SAK ADAPTOR)

THIS INSERT REQUIRES A SURROUND. CHOOSE THE TRADITIONAL CAST IRON SURROUND OR A STEEL SURROUND BELOW. THE CAST IRON SURROUND DOES NOT ACCEPT A DECORATIVE FRONT OR BOTTOM COVER.

| | | |
|--|---------|-------|
| Cast Iron (7x6), Black | SC256BL | \$465 |
| Surround Adaptor, Req for Cast Iron Surround with Insert | SAK20 | \$135 |

STEEL SURROUNDS (REQ) AND BOTTOM COVERS

CHOOSE A SURROUND THAT COVERS THE FIREPLACE OPENING. FOR A LARGER OPENING, USE THE SH1BL IN CONJUNCTION WITH A SURROUND. USE BOTTOM COVER WHEN THE SURROUND DOES NOT REACH FLOOR.

| | | |
|--|-----------|-------|
| Surround, Black (6x3x1) 34-in W x 23-in H | DS2063BL | \$225 |
| Surround, Black (6x6x1) 40-in W x 23-in H | DS2066BL | \$249 |
| Surround, Black (9x6x1) 40-in W x 26-in H | DS2096BL | \$269 |
| Surround, Deep, Black (6x3x2.2) 34-in W x 23-in H | DS2063DBL | \$249 |
| Surround, Deep, Black (6x6x2.2) 40-in W x 23-in H | DS2066DBL | \$269 |
| Surround, Deep, Black (9x6x2.2) 40-in W x 26-in H | DS2096DBL | \$289 |
| Surround, Bronze (6x3x1) 34-in W x 23-in H | DS2063BZ | \$235 |
| Surround, Bronze (6x6x1) 40-in W x 23-in H | DS2066BZ | \$265 |
| Surround, Bronze (9x6x1) 40-in W x 26-in H | DS2096BZ | \$279 |
| Surround, Deep, Bronze (6x3x2.2) 34-in W x 23-in H | DS2063DBZ | \$279 |
| Surround, Deep, Bronze (6x6x2.2) 40-in W x 23-in H | DS2066DBZ | \$289 |
| Surround, Deep, Bronze (9x6x2.2) 40-in W x 26-in H | DS2096DBZ | \$279 |
| Shroud, Black (48-in W x 35 3/4-in H, plus 2-in Bottom panel. Opening 36-in x 23 3/4-in) | SH1BL | \$229 |
| Surround Bottom Cover for DS2063BL | C203BL | \$119 |
| Surround Bottom Cover for DS2066BL, DS2096BL | C206BL | \$119 |
| Surround Bottom Cover for DS2063BL | C203BL | \$119 |
| Surround Bottom Cover for DS2063DBL | C203DBL | \$119 |
| Surround Bottom Cover for DS2066DBL, DS2096DBL | C206DBL | \$119 |
| Surround Bottom Cover for DS2063BZ | C203BZ | \$135 |
| Surround Bottom Cover for DS2066BZ, DS2096BZ | C206BZ | \$135 |
| Surround Bottom Cover for DS2063DBZ | C203DBZ | \$135 |
| Surround Bottom Cover for DS2066DBZ, DS2096DBZ | C206DBZ | \$145 |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplaces, Inserts & Stoves

Empire

Gas Inserts

INNSBROOK INSERT

Insert medium

Ceramic Glass: 14 1/8 x 28 1/4

Venting: 3 x 3 Flex

Installs as an insert in an existing fireplace

Min. Opening 21 1/2 H x 31 1/4 W x 16 5/8 D

MILLIVOLT CONTROL WITH ON/OFF SWITCH

| | | |
|---|------------|--------|
| DV Gas Insert Fireplace, Millivolt, Log Set, Blower, NG | DVC26IN31N | \$2805 |
| DV Gas Insert Fireplace, Millivolt, Log Set, Blower, LP | DVC26IN31P | \$2805 |

INTERMITTENT PILOT CONTROL WITH ON/OFF SWITCH

| | | |
|---|------------|--------|
| DV Gas Insert Fireplace, IPI, Log Set, Blower, NG | DVC26IN71N | \$3055 |
| DV Gas Insert Fireplace, IPI, Log Set, Blower, LP | DVC26IN71P | \$3055 |

LINERS

| | | |
|--------------------------|---------|-------|
| Liner, Traditional Brick | DVP26DF | \$239 |
| Liner, Herringbone Brick | DVP26SH | \$219 |
| Liner, Washed Brick | DVP26BW | \$255 |
| Liner, Black Porcelain | DVP26KR | \$355 |

CONTROL OPTIONS

| | | |
|--|--------|-------|
| Remote, Battery Receiver/Remote, On/Off | FRBC | \$219 |
| Remote, Battery Receiver/Remote, Thermostat | FRBTC2 | \$269 |
| Remote, Electric Receiver/Battery Remote, On/Off | FREC | \$209 |
| Remote, Battery Receiver/Remote, TouchScreen, Programmable | FRBTPS | \$349 |
| Wall Switch, On/Off | FWS1 | \$35 |
| Wall Thermostat, Reed Switch | TMV | \$48 |
| Wall Thermostat, Wireless | TRW | \$265 |

VARIABLE REMOTE FOR IP (INCL STEPPER MOTOR, THERMOSTAT REMOTE, AND WIRING)

| | | |
|---------------------------|------|-------|
| Remote, Var Flame Kit, NG | RVKN | \$365 |
| Remote, Var Flame Kit, LP | RVKP | \$365 |

CONVERSION KITS

| | | |
|--------------------------------|-------|------|
| Conversion Kit, LP To NG - MV | 36397 | \$72 |
| Conversion Kit, NG To LP - MV | 36398 | \$72 |
| Conversion Kit, LP To NG - IPI | 36724 | \$82 |
| Conversion Kit, NG To LP - IPI | 36725 | \$82 |

EMPIRE

2
0
2
5
-
2
0
2
6



CAST IRON SURROUND (REQ SAK ADAPTOR)

THIS INSERT REQUIRES A SURROUND. CHOOSE THE TRADITIONAL CAST IRON SURROUND OR A STEEL SURROUND BELOW. THE CAST IRON SURROUND DOES NOT ACCEPT A DECORATIVE FRONT OR BOTTOM COVER.

| | | |
|--|---------|-------|
| Cast Iron (7x6), Black | SC336BL | \$539 |
| Surround Adaptor, Req for Cast Iron Surround with Insert | SAK26 | \$135 |

STEEL SURROUNDS (REQ) AND BOTTOM COVERS

CHOOSE A SURROUND THAT COVERS THE FIREPLACE OPENING. FOR A LARGER OPENING, USE THE SH1BL IN CONJUNCTION WITH A SURROUND. USE BOTTOM COVER WHEN THE SURROUND DOES NOT REACH FLOOR.

| | | |
|--|----------|-------|
| Surround, Black (6x3x1) 37-in W x 26-in H | DS2663BL | \$245 |
| Surround, Black (6x6x1) 43-in W x 26-in H | DS2666BL | \$265 |
| Surround, Black (9x6x1) 43-in W x 29-in H | DS2696BL | \$275 |
| Surround, Bronze (6x3x1) 37-in W x 26-in H | DS2663BZ | \$265 |
| Surround, Bronze (6x6x1) 43-in W x 26-in H | DS2666BZ | \$275 |
| Surround, Bronze (9x6x1) 43-in W x 29-in H | DS2696BZ | \$285 |
| Shroud, Black (48-in W x 35 3/4-in H, plus 2-in Bottom panel. Opening 36-in x 23 3/4-in) | SH1BL | \$229 |
| Custom Surround, 3-Sided, Black | CS3SIDED | \$889 |
| Custom Surround, 4-Sided, Black | CS4SIDED | \$945 |
| Surround Bottom Cover for DS2663BL | C263BL | \$115 |
| Surround Bottom Cover for DS2663BZ | C263BZ | \$129 |
| Surround Bottom Cover for DS2666BL, DS2696BL | C266BL | \$119 |
| Surround Bottom Cover for DS2666BZ, DS2696BZ | C266BZ | \$135 |

FRONTS (REQ SURROUND)

| | | |
|--|----------|-------|
| Front, Black, Lancaster | DVF26HBL | \$405 |
| Front, Bronze, Lancaster | DVF26HBZ | \$419 |
| Doors, Black, Transom (non-operable) | DFD26DBL | \$499 |
| Front, Horizon (non-operable doors), Black | DFD26HBL | \$499 |

Fireplaces, Inserts & Stoves

Empire
Gas Inserts

EMPIRE

INNSBROOK INSERT
Insert Large

Ceramic Glass: 16 1/8 x 31 1/4
Venting: 3 x 3 Flex
Installs as an insert in an existing fireplace
Min. Opening 23 1/2 H x 34 1/4 W x 16 5/8 D



MILLIVOLT CONTROL WITH ON/OFF SWITCH

| | | |
|---|------------|--------|
| DV Gas Insert Fireplace, Millivolt, Log Set, Blower, NG | DVC28IN31N | \$3125 |
| DV Gas Insert Fireplace, Millivolt, Log Set, Blower, LP | DVC28IN31P | \$3125 |

INTERMITTENT PILOT CONTROL WITH ON/OFF SWITCH

| | | |
|---|------------|--------|
| DV Gas Insert Fireplace, IPI, Log Set, Blower, NG | DVC28IN71N | \$3385 |
| DV Gas Insert Fireplace, IPI, Log Set, Blower, LP | DVC28IN71P | \$3385 |

LINERS

| | | |
|--------------------------|---------|-------|
| Liner, Traditional Brick | DVP28DF | \$255 |
| Liner, Herringbone Brick | DVP28SH | \$229 |
| Liner, Washed Brick | DVP28BW | \$265 |
| Liner, Black Porcelain | DVP28KR | \$419 |

CONTROL OPTIONS

| | | |
|--|--------|-------|
| Remote, Battery Receiver/Remote, On/Off | FRBC | \$219 |
| Remote, Battery Receiver/Remote, Thermostat | FRBTC2 | \$269 |
| Remote, Electric Receiver/Battery Remote, On/Off | FREC | \$209 |
| Remote, Battery Receiver/Remote, TouchScreen, Programmable | FRBTPS | \$349 |
| Wall Switch, On/Off | FWS1 | \$35 |
| Wall Thermostat, Reed Switch | TMV | \$48 |
| Wall Thermostat, Wireless | TRW | \$265 |

VARIABLE REMOTE FOR IP (INCL STEPPER MOTOR, THERMOSTAT REMOTE, AND WIRING)

| | | |
|---------------------------|------|-------|
| Remote, Var Flame Kit, NG | RVKN | \$365 |
| Remote, Var Flame Kit, LP | RVKP | \$365 |

CONVERSION KITS

| | | |
|--------------------------------|-------|------|
| Conversion Kit, LP To NG - MV | 36399 | \$72 |
| Conversion Kit, NG To LP - MV | 36400 | \$72 |
| Conversion Kit, LP To NG - IPI | 36726 | \$82 |
| Conversion Kit, NG To LP - IPI | 36727 | \$82 |

CAST IRON SURROUND (REQ SAK ADAPTOR)

THIS INSERT REQUIRES A SURROUND. CHOOSE THE TRADITIONAL CAST IRON SURROUND OR A STEEL SURROUND BELOW. THE CAST IRON SURROUND DOES NOT ACCEPT A DECORATIVE FRONT OR BOTTOM COVER.

| | | |
|--|---------|-------|
| Cast Iron (7x6), Black | SC356BL | \$569 |
| Surround Adaptor, Req for Cast Iron Surround with Insert | SAK28 | \$135 |

STEEL SURROUNDS (REQ) AND BOTTOM COVERS

CHOOSE A SURROUND THAT COVERS THE FIREPLACE OPENING. FOR A LARGER OPENING, USE THE SH1BL IN CONJUNCTION WITH A SURROUND. USE BOTTOM COVER WHEN THE SURROUND DOES NOT REACH FLOOR.

| | | |
|--|----------|-------|
| Surround, Black (6x3x1) 40-in W x 28-in H | DS2863BL | \$259 |
| Surround, Black (6x6x1) 46-in W x 28-in H | DS2866BL | \$259 |
| Surround, Black (9x6x1) 46-in W x 31-in H | DS2896BL | \$285 |
| Surround, Bronze (6x3x1) 40-in W x 28-in H | DS2863BZ | \$269 |
| Surround, Bronze (6x6x1) 40-in W x 28-in H | DS2866BZ | \$285 |
| Surround, Bronze (9x6x1) 40-in W x 28-in H | DS2896BZ | \$299 |
| Shroud, Black (48-in W x 35 3/4-in H, plus 2-in Bottom panel. Opening 36-in x 23 3/4-in) | SH1BL | \$229 |
| Custom Surround, 3-Sided, Black | CS3SIDED | \$889 |
| Custom Surround, 4-Sided, Black | CS4SIDED | \$945 |
| Surround Bottom Cover for DS2863BL | C283BL | \$119 |
| Surround Bottom Cover for DS2866BL, DS2896BL | C286BL | \$135 |
| Surround Bottom Cover for DS2863BZ | C283BZ | \$135 |
| Surround Bottom Cover for DS2866BZ, DS2896BZ | C286BZ | \$149 |

FRONTS (REQ SURROUND)

| | | |
|--|----------|-------|
| Doors, Black, Transom (non-operable) | DFD28DBL | \$535 |
| Front, Horizon (non-operable doors), Black | DFD28HBL | \$535 |
| Front, Black, Lancaster | DVF28HBL | \$435 |
| Front, Bronze, Lancaster | DVF28HBZ | \$435 |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplaces, Inserts & Stoves

Empire
Gas StovesSPIRIT STOVES
Small

Venting: 4 x 6 5/8 (Use Black where visible)

Requires: 45-Degree Elbow

RCK20 Replacement Control Cover required for RVKN or RVKP

STEEL STOVE MILLIVOLT WITH ON/OFF SWITCH

| | | |
|------------------------------------|-------------|--------|
| DV Steel Stove, Small Millivolt NG | DVP20MS30FN | \$2649 |
| DV Steel Stove, Small Millivolt LP | DVP20MS30FP | \$2649 |

STEEL STOVE IPI WITH ON/OFF SWITCH

| | | |
|------------------------------|-------------|--------|
| DV Steel Stove, Small IPI NG | DVP20MS70FN | \$2779 |
| DV Steel Stove, Small IPI LP | DVP20MS70FP | \$2779 |

LINER

| | | |
|------------------------|-----------|-------|
| Liner, Black Porcelain | DVP20CCKR | \$279 |
|------------------------|-----------|-------|

ACCESSORIES

| | | |
|---------------------------------------|------|-------|
| Blower, Auto | CIB4 | \$419 |
| Flex Gas Line, 24-in. Stainless Steel | GF24 | \$44 |

CONTROL OPTIONS

| | | |
|--|--------|-------|
| Remote, Battery Receiver/Remote, On/Off | FRBC | \$219 |
| Remote, Battery Receiver/Remote, Thermostat | FRBTC2 | \$269 |
| Remote, Electric Receiver/Battery Remote, On/Off | FREC | \$209 |
| Remote, Battery Receiver/Remote, TouchScreen, Programmable | FRBTPS | \$349 |
| Wall Switch, On/Off | FWS1 | \$35 |
| Wall Thermostat, Reed Switch | TMV | \$48 |
| Wall Thermostat, Wireless | TRW | \$265 |

VARIABLE REMOTE FOR IP (INCL STEPPER MOTOR, THERMOSTAT REMOTE, AND WIRING)

| | | |
|---|-------|-------|
| Remote, Var Flame Kit, NG | RVKN | \$365 |
| Remote, Var Flame Kit, LP | RVKP | \$365 |
| Replacement Control Cover - req. for RVK(N/P) | RCK20 | \$129 |

CONVERSION KITS

| | | |
|------------------------------------|-------|------|
| Conversion Kit, Millivolt LP To NG | 31051 | \$72 |
| Conversion Kit, Millivolt NG To LP | 31052 | \$72 |
| Conversion Kit, IPI LP To NG | 31053 | \$82 |
| Conversion Kit, IPI NG To LP | 31054 | \$82 |

EMPIRE

SPIRIT STOVES
Medium

Venting: 4 x 6 5/8 (Use Black where visible)

Requires: 45-Degree Elbow

RCK30 Replacement Control Cover required for RVKN or RVKP

STEEL STOVE MILLIVOLT WITH ON/OFF SWITCH

| | | |
|-------------------------------------|-------------|--------|
| DV Steel Stove, Medium Millivolt NG | DVP30MS30FN | \$2679 |
| DV Steel Stove, Medium Millivolt LP | DVP30MS30FP | \$2679 |

STEEL STOVE IPI WITH ON/OFF SWITCH

| | | |
|-------------------------------|-------------|--------|
| DV Steel Stove, Medium IPI NG | DVP30MS70FN | \$2799 |
| DV Steel Stove, Medium IPI LP | DVP30MS70FP | \$2799 |

LINER

| | | |
|------------------------|-----------|-------|
| Liner, Black Porcelain | DVP30CCKR | \$299 |
|------------------------|-----------|-------|

ACCESSORIES

| | | |
|---------------------------------------|------|-------|
| Blower, Auto, Variable-Speed | CIB3 | \$419 |
| Flex Gas Line, 24-in. Stainless Steel | GF24 | \$44 |

CONTROL OPTIONS

| | | |
|--|--------|-------|
| Remote, Battery Receiver/Remote, On/Off | FRBC | \$219 |
| Remote, Battery Receiver/Remote, Thermostat | FRBTC2 | \$269 |
| Remote, Electric Receiver/Battery Remote, On/Off | FREC | \$209 |
| Remote, Battery Receiver/Remote, TouchScreen, Programmable | FRBTPS | \$349 |
| Wall Switch, On/Off | FWS1 | \$35 |
| Wall Thermostat, Reed Switch | TMV | \$48 |
| Wall Thermostat, Wireless | TRW | \$265 |

VARIABLE REMOTE FOR IP (INCL STEPPER MOTOR, THERMOSTAT REMOTE, AND WIRING)

| | | |
|---|-------|-------|
| Remote, Var Flame Kit, NG | RVKN | \$365 |
| Remote, Var Flame Kit, LP | RVKP | \$365 |
| Replacement Control Cover - req. for RVK(N/P) | RCK30 | \$129 |

CONVERSION KITS

| | | |
|------------------------------------|-------|------|
| Conversion Kit, Millivolt LP To NG | 31057 | \$72 |
| Conversion Kit, Millivolt NG To LP | 31058 | \$72 |
| Conversion Kit, IPI LP To NG | 31059 | \$82 |
| Conversion Kit, IPI NG To LP | 31060 | \$82 |

Fireplaces, Inserts & Stoves

EMPIRE

Empire
Venting (for Gas Fireplaces)

VENTING
4 x 6⁵/₈

VENT PIPE AND ELBOWS

| | | |
|---------------------------------------|------------|-------|
| 6-in. Pipe (Galv) | SD46DVA06 | \$78 |
| 8-in. DV Pipe Ext, 3 to 7 in (Galv) | SD46DVA08A | \$91 |
| 9-in. Pipe (Galv) | SD46DVA09 | \$94 |
| 12-in. Pipe (Galv) | SD46DVA12 | \$101 |
| 16-in. DV Pipe Ext, 3 to 15 in (Galv) | SD46DVA16A | \$94 |
| 24-in. Pipe (Galv) | SD46DVA24 | \$139 |
| 36-in. Pipe (Galv) | SD46DVA36 | \$174 |
| 48-in. Pipe (Galv) | SD46DVA48 | \$199 |
| 60-in. Pipe (Galv) | SD46DVA60 | \$247 |
| Elbow (Galv) | SD46DVAE45 | \$139 |
| Elbow 90-degree (Galv) | SD46DVAE90 | \$164 |

VENT ACCESSORIES

| | | |
|--|--------------|--------|
| Wall Thimble Cover | SD46DVADC | \$179 |
| Roof Flashing | SD46DVAF6 | \$94 |
| Firestop, Ceiling | SD46DVAFS | \$46 |
| Linear Termination Kit (inc Connector and Flashing, Req SD46DVAVCH cap and DVK35 vent ext kit) | SD46DVAGK | \$405 |
| High-Wind Horizontal Cap | SD46DVAHC | \$514 |
| Storm Collar | SD46DVASC | \$35 |
| 14-in. Pipe Snorkel | SD46DVASNK14 | \$1229 |
| 36-in. Pipe Snorkel | SD46DVASNK36 | \$1539 |
| Vinyl Siding Standoff | SD46DVAVSS | \$209 |
| Firestop, Wall | SD46DVAWFS | \$129 |
| Wall Strap | SD46DVAWS | \$71 |
| Wall Thimble, 4 x 6 5/8 w/3-inch clearance | SD46DVAWT3 | \$129 |
| DV Adaptor, 4 x 6 5/8 to 4 x 7 flex vent | SD46DVAFCFX7 | \$106 |

4 X 6 5/8 VENT KITS HORIZONTAL

| | | |
|---|--------------|-------|
| Vinyl Siding Vent Kit for Empire Round Vent Kit | DV822 | \$119 |
| DV Flex Vent Kit Horizontal, inc Cap, Wall Thimble, Collars, Gear Clamps, 4 ft of 4x7-inc flex vent | DVVK4F | \$525 |
| Vent Kit - Rear Vent | DVVK4RP | \$399 |
| Vent Kit, Empire Round | DVVK4RE | \$285 |
| Vent Kit- Horiz Flex With Empire Round Cap | DVVK4FRE | \$435 |
| Vent Kit, Empire Round, Vinyl Siding | DVVK4REVS | \$339 |
| Vent Kit- Horiz Flex With Empire Round Cap | DVVK4FREVS | \$455 |
| DV Vent Kit Top Vent 8 to 11-in. wall thickness-incl SD46DVA09, SD46DVA08A, SD46DVAHC, SD46DVAE90, SDDVAWT Firestop | DVVK4TP | \$685 |
| DV Fireplace Vent Kit for Top Vent, thru-the-wall, 5 to 7-in. wall thickness-incl SD46DVA06, SD46DVAWT, SD46DVAHC, SD46DVAE90 | DVVK4TSP | \$559 |
| DV Adaptor, 4 x 6 5/8 to 4 x 7 flex vent | SD46DVAFCFX7 | \$106 |

4 X 6 5/8 VENT KITS VERTICAL

| | | |
|---|---------|-------|
| Vent Kit Extension, 10Ft | DVEK10 | \$279 |
| Vent Kit Extension, 25Ft (100561) | DVEK25 | \$495 |
| Vent Kit, Vertical Flex (100546) | DVVK4FV | \$975 |
| DV Vent Kit Vertical thru-the-roof 4-in.-incl SD46DVAHC, SD46DVASC, SD46DVAF6 | DVVK4VP | \$289 |
| Vertical Inlet Baffle, 6 5/8-in. | VIB6A | \$88 |
| Vertical Inlet Baffle, 7-in. | VIB7A | \$84 |

Fireplaces, Inserts & Stoves

Empire
Venting (for Gas Fireplaces)

EMPIRE

VENTING
5 x 8

2
0
2
5
-
2
0
2
6

| VENT PIPE AND ELBOWS | | |
|---------------------------------------|------------|-------|
| 6-in. Pipe (Galv) | SD58DVA06 | \$94 |
| 8-in. DV Pipe Ext, 3 to 7 in (Galv) | SD58DVA08A | \$124 |
| 9-in. Pipe (Galv) | SD58DVA09 | \$94 |
| 12-in. Pipe (Galv) | SD58DVA12 | \$114 |
| 16-in. DV Pipe Ext, 3 to 15 in (Galv) | SD58DVA16A | \$107 |
| 24-in. Pipe (Galv) | SD58DVA24 | \$154 |
| 36-in. Pipe (Galv) | SD58DVA36 | \$169 |
| 48-in. Pipe (Galv) | SD58DVA48 | \$219 |
| 60-in. Pipe (Galv) | SD58DVA60 | \$309 |
| 45-degree Elbow | SD58DVAE45 | \$154 |
| 90-degree Elbow | SD58DVAE90 | \$184 |

| VENT ACCESSORIES | | |
|---------------------------------|--------------|--------|
| Roof Flashing | SD58DVAF6 | \$174 |
| Firestop, Ceiling | SD58DVAFS | \$46 |
| Cap Hor. Square | SD58DVAHC | \$594 |
| Storm Collar | SD58DVASC | \$46 |
| 14-in. Pipe Snorkel | SD58DVASNK14 | \$1309 |
| 36-in. Snorkel | SD58DVASNK36 | \$1529 |
| High-Wind Vert Cap | SD58DVAVCH | \$259 |
| Vinyl Siding Standoff | SD58DVAVSS | \$269 |
| Wall Thimble, with 2-in. offset | SD58DVAWTEC | \$169 |

| 5/8 VENT KITS HORIZONTAL | | |
|--|------------|-------|
| DV thru-the-wall Flexible Vent Kit Horizontal- incl Cap, Wall Thimble, Collars, 4 ft of 5 x 8 flex venting, spacing, gear clamps | DVVK5F | \$535 |
| DV Fireplace Rear Vent Kit, 6 to 12-in. wall thickness. Incl SD58DVA06, SD58DVAWTEC, SD58DVAHC Square Termination cap | DVVK5RP | \$499 |
| DV Fireplace Top Vent Kit, 4 to 6-in. wall thickness. Incl SD58DVAE90, SD58DVAHC, SD58DVA06, SD58DVAWTEC | DVVK5TP | \$589 |
| DV Flex Vent Connector | SD58DVAFCF | \$107 |

| 5/8 VENT KITS VERTICAL | | |
|--|---------|-------|
| DV Fireplace Vent Kit Vertical - incl SD58DVAVCH, SD58DVASC, SD58DVAF6 | DVVK5VP | \$365 |

Empire
Venting (for Gas Stoves)



VENTING
Stove Venting

4 X 6 5/8 VENTING - GALVANIZED

| | | |
|---------------------------------------|------------|-------|
| 6-in. Pipe (Galv) | SD46DVA06 | \$78 |
| 8-in. DV Pipe Ext, 3 to 7 in (Galv) | SD46DVA08A | \$91 |
| 9-in. Pipe (Galv) | SD46DVA09 | \$94 |
| 12-in. Pipe (Galv) | SD46DVA12 | \$101 |
| 16-in. DV Pipe Ext, 3 to 15 in (Galv) | SD46DVA16A | \$94 |
| 24-in. Pipe (Galv) | SD46DVA24 | \$139 |
| 36-in. Pipe (Galv) | SD46DVA36 | \$174 |
| 48-in. Pipe (Galv) | SD46DVA48 | \$199 |
| 60-in. Pipe (Galv) | SD46DVA60 | \$247 |
| Elbow (Galv) | SD46DVAE45 | \$139 |
| Elbow 90-degree (Galv) | SD46DVAE90 | \$164 |

4 X 6 5/8 VENTING - USE BLACK WHERE VISIBLE IN ROOM


| | | |
|--------------------------------------|-------------|-------|
| 6-in. Pipe (Black) | SD46DVA06B | \$124 |
| 8-in. DV Pipe Ext, 3 to 7 in (Black) | SD46DVA08AB | \$189 |
| 9-in. Pipe (Black) | SD46DVA09B | \$124 |
| 12-in. Pipe (Black) | SD46DVA12B | \$139 |
| 24-in. Pipe (Black) | SD46DVA24B | \$179 |
| 36-in. Pipe (Black) | SD46DVA36B | \$229 |
| 48-in. Pipe (Black) | SD46DVA48B | \$264 |
| 60-in. Pipe (Black) | SD46DVA60B | \$296 |
| Elbow (Black) | SD46DVAE45B | \$154 |
| Elbow 90-degree, Black | SD46DVAE90B | \$174 |

STOVE VENTING - HORIZONTAL TERMINATION KITS

| | | |
|--|----------|--------|
| Horizontal DV 45-Deg Kit, Incl: SD46DVAE45B, SD46DVA12B, SD46DVADC, SD46DVAWT, SD46DVAHC, fits DVP20CC (NG only) | DVK45NAT | \$1285 |
| Vent Kit - Horizontal | DVKHP45 | \$1285 |
| Vent Kit - Horizontal | DVKVP45 | \$1089 |

STOVE VENTING FOR EXISTING FIREPLACE FLUE

| | | |
|--|--------------|-------|
| Vent Kit, High Wind Vert Co-Linear 3 X 35 Ft | SD46DVAACL33 | \$967 |
| DV Adaptor, Co-Axial to Co-Linear | SD46DVAGCL | \$419 |
| Vent Extension Kit, 17 ft (35 ft flex, 2 connectors, 4 clamps) | DVK35 | \$259 |
| Vent Kit - Vertical | DVKI2P | \$619 |



Fireplaces, Inserts & Stoves

Empire
Venting (for Gas Inserts)

EMPIRE

2
0
2
5
-
2
0
2
6

VENTING
Insert Venting

POWER VENTING
DVKPM

| DIRECT-VENT INSERT VENT KITS (3 X 3) | | |
|--|-------------|-------|
| Linear Termination Kit (inc Connector and Flashing, Req SD46DVAVCH cap and DVK35 vent ext kit) | SD46DVAGK | \$405 |
| High-Wind Vert Cap | SD46DVAVCH | \$209 |
| Vent Kit, High Wind Vert Co-Linear 3 X 35 Ft | SD46DVACL33 | \$967 |
| Vent Extension Kit, 17 ft (35 ft flex, 2 connectors, 4 clamps) | DVK35 | \$259 |
| Vent Kit - Vertical | DVKI2P | \$619 |

| DIRECT-VENT INSERT VENT KITS (3 X 4) | | |
|---|-------------|-------|
| Vertical flex vent kit, High-wind Cap, with 35 feet of 3-in. and 4-in flex vent | SD46DVACL34 | \$745 |
| Flexliner, 3-in. x 35 ft. | SD3DFA35 | \$245 |
| Flexliner, 4-in. x 35 ft. | SD4DFA35 | \$455 |
| Connector Kit for 3-in. DV Insert Flex Venting-includes connector and 2 clamps | DVIC3 | \$154 |
| Connector Kit for 4-in. DV Insert Flex Venting-includes connector and 2 clamps | DVIC4 | \$154 |

| POWER VENT | | |
|---|-------|--------|
| Horizontal Power Vent Termination for use on 90 Series DV Fireplaces (Req Wire Harness and SD58DVAX46 Vent Adaptor) | DVKPM | \$1209 |

| VERTICAL CONVERSION KIT | | |
|--|-------|-------|
| Vertical Conversion Kit (fits Power Vent Module DVKPM) | DVKCV | \$365 |

| REDUCER | | |
|--|------------|-------|
| DV Vent Pipe Reducer, 5 x 8 to 4 x 6 5/8 (attach to top of fireplace only) | SD58DVAX46 | \$144 |

| WIRE HARNESS | | |
|-----------------------|--------|-------|
| Wire Harness, 25 ft. | WHP25 | \$779 |
| Wire Harness, 50 ft. | WHP50 | \$879 |
| Wire Harness, 75 ft. | WHP75 | \$935 |
| Wire Harness, 100 ft. | WHP100 | \$985 |

Fireplaces, Inserts & Stoves

Empire
Vent Free Fireplaces

EMPIRE

BRECKENRIDGE
Firebox Deluxe 32

Opening - 24 1/4 H x 31 W x 14 1/8 D
Framing - 33 3/4 H x 35 1/2 W x 16 1/4 D
Available Liners – See brochure for liner style colors


| VENT-FREE FIREBOX DELUXE 32 | | |
|--|------------|-------|
| VF Deluxe Firebox - Circulating, Flush Front | VFD32FB0F | \$665 |
| VF Deluxe Firebox - Circulating, Louver | VFD32FB0L | \$665 |
| VF Deluxe Firebox - Circulating, Flush Front, Refractory Liner | VFD32FB2MF | \$819 |
| VF Deluxe Firebox - Circulating, Louver, Refractory Liner | VFD32FB2ML | \$819 |

| LINERS | | |
|---------------------------|----------|-------|
| Liner, Aged Brick | VBP32SA | \$255 |
| Liner, Banded Brick | VBP32SE | \$255 |
| Liner, Traditional Brick | VBP32SF | \$269 |
| Liner, Stacked Fieldstone | VBP32SK | \$239 |
| Liner, Black Porcelain | VBP32SKR | \$395 |

| ACCESSORIES | | |
|-----------------------|------|-------|
| Ember Kit | EK1 | \$94 |
| Blower, Auto, 1-spd | FBB5 | \$269 |
| Speed Cont, Var, FBB5 | SCV1 | \$54 |
| Fresh Air Kit | VFA2 | \$92 |

| EXTENDED HOOD | | |
|---|----------|-------|
| REQUIRED FOR THICK SURROUNDING MATERIALS - SUCH AS STONE OR BRICK | | |
| Hood, Extended, Black | VB4H32BL | \$115 |

| DOOR SET - REQUIRES VFY32SBL DOOR FRAME WITH BARRIER | | |
|--|-----------|-------|
| Door Set, 32S, Black, Arch | VFR32SCBL | \$799 |
| Door Set, 32S, Hammered Pewter, Arch | VFR32SCHP | \$799 |
| Door Set, 32S, Black, Mission Arch | VFR32SMBL | \$799 |
| Door Set, 32S, Hammered Pewter, Mission Arch | VFR32SMHP | \$799 |
| Door Frame, Black, Arch | VFY32SBL | \$259 |



| LOUVERS (FOR LOUVERED FIREBOXES ONLY) | | |
|---------------------------------------|---------|-------|
| Louvers, Black, Arch | DVG1ABL | \$365 |
| Louvers, Hammered Pewter, Arch | DVG1AHP | \$365 |
| Louvers, Black, Mission | DVG1MBL | \$365 |
| Louvers, Hammered Pewter, Mission | DVG1MHP | \$365 |

| OUTER FRAME, STEEL FOR FLUSH OR LOUVERED BOXES EASY INSTALL DESIGN | | |
|--|----------|-------|
| Steel Frame, EZ Attach, Black | VBS32SBL | \$175 |
| Steel Frame, EZ Attach, Hammered Pewter | VBS32SHP | \$175 |
| Trim Kit, Bottom, Hammered Pewter | FBS1HP | \$64 |

| CABINET MANTELS AND CORNER CABINET MANTELS WITH BASES | | |
|--|----------|--------|
| THESE MANTELS FIT THE FIREPLACES ON THIS PAGE. CABINET MANTELS REQUIRE 3-PIECE FRAME. ALSO SEE PROFILE MANTELS AND MANTEL SHELVES. | | |
| Cherry | EMBF1SC | \$1279 |
| Dark Oak | EMBF1SDO | \$1279 |
| Oak | EMBF1SO | \$1279 |
| Unfinished Hardwood | EMBF1SUH | \$1059 |
| White | EMBF1SW | \$1279 |
| Cherry, Corner | EMBC1SC | \$1229 |
| Dark Oak, Corner | EMBC1SDO | \$1229 |
| Oak, Corner | EMBC1SO | \$1229 |
| Unfinished Hardwood, Corner | EMBC1SUH | \$1019 |
| White, Corner | EMBC1SW | \$1229 |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Fireplaces, Inserts & Stoves

Empire
Vent Free Fireplaces

EMPIRE

2
0
2
5
-
2
0
2
6

BRECKENRIDGE
Firebox Deluxe 36

Opening - 24 1/4 H 36 W x 16 1/2 D
Framing - 35 3/4 H x 40 1/2 W x 18 3/4 D
Available Liners – See brochure for liner style colors




| VENT-FREE FIREBOX DELUXE 36 | | |
|--|------------|-------|
| VF Deluxe Firebox - Circulating, Flush Front | VFD36FB0F | \$725 |
| VF Deluxe Firebox - Circulating, Louver | VFD36FB0L | \$725 |
| VF Deluxe Firebox - Circulating, Flush Front, Refractory Liner | VFD36FB2MF | \$879 |
| VF Deluxe Firebox - Circulating, Louver, Refractory Liner | VFD36FB2ML | \$879 |

| LINERS | | |
|---------------------------|----------|-------|
| Liner, Aged Brick | VBP36SA | \$265 |
| Liner, Banded Brick | VBP36SE | \$275 |
| Liner, Traditional Brick | VBP36SF | \$275 |
| Liner, Stacked Fieldstone | VBP36SK | \$249 |
| Liner, Black Porcelain | VBP36SKR | \$429 |

| ACCESSORIES | | |
|-----------------------|------|-------|
| Ember Kit | EK1 | \$94 |
| Blower, Auto, 1-spd | FBB5 | \$269 |
| Speed Cont, Var, FBB5 | SCV1 | \$54 |
| Fresh Air Kit | VFA2 | \$92 |

| EXTENDED HOOD | | |
|---|----------|-------|
| REQUIRED FOR THICK SURROUNDING MATERIALS - SUCH AS STONE OR BRICK | | |
| Hood, Extended, Black | VB4H36BL | \$125 |

| DOOR SET - REQUIRES VFY36SBL DOOR FRAME WITH BARRIER | | |
|--|-----------|-------|
| Door Set, 36S, Black, Arch | VFR36SCBL | \$819 |
| Door Set, 36S, Hammered Pewter, Arch | VFR36SCHP | \$819 |
| Door Set, 36S, Black, Mission Arch | VFR36SMBL | \$819 |
| Door Set, 36S, Hammered Pewter, Mission Arch | VFR36SMHP | \$819 |
| Door Frame, Black, Arch | VFY36SBL | \$289 |



| LOUVERS (FOR LOUVERED FIREBOXES ONLY) | | |
|---------------------------------------|----------|-------|
| Louvers, Black, Arch | FBG36ABL | \$385 |
| Louvers, Hammered Pewter, Arch | FBG36AHP | \$385 |
| Louvers, Hammered Pewter, Mission | FBG36MHP | \$385 |
| Louvers, Black, Mission | FBG36MBL | \$385 |

| OUTER FRAME, STEEL FOR FLUSH OR LOUVERED BOXES EASY INSTALL DESIGN | | |
|--|----------|-------|
| Steel Frame, EZ Attach, Black | VBS36SBL | \$189 |
| Steel Frame, EZ Attach, Hammered Pewter | VBS36SHP | \$189 |
| Trim Kit, Bottom, Hammered Pewter | FBS36HP | \$64 |

| CABINET MANTELS AND CORNER CABINET MANTELS WITH BASES | | |
|--|----------|--------|
| THESE MANTELS FIT THE FIREPLACES ON THIS PAGE. CABINET MANTELS REQUIRE 3-PIECE FRAME. ALSO SEE PROFILE MANTELS AND MANTEL SHELVES. | | |
| Cherry | EMBF3SC | \$1425 |
| Dark Oak | EMBF3SDO | \$1425 |
| Oak | EMBF3SO | \$1425 |
| Unfinished Hardwood | EMBF3SUH | \$1209 |
| White | EMBF3SW | \$1425 |
| Cherry, Corner | EMBC3SC | \$1345 |
| Dark Oak, Corner | EMBC3SDO | \$1345 |
| Oak, Corner | EMBC3SO | \$1345 |
| Unfinished Hardwood, Corner | EMBC3SUH | \$1155 |
| White, Corner | EMBC3SW | \$1345 |

Empire
Vent Free Fireplaces



BRECKENRIDGE
Firebox Deluxe 42

Opening - 24 1/4 H x 40 W x 14 1/8 D
Framing - 35 3/4 H x 44 1/2 W x 18 3/4 D
Available Liners - See brochure for liner style colors


| VENT-FREE FIREBOX DELUXE 42 | | |
|--|------------|--------|
| VF Deluxe Firebox - Circulating, Flush Front | VFD42FB0F | \$849 |
| VF Deluxe Firebox - Circulating, Louver | VFD42FB0L | \$849 |
| VF Deluxe Firebox - Circulating, Flush Front, Refractory Liner | VFD42FB2MF | \$1035 |
| VF Deluxe Firebox - Circulating, Louver, Refractory Liner | VFD42FB2ML | \$1035 |

| LINERS | | |
|---------------------------|----------|-------|
| Liner, Traditional Brick | VBP42SF | \$279 |
| Liner, Aged Brick | VBP42SA | \$269 |
| Liner, Banded Brick | VBP42SE | \$289 |
| Liner, Stacked Fieldstone | VBP42SK | \$279 |
| Liner, Black Porcelain | VBP42SKR | \$445 |

| ACCESSORIES | | |
|-----------------------|------|-------|
| Ember Kit | EK1 | \$94 |
| Blower, Auto, 1-spd | FBB5 | \$269 |
| Speed Cont, Var, FBB5 | SCV1 | \$54 |
| Fresh Air Kit | VFA2 | \$92 |

| EXTENDED HOOD | | |
|---|----------|-------|
| REQUIRED FOR THICK SURROUNDING MATERIALS - SUCH AS STONE OR BRICK | | |
| Hood, Extended, Black | VB4H42BL | \$145 |

| DOOR SET - REQUIRES VFY42SBL DOOR FRAME WITH BARRIER | | |
|--|-----------|-------|
| Door Set, Black, Arch | VBR42SCBL | \$879 |
| Door Set, Hammered Pewter, Arch | VBR42SCHP | \$879 |
| Door Set, Black, Mission Arch | VBR42SMBL | \$879 |
| Door Set, Hammered Pewter, Mission Arch | VBR42SMHP | \$879 |
| Door Frame, Black, Arch | VBY42SBL | \$289 |



| LOUVERS (FOR LOUVERED FIREBOXES ONLY) | | |
|---------------------------------------|---------|-------|
| Louvers, Black, Arch | DVG3ABL | \$419 |
| Louvers, Hammered Pewter, Arch | DVG3AHP | \$419 |
| Louvers, Black, Mission | DVG3MBL | \$419 |
| Louvers, Hammered Pewter, Mission | DVG3MHP | \$419 |

| OUTER FRAME, STEEL FOR FLUSH OR LOUVERED BOXES EASY INSTALL DESIGN | | |
|--|----------|-------|
| Steel Frame, EZ Attach, Black | VBS42SBL | \$199 |
| Steel Frame, EZ Attach, Hammered Pewter | VBS42SHP | \$199 |
| Trim Kit, Bottom, Hammered Pewter | FBS3HP | \$70 |

| CABINET MANTELS AND CORNER CABINET MANTELS WITH BASES | | |
|--|----------|--------|
| THESE MANTELS FIT THE FIREPLACES ON THIS PAGE. CABINET MANTELS REQUIRE 3-PIECE FRAME. ALSO SEE PROFILE MANTELS AND MANTEL SHELVES. | | |
| Cherry | EMBF4SC | \$1459 |
| Dark Oak | EMBF4SDO | \$1459 |
| Oak | EMBF4SO | \$1459 |
| Unfinished Hardwood | EMBF4SUH | \$1209 |
| White | EMBF4SW | \$1459 |
| Cherry, Corner | EMBC4SC | \$1389 |
| Dark Oak, Corner | EMBC4SDO | \$1389 |
| Oak, Corner | EMBC4SO | \$1389 |
| Unfinished Hardwood, Corner | EMBC4SUH | \$1189 |
| White, Corner | EMBC4SW | \$1389 |

Fireplaces, Inserts & Stoves

Empire
Vent Free Fireplaces

EMPIRE

2
0
2
5
-
2
0
2
6

BOULEVARD
Vent-Free Linear

- Includes:
- Barrier
 - On/Off Remote (Millivolt Models)
 - Thermostat Variable Remote (IP Models)
 - Battery Relocation Kit (IP Models)

MILLIVOLT WITH FRBC ON/OFF REMOTE CONTROL

| | | |
|---|-------------|--------|
| Linear VF - Contemporary - Millivolt, Barrier, NG | VFLB36FP30N | \$2795 |
| Linear VF - Contemporary - Millivolt, Barrier, LP | VFLB36FP30P | \$2795 |
| Linear VF - Contemporary - Millivolt, Barrier, NG | VFLB48FP30N | \$3365 |
| Linear VF - Contemporary - Millivolt, Barrier, LP | VFLB48FP30P | \$3365 |

IPI WITH THERMOSTAT VARIABLE REMOTE CONTROL

| | | |
|---|-------------|--------|
| Linear VF - Contemporary - IPI, Barrier, NG | VFLB36FP90N | \$3005 |
| Linear VF - Contemporary - IPI, Barrier, LP | VFLB36FP90P | \$3005 |
| Linear VF - Contemporary - IPI, Barrier, NG | VFLB48FP90N | \$3605 |
| Linear VF - Contemporary - IPI, Barrier, LP | VFLB48FP90P | \$3605 |
| Linear VF - Contemporary - IPI, LED Lighting, Barrier, NG | VFLB60FP90N | \$5299 |
| Linear VF - Contemporary - IPI, LED Lighting, Barrier, LP | VFLB60FP90P | \$5299 |
| Linear VF - Contemporary - IPI, LED Lighting, Barrier, NG | VFLB72FP90N | \$7069 |
| Linear VF - Contemporary - IPI, LED Lighting, Barrier, LP | VFLB72FP90P | \$7069 |

Crushed Glass Quantities
36" = 2sq. ft. 48" = 2.5sq. ft. 60" = 5sq. ft. 72" = 6sq. ft.

**CRUSHED GLASS (REQ)
(NOT REQUIRED ON THE 36 & 48)**

| | | |
|---|--------|------|
| Crushed Glass, Clear Frost, approx. 1 sq. ft. | DG1CLF | \$81 |
| Crushed Glass, Copper Reflective, approx. 1 sq. ft. | DG1BCR | \$81 |
| Crushed Glass, Bronze Reflective, approx. 1 sq. ft. | DG1BZR | \$81 |
| Crushed Glass, Blue Clear, approx. 1 sq. ft. | DG1BUC | \$81 |
| Crushed Glass, Black Polished, approx. 1 sq. ft. | DG1BKP | \$81 |

GLASS DROPLETS, ROCKS, AND PEBBLES

| | | |
|---|--------|-------|
| Droplets, 1/2-in., Glacier Ice, approx. 1 sq. ft. | DG1GC | \$49 |
| Decorative Rocks Assortment, approx. 1 sq. ft. | DR1FMA | \$185 |
| Decorative Pebble Assortment, approx. 1/2 sq. ft. | DRFPA | \$185 |
| Drops 1-in., Onyx Solid, approx. 1 sq. ft. | DG1NXS | \$67 |

LOG SETS

| | | |
|---|---------|-------|
| Log Set, Ceramic Fiber with Rock Set, 22-pc., Driftwood | LS60SHF | \$435 |
| Log Set, Ceramic Fiber, 6 Logs, 6 stones with locator pins, Driftwood | LS60DF | \$419 |
| Log Set, Ceramic Fiber, 6 stones, with locator pins, Driftwood | LS72DF | \$479 |

FRONTS

| | | |
|--------------------------------------|----------|-------|
| Beveled Frame, .75-inch, Matte Black | DF361VBL | \$319 |
| Beveled Frame, 1.5-in., Matte Black | DF362VBL | \$345 |
| Beveled Frame, .75-inch, Matte Black | DF481VBL | \$339 |
| Beveled Frame, 1.5-in., Matte Black | DF482VBL | \$359 |
| Beveled Frame, .75-inch, Matte Black | DF601VBL | \$345 |
| Beveled Frame, 1.5-in., Matte Black | DF602VBL | \$365 |
| Beveled Frame, .75-inch, Matte Black | DF721VBL | \$369 |
| Beveled Frame, 1.5-in., Matte Black | DF722VBL | \$399 |

LINERS

| | | |
|--|-----------|--------|
| Liner with Burner Cover, Black Porcelain | VBP36LKR | \$609 |
| Liner, Stainless Steel (Liner only) | VBP36LSS | \$289 |
| Liner with Burner Cover, White Porcelain | VBP36LWR | \$609 |
| Liner with Burner Cover, Black Porcelain | VBP48LBKR | \$639 |
| Liner, Stainless Steel (liner only) | VBP48LSS | \$319 |
| Liner with Burner Cover, White Porcelain | VBP48LBWR | \$639 |
| Liner, Reflective, Black Ceramic Glass | VBP60LKR | \$975 |
| Liner, Stainless Steel (liner only) | VBP60LSS | \$529 |
| Liner, Reflective, Black Ceramic Glass | VBP72LKR | \$1035 |
| Liner, Stainless Steel (liner only) | VBP72LSS | \$589 |

LIGHTING (36, 48, AND 48 ST ONLY)

| | | |
|---|-----|-------|
| Lighting Kit, 120 V, Req switch or rheostat | LK5 | \$189 |
|---|-----|-------|

Empire
Vent Free Stoves

EMPIRE

SPRIT STOVES
Small, Medium

Vent-Free Stove, Small:
Dimensions 23.5H x 21 1/2 W x 15 5/8 D

Vent-Free Stove, Medium:
Dimensions 27 7/8 H x 25 1/5 W x 15 5/8 D



| SMALL STEEL STOVE MILLIVOLT WITH ON/OFF SWITCH | | |
|--|-------------|--------|
| VF Steel Stove - Small Millivolt NG | VFD20MS30FN | \$1889 |
| VF Steel Stove - Small Millivolt LP | VFD20MS30FP | \$1889 |

| SMALL STEEL STOVE IPI WITH ON/OFF SWITCH | | |
|--|-------------|--------|
| VF Steel Stove - Small IPI NG | VFD20MS70FN | \$1999 |
| VF Steel Stove - Small IPI LP | VFD20MS70FP | \$1999 |

| VARIABLE REMOTE FOR IP (INCL STEPPER MOTOR, THERMOSTAT REMOTE, AND WIRING) SMALL | | |
|--|-------|-------|
| Remote, Var Flame Kit, NG | RVKN | \$365 |
| Remote, Var Flame Kit, LP | RVKP | \$365 |
| Replacement Control Cover - req. for RVK(N/P) | RCK20 | \$129 |

| MEDIUM STEEL STOVE MILLIVOLT WITH ON/OFF SWITCH | | |
|---|-------------|--------|
| VF Steel Stove - Millivolt, Contour Burner, Log Set, NG | VFD30MS30FN | \$1939 |
| VF Steel Stove - Millivolt, Contour Burner, Log Set, LP | VFD30MS30FP | \$1939 |

| MEDIUM STEEL STOVE IPI WITH ON/OFF SWITCH | | |
|---|-------------|--------|
| VF Steel Stove - IPI, Contour Burner, Log Set, NG | VFD30MS70FN | \$2069 |
| VF Steel Stove - IPI, Contour Burner, Log Set, LP | VFD30MS70FP | \$2069 |

| VARIABLE REMOTE FOR IP (INCL STEPPER MOTOR, THERMOSTAT REMOTE, AND WIRING) MEDIUM | | |
|---|-------|-------|
| Remote, Var Flame Kit, NG | RVKN | \$365 |
| Remote, Var Flame Kit, LP | RVKP | \$365 |
| Replacement Control Cover - req. for RVK(N/P) | RCK30 | \$129 |

| CONTROL OPTIONS | | |
|--|--------|-------|
| Remote, Battery Receiver/Remote, On/Off | FRBC | \$219 |
| Remote, Battery Receiver/Remote, Thermostat | FRBTC2 | \$269 |
| Remote, Electric Receiver/Battery Remote, On/Off | FREC | \$209 |
| Remote, Battery Receiver/Remote, TouchScreen, Programmable | FRBTPS | \$349 |
| Wall Switch, On/Off | FWS1 | \$35 |
| Wall Thermostat, Reed Switch | TMV | \$48 |
| Wall Thermostat, Wireless | TRW | \$265 |

| ACCESSORIES | | |
|---------------------------------------|------|-------|
| Flex Gas Line, 24-in. Stainless Steel | GF24 | \$44 |
| Blower, Auto, Variable-Speed | CIB3 | \$419 |

Fireplaces, Inserts & Stoves

Empire
Wood Firebox

BLACKBURN
Wood Firebox

Firebox 36: Opening - 36" x 30"
Up to 18" Log

Firebox 44: Opening - 44" x 30"
Up to 24" Log

Firebox 54: Opening - 54" x 34"
Up to 30" Log



| WOOD FIREBOX | | |
|------------------------------------|----------|--------|
| 36" Wood Burning Firebox, No Brick | WB36FB0F | \$2949 |
| 44" Wood Burning Firebox, No Brick | WB44FB0F | \$3105 |
| 54" Wood Burning Firebox, No Brick | WB54FB0F | \$3315 |

| BI-FOLD DOORS | | |
|--|---------|-------|
| 36" Bi-Fold Door Black W/Wood handles Painted black | BDW36BL | \$589 |
| 36" Bi-Fold Door Pewter W/Wood handles Painted Pewter | BDW36PE | \$589 |
| 44" Bi-Fold Door Black W/Wood handles Painted black | BDW44BL | \$619 |
| 44" Bi-Fold Door Pewter W/Wood handles Painted Pewter | BDW44PE | \$599 |
| 54" Bi-Fold Door Black W/Wood handles Painted black | BDW54BL | \$725 |
| 54" Bi-Fold Door Pewter W/Wood handles Painted Pewter | BDW54PE | \$699 |

| HEARTH EXTENSION | | |
|---|--------|-------|
| 36" Hearth Extension (52"x 20") 3 piece (1-36"x20" and 2-12"x20") Pk of 1 1/2" Micor20 | WB36HE | \$103 |
| 44" Hearth Extension (68 "x 20"x 1/2") 3 piece (1-44"x20" and 2-12"x20") Pk of 1 1/2" Micor | WB44HE | \$115 |
| 54" Hearth Extension (78 "x 20"x 1") 6 piece (2-54"x20 x 1/2" and 4-12"x 20" x 1/2") Pk of 1 1/2" Micor | WB54HE | \$125 |

| 36 LINER | | |
|---------------------------------|----------|-------|
| 36" Herringbone Brick Set Black | WBL36HBL | \$959 |
| 36" Herringbone Brick Set Mocha | WBL36HBR | \$959 |
| 36" Herringbone Brick Set Gray | WBL36HGR | \$899 |
| 36" Herringbone Brick Set White | WBL36HWH | \$959 |
| 36" Smooth Brick Set Black | WBL36SBL | \$959 |
| 36" Smooth Brick Set Mocha | WBL36SBR | \$959 |
| 36" Smooth Brick Set Gray | WBL36SGR | \$899 |
| 36" Smooth Brick Set White | WBL36SWH | \$959 |
| 36" Traditional Brick Set Black | WBL36TBL | \$959 |
| 36" Traditional Brick Set Mocha | WBL36TBR | \$959 |
| 36" Traditional Brick Set Gray | WBL36TGR | \$899 |
| 36" Traditional Brick Set White | WBL36TWH | \$959 |

| 44 LINER | | |
|---------------------------------|----------|--------|
| 44" Herringbone Brick Set Black | WBL44HBL | \$1049 |
| 44" Herringbone Brick Set Mocha | WBL44HBR | \$1049 |
| 44" Herringbone Brick Set Gray | WBL44HGR | \$999 |
| 44" Herringbone Brick Set White | WBL44HWH | \$1049 |
| 44" Smooth Brick Set Black | WBL44SBL | \$1049 |
| 44" Smooth Brick Set Mocha | WBL44SBR | \$1049 |
| 44" Smooth Brick Set Gray | WBL44SGR | \$999 |
| 44" Smooth Brick Set White | WBL44SWH | \$1049 |
| 44" Traditional Brick Set Black | WBL44TBL | \$1049 |
| 44" Traditional Brick Set Mocha | WBL44TBR | \$1049 |
| 44" Traditional Brick Set Gray | WBL44TGR | \$999 |
| 44" Traditional Brick Set White | WBL44TWH | \$1049 |

| 54 LINER | | |
|---------------------------------|----------|--------|
| 54" Herringbone Brick Set Black | WBL54HBL | \$1149 |
| 54" Herringbone Brick Set Mocha | WBL54HBR | \$1149 |
| 54" Herringbone Brick Set Gray | WBL54HGR | \$1099 |
| 54" Herringbone Brick Set White | WBL54HWH | \$1149 |
| 54" Smooth Brick Set Black | WBL54SBL | \$1149 |
| 54" Smooth Brick Set Mocha | WBL54SBR | \$1149 |
| 54" Smooth Brick Set Gray | WBL54SGR | \$1099 |
| 54" Smooth Brick Set White | WBL54SWH | \$1189 |
| 54" Traditional Brick Set Black | WBL54TBL | \$1149 |
| 54" Traditional Brick Set Mocha | WBL54TBR | \$1149 |
| 54" Traditional Brick Set Gray | WBL54TGR | \$1099 |
| 54" Traditional Brick Set White | WBL54TWH | \$1149 |

| OUTSIDE AIR | | |
|---|----------|------|
| Outside Air Kit | WBOAK | \$93 |
| Non-Insulated Duct For Outside Air Kit | WBNID | \$62 |
| Insulated Duct Outside Air Kit | WBID | \$82 |
| 12" Chimney Air Kit Must Order Outside Air kit and Flex | WB12VCAK | \$73 |

EMPIRE

2
0
2
5
-
2
0
2
6

Empire

Wood Firebox

COMING MAY 2025

ASPEN

60" Firebox Traditional

EMPIRE



60" TRADITIONAL WOOD FIREBOX

| | | |
|------------------------|----------|--------|
| Wood Burning Fireplace | WB60FB0F | \$8999 |
|------------------------|----------|--------|

HEARTH EXTENSION

| | | |
|----------------------------|---------|-------|
| Hearth Extension | WB60HE | \$299 |
| Hearth Extension - Shallow | WB60SHE | \$439 |

MISC

| | | |
|--------------------------|-------|------|
| 1 Inch Chase Top Spacers | WB1CS | \$50 |
|--------------------------|-------|------|

BURNERS

| | | |
|-------------------------------------|--------|-------|
| Double Burner - 36-in., Match Light | VDP36N | \$355 |
|-------------------------------------|--------|-------|

LOGSETS

| | | |
|---|-------|--------|
| Log Set - 10-pc., 36-in., Oak Tinder, Fiber | LOT36 | \$619 |
| Log Set - Birch | LBF60 | \$1299 |

60 LINER

| | | |
|--------------------------|----------|--------|
| Smooth Brick Set - Gray | WBL60SGR | \$1899 |
| Smooth Brick Set - Black | WBL60SBL | \$1949 |
| Smooth Brick Set - White | WBL60SWH | \$1949 |
| Smooth Brick Set - Mocha | WBL60SBR | \$1949 |

FIREBRICK

| | | |
|-----------------------|----------|--------|
| Firebrick - Soapstone | WBL60SBK | \$1319 |
| Firebrick - Buff | WBL60BBK | \$599 |
| Firebrick - Red | WBL60RBK | \$599 |
| Mortar Alsey | WBBKM | \$349 |

Empire
Wood Firebox

EMPIRE

ASPEN
60" Firebox Linear



2
0
2
5
-
2
0
2
6

60" LINEAR WOOD FIREBOX

| | | |
|---------------------------------|-----------|--------|
| Wood Burning Fireplace - Linear | WB60LFB0F | \$8999 |
|---------------------------------|-----------|--------|

HEARTH EXTENSION

| | | |
|----------------------------|---------|-------|
| Hearth Extension | WB60HE | \$299 |
| Hearth Extension - Shallow | WB60SHE | \$439 |

MISC

| | | |
|--------------------------|-------|------|
| 1 Inch Chase Top Spacers | WB1CS | \$50 |
|--------------------------|-------|------|

BURNERS

| | | |
|-------------------------------------|--------|-------|
| Double Burner - 36-in., Match Light | VDP36N | \$355 |
|-------------------------------------|--------|-------|

LOGSETS

| | | |
|---|-------|--------|
| Log Set - 10-pc., 36-in., Oak Tinder, Fiber | LOT36 | \$619 |
| Log Set - Birch | LBF60 | \$1299 |

60 LINER

| | | |
|--------------------------|-----------|--------|
| Smooth Brick Set - Gray | WBL60LSGR | \$1699 |
| Smooth Brick Set - Black | WBL60LSBL | \$1749 |
| Smooth Brick Set - White | WBL60LSWH | \$1749 |
| Smooth Brick Set - Mocha | WBL60LSBR | \$1749 |

FIREBRICK

| | | |
|-----------------------|----------|--------|
| Firebrick - Soapstone | WBL60SBK | \$1319 |
| Firebrick - Buff | WBL60BBK | \$599 |
| Firebrick - Red | WBL60RBK | \$599 |
| Mortar Alsey | WBBKM | \$349 |

Empire

Wood Firebox

EMPIRE

WOOD BURNER VENTING

Wood Venting

| VENTING FOR 36, 44, 60 | | |
|---|----------|-------|
| Pipe - 6" Length 12" Diameter | WB12V06 | \$125 |
| Pipe - 12" Length 12" Diameter | WB12V12 | \$149 |
| Pipe - 15 Degree Elbow 12" Diameter | WB12V15E | \$404 |
| Pipe - 18" Length 12" Diameter | WB12V18 | \$179 |
| Pipe - 30 Degree Elbow 12" Diameter | WB12V30E | \$379 |
| Pipe - 36" Length 12" Diameter | WB12V36 | \$264 |
| Pipe - 48" Length 12" Diameter | WB12V48 | \$319 |
| Attic Insulation Shield 12" Diameter | WB12VAI | \$84 |
| 12" Chimney Air Kit Must Order Outside Air kit and Flex | WB12VCAK | \$73 |
| Flashing 2/12-5/12 Pitch 12" Diameter | WB12VF05 | \$436 |
| Flashing 6/12-10/12 Pitch 12" Diameter | WB12VF10 | \$439 |
| Chase Top Flashing 12" Diameter | WB12VFC | \$264 |
| Firestop Assembly 12" Diameter | WB12VFS | \$62 |
| Tall Cone Flashing 12" Diameter | WB12VFTC | \$439 |
| Black Painted Pyramid Chimney Cap 12" | WB12VPC | \$754 |
| Rain Cap 12" Diameter | WB12VRC | \$195 |
| Round Chimney Cap 12" Diameter | WB12VRCC | \$394 |
| Radiation Shield 12" Diameter | WB12VRS | \$100 |
| Support Band 12" Diameter | WB12VSB | \$31 |
| Storm Collar 12" Diameter | WB12VSC | \$52 |
| Wall Band 12" Diameter | WB12VWB | \$48 |

| VENTING FOR 54 | | |
|---|----------|-------|
| Pipe - 6" Length 14" Diameter | WB14V06 | \$135 |
| Pipe - 12" Length 14" Diameter | WB14V12 | \$169 |
| Pipe - 15 Degree Elbow 14" Diameter | WB14V15E | \$439 |
| Pipe - 18" Length 14" Diameter | WB14V18 | \$209 |
| Pipe - 30 Degree Elbow 14" Diameter | WB14V30E | \$409 |
| Pipe - 36" Length 14" Diameter | WB14V36 | \$319 |
| Pipe - 48" Length 14" Diameter | WB14V48 | \$399 |
| Attic Insulation Shield 14" Diameter | WB14VAI | \$84 |
| 14" Chimney Air Kit Must Order Outside Air kit and Flex | WB14VCAK | \$73 |
| Flashing 2/12-5/12 Pitch 14" Diameter | WB14VF05 | \$439 |
| Flashing 6/12-10/12 Pitch 14" Diameter | WB14VF10 | \$484 |
| Chase Top Flashing 14" Diameter | WB14VFC | \$294 |
| Firestop Assembly 14" Diameter | WB14VFS | \$69 |
| Tall Cone Flashing 14" Diameter | WB14VFTC | \$624 |
| Black Painted Pyramid Chimney Cap 14" | WB14VPC | \$786 |
| Rain Cap 14" Diameter | WB14VRC | \$264 |
| Round Chimney Cap 14" Diameter | WB14VRCC | \$409 |
| Radiation Shield 14" Diameter | WB14VRS | \$100 |
| Support Band 14" Diameter | WB14VSB | \$31 |
| Storm Collar 14" Diameter | WB14VSC | \$58 |
| Wall Band 14" Diameter | WB14VWB | \$58 |



Empire
Wood Stove

Gateway 1700 Wood-Burning Stove

Meets 2020 Standard
 1.9 cu. ft. Firebox
 29 1/2" H, 24 1/8" W, 18 3/4" D
 Heating Area 500 to 1,800 sq. ft.
 Maximum Heat Output 65,000 BTU/H
 6 Hour Burn Time
 6-inch Diameter Flue
 Maximum Log Length 18"

Requires

Door Overlay
 Pedestal or Legs



Gateway 1700 shown with Straight Leg set and Black Door Overlay

Gateway 1700

| Model | BTU | Description | Wt | List |
|--------|--------|--|-----|---------|
| WB17FS | 65,000 | Freestanding Stove, 1.9 cu.ft., Metallic Black | 318 | \$2,197 |

Door Sets (Req)

| Model | Description | Wt | List |
|-------|----------------------|----|-------|
| WD1BL | Door Overlay, Black | 2 | \$76 |
| WD1NB | Door Overlay, Nickel | 2 | \$279 |

Pedestal and Leg Sets (Req)

| Model | Description | Wt | List |
|--------|--|----|---------|
| WP1BL | Pedestal with Ash Pan, Black | 38 | \$438 |
| WLS1BL | Leg Kit with Ash Pan, Straight, Black | 55 | \$526 |
| WLS1NB | Leg Kit with Ash Pan, Straight, Nickel | 55 | \$862 |
| WLQ1BL | Leg Kit with Ash Pan, Queen Anne, Black | 44 | \$493 |
| WLQ1NB | Leg Kit with Ash Pan, Queen Anne, Nickel | 42 | \$1,274 |

Accessories

| Model | Description | Wt | List |
|--------|-------------------------------|------|-------|
| WT1BL | Step Top Add-On | 20 | \$219 |
| WB1V | Blower, Variable Speed | 7 | \$307 |
| WT1QC | Thermodisc Kit, Quick Connect | 1.25 | \$101 |
| WBS1BL | Barrier, Black (Fire Screen) | 5.5 | \$191 |

Fresh Air Kits

| Model | Description | Wt | List |
|-------|--|-----|-------|
| WA1L | Fresh Air Kit for Wood-Burning Stove on Legs | 9 | \$301 |
| WA5PD | Fresh Air Kit for Wood-Burning Stove on Pedestal | 2.5 | \$131 |

2
0
2
5
-
2
0
2
6

Fireplaces, Inserts & Stoves

Empire
Wood Stove



Gateway 2300 Wood-Burning Stove

Meets 2020 Standard
2.4 cu. ft. Firebox
32 1/4" H, 26 1/4" W, 20 7/8" D
Heating Area 500 to 2,100 sq. ft.
Maximum Heat Output 75,000 BTU/H
8 Hour Burn Time
6-inch Diameter Flue
Maximum Log Length 20"



Requires
Door Overlay
Pedestal or Legs

Gateway 2300 shown with Queen Anne Leg Set and Black Door Overlay

Gateway 2300

| Model | BTU | Description | Wt | List |
|--------|--------|--|-----|---------|
| WB23FS | 75,000 | Freestanding Stove, 2.4 cu.ft., Metallic Black | 376 | \$2,449 |

Door Sets (Req)

| Model | Description | Wt | List |
|-------|----------------------|-----|-------|
| WD2BL | Door Overlay, Black | 2.5 | \$76 |
| WD2NB | Door Overlay, Nickel | 2.5 | \$279 |

Pedestal and Leg Sets (Req)

| Model | Description | Wt | List |
|--------|--|----|---------|
| WP2BL | Pedestal with Ash Pan, Black | 47 | \$471 |
| WLS2BL | Leg Kit with Ash Pan, Straight, Black | 58 | \$526 |
| WLS2NB | Leg Kit with Ash Pan, Straight, Nickel | 58 | \$862 |
| WLQ2BL | Leg Kit with Ash Pan, Queen Anne, Black | 47 | \$504 |
| WLQ2NB | Leg Kit with Ash Pan, Queen Anne, Nickel | 46 | \$1,241 |

Accessories

| Model | Description | Wt | List |
|--------|-------------------------------|------|-------|
| WT2BL | Step Top Add-On | 21.5 | \$274 |
| WB1V | Blower, Variable Speed | 7 | \$307 |
| WT1QC | Thermodisc Kit, Quick Connect | 1.25 | \$101 |
| WBS2BL | Barrier, Black (Fire Screen) | 5.7 | \$208 |

Fresh Air Kits

| Model | Description | Wt | List |
|-------|--|-----|-------|
| WA2L | Fresh Air Kit for Wood-Burning Stove on Legs | 10 | \$241 |
| WA5PD | Fresh Air Kit for Wood-Burning Stove on Pedestal | 2.5 | \$131 |

Fireplaces, Inserts & Stoves



Empire
Wood Stove

Gateway 3500 Wood-Burning Stove

Meets 2020 Standard
3.5 cu. ft. Firebox
34" H, 28 1/8" W, 24 5/8" D
Heating Area 1,000 to 2,700 sq. ft.
Maximum Heat Output 110,000 BTU/H
10 Hour Burn Time
6-inch Diameter Flue
Maximum Log Length 22"

Requires

Door Overlay
Pedestal or Legs



Gateway 3500 shown with Pedestal and Black Door Overlay

Gateway 3500

| Model | BTU | Description | Wt | List |
|--------|---------|--|-----|---------|
| WB35FS | 110,000 | Freestanding Stove, 3.5 cu.ft., Metallic Black | 466 | \$3,186 |

Door Sets (Req)

| Model | Description | Wt | List |
|-------|----------------------|----|-------|
| WD3BL | Door Overlay, Black | 2 | \$76 |
| WD3NB | Door Overlay, Nickel | 2 | \$290 |

Pedestal and Leg Sets (Req)

| Model | Description | Wt | List |
|--------|--|----|-------|
| WP3BL | Pedestal with Ash Pan, Black | 56 | \$493 |
| WLS3BL | Leg Kit with Ash Pan, Straight, Black | 59 | \$526 |
| WLS3NB | Leg Kit with Ash Pan, Straight, Nickel | 58 | \$823 |
| WLQ3BL | Leg Kit with Ash Pan, Queen Anne, Black | 49 | \$504 |
| WLQ3NB | Leg Kit with Ash Pan, Queen Anne, Nickel | 47 | \$840 |

Accessories

| Model | Description | Wt | List |
|--------|-------------------------------|------|-------|
| WT3BL | Step Top Add-On | 27 | \$329 |
| WB1V | Blower, Variable Speed | 7 | \$307 |
| WT1QC | Thermodisc Kit, Quick Connect | 1.25 | \$101 |
| WBS3BL | Barrier, Black (Fire Screen) | 10 | \$285 |

Fresh Air Kits

| Model | Description | Wt | List |
|-------|--|-----|-------|
| WA5PD | Fresh Air Kit for Wood-Burning Stove on Pedestal | 2.5 | \$131 |

2
0
2
5
-
2
0
2
6

Empire
Wood Insert



Archway 1700 Wood-Burning Insert

Meets 2020 Standard
 1.9 cu. ft. Firebox
 21 1/2" H, 27 1/2" W, 12 7/8" D
 Heating Area 500 to 1,800 sq. ft.
 Maximum Heat Output 65,000 BTU/H
 6 Hour Burn Time
 6-inch Diameter Flue
 Maximum Log Length 18"



Archway 1700 shown with Nickel Door Overlay and Black Surround

Includes:
Blower

Requires
Door Overlay
Surround

Archway 1700

| Model | BTU | Description | Wt | List |
|--------|--------|--|-----|---------|
| WB17IN | 65,000 | Insert with Blower, 1.9 cu.ft., Metallic Black | 365 | \$3,021 |

Doors (Req)

| Model | Description | Wt | List |
|-------|----------------------|----|-------|
| WD1BL | Door Overlay, Black | 2 | \$76 |
| WD1NB | Door Overlay, Nickel | 2 | \$279 |

Surrounds (Req)

| Model | Description | Wt | List |
|----------|---------------------------|----|-------|
| WS1744BL | Surround, Black (29 x 44) | 11 | \$164 |
| WS1750BL | Surround, Black (32 x 50) | 15 | \$186 |

Accessories

| Model | Description | Wt | List |
|--------|------------------------------|-----|-------|
| WBS1BL | Barrier, Black (Fire Screen) | 5.5 | \$191 |

Fresh Air Kit

| Model | Description | Wt | List |
|-------|--------------------------------|----|-------|
| WA5IN | Fresh Air Kit for Insert, 5-in | 2 | \$114 |

Fireplaces, Inserts & Stoves



Empire
Wood Insert

Archway 2300 Wood-Burning Insert

Meets 2020 Standard
2.4 cu. ft. Firebox
24" H, 29 1/2" W, 19" D
Heating Area 500 to 2,100 sq. ft.
Maximum Heat Output 75,000 BTU/H
6 Hour Burn Time
6-inch Diameter Flue
Maximum Log Length 20"

Includes:
Blower

Requires
Door Overlay
Surround



Archway 2300 shown with Nickel Door Overlay and Black Surround

Archway 2300

| Model | BTU | Description | Wt | List |
|--------|--------|--|-----|---------|
| WB23IN | 75,000 | Insert with Blower, 2.4 cu.ft., Metallic Black | 439 | \$3,296 |

Doors (Req)

| Model | Description | Wt | List |
|-------|----------------------|-----|-------|
| WD2BL | Door Overlay, Black | 2.5 | \$76 |
| WD2NB | Door Overlay, Nickel | 2.5 | \$279 |

Surrounds (Req)

| Model | Description | Wt | List |
|-----------|-------------------------------------|----|-------|
| WS2344BL | Surround, Black (29 x 44) | 11 | \$169 |
| WS2350BL | Surround, Black (32 x 50) | 14 | \$186 |
| WS2350TBL | Surround, Black, Cuttable (32 x 50) | 19 | \$197 |

Accessories

| Model | Description | Wt | List |
|--------|------------------------------|-----|-------|
| WBS1BL | Barrier, Black (Fire Screen) | 5.5 | \$191 |

Fresh Air Kit

| Model | Description | Wt | List |
|-------|--------------------------------|----|-------|
| WA5IN | Fresh Air Kit for Insert, 5-in | 2 | \$114 |

2
0
2
5
-
2
0
2
6

Maintenance, Installation & Testing Equipment

Section 800

2
0
2
5
-
2
0
2
6

| Page Number | Vendor | Product | Sold Regionally | Publish Date |
|-------------|---|---|-----------------|--------------|
| 801-802 | Forrest Paint | Appliance Paint, Hi-Temp | ✓ | 04/25 |
| 802-803 | Forrest Paint | Appliance Paint, Gas-Vent | ✓ | 04/25 |
| 803-804 | Forrest Paint | Appliance Paint, Pellet Vent & Chimney | ✓ | 04/25 |
| 804-805 | Forrest Paint | Paint Accessories & Cleaners | ✓ | 04/25 |
| 806 | Meeco | Cleaners, Paints, Polishes & Firestarters | ✓ | 04/25 |
| 807 | Meeco | Gasket, Cement & Silicone Sealants | ✓ | 04/25 |
| 808-810 | Meeco | Thermometers, Ash Cleanup, Glass, Rope & Tape | ✓ | 04/25 |
| 810-811 | Meeco | Brushes & Rods | ✓ | 04/25 |
| 812 | Condar Products | Thermometers & Draft Matches | | 08/24 |
| 813 | Condar Products | Combustors & Air Supply Ventilator | | 08/24 |
| 814 | HY-C | Stoveboard & Wall Spacing Kit | | 07/25 |
| 814 | Permachink | Mortar Sealant | | 01/16 |
| 814 | Flitz | Metal Polish | | 12/10 |
| 815 | Speedy White | Hearth & Stove Cleaner | | 11/21 |
| 815 | Forrest Paint | Gasket, Door & Window Sealants | ✓ | 04/25 |
| 816 | AES | Gasket Spools | | 01/24 |
| 816-817 | Rutland | Gasket Spools and Cement | ✓ | 05/24 |
| 818-820 | Rutland | Maintenance Products & Firestarters | ✓ | 05/24 |
| 821-824 | Rutland | Chimney Brushes & Accessories | ✓ | 05/24 |
| 824 | Soot eater (HY-C) | Soot eater Chimney Cleaning & Accessories | | 07/25 |
| 825-826 | Saver Systems LIMITED TO STOCK ON HAND | Chimney Maintenance Supplies | | 02/22 |
| 827-828 | Skytech | Remote Controls | | 04/25 |
| 828-829 | Skytech | Accessories & Gas Log Valve Kits | | 04/25 |
| 830 | Flame Tec | Controls and Receivers | | 08/20 |
| 831-832 | Robertshaw | Thermostats, Thermocouples & Connectors | | 04/25 |
| 833-834 | SIT | Gas Regulators & Controls | | 03/24 |
| 835 | TIF, Dwyer & Ritchie | Service Products & Testing Equipment | | 03/25 |
| 836-837 | AES Service Products | Installation Screws, Drill Bits, & Rivets | | 01/23 |
| 838 | Malco Tools LIMITED TO STOCK ON HAND | Installation Tools | | 08/22 |

Continued on next page...

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Associated Energy Systems - Serving you with distribution centers in: Kent, WA | West Sacramento, CA | Denver, CO | Dallas, TX | Rogers, MN

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Section 800

| Page Number | Vendor | Product | Sold Regionally | Publish Date |
|-------------|----------|-----------------------------------|-----------------|--------------|
| 839-841 | Enervex | Chimney Fans & Adapters | | 05/25 |
| 842 | Skamol | Skamolex Liner Replacement Panels | ✓ | 02/22 |
| 843-845 | Greenfan | Replacement Fireplace Fans | | 03/25 |

Or by visiting...



For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Associated Energy Systems - Serving you with distribution centers in: Kent, WA | West Sacramento, CA | Denver, CO | Dallas, TX | Rogers, MN

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Maintenance, Installation & Testing Equipment

Forrest Paint
Stove Bright Products



2
0
2
5
-
2
0
2
6

| Forrest Paint - Stove Bright Products | | | | | |
|--|----------------------------------|-------------|-------------|--------------|---------|
| Item Code | Item Name | UPC Code | Ship Weight | Retail Price | Stocked |
| High-Temperature Appliance Spray Paint (1200°F) | | | | | |
| Easy, fast-drying, rust and scratch resistant. Silicone formula retains color with extended exposure to 1200°F. Stove Bright Paint is used by many of the leading stove manufacturers as their factory finish. 12 oz. can. | | | | | |
| FP1990 | Satin Black | 31956119904 | 1.17 lbs. | \$ 20.99 | Y |
| FP6304 | Flat Black | 31956163044 | 1.17 lbs. | \$ 20.99 | Y |
| FP6302 | Gold | 31956163020 | 1.17 lbs. | \$ 28.49 | N |
| FP6306 | Hi-Temp Primer | 31956163068 | 1.17 lbs. | \$ 24.89 | Y |
| FP1A262H227 | Gas Firebox Paint | 31956512088 | 1.17 lbs. | \$ 23.29 | Y |
| FP1A262H209A1 | Travis Industries Metallic Black | Unavailable | 1.17 lbs. | TBD | Y |
| Brown Tones | | | | | |
| FP6283 | Almond | 31956162832 | 1.17 lbs. | \$ 24.89 | Y |
| FP6307 | Sand | 31956163075 | 1.17 lbs. | \$ 24.89 | Y |
| FP6159 | Metallic Brown | 31956161590 | 1.17 lbs. | \$ 22.39 | Y |
| FP6192 | Russet | 31956161927 | 1.17 lbs. | \$ 24.89 | Y |
| FP6195 | Mahogany Metallic | 31956161958 | 1.17 lbs. | \$ 22.39 | Y |
| FP6199 | Redwood | 31956161996 | 1.17 lbs. | \$ 22.39 | Y |
| FP6230 | Goldenfire Brown | 31956162306 | 1.17 lbs. | \$ 22.39 | Y |
| FP6298 | Rich Brown | 31956162986 | 1.17 lbs. | \$ 22.39 | Y |
| FP6310 | Bark Brown | 31956163105 | 1.17 lbs. | \$ 24.89 | Y |
| FP6311 | Honey-Glo Brown | 31956163112 | 1.17 lbs. | \$ 22.39 | Y |
| FP6324 | Sunset | 31956044787 | 1.17 lbs. | \$ 22.39 | Y |
| FP6325 | Surf Sand | 31956044794 | 1.17 lbs. | \$ 22.39 | Y |
| FP6224 | Adobe Tan | 31956162245 | N/A | \$ 22.39 | Y |
| Black Tones | | | | | |
| FP6201 | Charcoal/Travis New Iron | 31956162016 | 1.17 lbs. | \$ 22.39 | Y |
| FP6193 | Gray Metallic | 31956161934 | 1.17 lbs. | \$ 22.39 | Y |
| FP6309 | Metallic Black | 31956163099 | 1.17 lbs. | \$ 22.39 | Y |
| FP6265 | Silver | 31956162658 | 1.17 lbs. | \$ 24.89 | Y |
| Blue Tones | | | | | |
| FP6194 | Sky Blue | 31956161941 | 1.17 lbs. | \$ 24.89 | Y |
| FP6196 | Blue Metallic | 31956318031 | 1.17 lbs. | \$ 24.89 | Y |
| FP6318 | Patriot Blue | 31956163181 | 1.17 lbs. | \$ 22.39 | Y |
| Metal Tones | | | | | |
| FP6320 | Copper | 31956044800 | 1.17 lbs. | \$ 24.89 | Y |
| FP6321 | Pewter | 31956044763 | 1.17 lbs. | \$ 22.39 | Y |
| FP6332 | Bronze | 31956320553 | 1.17 lbs. | \$ 24.89 | Y |
| Green Tones | | | | | |
| FP6197 | Moss Green | 31956161972 | 1.17 lbs. | \$ 24.89 | Y |
| FP6198 | Forest Green | 31956161989 | 1.17 lbs. | \$ 24.89 | Y |

Maintenance, Installation & Testing Equipment

Forrest Paint
Stove Bright Products



Forrest Paint - Stove Bright Products

| Item Code | Item Name | UPC Code | Ship Weight | Retail Price | Stocked |
|---|---|-------------|-------------|--------------|---------|
| Green Tones | | | | | |
| FP6223 | Emerald Green | 31956162238 | 1.17 lbs. | \$ 24.89 | Y |
| FP6327 | Green Illusion | 31956044770 | 1.17 lbs. | \$ 24.89 | Y |
| Red Tones | | | | | |
| FP6313 | Mauve | 31956163136 | 1.17 lbs. | \$ 24.89 | Y |
| FP6319 | Mojave Red | 31956163198 | 1.17 lbs. | \$ 22.39 | Y |
| FP6329 | Shimmering Rose | 31956044756 | 1.17 lbs. | \$ 26.09 | Y |
| FP6224 | Adobe Tan | 31956162245 | N/A | \$ 22.39 | Y |
| High-Temperature Brush-On Paint | | | | | |
| Stove Bright High-Temp Paint (1200°F) is available in Pint and Quart sizes as listed below. | | | | | |
| Sold in case quantities only. ~ Special Order Only ~ UPS SHIPMENTS MUST COME FACTORY DIRECT, HAZARDOUS FEES APPLY. | | | | | |
| FP62M290PL | Satin Black - Pint | 31956612900 | 1.17 lbs. | \$ 31.19 | Y |
| FP62M290QL | Satin Black - Quart | 31956622909 | 1.17 lbs. | \$ 47.49 | Y |
| FP62M209PL | Metallic Black - Pint | 31956612092 | 1.17 lbs. | \$ 32.79 | Y |
| FP62M209QL | Metallic Black - Quart | Unavailable | 1.17 lbs. | \$ 49.69 | N |
| FP62M201PL | Charcoal - Pint | 31956612016 | 1.17 lbs. | \$ 33.29 | N |
| FP62M201QL | Charcoal - Quart | 31956622015 | 1.17 lbs. | \$ 51.39 | N |
| FP62M059PL | Metallic Brown - Pint | Unavailable | 1.17 lbs. | \$ 33.29 | N |
| FP62M059QL | Metallic Brown - Quart | 31956620592 | 1.17 lbs. | \$ 51.39 | Y |
| FP62M830PL | Goldenfire Brown - Pint | Unavailable | 1.17 lbs. | \$ 33.29 | N |
| FP62M830QL | Goldenfire Brown - Quart | Unavailable | 1.17 lbs. | \$ 51.39 | N |
| Gas Vent Stovepipe Paint (250°F) | | | | | |
| Forrest's Gas Vent Pipe Paint has been formulated for gloss and color with temperature resistance up to 250°F. | | | | | |
| The colors are designed to colorize gas vent pipes to match the porcelain finish on gas stoves in the color indicated on the label. | | | | | |
| This is a single step coating. No other top coating for gloss is required. The purpose is to offer an alternative to black or galvanized gas stove vent pipe. 12 oz. can. | | | | | |
| Item Code | Item Name | UPC Code | Ship Weight | Retail Price | Stocked |
| Enviro | | | | | |
| FP64E200 | (FP1A64E200) Black | 31956402006 | 1.17 lbs. | \$ 23.29 | Y |
| FP64EN9001 | (FP1A64EN9001) Antique White (Westport) | 31956310059 | 1.17 lbs. | \$ 23.29 | Y |
| FP64EN9002 | (FP1A64EN9002) Diamond Black (Westport) | Unavailable | 1.17 lbs. | \$ 25.19 | N |
| FP64EN9004 | (FP1A64EN9004) Pearl Gray (Westport) | Unavailable | 1.17 lbs. | \$ 23.29 | Y |
| FP64EN9005 | (FP1A64EN9005) Wedgwood Blue (Westport) | Unavailable | 1.17 lbs. | \$ 23.29 | N |
| FP64E816 | (FP1A64E816) Antique Chestnut | 31956310042 | 1.17 lbs. | \$ 23.29 | Y |
| FPI Cast | | | | | |
| FP64E815 | (FP1A64E815) WI Brown | 31956408152 | 1.17 lbs. | \$ 23.29 | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Maintenance, Installation & Testing Equipment

Forrest Paint
Stove Bright Products



2
0
2
5
-
2
0
2
6

| Forrest Paint - Stove Bright Products | | | | | |
|--|---------------------------------|-------------|-------------|--------------|---------|
| Item Code | Item Name | UPC Code | Ship Weight | Retail Price | Stocked |
| Hearthstone | | | | | |
| FP64EN9583 | (FP1A64EN9583) Seafoam Majolica | 31956495831 | 1.17 lbs. | \$ 23.29 | N |
| Napoleon | | | | | |
| FP64E816 | (FP1A64E816) Majolica Brown | 31956310042 | 1.17 lbs. | \$ 23.29 | Y |
| Pacific Energy | | | | | |
| FP64E200 | (FP1A64E200) Black | 31956402006 | 1.17 lbs. | \$ 23.29 | Y |
| Quadrafire Cast | | | | | |
| FP1A53H115 | Crème | 31956531157 | N/A | \$ 26.49 | N |
| FP64E200 | (FP1A64E200) Black | 31956402006 | 1.17 lbs. | \$ 23.29 | Y |
| FP64EN9213 | (FP1A64EN9213) Mahogany | 31956492137 | 1.17 lbs. | \$ 23.29 | Y |
| Travis/Travis Berkshire | | | | | |
| FP1A62H202 | New Iron | 31956162016 | 1.17 lbs. | \$ 20.99 | Y |
| FP64E816 | (FP1A64E816) Oxford Brown | 31956310042 | 1.17 lbs. | \$ 23.29 | Y |
| FP64EN9869 | (FP1A64EN9869) Taupe | Unavailable | 1.17 lbs. | \$ 23.29 | N |
| FP64ER90006 | (FP1A64ER90006) Cashmere | 31956317652 | 1.17 lbs. | \$ 23.29 | N |
| FP1A64ER80148 | (FP1A64ER80148) Antique Willow | 31956320126 | 1.17 lbs. | \$ 23.29 | N |
| Vermont Castings | | | | | |
| FP64EN9779 | (FP1A64EN9779) Suede Brown | Unavailable | 1.17 lbs. | \$ 23.29 | Y |
| Waterford | | | | | |
| FP64E815 | (FP1A64E815) Brown | 31956408152 | 1.17 lbs. | \$ 23.29 | Y |
| FP64EN9779 | (FP1A64EN9779) Suede Brown | Unavailable | 1.17 lbs. | \$ 23.29 | Y |

Maintenance, Installation & Testing Equipment

Forrest Paint
Stove Bright Products



| Forrest Paint - Stove Bright Products | | | | | | |
|--|---|-------------|-------------|--------------|---------|--|
| Item Code | Item Name | UPC Code | Ship Weight | Retail Price | Stocked | |
| Pellet Vent Paint (550°F) | | | | | | |
| Medium temperature paint for use on pellet stove vent pipes. High quality fast drying formula with color stability to 550°F. 12 oz. can. | | | | | | |
| FP1A53H001 | Clear Coat (375°) | 31956530013 | N/A | \$ 24.89 | Y | |
| Miscellaneous Paints | | | | | | |
| FP1A54H222 | Dura-Vent Black Pipe Touch-Up | 31956308551 | 1.17 lbs. | \$ 23.29 | Y | |
| Chimney and Roof Flashing Paint | | | | | | |
| For exterior use on galvanized, aluminum and steel chimney and roof flashings. Paint is formulated to retain color up to 350°F. 12 oz. each. | | | | | | |
| FP1A464E204 | Teak | 31956308148 | 1.17 lbs. | \$ 22.39 | Y | |
| FP1A464E206 | Charcoal | 31956308162 | 1.17 lbs. | \$ 22.39 | Y | |
| FP1A464E305 | Terracotta | 31956308155 | 1.17 lbs. | \$ 22.39 | N | |
| FP1A464E720 | Sea Green | 31956308186 | 1.17 lbs. | \$ 22.39 | Y | |
| FP1A464E810 | Driftwood | 31956308179 | 1.17 lbs. | \$ 22.39 | Y | |
| FP1A464E811 | Coffee Brown | 31956308193 | 1.17 lbs. | \$ 22.39 | Y | |
| Paint Accessories | | | | | | |
| FPHANDLE | Trigger Spray Handle | 38965116504 | N/A | \$ 6.79 | N | |
| A pump handle that attaches to aerosol can. Makes application easier and keeps paint off hands. | | | | | | |
| FPCLEANTIP | Clean-Out Tip | Unavailable | N/A | \$ 1.29 | Y | |
| Cleans out dried paint inside inner tube. | | | | | | |
| FP1A80Y010 | Paint-Prep Degreaser Solvent, 12.oz. Aerosol | 31956800017 | 13 lbs. | \$ 16.59 | Y | |
| Multi-purpose cleaner for use prior to painting or priming to clean surface of dirt and oils. | | | | | | |
| Firestarter | | | | | | |
| An alcohol based material, formulated in a highly flammable gel so it stays where you put it. For use in pellet, coal or woodburning stoves, fireplaces, barbecues or campfires. This firestarter can be used inside or outside the house. Does NOT contain methyl alcohol. Doesn't produce toxic gases and won't affect catalytic converter. | | | | | | |
| FP80M400B32 | Gelled Firestarter, 32 oz. | N/A | 1 lbs. | \$ 20.69 | Y | |
| FP80M400B16 | Gelled Firestarter, 16 oz. | 31956804169 | 1 lbs. | \$ 13.79 | Y | |
| FP80M400B8 | Gelled Firestarter, 8 oz. | 31956804084 | 1 lbs. | \$ 8.99 | Y | |
| FP80M400B4 | Gelled Firestarter, 4 oz. | 31956804046 | 1 lbs. | \$ 5.99 | Y | |
| Glass Cleaner | | | | | | |
| Stove Bright Glass Cleaner is a concentrated liquid specially formulated to cut through baked on carbon and creosote deposits. This spray-on cleaner for tempered glass, porcelain and baked on enamel is a non-streaking formula which will quickly remove layers of smoke stains from your wood, coal or pellet burning stoves. Also, Stove Bright Glass Cleaner is an excellent choice for preparing your wood stove for painting and a good general cleaner. | | | | | | |
| FP03M00316 | (FP03M003B16) Thick Glass Cleaner, 16 oz. | 31956222055 | 1.5 lbs. | \$ 11.89 | Y | |
| Gas Appliance Glass Cleaner | | | | | | |
| Stove Bright Gas Stove & Fireplace Glass Cleaner is designed for use on gas appliance glass doors to remove most white deposits that develop. Leaves a film that resists the white build-up during future appliance use. Formulated with a thick, creamy, no scratch consistency that is designed to cling. Apply to glass and allow to stand 3-5 minutes before buffing with a soft cloth to restore clarity. Frequent use will prevent hard baked on deposits. Always wear rubber gloves before applying or removing. Immediately discard all cleaning rags and newspaper into the garbage. Glass must be free of all cleaning agent materials before lighting fire. | | | | | | |
| FP03M1014 | (FP03M101B4) Gas Appliance Glass Cleaner, 4.oz. | 31956031022 | N/A | \$ 9.59 | Y | |
| FP03M1018 | (FP03M101B8) Gas Appliance Glass Cleaner, 8.oz. | 31956031015 | N/A | \$ 13.39 | Y | |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Maintenance, Installation & Testing Equipment



Forrest Paint
Stove Bright Products

2
0
2
5
-
2
0
2
6

Forrest Paint - Stove Bright Products

| Item Code | Item Name | UPC Code | Ship Weight | Retail Price | Stocked |
|------------------------------------|--------------------------------|-------------|-------------|--------------|---------|
| Surface Mounted Thermometer | | | | | |
| FP2TSBTHERM | Magnetic Stovepipe Thermometer | Unavailable | 1 lbs. | \$ 42.89 | N |

Dealer Showroom Display Items

| Item Code | Item Name | UPC Code | Ship Weight | Retail Price | Stocked |
|---|---|-------------|-------------|--------------|---------|
| FPMSDISPLAY | (FP1MJWP000024) Counter Top Display | Unavailable | 4 lbs. | \$ 91.29 | N |
| 24-can rack with POP display card. "FREE" with a 3 case paint order (no broken cases). 17"W x 12"D. | | | | | |
| FPLGDISPLAY | (FP1MJWP000120) Large Floor Display | Unavailable | 28 lbs. | \$ 236.99 | N |
| 120-can rack with POP display card. "FREE" with a 10 case paint order (no broken cases). 58"H x 24"W x 18"D. | | | | | |
| FPMLGDISPLAY | (FP1MJWP000121) Modified Floor Display | Unavailable | 28 lbs. | \$ 236.99 | N |
| 84-can paint and 36 bottle glass cleaner point of purchase rack with display card. "FREE" with a 10 case paint or glass cleaner order (no broken cases). 58"H x 24"W x 18"D Dimensions depend on how far back you set the prop: it can set between 9" and 18" from the wall. | | | | | |
| Item Code | Item Name | UPC Code | Ship Weight | Net Price | Stocked |
| FPZBRO | Forrest Paint Consumer Products Brochure | - | - | \$ - | Y |
| FPZBROGS | Forrest Paint Gas Vent Paint Charts | - | - | \$ - | Y |
| FPZBROSTV | Forrest Paint Hi Temp Stove Paint Charts | - | - | \$ - | Y |
| FPZPOPFAN | (FP1MCD5B) Forrest Paint High Temp Fan Style Color Card Set/Deck | - | - | \$ 24.89 | Y |
| FPZPOPFANGV | (FP1MCDGVPP) Forrest Paint Gas Vent Fan Style Color Card Set/Deck | - | - | \$ 20.89 | Y |

Black Stove Touch-Up Paint Reference List

The following is a general list of classic/standard black touch-up paints used by the specified manufacturers. Please verify the color you need before ordering.

| Manufacturer/Model | Forrest Paint Color |
|--------------------|---------------------|
| Country Flame | FP1990 |
| Enviro | FP6309 |
| ICC Ultra Black | FP6304 |
| Kingsman/Marquis | FP6304 |
| Kingsman Venting | FP6201 |
| Kozy Heat | FP1990 |
| Majestic | FP6309 |

| Manufacturer/Model | Forrest Paint Color |
|--------------------|---------------------|
| Mendota | FP6309 |
| Pacific Energy | FP6309 |
| RH Peterson | FP6304 |
| RSF | FP6309 |
| Travis Industries | FP6309 |
| Vermont Castings | FP1990 |

Maintenance, Installation & Testing Equipment



Meeco

Cleaners, Paints, Polishes & Firestarters

| Meeco's Red Devil | | | | | |
|-------------------------------------|--|----------------|-------------|--------------|---------|
| Item Code | Item Name | UPC Code | Ship Weight | Retail Price | Stocked |
| Creosote Control | | | | | |
| ME12 | Creosote Destroyer - Liquid | 0 7419700012 3 | 2.3125 lbs. | \$ 25.30 | Y |
| ME13 | Creosote Destroyer - 3 oz. | 0 7419700013 6 | 0.225 lbs. | \$ 4.50 | Y |
| ME14 | Creosote Destroyer - 1 lb. | 0 7419700014 3 | 1.125 lbs. | \$ 13.20 | Y |
| ME25 | Creosote Destroyer - 2 lb. | 0 7419700025 9 | 2.2 lbs. | \$ 24.40 | Y |
| ME27 | Creosote Destroyer - 5 lb. | 0 7419700027 3 | 5.75 lbs. | \$ 55.90 | Y |
| ME1004 | Creosote Control FireBricks (4 pack) | 0 7419701004 3 | 3.3875 lbs. | \$ 29.50 | Y |
| MEFireEx | FireEx™ (Chimney Fire Suppressant) | 0 7419703412 4 | N/A | \$ 41.10 | Y |
| Soot Removers | | | | | |
| ME163 | Powder Soot Remover - 3 oz. | 0 7419710016 4 | 0.225 lbs. | \$ 4.60 | N |
| ME16 | Powder Soot Remover - 1 lb. | 0 7419700016 7 | 1.125 lbs. | \$ 8.80 | N |
| ME17 | Powder Soot Remover - 2 lb. | 0 7419700017 4 | 2.2 lbs. | \$ 17.40 | Y |
| ColorGlo Cones and Sticks | | | | | |
| ME88110 | ColorGlo Pine Cones - 1 lb. (30 pieces) | 0 7419788110 7 | 1 lbs. | \$ 25.00 | N |
| ME88310 | ColorGlo Sticks - 1 lb. (30 pieces) | 0 7419788310 6 | 1.2833 lbs. | \$ 25.00 | Y |
| Fuel Oil Additives | | | | | |
| ME15 | Liquid Soot Remover - Pint | 0 7419700015 0 | 1.025 lbs. | \$ 19.50 | N |
| ME26448 | 10 GPH Oil Filter Element | 6 6312109012 2 | 0.125 lbs. | \$ 9.60 | N |
| Masonry & Glass Cleaners | | | | | |
| ME504 | Brick & Masonry Cleaner - 32 oz. | 0 7419700504 9 | 2.375 lbs. | \$ 17.70 | Y |
| ME700 | Conditioning Glass Cleaner - 8 oz. | 0 7419700700 5 | 0.825 lbs. | \$ 10.50 | Y |
| ME704 | Glass Cleaner - Woodstoves - 4 oz. | 0 7419700704 3 | 0.3167 lbs. | \$ 4.90 | Y |
| ME701 | Glass Cleaner - Woodstoves - 16 oz. | 0 7419700701 2 | 1.3333 lbs. | \$ 12.00 | Y |
| ME702 | Glass Cleaner - Woodstoves - 64 oz. Refill | 0 7419700702 9 | 4.8333 lbs. | \$ 30.90 | Y |
| ME710 | Glass Cleaner - Gas Stoves - 8 oz. | 0 7419700710 4 | 0.75 lbs. | \$ 11.30 | Y |
| Paints & Polishes | | | | | |
| ME401 | Black Stove Polish - 8 oz. | 0 7419700401 1 | 0.6667 lbs. | \$ 11.80 | Y |
| ME402 | RAVEN BLACK Stove Polish - 4 oz. | 0 7419700402 8 | 0.4167 lbs. | \$ 10.80 | Y |
| ME403 | HI-TEMP Stove Finish | 0 7419700403 5 | 1.3333 lbs. | \$ 40.60 | N |
| ME405 | Black Spray Paint | 0 7419700405 9 | 1.0667 lbs. | \$ 24.50 | Y |
| Firestarters | | | | | |
| ME416 | Firestarter - 16 oz. - GEL | 0 7419700416 5 | 1.0833 lbs. | \$ 14.70 | Y |
| ME432 | Firestarter - 32 oz. - GEL | 0 7419700432 5 | 2.1167 lbs. | \$ 21.70 | Y |
| ME417 | MultiFuel Firelighting Pellets | 0 7419700417 2 | 1.8833 lbs. | \$ 18.80 | Y |
| ME420 | Firelighting Squares - 4 pack | 0 7419700420 2 | 0.1458 lbs. | \$ 2.60 | N |
| ME418 | Firelighting Squares - 24 pack | 0 7419700418 9 | 0.9333 lbs. | \$ 6.90 | Y |
| ME419 | Firelighting Squares - 144 pack | 0 7419700419 6 | 4.65 lbs. | \$ 35.10 | Y |
| ME422 | Cedar Firelighting Disc | 0 7419700422 6 | 0.2417 lbs. | \$ 11.90 | N |
| MEN12EB | Lightning Nuggets - 12 pack | 04781514175 7 | 0.625 lbs. | \$ 13.80 | Y |
| MEN50LBOX | Lightning Nuggets - 50 pack | 04781500050 4 | 3 lbs. | \$ 40.50 | N |
| ME442 | Fatwood - 2 lb. Polybag | 0 7419700442 4 | 2.1143 lbs. | \$ 11.90 | Y |
| ME44210 | Fatwood - 10 lb. Box | - | - | \$ 36.80 | N |
| ME446 | Fireplace Safety Matches - 90 Count | 0 7419700446 2 | 0.3583 lbs. | \$ 7.00 | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Maintenance, Installation & Testing Equipment

Meeco

Gasket, Cement, & Silicone Sealants



2
0
2
5
-
2
0
2
6

| Meeco's Red Devil | | | | | |
|--|---------------------------------------|----------------|-------------|--------------|---------|
| Item Code | Item Name | UPC Code | Ship Weight | Retail Price | Stocked |
| Gasket Cement | | | | | |
| ME110 | Gasket Cement - 3 oz. | 0 7419700110 2 | 0.3833 lbs. | \$ 9.40 | Y |
| ME109 | Gasket Cement - Clear - 2oz. | 0 7419700109 6 | 0.2583 lbs. | \$ 8.90 | Y |
| ME110C | Gasket Cement - 10 oz. Cartridge | 0 7419700111 9 | 1.35 lbs. | \$ 10.40 | Y |
| Furnace Cements & Mortars | | | | | |
| ME120 | Black - Cartridge | 0 7419700120 1 | 1.5 lbs. | \$ 8.80 | Y |
| ME1332 | Black - 1/2 Pint | 0 7419701332 7 | 1.125 lbs. | \$ 8.50 | Y |
| ME1333 | Black - Pint | 0 7419701333 4 | 2.1667 lbs. | \$ 12.70 | Y |
| ME1334 | Black - Quart | 0 7419701334 1 | 4.1167 lbs. | \$ 21.10 | N |
| ME121 | Gray - Cartridge | 0 7419700121 8 | 1.4167 lbs. | \$ 8.80 | Y |
| ME1352 | Gray - 1/2 Pint | 0 7419701352 5 | 1.125 lbs. | \$ 8.50 | N |
| ME1353 | Gray - Pint | 0 7419701353 2 | 2.1667 lbs. | \$ 12.70 | N |
| ME1354 | Gray - Quart | 0 7419701354 9 | 4.1167 lbs. | \$ 21.10 | Y |
| ME1355 | Gray - 1/2 Gallon | 0 7419701355 6 | 9.625 lbs. | \$ 31.00 | N |
| ME122 | Buff - Cartridge | 0 7419700122 5 | 1.4167 lbs. | \$ 8.80 | Y |
| ME1373 | Buff - Pint | 0 7419701373 0 | 2.1667 lbs. | \$ 12.70 | N |
| ME1374 | Buff - Quart | 0 7419701374 7 | 4.1167 lbs. | \$ 21.10 | Y |
| Refractory Cement | | | | | |
| ME608 | Contractor Grade Cement - 16 oz. | 0 7419700608 4 | N/A | \$ 15.80 | N |
| ME610 | Refractory Cement - 1/2 Gallon | 0 7419710610 4 | 8.75 lbs. | \$ 33.10 | N |
| ME611 | Refractory Cement - Gallon | 0 7419700611 4 | 14.85 lbs. | \$ 62.60 | Y |
| ME1611 | Castable Refractory Cement - 25 lbs. | #N/A | #N/A | \$ 106.30 | N |
| Silicone Sealants | | | | | |
| ME600B | Black Silicone - 2.8 oz Tube (500 F) | 0 7419710600 5 | 0.2417 lbs. | \$ 12.60 | Y |
| ME601B | Black Silicone - Cartridge (500F) | 0 7419710601 2 | 0.8333 lbs. | \$ 23.00 | Y |
| ME600C | Clear Silicone - 2.8 oz Tube (500 F) | 0 7419700600 8 | 0.2417 lbs. | \$ 12.60 | Y |
| ME601C | Clear Silicone - Cartridge (500F) | 0 7419700601 5 | 0.8333 lbs. | \$ 23.60 | Y |
| ME600R | Red Silicone - 2.8 oz Tube (600 F) | 0 7419710613 5 | 0.2417 lbs. | \$ 16.70 | Y |
| ME613 | Red Silicone Cartridge - (600 F) | 0 7419700613 8 | 0.8333 lbs. | \$ 34.00 | Y |
| Specialty Sealants | | | | | |
| ME125 | Exterior Mortar Patch | 0 7419700125 6 | 1.1167 lbs. | \$ 21.10 | Y |
| ME614 | Direct-Vent - 2 oz Tube | 0 7419700614 5 | 0.2167 lbs. | \$ 13.60 | Y |
| ME615 | Direct-Vent Cartridge (1050 degree F) | 0 7419700615 2 | 0.9167 lbs. | \$ 29.00 | Y |
| Insulating Products | | | | | |
| ME1105 | 10' x 1-1/2" Self-Adhesive Insul Roll | 0 7419701105 7 | 0.4 lbs. | \$ 26.70 | Y |
| ME623 | Insulating Cement - 2 lb. | 0 7419700623 7 | 2.475 lbs. | \$ 23.40 | N |
| Gas Log Maintenance Products | | | | | |
| ME503 | Gas Log Cleaner - 16 oz. | 0 7419700503 2 | 1.3167 lbs. | \$ 13.00 | Y |
| ME580 | Silica Sand - 6 lb. | 0 7419700580 3 | 6.5 lbs. | \$ 23.30 | Y |
| ME585 | Glowing Embers - 12 oz. | 0 7419700585 8 | 1.3 lbs. | \$ 24.60 | Y |
| ME590 | Vermiculite - 1 lb. | 0 7419700590 2 | 1.55 lbs. | \$ 19.50 | Y |
| ME595 | Lava Rock - 5 lb. | 0 7419700595 7 | 5.9 lbs. | \$ 21.70 | Y |
| Firewood Accessories | | | | | |
| ME5110 | Heat Resistant Gloves - Pair | 0 7419705110 7 | 0.9167 lbs. | \$ 37.60 | Y |
| ME5120 | CarryAll Tote - Medium | 0 7419705120 6 | 1.2333 lbs. | \$ 57.60 | Y |
| ME5130 | CarryAll Tote - Large | 0 7419705130 5 | 1.55 lbs. | \$ 72.20 | Y |
| ME5140 | CarryAll Apron | 0 7419705140 4 | 1.25 lbs. | \$ 50.80 | Y |
| Firebrick | | | | | |
| MEFBP6 | Firebrick - 6 Pack Box | 0 7419704000 2 | 21.5 lbs. | \$ 58.30 | Y |
| Heat Deflectors & Mantel Protectors | | | | | |
| ME5101 | Single Deflector | 0 7419705101 5 | 5.3 lbs. | \$ 109.90 | Y |
| ME5050 | Mantel Protector | 0 7419705050 6 | 6.1 lbs. | \$ 122.10 | Y |

Maintenance, Installation & Testing Equipment



Meeco

Thermometers, Ash Cleanup, Glass, Rope & Tape

| Meeco's Red Devil | | | | | |
|--|--|----------------|-------------|--------------|-------------|
| Item Code | Item Name | UPC Code | Ship Weight | Retail Price | Stocked |
| Tek Head Stove Pipe Anchor Screws | | | | | |
| ME5020 | 20 Pack - Includes Clip Strip | 0 7419705020 9 | 0.0833 lbs. | \$ 10.50 | Y |
| ME5200 | 200 Pack LIMITED TO STOCK ON HAND | 0 9368530501 0 | 0.7 lbs. | \$ 39.80 | LTSD |
| Wall Spacing Kit | | | | | |
| ME5700 | 10 Piece Kit | 0 7419705700 0 | 0.5 lbs. | \$ 24.00 | Y |
| Thermometers | | | | | |
| ME425 | Thermometer Standard | 0 7419700425 7 | 0.1833 lbs. | \$ 33.00 | Y |
| Ash Vacuum and Accessories | | | | | |
| ME400ML | Motor-Less Ash Collector | 0 7419700400 4 | N/A | \$ 120.30 | N |
| ME360 | Moisture Meter | 0 7419700360 1 | 0.55 lbs. | \$ 57.60 | Y |
| Mica Glass | | | | | |
| ME5224 | Mica Glass 2" x 4" Clear | 0 7419705224 1 | 0.0667 lbs. | \$ 5.10 | N |
| ME5234 | Mica Glass 3" x 4" Clear | 0 7419705234 0 | 0.0667 lbs. | \$ 8.30 | N |
| ME5235 | Mica Glass 3" x 5" Clear | 0 7419705235 7 | 0.0667 lbs. | \$ 10.40 | N |
| ME5246 | Mica Glass 4" x 6" Clear | 0 7419705246 3 | 0.0667 lbs. | \$ 16.50 | N |
| Pre-Cut Rope & Tape | | | | | |
| ME201 | 1/4" x 6' Rope, White - Medium Density | 0 7419700201 7 | 0.1417 lbs. | \$ 12.50 | Y |
| ME201K | 1/4" x 6' Rope w/cement, White - Medium Density | 0 7419710201 4 | 0.475 lbs. | \$ 21.00 | Y |
| ME200 | 5/16" x 6' Rope, White - Medium Density | Unavailable | 0.1417 lbs. | \$ 12.50 | Y |
| ME200K | 5/16" x 6' Rope w/cement, White - Medium Density | 0 7419710200 7 | 0.475 lbs. | \$ 21.00 | Y |
| ME202 | 3/8" x 6' Rope, White - Medium Density | 0 7419700202 4 | 0.225 lbs. | \$ 13.80 | Y |
| ME202K | 3/8" x 6' Rope w/cement, White - Medium Density | 0 7419710202 1 | 0.5417 lbs. | \$ 22.30 | N |
| ME207 | 7/16" x 6' Rope, White - Medium Density | 0 7419700207 9 | 0.3167 lbs. | \$ 13.80 | Y |
| ME207K | 7/16" x 6' Rope w/cement, White - Medium Density | 0 7419710207 6 | 0.65 lbs. | \$ 22.30 | Y |
| ME203 | 1/2" x 6' Rope, White - Medium Density | 0 7419700203 1 | 0.3083 lbs. | \$ 14.70 | Y |
| ME203K | 1/2" x 6' Rope w/cement, White - Medium Density | 0 7419710203 8 | 0.7333 lbs. | \$ 23.20 | Y |
| ME204 | 5/8" x 6' Rope, White - Medium Density | 0 7419700204 8 | 0.6167 lbs. | \$ 20.70 | Y |
| ME204K | 5/8" x 6' Rope w/cement, White - Medium Density | 0 7419710204 5 | 0.95 lbs. | \$ 29.20 | Y |
| ME205 | 3/4" x 6' Rope, White - Medium Density | 0 7419700205 5 | 0.6333 lbs. | \$ 24.70 | Y |
| ME212 | 7/8" x 6' Rope (LOPI), White - Medium Density | 0 7419700212 3 | 1.05 lbs. | \$ 37.60 | Y |
| ME206 | 1" x 6' Rope, White - Medium Density | 0 7419700206 2 | 1.3167 lbs. | \$ 42.10 | Y |
| ME216 | 1-1/4" x 6' Rope, White - Medium Density | 0 7419700216 1 | 1.1667 lbs. | \$ 46.30 | N |
| ME301W | Window Channel Tape - 6', White - Medium Density | 0 7419700301 4 | 0.25 lbs. | \$ 20.70 | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Maintenance, Installation & Testing Equipment



Meeco

Rope & Tape Continued

2
0
2
5
-
2
0
2
6

| Meeco's Red Devil | | | | | | |
|--------------------------------|--|----------------|-------------|--------------|---------|--|
| Item Code | Item Name | UPC Code | Ship Weight | Retail Price | Stocked | |
| Pre-Cut Rope & Tape | | | | | | |
| ME201B | 1/4" x 6' Rope, Bronze - Medium Density | 0 7419740201 5 | 0.3167 lbs. | \$ 167.80 | Y | |
| ME201BK | 1/4" x 6' Rope w/cement, Bronze - Medium Density | 0 7419750201 2 | 0.65 lbs. | \$ 22.90 | N | |
| ME202B | 3/8" x 6' Rope, Bronze - Medium Density | 0 7419740202 2 | 0.3167 lbs. | \$ 15.80 | Y | |
| ME202BK | 3/8" x 6' Rope w/cement, Bronze - Medium Density | 0 7419750202 9 | 0.65 lbs. | \$ 24.40 | Y | |
| ME207B | 7/16" x 6' Rope, Bronze - Medium Density | 0 7419740207 7 | 0.3167 lbs. | \$ 15.90 | N | |
| ME207BK | 7/16" x 6' Rope w/cement, Bronze - Medium Density | 0 7419750207 4 | 0.65 lbs. | \$ 24.40 | N | |
| ME203B | 1/2" x 6' Rope, Bronze - Medium Density | 0 7419740203 9 | 0.3167 lbs. | \$ 16.90 | Y | |
| ME203BK | 1/2" x 6' Rope w/cement, Bronze - Medium Density | 0 7419750203 6 | 0.65 lbs. | \$ 25.40 | Y | |
| ME204B | 5/8" x 6' Rope, Bronze - Medium Density | 0 7419740204 6 | 0.65 lbs. | \$ 23.80 | Y | |
| ME204BK | 5/8" x 6' Rope w/cement, Bronze - Medium Density | 0 7419750204 3 | 0.9833 lbs. | \$ 32.30 | Y | |
| ME205B | 3/4" x 6' Rope, Bronze - Medium Density | 0 7419740205 3 | 0.375 lbs. | \$ 29.50 | Y | |
| ME212B | 7/8" x 6' Rope (LOPI), Bronze - Medium Density | 0 7419740212 1 | 1.4167 lbs. | \$ 40.80 | Y | |
| ME206B | 1" x 6' Rope, Bronze - Medium Density | 0 7419740206 0 | 1.4167 lbs. | \$ 45.80 | Y | |
| ME3053B | 5/8" x 6' Tape, Bronze - Medium Density | 0 7419743053 7 | 0.375 lbs. | \$ 13.10 | Y | |
| ME3053BK | 5/8" x 6' Tape w/cement, Bronze - Medium Density | 0 7419753053 4 | 0.7083 lbs. | \$ 21.70 | N | |
| ME3102B | 3/4" x 6' Tape, Bronze - Medium Density | Unavailable | 0.375 lbs. | \$ 15.10 | N | |
| ME3102BK | 3/4" x 6' Tape w/cement, Bronze - Medium Density | 0 7419753102 9 | 0.7083 lbs. | \$ 23.70 | N | |
| Rope & Tape Spools | | | | | | |
| ME101VC | 3/16" x 200' (Verm Cast), White - Medium Density | 0 7419703101 7 | N/A | \$ 186.60 | Y | |
| ME101 | 1/4" x 200' Rope, White - Medium Density | 0 7419700101 0 | 2.3 lbs. | \$ 186.60 | Y | |
| ME100 | 5/16" x 75' Rope, White - Medium Density | 0 7419700100 3 | 2.3 lbs. | \$ 70.00 | N | |
| ME100X | 5/16" x 200' Rope, White - Medium Density | 0 7419701100 2 | 2.3 lbs. | \$ 186.60 | Y | |
| ME102 | 3/8" x 75' Rope, White - Medium Density | 0 7419700102 7 | 2.3 lbs. | \$ 97.50 | Y | |
| ME102X | 3/8" x 150' Rope, White - Medium Density | 0 7419701102 6 | 2.3 lbs. | \$ 195.00 | Y | |
| ME107 | 7/16" x 100' Rope, White - Medium Density | 0 7419700107 2 | 2.3 lbs. | \$ 130.00 | N | |
| ME103 | 1/2" x 50' Rope, White - Medium Density | 0 7419700103 4 | 2.3 lbs. | \$ 98.30 | N | |
| ME103X | 1/2" x 100' Rope, White - Medium Density | 0 7419701103 3 | 2.3 lbs. | \$ 196.60 | N | |
| ME104 | 5/8" x 40' Rope, White - Medium Density | 0 7419700104 1 | 2.3 lbs. | \$ 105.40 | Y | |
| ME104X | 5/8" x 70' Rope, White - Medium Density | 0 7419701104 0 | 2.3 lbs. | \$ 184.30 | N | |
| ME105 | 3/4" x 35' Rope, White - Medium Density | 0 7419700105 8 | 2.3 lbs. | \$ 128.30 | N | |
| ME105X | 3/4" x 40' Rope, White - Medium Density | 0 7419701105 7 | 2.3 lbs. | \$ 146.70 | N | |
| ME112 | 7/8" x 25' Rope (LOPI), White - Medium Density | 0 7419700112 6 | 2.3 lbs. | \$ 119.20 | N | |
| ME106 | 1" x 25' Rope, White - Medium Density | 0 7419700106 5 | 2.3 lbs. | \$ 155.00 | N | |
| ME116 | 1-1/4" x 20' Rope, White - Medium Density | 0 7419700116 4 | 2.3 lbs. | \$ 153.30 | N | |
| ME2052 | 1/2" x 100' Tape, White - Medium Density | 0 7419702052 3 | 2.3 lbs. | \$ 100.00 | N | |
| ME2053 | 5/8" x 100' Tape, White - Medium Density | 0 7419702053 0 | 2.3 lbs. | \$ 100.00 | N | |
| ME2053X | 5/8" x 150' Tape, White - Medium Density | 0 7419712053 7 | 2.3 lbs. | \$ 150.00 | N | |
| ME2072 | 3/4" x 100' Tape, White - Medium Density | 0 7419702072 1 | 2.3 lbs. | \$ 126.70 | Y | |
| ME2102 | 1" x 100' Tape, White - Medium Density | 0 7419702102 5 | 2.3 lbs. | \$ 146.70 | N | |
| ME300W | Window Tape - White - 100', White - Medium Density | 0 7419700300 7 | 2.3 lbs. | \$ 283.30 | N | |

Maintenance, Installation & Testing Equipment



Meeco

Rope & Tape Continued, Chimney Brushes & Rods

| Meeco's Red Devil | | | | | |
|---|---|----------------|-------------|--------------|---------|
| Item Code | Item Name | UPC Code | Ship Weight | Retail Price | Stocked |
| Rope & Tape Spools | | | | | |
| ME101B | 1/4" x 200' Rope, Bronze - Medium Density | 0 7419740101 8 | 3 lbs. | \$ 202.50 | Y |
| ME100B | 5/16" x 75' Rope, Bronze - Medium Density | 0 7419740100 1 | 2.3 lbs. | \$ 76.00 | N |
| ME100XB | 5/16" x 200' Rope, Bronze - Medium Density | 0 7419741100 0 | 3 lbs. | \$ 202.50 | Y |
| ME102B | 3/8" x 75' Rope, Bronze - Medium Density | 0 7419740102 5 | 2.3 lbs. | \$ 106.10 | N |
| ME102XB | 3/8" x 150' Rope, Bronze - Medium Density | 0 7419741102 4 | 3 lbs. | \$ 212.20 | N |
| ME107B | 7/16 x 100' Rope, Bronze - Medium Density | 0 7419740107 0 | 3 lbs. | \$ 141.50 | Y |
| ME103B | 1/2" x 50' Rope, Bronze - Medium Density | 0 7419740103 2 | 2.3 lbs. | \$ 106.90 | N |
| ME103XB | 1/2" x 100' Rope, Bronze - Medium Density | 0 7419741103 1 | 3 lbs. | \$ 213.80 | N |
| ME104B | 5/8" x 40' Rope, Bronze - Medium Density | 0 7419740104 9 | 2.3 lbs. | \$ 114.50 | N |
| ME104XB | 5/8" x 70' Rope, Bronze - Medium Density | 0 7419741104 8 | 2.3 lbs. | \$ 200.30 | N |
| ME105B | 3/4" x 35' Rope, Bronze - Medium Density | 0 7419740105 6 | 2.3 lbs. | \$ 139.20 | N |
| ME105XB | 3/4" x 40' Rope, Bronze - Medium Density | 0 7419741105 5 | 2.3 lbs. | \$ 159.10 | N |
| ME2052B | 1/2" x 100' Tape, Bronze - Medium Density | 0 7419742052 1 | 3 lbs. | \$ 111.80 | N |
| ME2053B | 5/8" x 100' Tape, Bronze - Medium Density | 0 7419742053 8 | 3 lbs. | \$ 111.80 | Y |
| ME2053XB | 5/8" x 150' Tape, Bronze - Medium Density | 0 7419732053 1 | 3 lbs. | \$ 167.60 | N |
| ME2072B | 3/4" x 100' Tape, Bronze - Medium Density | 0 7419742072 9 | 3 lbs. | \$ 145.70 | N |
| ME300B | Window Tape - Black - 100', Bronze - Medium Density | 0 7419740300 5 | 3 lbs. | \$ 308.10 | Y |
| Chimney Brushes, Rods, & Accessories | | | | | |
| ME84332 | 3" Fiber Pellet Brush, 1/4 - 20 Thread | 0 7419784332 0 | 0.2167 lbs. | \$ 24.60 | N |
| ME84333 | 4" Fiber Pellet Brush, 1/4 - 20 Thread | 0 7419784333 7 | 0.2167 lbs. | \$ 27.60 | Y |
| ME84352 | 3" S.S. Pellet Brush, 1/4 - 20 Thread | 0 7419784352 8 | 0.2333 lbs. | \$ 29.90 | N |
| ME84372 | 4" S.S. Pellet Brush, 1/4 - 20 Thread | 0 7419784372 6 | 0.2667 lbs. | \$ 32.80 | N |
| ME84373 | 4" Dryer Vent Brush, 1/4 - 20 Thread | 0 7419784373 3 | 0.2833 lbs. | \$ 31.90 | N |
| ME65012 | 4' Flexible Extension Rod, 1/4 - 20 Thread | 0 7419765012 6 | 2.0333 lbs. | \$ 21.20 | Y |
| ME30600 | 6" Round Wire Brush, 1/4" NPT | 0 7419730600 9 | 0.9 lbs. | \$ 33.00 | Y |
| ME30700 | 7" Round Wire Brush, 1/4" NPT | 0 7419730700 6 | 0.9 lbs. | \$ 33.60 | N |
| ME30800 | 8" Round Wire Brush, 1/4" NPT | 0 7419730800 3 | 0.9 lbs. | \$ 41.40 | N |
| ME30900 | 9" Round Wire Brush, 1/4" NPT | 0 7419730900 0 | 1 lbs. | \$ 45.20 | N |
| ME31000 | 10" Round Wire Brush, 1/4" NPT | 0 7419731000 6 | 1 lbs. | \$ 51.60 | Y |
| ME31200 | 12" Round Wire Brush, 1/4" NPT | 0 7419731200 0 | 1.2 lbs. | \$ 55.60 | N |
| ME30606 | 6" Square Wire Brush, 1/4" NPT | 0 7419730606 1 | 0.9 lbs. | \$ 46.80 | N |
| ME30707 | 7" Square Wire Brush, 1/4" NPT | 0 7419730707 5 | 0.9 lbs. | \$ 48.00 | N |
| ME30808 | 8" Square Wire Brush, 1/4" NPT | 0 7419730808 9 | 0.9 lbs. | \$ 51.70 | N |
| ME31010 | 10" Square Wire Brush, 1/4" NPT | 0 7419731010 5 | 1 lbs. | \$ 77.60 | Y |
| ME31111 | 11" Square Wire Brush, 1/4" NPT | 0 7419731111 9 | 1 lbs. | \$ 80.80 | N |
| ME31212 | 12" Square Wire Brush, 1/4" NPT | 0 7419731212 3 | 1.5 lbs. | \$ 88.20 | Y |
| ME31006 | 10" x 6" Rectangular Wire Brush, 1/4" NPT | 0 7419731006 8 | 1.5 lbs. | \$ 74.60 | N |
| ME31107 | 11" x 7" Rectangular Wire Brush, 1/4" NPT | 0 7419731107 2 | 1.5 lbs. | \$ 81.10 | N |
| ME31208 | 12" x 8" Rectangular Wire Brush, 1/4" NPT | 0 7419731208 6 | 2 lbs. | \$ 85.70 | N |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Maintenance, Installation & Testing Equipment



Meeco

Chimney Brushes & Rods

2
0
2
5
-
2
0
2
6

| Meeco's Red Devil | | | | | | |
|---|---|----------------|-------------|--------------|---------|--|
| Item Code | Item Name | UPC Code | Ship Weight | Retail Price | Stocked | |
| Chimney Brushes, Rods, & Accessories | | | | | | |
| ME33140 | 6" Round Poly Brush, 1/4" NPT | 0 7419733140 7 | 0.9 lbs. | \$ 30.00 | N | |
| ME33170 | 7" Round Poly Brush, 1/4" NPT | 0 7419733170 4 | 0.9 lbs. | \$ 31.90 | N | |
| ME33190 | 8" Round Poly Brush, 1/4" NPT | 0 7419733190 2 | 0.9 lbs. | \$ 33.80 | Y | |
| ME30023 | 4' Fiberglass Extension Rod, 1/4" NPT | 0 7419730023 6 | 0.4792 lbs. | \$ 18.80 | Y | |
| ME30018 | 18' Rod Kit (6 ea. of 3'), 1/4" NPT | 0 7419730018 2 | N/A | \$ 100.90 | N | |
| ME30024 | 20' Rod Kit (5 ea. of 4'), 1/4" NPT | 0 7419730024 3 | N/A | \$ 84.50 | N | |
| ME30071 | 6' Fiberglass Extension Rod, 1/4" NPT | 0 7419730071 7 | N/A | \$ 24.30 | Y | |
| ME70011 | Eye Socket Nipple (Pull Ring), 1/4" NPT | 0 7419770011 1 | 0.0833 lbs. | \$ 9.40 | N | |
| ME30601 | 6" Round Wire Brush, 3/8" NPT | 0 7419730601 6 | 0.9 lbs. | \$ 53.30 | N | |
| ME30701 | 7" Round Wire Brush, 3/8" NPT | 0 7419730701 3 | 0.9 lbs. | \$ 63.00 | Y | |
| ME30801 | 8" Round Wire Brush, 3/8" NPT | 0 7419730801 0 | 0.9 lbs. | \$ 64.20 | Y | |
| ME30901 | 9" Round Wire Brush, 3/8" NPT | 0 7419730901 7 | 1 lbs. | \$ 68.70 | N | |
| ME31001 | 10" Round Wire Brush, 3/8" NPT | 0 7419731001 3 | 1 lbs. | \$ 72.60 | N | |
| ME31201 | 12" Round Wire Brush, 3/8" NPT | 0 7419731201 7 | 1.2 lbs. | \$ 92.00 | N | |
| ME30607 | 6" Square Wire Brush, 3/8" NPT | 0 7419730607 8 | 0.9 lbs. | \$ 78.70 | N | |
| ME30708 | 7" Square Wire Brush, 3/8" NPT | 0 7419730708 2 | 0.9 lbs. | \$ 82.60 | N | |
| ME30809 | 8" Square Wire Brush, 3/8" NPT | 0 7419730809 6 | 0.9 lbs. | \$ 86.30 | N | |
| ME31011 | 10" Square Wire Brush, 3/8" NPT | 0 7419731011 2 | 1 lbs. | \$ 99.90 | N | |
| ME31112 | 11" Square Wire Brush, 3/8" NPT | 0 7419731112 6 | 1 lbs. | \$ 121.40 | N | |
| ME31213 | 12" Square Wire Brush, 3/8" NPT | 0 7419731213 0 | 1.2 lbs. | \$ 136.80 | N | |
| ME31007 | 10" x 6" Rectangular Wire Brush, 3/8" NPT | 0 7419731007 5 | 1.5 lbs. | \$ 107.80 | N | |
| ME31108 | 11" x 7" Rectangular Wire Brush, 3/8" NPT | 0 7419731108 9 | 1.5 lbs. | \$ 115.10 | N | |
| ME31205 | 12" x 8" Rectangular Wire Brush, 3/8" NPT | 0 7419731205 5 | 2 lbs. | \$ 120.00 | N | |
| ME33141 | 6" Round Poly Brush, 3/8" NPT | 0 7419733141 4 | 0.9 lbs. | \$ 41.20 | Y | |
| ME33171 | 7" Round Poly Brush, 3/8" NPT | 0 7419733171 1 | 0.9 lbs. | \$ 41.90 | N | |
| ME33191 | 8" Round Poly Brush, 3/8" NPT | 0 7419733191 9 | 0.9 lbs. | \$ 47.80 | N | |
| ME30035 | 4' Fiberglass Extension Rod, 3/8" NPT | 0 7419730035 9 | N/A | \$ 28.40 | N | |
| ME30065 | 6' Fiberglass Extension Rod, 3/8" NPT | 0 7419730065 6 | N/A | \$ 31.60 | Y | |
| ME70016 | Eye Socket Nipple (Pull Ring), 3/8" NPT | 0 7419770016 6 | 0.075 lbs. | \$ 10.70 | N | |

Condar

Thermometers & Matches

**Surface Mounted Thermometers**

Patented surface mounted thermometers are accurate and long-lasting. Magnetic attachment, wire handle and safety screw included.

| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|----------|---|------|-------|---------|---------|
| CD316 | WoodSaver Stovepipe Thermometer | 12 | 1 lb. | \$23.99 | Y |
| | Economy version in black aluminum with silver markings and red pointer. Markings indicate ranges for too cool (creosote), best operation and overheating. Temperatures up to 900°F. | | | | |
| CD330 | Inferno StoveTop Thermometer | 12 | 1 lb. | 31.99 | Y |
| CD326 | StoneGard Thermometer for Soapstone Stove Top | | | 29.99 | N |
| CD345 | Optimiser Dual-Zone Stovepipe/Stove Top | 12 | | 29.99 | N |



Chimgard®



WoodSaver

Probe Thermometers

Patented design for corrosion resistance and swift heat transmission. Complete with mounting hardware.

| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|----------|--|------|-------|--------|---------|
| CD339 | FlueGard™ Thermometer | 6 | 1 lb. | 38.99 | Y |
| | Best probe thermometer for flue pipes up to 8" in diameter. Durable genuine porcelain enamel with yellow and orange zones clearly indicated on brown case showing temperatures in the center of the flue pipe at a glance. 4" stem length; requires 1/4" access. Readings up to 1700°F. Rugged steel case. | | | | |



Flue Gas



FlueGard™

Maintenance, Installation & Testing Equipment

Condar

Combustors & Air Supply Ventilator




2
0
2
5
-
2
0
2
6

Catalytic Combustors

More heat from less wood! Replacing a worn-out combustor brings new life to an aging stove! Condar uses the highest grade ceramics and verified platinum/palladium catalyst loading for peak performance. Sizes not listed below are available by special order for any EPA-certified catalytic stove.



Catalytic Combustors



Catalytic Combustors material close up

| Item No. | Description | Height | Pkg. | Cells | Wt. per inch | Retail | Stocked |
|----------|----------------|--------|------|-------|--------------|----------|---------|
| CDCC001 | 6" Round | 2" | 1 | 25 | 3 lbs. | \$327.99 | Y |
| CDCC100 | 7" Round | 2" | 1 | 16 | 4 lbs. | 405.99 | N |
| CDCC251 | 2.5"W x 6.5"L | 2" | 1 | 16 | 3 lbs. | 245.99 | N |
| CDCC255 | 2.5"W x 15.3"L | 3" | 1 | | 3 lbs. | 878.99 | N |
| CDCC257 | 2.5"W x 13"L | 2" | 1 | | 4 lbs. | 440.99 | N |
| CDCC508 | 3.5"W x 5.5"L | 2" | 2 | | 3 lbs. | 338.99 | N |
| CDCC555 | Opel 2000 | | | | | 479.99 | N |


Combustor Reference List

This is a partial list of stove models and their corresponding catalytic combustors. Please call AES Inside Sales for additional makes and models that are not listed.

| Blaze King | | Earthstove | |
|----------------------------------|---------|------------------|---------|
| 2200 | CDCC508 | 1000C | CDCC001 |
| KEJ-1100 | CDCC100 | 1003C | CDCC255 |
| KEJ-1300 | CDCC100 | BV400 | CDCC255 |
| KING (early) | CDCC100 | BV4000 | CDCC255 |
| PRINCESS | CDCC100 | Hearthstone | |
| Consolidated Dutchwest | | I, II (85-88) | CDCC001 |
| ANDIRONDACK | CDCC001 | Vermont Castings | |
| DUTCHWEST (224, 264, 288 - 1990) | CDCC001 | DEFIANT | CDCC257 |
| FEDERAL/AIRTIGHT | CDCC001 | ENCORE | CDCC257 |
| ROCKY MOUNTAIN | CDCC001 | FEDERAL (1990+) | CDCC001 |
| SENECA | CDCC001 | INTREPID | CDCC251 |
| SEQUOIA PRE 1990 | CDCC100 | SENECA | CDCC001 |
| SEQUOIA (1990+) | CDCC001 | SEQUOIA PRE 1990 | CDCC100 |
| | | SEQUOIA (1990+) | CDCC001 |
| | | WINTERWARM | CDCC257 |

Air Supply Ventilator

Every home needs fresh air. Whether to provide make-up air for a stove or fireplace, helping to prevent negative pressure drafting problems or to improve the quality of the indoor environment. Condar's Air Supply Ventilator is the smart way to provide your home with filtered, draft-free fresh air. Requires no electricity and only a 4" hole in the wall. Simple to use and install. Made of tough paintable ABS polymer plastic. Comes complete with two tubes, dust filter and hardware pack. Dimensions: Interior cover 6" x 6" x 2". Exterior grille 5.5" x 5.5". Tube dimensions 4" diameter x 6" long. Three-year limited warranty.



| Item No. | Description | Wt. | Retail | Stocked |
|----------|-----------------------|--------|----------|---------|
| CDASV90 | Air Supply Ventilator | 2 lbs. | \$129.99 | Y |



See section 600 of this catalog for additional accessory products from Condar!

Maintenance, Installation & Testing Equipment

HY-C
Stoveboard



Protect floors from intense heat, hot coals, ashes and soot that wood stoves can produce. Extend and protect the floor in front of a fireplace or place under other heating appliances such as kerosene, gas and electric heaters. These UL listed stoveboards may also be used as wall shields. A wall spacing kit is recommended for mounting all types of stoveboards. HCULSK includes necessary hardware and metal spacers to extend stoveboard 1" from walls, providing air space that helps protect combustible walls from heat and fire damage.

| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|---------------|---|------|---------|----------|---------|
| HCT2UL1848BL1 | Hearth Extender, Black Oxide, 18" x 48" | 1 | 12 lbs. | \$113.99 | Y |
| HCT2UL3648BL1 | Floor Protector, Black Oxide, 36" x 48" | 1 | 25 lbs. | 248.99 | Y |
| HCULSK | Wall Spacing Kit, 8 Metal Spacers | 1 | 2 lbs. | 36.99 | Y |

Perma-Chink
Acrylic Mortar Sealant

Excellent for exterior and interior use. Won't "flake" or "powderout" like conventional mortar. Perma-Chink is textured mortar made of pure flexible acrylic that adheres and stretches to maintain a tight seal eliminating heat loss and air infiltration. An excellent product for minor mortar repair. Professionals in the glass fireplace door business make Perma-Chink their choice for final finish grout work on custom and standard fit doors. Gray tinted formula. 12 tubes per case.

| Item No | Description | Wt. | Retail | Stocked |
|----------|--|---------|---------|---------|
| AESTG224 | Perma Chink Mortar Sealant, 11oz. tube | 14 lbs. | \$30.10 | Y |



Flitz
Metal Polish



Metal Polish

Watch oxidation, tarnish and rust melt away with ease. Flitz Metal Polish is a concentrated cream that is unequaled in its ability to clean, polish, deodorize and protect for up to six months. Unsurpassed for removing rust, tarnish, heat discoloration, lime deposits, hard water stains, fresh and salt water corrosion, oxidation, lead and powder residue, fingerprints, graffiti, flies, tar, tree sap and more! Safe for stove tops, window and door frames, leaded glass, antique jewelry and silver.

| | | | | | |
|-----------|----------------------------------|----|---------|---------|---|
| FIBU03511 | 1.76 oz. Tubes w/Counter Display | 20 | 4 lbs. | \$18.99 | Y |
| FIBU03515 | 5.29 oz. Tubes w/Counter Display | 10 | 6 lbs. | 37.79 | Y |
| FICA03518 | 2 lb. Industrial Can | 6 | 15 lbs. | 87.79 | N |



FIBU03511



FIBU03515



FICA03518

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Maintenance, Installation & Testing Equipment

Speedy White
Hearth & Stove Cleaner



2
0
2
5
-
2
0
2
6

Speedy White Hearth and Stove Cleaner is the only truly versatile fireplace cleaner on the market today. Due to its special cleaning capabilities and dirt-cutting formula, there's really nothing like it out there now!

Speedy White cleans and beautifies all fireplaces and stove surfaces. This versatile product also cleans brick and stone, cloth, vinyl, carpeting and plastics. Consumers have found countless uses for Speedy White including cleaning whitewall tires, grimy plastic computer enclosures, keyboards and much more. It's an all purpose cleaner that will make your customers return for more. Complete with a "hassle-free" Complete Satisfaction Guarantee!

| Item No. | Description | Pkg. | Wt./Cs. | Retail | Stocked |
|-----------|--|------|---------|---------|---------|
| SW22 | Speedy White Cleaner, 22 oz. Trigger Spray | 12 | 22 lbs. | \$14.49 | Y |
| SWGAL4000 | Speedy White Cleaner, 1 Gallon | 4 | | 39.99 | N |

Forrest Paint
Gasket and Sealant



Forrest Paint - Gasket and Sealant

| Item Code | Item Name | UPC Code | Ship Weight | Retail Price | Stocked |
|--|---|-------------|-------------|--------------|---------|
| White Fiberglass Rope Gasket | | | | | |
| FP2TRGW1408 | (FPW1408) 1/4" Width - 8' Length | 31956304997 | 1 lbs. | \$ 14.29 | Y |
| FP2TRGW3808 | (FPW3808) 3/8" Width - 8' Length | 31956305000 | 1 lbs. | \$ 16.09 | Y |
| FP2TRGW1208 | (FPW1208) 1/2" Width - 8' Length | 31956305017 | 1 lbs. | \$ 21.49 | Y |
| FP2TRGW5808 | (FPW5808) 5/8" Width - 8' Length | 31956305024 | 1 lbs. | \$ 26.59 | Y |
| FP2TRGW3408 | (FPW3408) 3/4" Width - 8' Length | 31956305031 | 1 lbs. | \$ 29.69 | Y |
| FP2TRGW10008 | (FPW10008) 1" Width - 8' Length | 31956305048 | 1 lbs. | \$ 44.89 | Y |
| FP2TRGW11408 | (FPW11408) 1-1/4" Width - 8' Length | 31956305055 | 2 lbs. | \$ 56.79 | Y |
| Black Fiberglass Rope Gasket | | | | | |
| FP2TRGB7808L | (FPB7808L) 7/8" Width - 8' Length - for Lopi Products | 31956305062 | 1 lbs. | \$ 42.39 | Y |
| FP2TRGB7808CS | (FPB7808CS) 7/8" Width - 8' Length - for Country Produc | 31956305079 | 1 lbs. | \$ 47.79 | Y |
| Black Tape Gasket w/Adhesive Back | | | | | |
| FP2TRCTB780316 | (FPTB780316) 7/8" Width - 3/16" Channel - 1/2" Adhesiv | 31956305086 | 1 lbs. | \$ 25.19 | Y |
| FP2TRMTB180316VC | (FPTB180316VC) 3/16" Vermont Castings | 31956305093 | 2 lbs. | \$ 22.39 | N |
| FP2TRMTB18058 | (FPTB18058) 5/8" Matrix | 31956305109 | 1 lbs. | \$ 26.49 | Y |
| FP2TRMTB18034 | (FPTB18034) 3/4" Matrix | 31956305116 | 1 lbs. | \$ 28.29 | N |
| Accessories | | | | | |
| FP13M200 | Gasket Cement, 4 oz. Bottle | 31956305123 | 1 lbs. | \$ 8.49 | Y |
| Silicone Sealant | | | | | |
| FP13M050C10SS | (FP13M050) RTV Clear Silicone Sealant, 10.1 oz. | 31956308247 | 1 lbs. | \$ 26.49 | Y |
| FP13M250C10SS | (FP13M250) RTV Black Silicone Sealant, 10.1 oz. | 31956014315 | 1 lbs. | \$ 26.49 | Y |
| FP13M350C10SS | (FP13M350) RTV Red Oxide Silicone Sealant, 10.1 oz. | 31956014322 | 1 lbs. | \$ 28.79 | Y |
| High Temperature Sealant | | | | | |
| FP13M230 | High Temperature Sealant-Black | 31956311278 | 1 lbs. | \$ 44.09 | Y |

Maintenance, Installation & Testing Equipment

Stove Gasket

AES and Rutland Brands



Rope Gasket Spools

| Item No. | Width | Length/Type | Pkg. | Wt. | Retail | Stocked |
|------------|-----------|--|------|--------|---------|---------|
| AES12 | 1/2" | 50' Rope Gasket | 1 | 3 lbs. | \$99.00 | Y |
| AES12-30 | 1/2" | 30' Rope Gasket LIMITED TO STOCK ON HAND | 1 | 3 lbs. | 51.99 | Y |
| AES34 | 3/4" | 35' Rope Gasket | 1 | 6 lbs. | 152.00 | Y |
| AES38 | 3/8" | 75' Rope Gasket | 1 | 4 lbs. | 115.00 | Y |
| AES58 | 5/8" | 40' Rope Gasket | 1 | 3 lbs. | 127.00 | Y |
| AES78C | 7/8" | 30' Rope For Country Products Rope (firm, dense) | 1 | 4 lbs. | 169.00 | Y |
| AES78L | 7/8" | 25' Rope For Lopi Products (loose weave) | 1 | 3 lbs. | 128.00 | Y |
| AES1 | 1" | 30' Rope Gasket | 1 | 6 lbs. | 168.00 | Y |
| AES114 | 1-1/4" | 25' Rope Gasket | 1 | 8 lbs. | 212.00 | Y |
| AES516 | 5/16" | 75' Rope Gasket | 1 | lbs. | 101.00 | Y |
| AESTADPOLE | 1/2" - 1" | 30' Tape Gasket | 1 | lbs. | 197.00 | Y |

Flat Gasket Spools, 1/8" Thick

| | | | | | | |
|---------|-----------|---|---|--------|--------|---|
| AES118 | 1" | 100' Tape Gasket | 1 | 4 lbs. | 186.00 | Y |
| AES3418 | 3/4" | 100' Non-Adhesive | 1 | 4 lbs. | 163.00 | Y |
| AES301W | 3/4" | 100' Self-adhesive Window Channel (white) | 1 | 3 lbs. | 173.00 | Y |
| AES301B | 3/4" | 100' Self-adhesive Window Channel (black) | 1 | 3 lbs. | 249.00 | Y |
| AES304B | 1/2" - 1" | 30' Self-adhesive (black) | 1 | 1 lbs. | 345.00 | Y |

Rutland PrePackaged Gasket

GraphoGlas black graphite impregnated fiberglass for greater resistance.

| Item No. | Width | Length/Type | Pkg. | Wt. | Retail | Stocked |
|----------|------------|---|------|--------|---------|---------|
| RT91N | 1/4"-5/16" | 7' Rope Gasket | 12 | 2 lbs. | \$12.88 | Y |
| RT91 | 3/8" | 7' Rope Gasket | 12 | 3 lbs. | 13.78 | Y |
| RT92 | 1/2"-5/8" | 5' Rope Gasket | 12 | 4 lbs. | 16.13 | Y |
| RT92W | 3/4" | 7' Rope Gasket | 12 | 7 lbs. | 21.97 | Y |
| RT94 | 1" | 6' Rope Gasket | 6 | 7 lbs. | 43.97 | Y |
| RT96W-6 | 5/8" | 7' Rope Gasket | 6 | 6 lbs. | 28.93 | N |
| RT90 | 5/8" | 7' Tape Gasket | 12 | 3 lbs. | 12.19 | Y |
| RT95-6 | 5/8" | 7' Tape Gasket | 6 | 4 lbs. | 22.62 | N |
| RT93 | 11/16" | 4-1/2' Self-adhesive Window Channel (Black) | 12 | 2 lbs. | 17.35 | Y |
| RT105 | 1-1/2" | 10' Insert Surround Insulation | 6 | 3 lbs. | 29.33 | Y |
| RT720 | 5/8" | 157' Tape Gasket | 1 | 4 lbs. | 157.77 | N |
| RT721 | 5/16" | 200' Rope Gasket | 1 | 4 lbs. | 174.15 | Y |
| RT721N | 1/4" | 200' Rope Gasket | 1 | 4 lbs. | 188.19 | N |
| RT722 | 3/8" | 132' Rope Gasket | 1 | 5 lbs. | 172.43 | Y |
| RT723 | 1/2" | 88' Rope Gasket | 1 | 5 lbs. | 168.07 | N |
| RT726 | 1" | 25' Rope Gasket | 1 | 6 lbs. | 155.36 | Y |
| RT729 | 13/16" | 90' Thin Style Window Tape 1/8" Thick | 1 | 4 lbs. | 239.07 | N |



Gasket Cement

Rutland Gasket Cement

Black silicate-ceramic type stove cement adheres all types of gasket materials to airtight stoves. Bonds metal to metal and fiberglass gaskets to metal. Withstands temperatures to 2000° F.

| | | | | | |
|-------|---|----|---------|--------|---|
| RT77 | Gasket Cement, 3 oz. Tube | 12 | 6 lbs. | \$9.46 | Y |
| RT78 | Gasket Cement, 11 oz. Cartridge | 12 | 18 lbs. | 10.39 | Y |
| RT77E | Gasket Cement, Thin EZ Spread, 3 oz. Tube | 12 | 5 lbs. | 8.94 | Y |
| RT78E | Gasket Cement, Thin-EZ Spread, 11 oz. Cartridge | 12 | 14 lbs. | 10.36 | Y |
| | Comes with handy brush top applicator. | | | | |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Maintenance, Installation & Testing Equipment

Rutland Service Products
Cements & Mortars



2
0
2
5
-
2
0
2
6

Black Furnace Cement

Highly adhesive non-asbestos formula that sticks to metal and withstands over 2000°F.

| Item No. | Description | Pkg. | Wt./Cs. | Retail | Stocked |
|----------|--|------|---------|--------|---------|
| RT64C | Black Furnace Cement, 10 oz. Cartridge | 12 | 18 lbs. | \$9.97 | Y |
| RT64A | Black Furnace Cement, 1/2 Pint | 12 | 14 lbs. | 8.62 | Y |
| RT64 | Black Furnace Cement, 1 Pint | 12 | 26 lbs. | 12.94 | Y |
| RT65 | Black Furnace Cement, 1 Quart | 6 | 26 lbs. | 20.90 | Y |



Black Furnace Cement

Fireplace Mortar

A strong bonding cement that cures rock hard with heat for rejoining and repairing fireplaces.

| | | | | | |
|-------|---|----|---------|--------|---|
| RT63 | Fireplace Mortar, Black, 10 oz. Cartridge | 12 | 16 lbs. | \$8.56 | Y |
| RT63B | Fireplace Mortar, Buff, 10 oz. Cartridge | 12 | 17 lbs. | 8.56 | Y |
| RT63G | Fireplace Mortar, Gray, 10 oz. Cartridge | 12 | 16 lbs. | 8.56 | Y |



Gray Furnace Cement

STOVO Stove Mortar

A premixed general purpose asbestos-free cement for repairing stoves, fireplaces and furnaces. Can also be used for relining firebrick in boilers and incinerators.

| | | | | | |
|-------|-----------------------------------|---|---------|---------|---|
| RT615 | Stovo Stove Mortar, Buff, 1 Quart | 6 | 25 lbs. | \$18.94 | Y |
|-------|-----------------------------------|---|---------|---------|---|

Cements and Adhesives

| | | | | | |
|------|---|----|---------|---------|---|
| RT89 | Chimney Masonry Patch, 10 oz. Cartridge NOT FOR SALE IN CALIFORNIA | 12 | 18 lbs. | \$13.78 | Y |
|------|---|----|---------|---------|---|

The Following Items Do NOT Qualify For Freight Allowance:

| | | | | | |
|-------|--------------------------------------|---|---------|---------|---|
| RT610 | Refractory Cement (Mortar), 1/2 Gal. | 6 | 50 lbs. | \$35.81 | Y |
| RT611 | Refractory Cement (Mortar), 1 Gal. | 2 | 32 lbs. | 66.57 | Y |

A high-temperature silicate cement for setting or resurfacing firebrick. Asbestos-free, pre-mixed formula.

| | | | | | |
|-------|---|---|---------|---------|---|
| RT600 | Castable Refractory Cement, 12-1/2 lb. Pail | 2 | 27 lbs. | \$71.52 | Y |
| RT601 | Castable Refractory Cement, 25 lb. Bag | 1 | 27 lbs. | 114.38 | Y |

A dry mix fire clay that allows the ability to cast firebrick on-site as well as reline wood stove fire beds and repair fireplace floors. Withstands 2000°F.

| | | | | | |
|-------|--|---|---------|---------|---|
| RT211 | Dry Mix 211-Refractory Mortar, 10 lb. Pail | 4 | 45 lbs. | \$55.70 | N |
|-------|--|---|---------|---------|---|

A dry blend which, when mixed as directed with water produces a medium-duty, non-water soluble, calcium aluminate refractory mortar which meets or exceeds all the requirements of the National Fire Protection Association standard NFPA211.

Fire Brick

| | | | | | |
|--------|--|---|---------|---------|---|
| RT6041 | Firebrick Intermediate Duty, 6 bricks per box | 2 | 48 lbs. | \$66.15 | N |
| | Rebuild or repair fireboxes, for temperatures up to 2200° F. 9" x 4.5" x 1.25" | | | | |



Fireplace Mortar



Refractory Cement



RT600



RT211



Stove Mortar

Maintenance, Installation & Testing Equipment

Rutland Service Products
Silicone Sealants & Log Bright



Black Latex 800° Seal It Right Silicone Sealant

Apply for installation and maintenance of direct-vent gas burning systems. Seals gas duct and pipe flanges as well as the firebox of direct-vent fireplaces and sealing pellet stove vent applications. Acid-resistant seal remains flexible in heat environments of up to 800°F and will not shrink or turn brittle.

| Item No. | Description | Pkg. | Wt./Cs. | Retail | Stocked |
|----------|---|------|---------|---------|---------|
| RT641 | 800° Seal It Right Silicone Sealant, 10.3 oz. Cartridge NOT FOR SALE IN CALIFORNIA | 12 | 15 lbs. | \$24.90 | Y |



RTV Silicone Cartridge

Super Red 600° RTV Silicone Sealant

An odorless ultra-performance sealant that prevents corrosion to copper or galvanized chimney flashings. Forms a tough rubbery seal and stays flexible even in heat environments of up to 550°F.

| | | | | | |
|-------|---|----|---------|---------|---|
| RT76R | 600° RTV Silicone Super Red, 10 oz. Cartridge | 12 | 10 lbs. | \$49.85 | Y |
|-------|---|----|---------|---------|---|

500° RTV Silicone Sealant

500°F heat resistant silicone sealant forms a tough rubbery adhesive seal. Used for sealing fireplace inserts, stoves, flashings - anywhere a black or translucent permanent elastic seal is needed.

| | | | | | |
|--------|--|----|---------|---------|---|
| RT76 | 500° RTV Silicone Sealant, Black, 11 oz. Cartridge | 12 | 10 lbs. | \$33.04 | Y |
| RT76A | 500° RTV Silicone Sealant, Black, 2.7 oz. Tube | 12 | 3 lbs. | 18.06 | Y |
| RT76C | 500° RTV Silicone Sealant, Clear, 11 oz. Cartridge | 12 | 10 lbs. | 33.38 | Y |
| RT76CT | 500° RTV Silicone Sealant, Clear, 2.7 oz. Tube | 12 | 3 lbs. | 17.81 | Y |



RTV Silicone

Paint

| | | | | | |
|------|---|----|---------|---------|---|
| RT80 | 1200°F Flat Black Stove Spray Paint, 16 oz. | 12 | 13 lbs. | \$25.91 | Y |
| RT81 | 1200°F Flat Black Stove Paint, 1 Pint | 6 | 7 lbs. | 46.64 | Y |
| | Resists peeling and blistering to 1200°F. Renews finish on steel or iron. | | | | |



RT5CS

Log Bright Gas Log Replacement Accessories

| | | | | | |
|---------|------------------------------------|---|--------|---------|---|
| RT570-6 | Gas Log Soot Remover, 16 oz. Spray | 6 | 8 lbs. | \$19.49 | Y |
|---------|------------------------------------|---|--------|---------|---|



Gas Log Soot Remover

Maintenance, Installation & Testing Equipment

Rutland Service Products

Soot Removers & Cleaners



2
0
2
5
-
2
0
2
6

Soot Sweep Remover

Lower the ignition temperature of carbon to effectively aid soot removal. Unlike competitive products, Soot Sweep doesn't contain sodium chloride which attacks iron or steel stoves. Use in non-airtight stoves or fireplaces.



RT100S

| Item No. | Description | Pkg. | Wt./Cs. | Retail | Stocked |
|----------|---|------|---------|--------|---------|
| RT100 | Soot Sweep Soot Remover, 1 lb. | 12 | 14 lbs. | \$9.36 | Y |
| RT100B | Soot Sweep Soot Remover, 2 lbs. | 6 | 14 lbs. | 18.65 | Y |
| RT100S | Kwik-Shot Soot Stopper, 3 oz. Stick | 36 | 10 lbs. | 5.27 | Y |
| | No mess, toss-in stick for easy chimney soot removal. Removes creosote while producing colorful flames. | | | | |

Creosote Remover

Weekly application helps prevent creosote and soot build-up in chimneys. Catalytic action reduces accumulated deposits and lets fire burn cleaner. Not a substitute for regular thorough cleaning, but it makes that job easier.

| | | | | | |
|-------|--------------------------------------|----|---------|---------|---|
| RT97 | Creosote Remover, 1 lb. Powder | 12 | 14 lbs. | \$12.80 | Y |
| RT98 | Creosote Remover, 2 lb. Powder | 6 | 14 lbs. | 26.69 | Y |
| RT97L | Creosote Remover, 1 Quart Spray | 6 | 15 lbs. | 25.74 | Y |
| RT97S | Toss-In Creosote Remover, 3 oz. Tube | 36 | 10 lbs. | 4.92 | N |

White-Off Glass Cleaner

Formulated to remove the white mineral build-up on glass fireplace doors caused by gas log or coal fires. Guaranteed against harming glass, stainless steel, porcelain, chrome or ceramic tile.

| | | | | | |
|-------|--------------------------------|----|--------|---------|---|
| RT565 | White-off Glass Cleaner, 8 oz. | 12 | 9 lbs. | \$12.02 | Y |
|-------|--------------------------------|----|--------|---------|---|



Soot Sweep

Deodorants, Cleaners and Polish

| | | | | | |
|-------|--|----|---------|---------|---|
| RT836 | Brick & Stone Cleaner, 1 Pint Spray | 6 | 8 lbs. | \$11.75 | Y |
| RT84 | Hearth Conditioning Glass Cleaner, 8 oz. | 12 | 9 lbs. | 10.97 | Y |
| RT82 | Fireplace, Glass & Hearth Cleaner, 1 Qt. Spray | 6 | 15 lbs. | 15.84 | Y |
| RT72 | Liquid Stove Polish, 1/2 Pint NOT FOR SALE IN CALIFORNIA | 12 | 9 lbs. | 13.05 | Y |
| RT70 | Paste Stove Polish, 5-1/2 oz. Tube NOT FOR SALE IN CALIFORNIA | 12 | 7 lbs. | 11.29 | Y |



RT565

Maintenance, Installation & Testing Equipment

Rutland Service Products

Firestarters & Misc.



One Match Gelled Firestarter

The convenient, safe “one match” firestarter in a bottle. Ignites easily and safely without splashing or dangerous flare-ups.



| Item No. | Description | Pkg. | Wt./Cs. | Retail | Stocked |
|----------|--------------------------------------|------|---------|--------|---------|
| RT48 | One Match Gelled Firestarter, 8 oz. | 12 | 7 lbs. | \$10.8 | Y |
| RT49 | One Match Gelled Firestarter, 16 oz. | 12 | 13 lbs. | 16.07 | Y |
| RT49Q | One Match Gelled Firestarter, 1 qt. | 12 | 25 lbs. | 23.75 | Y |

One Match Firestarter

Safe Lite Firelighters

Lights quickly and easily burns 8-12 minutes even when wet! Suitable for charcoal grills, fireplaces, wood and pellet stoves as well as campfires. The solid fuel alternative to liquid charcoal firestarters. A non-explosive, non-toxic product that won't produce dangerous flare-ups and will not flavor food. These compressed woodchip and wax-based squares contain 10% recycled wood and paper fiber. Meets or exceeds California and SCAQMD rules for clean-burning charcoal-lighter.



| | | | | | |
|-------|--|----|---------|---------|---|
| RT50B | Safe Lite Firelighter, Carton, 144 Piece | 8 | 42 lbs. | \$39.50 | Y |
| RT50C | Safe Lite Firelighter, Carton, 24 Piece | 24 | 22 lbs. | 7.78 | Y |

RT50C

Rainbow Flame Crystals

Granular crystals. Relax and enjoy a colorful fiesta of intense blue and green flames in a gas log or natural wood fireplace. Packaged in a convenient counter display box.

| | | | | | |
|--------|---------------------------------------|----|---------|---------|---|
| RT715 | Rainbow Flame Crystals, 16 oz. | 12 | 15 lbs. | \$14.04 | Y |
| RT715S | Rainbow Flame Crystal Stick, 1.45 oz. | 24 | 3 lbs. | 5.33 | Y |



RT715

Hearth Accessories

| | | | | | |
|----------|---|----|---------|---------|------|
| | Almost a foot long for added safety and longer burn time. Strike on box. HAZARDOUS MATERIAL. AUTO FREIGHT ONLY, NO GROUND OR AIR SHIPMENTS VIA UPS. | | | | |
| RT701 | Stove Thermometer | 12 | 3 lbs. | \$34.96 | LTSD |
| | Placed on flue pipe, stovetop or door this magnetic thermometer tells at a glance whether your stove is operating efficiently. | | | | |
| RT620 | Damp Gone, 12 oz. | 12 | 11 lbs. | \$9.93 | N |
| RT30360R | Stack-N-Store Log Rack Bracket, 4 brackets | 6 | 27 lbs. | 37.11 | Y |

RT716



RT701

Rutland Service Products

Chimney Brushes



2
0
2
5
-
2
0
2
6

Fires are great when they're blazing away in stoves and fireplaces. But if there's a fire roaring up your chimney, you have a real problem. Surprisingly, 8% of all home fires start in the chimney. Talk to people who have had chimney fires and they will tell you about the telltale "freight train" inside the wall - the ominous sound of burning creosote.

Creosote is the highly combustible tarry residue that collects on chimney walls. The more softwood you burn or the "cooler" the fire, the more buildup you get. The best way to prevent chimney fires is to reduce creosote buildup. Using a creosote fighter on a regular basis is a good first step and is quick and easy to do. But there is no alternative for a thorough chimney cleaning- and for that you need a good chimney brush.

Rutland has chimney brushes for every shape and size flue. Extensions allow you to reach from rooftop to cellar cleanout where you may be amazed at the pile of creosote that's been scrubbed off by the brush's stiff bristles.

Pellet Stove Brushes

For cleaning pellet stoves, turns sharp radius without getting caught in tight corners. Brush filament is 0.020" poly.

| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|----------|------------------------------|------|---------|---------|---------|
| RT17409 | 3" w/10' Flexible Handle | 4 | 3 lb. | \$33.21 | Y |
| RT17410 | 4" w/10' Flexible Handle | 4 | 3 lb. | 33.92 | Y |
| RT17419 | 3" w/20' Flexible Handle | 4 | 4 lb. | 34.76 | Y |
| RT17420 | 4" w/20' Flexible Handle | 4 | 4 lb. | 35.96 | Y |
| RT10672 | 72" Fiberglass Extension Rod | 24 | 16 lbs. | 26.52 | N |

Pellet Stove Brushes

Made from quality nylon bristles. Exceptional heavy-duty ball tip that guides the bristles through the narrow flue. Slender rods (.240) are manufactured in 5' lengths with 1/4" fittings, made from reinforced poly and designed to easily maneuver through 30° and 40° offsets. Handle length may vary slightly.

| | | | | | |
|--------|---------------|----|-------|---------|---|
| RTPS3 | 3" Round | 4 | 1 lb. | \$19.30 | Y |
| RTPS4 | 4" Round | 4 | 1 lb. | 24.53 | Y |
| RT25P5 | Extension Rod | 10 | 4 lb. | 24.74 | Y |

Maintenance, Installation & Testing Equipment

Rutland Service Products

Chimney Brushes & Accessories



Round, Square & Rectangular Chimney Sweep Wire Chimney Brushes

Pipe thread is 1/4". Individual Package.

| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|----------|----------------------|------|--------|---------|---------|
| RT16406 | 6" Round | 4 | 7 lbs. | \$34.43 | Y |
| RT16408 | 8" Round | 4 | 7 lbs. | 46.18 | N |
| RT16409 | 9" Round | 4 | 7 lbs. | 49.66 | N |
| RT16506 | 6" Square | 1 | 3 lbs. | 48.55 | N |
| RT16510 | 10" Square | 1 | 3 lbs. | 83.61 | N |
| RT16511 | 11" Square | 1 | 3 lbs. | 89.08 | N |
| RT16532 | 11" x 7" Rectangular | 1 | 3 lbs. | 86.54 | N |
| RT16533 | 12" x 8" Rectangular | 1 | 3 lbs. | 91.12 | N |



Polypro
Chimney Brush

Round Poly Chimney Sweep Poly Chimney Brushes

Pipe thread is 1/4". For insulated metal chimneys and oil flues. Helps prevent damage.

| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|----------|-------------|------|--------|---------|---------|
| RT16906 | 6" Round | 4 | 5 lbs. | \$30.88 | Y |
| RT16908 | 8" Round | 4 | 6 lbs. | 35.04 | N |

ProKleen Wizard Rotary Loop Brush

Rotary action removes thin layers of accumulated glazed creosote, roughing up surface glaze for faster penetration of liquid creosote remover treatments.

| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|----------|----------------------|------|--------|---------|---------|
| RTWRL14 | 14" Replacement Loop | 5 | 4 lbs. | \$62.32 | LTSD |
| RTWRL24 | 24" Replacement Loop | 5 | 6 lbs. | 63.04 | LTSD |



Sweeps All Chimney
Brush

Super Duty Fiberglass Extension Rods

Rods snap together, adapter needed to properly secure

| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|----------|--------------------------------|------|---------|---------|---------|
| RT60XT6 | 6' x .480" Diameter x 3/8" NPT | 10 | 13 lbs. | \$30.70 | LTSD |

Pull-through Loops


A loop designed to attach to the line of chimney brushes for two rope or rope and weight method of chimney cleaning. Packaged for display.

| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|----------|-------------|------|-------|--------|---------|
| RTW38PTL | 3/8" Loop | 12 | 1 lb. | \$5.73 | Y |
| RT16202 | 1/4" Loop | 12 | 1 lb. | 5.35 | Y |

Brush and Rod Adapters

Adapts varying sizes of chimney brushes and rods together. Packaged for display.

| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|----------|--------------------------|------|-------|---------|---------|
| RT1438 | 1/4" to 3/8" NPT Adapter | 12 | 2 lb. | \$12.63 | Y |



Wizard Loop Brush

Vacuum Accessories

| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|------------|--|------|--------|---------|---------|
| RTAWS211FK | Sentinel Diffuser Filter for Sootsweeper | 5 | 2 lbs. | \$44.16 | LTSD |
| RTAWS900 | Black PVC/Poly Hose 4" x 10' | | 9 lbs. | 250.49 | LTSD |



Steel Extension Rods

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Maintenance, Installation & Testing Equipment

Rutland Service Products
TLC Chimney Brushes & Accessories



2
0
2
5
-
2
0
2
6

Introducing the new Torque Lock Connector (TLC) from Rutland! This quick disconnect system is easy-to-use and will save you time. The TLC system is being used on all of Rutland's brushes, rods and tools, eliminating the need for adapters! The large button is easy to press with gloves on, also its recessed design helps avoid unexpected disconnects.



Fiberglass Extension Rods - TLC


Rods snap together to extend into chimney.

| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|----------|---------------------------------|------|---------|---------|---------|
| RT59FT4 | 4' x .440" Dia. x TLC Connector | 25 | 20 lbs. | \$20.92 | LTSD |

ProFlex Heavy Duty Polypropylene Rods - TLC

Flexible extension rods that can reach where others can't. Use TLC SweepsAll brushes with these rods.

| | | | | | |
|----------|--------------------|----|---------|---------|------|
| RTPFT785 | 5' x 7/8" Diameter | 10 | 12 lbs. | \$48.94 | LTSD |
|----------|--------------------|----|---------|---------|------|



Extension Rods

ProKleen Steel Extension Rods - TLC

For use with TLC ProKleen brushes, these rods have snap-lock fittings that allow them to rotate in either direction while connected to 1/2" drill without coming apart.

| | | | | | |
|----------|---------------------|----|--------|---------|------|
| RT57ST25 | 30" x 1/4" Diameter | 10 | 8 lbs. | \$37.76 | LTSD |
|----------|---------------------|----|--------|---------|------|

Adapters

Allows you to use older style brushes and rods with the new TLC system.

| | | | | | |
|---------|---------------------------|---|--------|---------|------|
| RT38FTF | 3/8" Female to TLC Female | 6 | 2 lbs. | \$11.32 | LTSD |
|---------|---------------------------|---|--------|---------|------|

Polypro Chimney Brushes - TLC

Use on coal and oil flues where the acids deteriorate steel bristles. 0.075" Poly filaments resist acids.

| | | | | | |
|--------|----------|---|--------|---------|---|
| RTPBT8 | 8" Round | 4 | 7 lbs. | \$40.74 | Y |
|--------|----------|---|--------|---------|---|



Polypro Chimney Brush

Maintenance, Installation & Testing Equipment

Rutland Service Products


TLC Chimney Brushes & Accessories



Professional Choice Wire Brushes - Heavy Duty - TLC

Single spiral 0.177 diameter spindle design with heavy duty plated TLC connector. 22-gauge 0.028" oil tempered wire bristles.

| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|----------|-------------|------|--------|---------|---------|
| RTPCT8 | 8" Round | 4 | 8 lbs. | \$36.80 | LTSD |



Master Sweep Wire Chimney Brush, Round

Master Sweep Wire Brushes - Commercial Duty - TLC

Constructed in a heavy duty double spiral configuration, 0.177 diameter spindle design with a plated TLC connector plus 7" of fill of 2 on 2 high-density, oil-tempered wire bristles in 22-gauge 0.028" for uniform, rugged bristle distribution.

| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|----------|----------------|------|--------|---------|---------|
| RTMST6 | 6" Round | 1 | 2 lbs. | \$45.40 | LTSD |
| RTMST8 | 8" Round | 1 | 2 lbs. | 54.70 | LTSD |
| RTMST66 | 6" x 6" Square | 1 | 2 lbs. | 67.12 | LTSD |

Sooteater Chimney Cleaning Accessories

| Item No. | Description | Wt. | Retail | Stocked |
|-----------|--|-----|---------|---------|
| HCRCH205B | Sooteater Rotary Chimney Cleaning System | | \$98.99 | N |
| HCRPS204B | Sooteater Rotary Pellet Cleaning System | | 54.99 | N |
| HCSLK24 | Sooteater Liner Kit, 8 Flex Rods - 24' Reach | | 146.99 | N |



Saver Systems

ChimneySaver Chimney Maintenance Supplies



2
0
2
5
-
2
0
2
6

ChimneySaver Water Repellent

ChimneySaver prevents costly damage to masonry chimneys by reducing water penetration by 99.9%. It also allows water vapor to pass through the chimney quickly while in use to prevent condensation inside the brick; which can lead to spalling and freeze/thaw damage to the masonry. ChimneySaver comes in a water-based and a solvent-based formula, the solvent-based is recommended for chimneys that have been previously treated.



ChimneySaver

| Item No. | Description | Qty/ Pkg. | Wt./Cs. | Retail | Stocked |
|----------|--------------------------------|--------------|---------|----------|---------|
| SSCS5W | (300035) Water-Based, 5 Gallon | 1 | 46 lbs. | \$300.30 | LTSD |

Brick and Mortar Cleaner

This powerful cleaner removes most stains from masonry, including rust, efflorescence and mortar splatter. It accomplishes this (when used as directed) without releasing toxic fumes, burns or streaking or damaging metals like aluminum. It comes in a 2.5 gallon container that covers 50-150 sq. feet depending on the surface.



Brick and Mortar Cleaner

| | | | | | |
|---------|--|---|---------|-------|------|
| SSSMC25 | (300133) Brick & Mortar Cleaner 2.5 Gallon | 1 | 24 lbs. | 60.20 | LTSD |
|---------|--|---|---------|-------|------|

CrackMagik Crack Sealant

CrackMagik prevents water from entering small holes and cracks (up to 1/8") that can't be treated with water repellents. Use it to treat these small defects and avoid the expense and time of tuckpointing.



CrackMagik

| | | | | | |
|--------|---|---|--------|--------|------|
| SSCRMG | (300018) 1/2 Gallon Pail with 1" and 4" Application Brushes | 1 | 5 lbs. | 158.90 | LTSD |
|--------|---|---|--------|--------|------|

FlashSeal

This easy to use flashing repair system forms a flexible waterproof membrane when dry. It will adhere to asphalt shingles, metal flashing, brick and other chimney and roofing materials. It remains permanently flexible and comes with a 7-year warranty when used with the FlashSeal Reinforcement Fabric. The 1 gallon pail will cover 2-4 average chimneys and the Reinforcement Fabric will last 4-6 pails of FlashSeal.



FlashSeal

| | | | | | |
|-------|--|----|---------|--------|------|
| SSFS1 | (300049) FlashSeal - Black 1 Gallon | 1 | 14 lbs. | 104.10 | LTSD |
| SSFSF | (300052) FlashSeal Reinforcement Fabric 6" X 50' | 12 | 13 lbs. | 36.40 | LTSD |

CrownSeal Flexible Coating

Premixed, trowel grade, elastomeric coating that when cured (24 hours) forms a flexible waterproof membrane to protect chimney crowns and other areas that need protection from water.



CrownSeal

| | | | | | |
|--------|-----------------------------|---|---------|--------|------|
| SSCRS2 | (300023) 2 Gallon Container | 1 | 16 lbs. | 151.50 | LTSD |
| SSCRS5 | (300025) 5 Gallon Container | 1 | 38 lbs. | 397.90 | LTSD |

Maintenance, Installation & Testing Equipment

Saver Systems

ACS Maintenance Supplies



ACS Home & Hearth Cleaner

Safely cleans smoke and creosote stains from fireplace glass, hearths, stoves, brick, stone and most hard surfaces. This powerful, biodegradable cleaner has unlimited uses around the house.

| <i>Item No.</i> | <i>Description</i> | <i>Pkg.</i> | <i>Wt./Cs.</i> | <i>Retail</i> | <i>Stocked</i> |
|-----------------|-------------------------------|-------------|----------------|---------------|----------------|
| SSACSHH | (300204) Spray Bottle, 32 oz. | 12 | 30 lbs. | \$10.50 | LTSD |

Anti-Creo-Soot Liquid

ACS is an easy-to-use liquid manganese catalyst to help improve the safety of your wood or coal burning appliance. Daily use during the heating season will attack creosote and soot, helping prevent chimney fires and making chimney cleaning easier.

| | | | | | |
|-----------|---------------------------|---|---------|-------|------|
| SSACSGLCS | (300001) Refill, 1 Gallon | 4 | 36 lbs. | 47.40 | LTSD |
|-----------|---------------------------|---|---------|-------|------|

Miniature Brick Set

5 Treated, 5 untreated.

| | | | | | |
|--------|---|----|--------|-------|------|
| SSBK10 | (300206) Miniature Brick Set (5 Treated, 5 Untreated) | 10 | 2 lbs. | 19.90 | LTSD |
|--------|---|----|--------|-------|------|

Maintenance, Installation & Testing Equipment

SkyTech
Remote Controls



2
0
2
5
-
2
0
2
6

| Remote Controls | | | | | |
|--|--|-------------------------|-----------------------|-----------|------------|
| Volume Discounts (<i>varies, +5-10%</i>) are available on certain items (<i>required min. qty noted if item qualifies</i>) Contact your AES Sales Representative to take advantage and save on top sellers | | | | | |
| Item Code | Item Name | Volume Discount Min Qty | Retail Price | MAP | Stocked |
| On/Off Remote Controls | | | | | |
| ST7001 | On/Off Remote w/Battery Powered Receiver - Sky Bridge Compatible - WHILE SUPPLIES LAST - SPECIAL NET COST OF \$60! | N/A | 60.00 NET COST | - | WSL |
| (above) Single push button, click for on and double click for off, mounting hardware included, receiver will learn up to two additional Skytech transmitters. | | | | | |
| ST1001A | Battery Operated Remote and Receiver, On/Off, Wall Clip Included | 40 Qty (+5%) | \$ 219.00 | \$ 175.00 | Y |
| ST1001DA | Battery Operated Wireless Wall Switch, w/On/Off Receiver | N/A | \$ 255.00 | \$ 204.00 | Y |
| ST1001TLCDA | Battery Operated On/Off Transmitter w/LCD Temperature Display, 3 Hour Countdown Timer, Child Safety Lock Out | 40 Qty (+5%) | \$ 236.00 | \$ 189.00 | Y |
| ST1420A | Remote Control includes Battery Operated On/Off Transmitter, 110V Receiver | 40 Qty (+5%) | \$ 231.00 | \$ 185.00 | Y |
| ST1420TLCDA | On/Off Remote Control w/110V Receiver, Battery Operated Transmitter, LCD Display | 40 Qty (+5%) | \$ 262.00 | \$ 210.00 | Y |
| Thermal Remote Controls | | | | | |
| ST5301 | Skytouch Touch Screen Thermostat Remote | 40 Qty (+10%) | \$ 382.00 | \$ 306.00 | Y |
| (above) Features full blue backlit LCD touch-screen that lights up and operates at the touch of a finger. All battery operated, LCD displays both room and thermostat set temps, 24-hour clock, 9-hour countdown timer and manual on/off, low battery indicator. | | | | | |
| ST5320 | Skytech Touchscreen Thermostat Remote w/110VAC Plug-In Receiver | 40 Qty (+10%) | \$ 397.00 | \$ 318.00 | Y |
| (above) Battery operated, touchscreen transmitter, backlit LCD screen, thermostatic control, flame indicator, low battery indicator, 9-hour countdown timer, child safety lock out, wall mount docking station. | | | | | |
| ST5301P | Skytouch Touch Screen Programmable Remote | 40 Qty (+10%) | \$ 391.00 | \$ 313.00 | Y |
| (above) Features full blue backlit LCD touch-screen that lights up, 110V receiver and operates at the touch of a finger. | | | | | |
| ST1001THA | Model 1001THA Remote Control, On/Off | 40 Qty (+5%) | \$ 292.00 | \$ 234.00 | Y |
| (above) All battery operated, thermostatically or manually operated On/Off, transmitter features LCD screen that displays room or set temperature in F or C degrees, flame icon to show unit on or off. Transmitter features velvet touch coating. Includes 4 control buttons. | | | | | |
| ST3301 | Model 3301 Remote Control, On/Off | 40 Qty (+5%) | \$ 301.00 | \$ 241.00 | Y |
| (above) All battery operated, LCD displays both room and thermostat set temps, 24-hour clock, 9-hour countdown timer and manual on/off, low battery indicator, wall cover plate/holder and velvet touch coating. Flame icon illuminates when unit is on. | | | | | |
| ST1420THA | On/Off Remote Control w/110V Receiver/Battery Operated Transmitter, LCD Display | 40 Qty (+5%) | \$ 320.00 | \$ 256.00 | Y |
| ST3002 | Skytech 3002 All Battery Operated R.F. LCD Displays Both Room & Set Temp 9-Hour Countdown Timer 24-Hour Clock Flame Icon & Low Battery Indicator | 40 Qty (+5%) | \$ 327.00 | \$ 262.00 | Y |

Maintenance, Installation & Testing Equipment

SkyTech
Remote Controls



| Additional/Other Remote Controls | | | | | |
|---|---|-------------------------|--------------|-----------|---------|
| Item Code | Item Name | Volume Discount Min Qty | Retail Price | MAP | Stocked |
| ST3301P2 | Model 3301P2 Programmable Weekday/Weekend | 40 Qty (+5%) | \$ 342.00 | \$ 274.00 | Y |
| STRCAFLMF | On/Off Remote for STAFLMF Valve Kits | N/A | \$ 323.00 | \$ 258.00 | N |
| STRCAFLMFV | Variable Flame Control Remote for STAFLMF Valve Kits | N/A | \$ 388.00 | \$ 310.00 | N |
| STTSR2A | Model TS/R2A Wireless Thermostat or Manual On/Set/Off Remote | N/A | \$ 292.00 | \$ 234.00 | Y |
| (above) All battery operated wireless manual thermostat. Large LCD screen displays room and set temperature. Simple operation with 3 push buttons: on/off/set. 255 unique security codes. Wall and hearth mount plate, wire kit and batteries included. | | | | | |
| STTS3 | Model TS3 Wired On/Off Thermostat Millivolt or 24V Wired Thermostat | N/A | \$ 124.00 | \$ 99.00 | Y |
| Electric Fireplace Remote Controls | | | | | |
| ST7015 | Button On/Off RF Remote - Replaces ST1315G - Sky Bridge Compatible | 60 Qty (+5%) | \$ 166.00 | \$ 133.00 | Y |
| 110V input receiver/output 1800 watt capacity with ground leg, 255 unique security codes and 12V battery included. | | | | | |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Maintenance, Installation & Testing Equipment

SkyTech
Accessories & Gas Log Valve Kits



2
0
2
5
-
2
0
2
6

Accessories & Gas Log Valve Kits

| Item Code | Item Name | Volume Discount Min Qty | Retail Price | MAP | Stocked |
|---|--|-------------------------|--------------|-----------|---------|
| Accessories | | | | | |
| STRS1A | Remote Receiver Shield | N/A | \$ 25.00 | \$ 20.00 | Y |
| (above) 4-sided, open on bottom. Made of high-quality POM material. Enhanced radio frequency and UL listed with heat distortion rating of 230 degrees F. Provides limited amount of heat protection for Skytech receivers. | | | | | |
| STRS2 | Decorative Log-Style Receiver Shield | N/A | \$ 42.00 | \$ 34.00 | N |
| (above) Simulated decorative log refractory material provides the receiver with a limited amount of protection from the heat. | | | | | |
| STTM3 | Battery Operated Wired Timer | N/A | \$ 140.00 | \$ 112.00 | Y |
| ST1001DAF1TX | Wireless Wall Mount Switch (On/Off) for Use w/STAFVKSP | N/A | \$ 156.00 | \$ 125.00 | Y |
| STTMRAF1TX | Wireless Wall Timer Transmitter 30/60/120 | N/A | \$ 175.00 | \$ 140.00 | Y |
| Valve Kits | | | | | |
| (above) New Valve Kits from Skytech use the American Flame 2000 series valve. This kit operates most any vented gas log set up to 100K BTU. Features great space efficiency so the unit nearly disappears in the firebox, quiet operation and an industry-leading maximum 50% reduction in flame height. Valves are easily convertible in the field and installer friendly. | | | | | |
| STAFLMFR | AF-1000 Natural Gas Valve | N/A | \$ 616.00 | \$ 493.00 | Y |
| (above) Designed for gas logs. Features on/off valve OR it can be upgraded to a remote on/off switch capable valve. Includes 30 millivolt thermocouple pilot assembly, damper clamp and stainless connector for main burner and pilot. RCAF-LMF On/off remote control. | | | | | |
| STAFLMFRVS | Valve Kit with Manual On/Off | N/A | \$ 627.00 | \$ 502.00 | Y |
| (above) Features on/off valve, 30 millivolt thermocouple pilot assembly, damper clamp and stainless connector for main burner and pilot. High/Medium/Low remote control. SPECIAL ORDER. | | | | | |
| STAFVKSP | AF-4000 Spark to Pilot Natural Gas Valve | N/A | \$ 884.00 | \$ 707.00 | Y |
| (above) All battery operated valve kit. System includes battery pack, ignition module, on/off rocker switch, manual high to low flame control, remote control receiver, damper clamp and stainless connector for main burner and pilot. On/off remote standard. | | | | | |
| STAFLMF | Valve Kit with Manual On/Off | N/A | \$ 317.00 | \$ 254.00 | N |
| (above) Features on/off valve, 30 millivolt thermocouple pilot assembly, damper clamp and stainless connector for main burner and pilot. SPECIAL ORDER. | | | | | |
| STAFVKSPHLSPLIT | Solenoid Hi/Low Split Valve Kit w/Manual On/Off Switch | N/A | \$ 1,050.00 | \$ 840.00 | N |
| (above) Includes Spark-to-Pilot Assembly, Ignition Module, Battery Pack, Damper Clamp & Connectors for Main Burner & Pilot. | | | | | |
| STLPK18 | Propane conversion kit for AFLMF/AFVK/AFVKSP Valve Kits - SPECIAL ORDE | N/A | \$ 68.00 | \$ 54.00 | N |
| STAFVKSPMHL | Motorized Hi/Low Spark to Pilot Valve Kit - SPECIAL ORDER | N/A | \$ 943.00 | \$ 754.00 | Y |
| Fan Kits | | | | | |
| STFK180ESC | Fan Kit Complete w/Variable Solid State Speed Control (FKESC), Temperature Sensor & Wiring Accessories. Magnetic Mounting System and Cord Set, | 24 Qty (+5%) | \$ 254.00 | \$ 203.00 | N |
| STFKESC | Universal Solid State Speed Control. Includes Cord Set, Wiring and Fan Control for 4 Levels of Fan Speed Control, | N/A | \$ 150.00 | \$ 120.00 | N |
| Skytech Compact Standing Pilot Valve Kit and Accessories | | | | | |
| STAF1000S | Solenoid for ST1001DAF1 Wall Switch. | N/A | \$ 69.51 | \$ 56.00 | Y |

Maintenance, Installation & Testing Equipment

Flame Tec
Controls and Receivers



Flame-Tec Electronic Controls

| Item Code | Item Name | Ship Weight | Net Price | Retail | Stocked |
|-----------|---|-------------|-----------|-------------|---------|
| FTWBEC51 | Outdoor Ignition and Control 260,000 BTU's | 1 lb. | \$ 820.00 | \$ 1,399.97 | N |
| FTWBEC5HC | Hi-Capacity Electronic Control 500,000 BTU's | 1 lb. | \$ 860.00 | \$ 1,459.97 | N |
| FTWS1 | WeatherSmart Bluetooth/WiFi Controls | 1 lb. | \$ 115.00 | \$ 199.97 | N |
| FTTFYR | TrueFyre Modulating Valve Kit 60,000 BTU's | 1 lb. | \$ 180.00 | \$ 299.97 | N |
| FTTFYRHC | TrueFyre Modulating Valve Kit Hi Capacity 175,000 BTU | 1 lb. | \$ 315.00 | \$ 519.00 | N |

I-Flame Millivolt Remote Controls

| Item Code | Item Name | Ship Weight | Net Price | Retail | Stocked |
|-----------|---|-------------|-----------|-----------|---------|
| FTIF10 | One Button RF Remote Control Kit | 1 lb. | \$ 40.00 | \$ 79.97 | Y |
| FTIF20 | One Button Remote w/Bluetooth WiFi Case | 1 lb. | \$ 115.00 | \$ 199.97 | Y |
| FTIFSSKT | SkySmart Bluetooth Enabled Millivolt Remote Kit | 1 lb. | \$ 115.00 | \$ 199.97 | Y |

I-Flame Smart Receivers (Uses Smart Devices as Transmitter)

| Item Code | Item Name | Ship Weight | Net Price | Retail | Stocked |
|-----------|---|-------------|-----------|-----------|---------|
| FTIFMERSR | Mertik GV60 Smart Receiver | 1 lb. | \$ 115.00 | \$ 199.97 | N |
| FTIFBTSR | Firebug Remote Receiver | 1 lb. | \$ 77.50 | \$ 129.97 | Y |
| FTFEFSR | Echofire On/Off Wall Switch Bluetooth Receiver | 1 lb. | \$ 92.00 | \$ 159.97 | Y |
| FTBTLB | LightBug Bluetooth WiFi Control for Hearth and Lights | 1 lb. | \$ 92.00 | \$ 159.97 | N |

Flame Tec Remote Upgrade (Smart Chip)

Remote sold seperately ~ Customer must supply remotes for chip addition

| Item Code | Item Name | Ship Weight | Net Price | Retail | Stocked |
|-----------|--|-------------|-----------|-----------|---------|
| FTMERUG | Smart Upgrade to Transmitter for Mertik GV60 - Remote Sold Seperately - TEMPORARILY UNAVAILABLE | 1 lb. | \$ 115.00 | \$ 199.97 | TBD |
| FTSITUG | Smart upgrade to transmitter SIT - Remote Sold Seperately - TEMPORARILY UNAVAILABLE | 1 lb. | \$ 115.00 | \$ 199.97 | TBD |

Flame-Tec Smart Transmitter for Compatible Receivers

| Item Code | Item Name | Ship Weight | Net Price | Retail | Stocked |
|-----------|--|-------------|-----------|-----------|---------|
| FTIFBTSS | SkySmart Transmitter 24 - Works with SkyTech and Other Receivers | 1 lb. | \$ 65.00 | \$ 109.97 | N |

I-Flame Smart Enhancements

| Item Code | Item Name | Ship Weight | Net Price | Retail | Stocked |
|-------------|---|-------------|-----------|-----------|---------|
| FTIFWFH3002 | WiFi Hub Connects Smart Devices | 1 lb. | \$ 115.00 | \$ 199.97 | Y |
| FTIFLED60B | 60" LED Light Kit for WeatherSmart Blue | 1 lb. | \$ 40.00 | \$ 79.97 | N |
| FTIFLED60R | 60" LED Light Kit for WeatherSmart Red | 1 lb. | \$ 40.00 | \$ 79.97 | N |
| FTIFLED120B | 120" LED Light Kit for WeatheSmart Blue | 1 lb. | \$ 77.50 | \$ 129.97 | N |
| FTIFLED120R | 120" LED Light Kit for WeatheSmart Red | 1 lb. | \$ 77.50 | \$ 129.97 | N |
| FTIFLEDRGB | 36" Multicolor Light Kit | 1 lb. | \$ 40.00 | \$ 79.97 | N |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Maintenance, Installation & Testing Equipment

Robertshaw

Thermostats & Thermocouples

Robertshaw®

2
0
2
5
-
2
0
2
6

Thermocouples

| Item No. | | Pkg. | Wt. | Retail | Stocked |
|-----------|---|------|-----|----------|---------|
| RS785002 | Automatic Pilot Re-light Kit | 15 | | \$274.00 | Y |
| | Automatically re-lights pilot light. 9V DC. Includes ignitor and reset button assembly. Designed for use on water heaters, boilers, space heaters, gas fireplaces and other appliances where the problem of pilot outage may occur. Battery not included. | | | | |
| RS1970024 | 24" Thermocouple (10 to 24 Millivolt) | 20 | | 21.00 | Y |
| RS1970036 | 36" Thermocouple (10 to 24 Millivolt) | 10 | | 25.00 | Y |
| | Lock washer equipped coaxial connection resists loosening during vibration or change in temperature. Extended cold junction for greater voltage output potential. Allows for installation to most pilot burners. Copper tube for corrosion protection, stainless steel tip for longer life. | | | | |
| RS1960027 | 27" Low Mass Thermocouple | 10 | | 38.00 | Y |
| | Low-mass or quick dropout thermocouple usually found on applications requiring O.D.S. on the thermo safety. Also found on many LP gas applications that require a quick dropout of the thermo safety if there is a loss of pilot flame. Standard thermocouple threads, will not fit metric threads. | | | | |



RS785002
Automatic Pilot
Re-light Kit

Maintenance, Installation & Testing Equipment

Robertshaw

Thermopiles, Regulators & CO Alarm



Thermopiles and Accessories


| Item No. | Description | Pkg. | Wt. | Retail | Stocked |
|-----------|---|------|-----|----------|---------|
| RS1950018 | 18" Thermopile with PG9 Adapter | 10 | | \$117.00 | Y |
| | Designed for use on self-powered gas control systems. Includes PG9 adapter for use on multi-sized pilot adapters. | | | | |
| RS1950518 | 18" Thermopile (250 to 750 Millivolt) | 10 | | 97.00 | Y |
| RS1950532 | 36" Thermopile (250 to 750 Millivolt) | 10 | | 85.00 | Y |
| RS1950548 | 48" Thermopile (500 to 600 Millivolts) | 10 | | 98.00 | Y |
| | Designed for use on self-powered gas control systems. Includes mounting nuts. | | | | |
| RS11293 | Aluminum Tubing O.D. 1/4"x 5' | 1 | | 32.00 | Y |
| | Packaged with compression nut, ball sleeves and break away ferrule. Fits Robertshaw pilot supply line. | | | | |
| RS11610 | Electrical Connectors - Insulated Terminals, .250 Female Tab - Fully Insulated - Wire Size 16-14 | 10 | | 13.00 | Y |



RS11293

Valves and Regulators

| | | | | | |
|-----------|---|----|--|--------|---|
| RS710502 | Millivolt Valve Body, Natural Gas | 12 | | 269.00 | Y |
| | Designed for gas stoves, logs and other applications with limited space. Thermopile only, no hi-low regulator. 3.5" water column natural gas. Three-position outlet with 1/2" plugs for end position left or right gas outlet. 2-1/2" x 3/8" reducer bushings included to reduce inlet or outlet to 3/8". Maximum flow capacity 70,000 BTU. End position 1/2" inlet and outlet. | | | | |
| RS710508 | Millivolt Valve Body, Natural Gas | 12 | | 368.00 | Y |
| | 3.5" water column natural gas. Maximum flow capacity, 70,000 BTU. End position 3/8" inlet and outlet. Thermocouple/thermopile, no hi-low regulator. | | | | |
| RS710503 | Millivolt Valve Body w/Hi-Low Regulator, NG | 12 | | 451.00 | Y |
| | Equipped with hi-low adjustable knob from 1.3" to 3.5" water column natural gas, thermopile only. Three-position 3/8" outlet with 3/8" plug for end position left or right gas outlet. 1-1/2" x 3/8" reducer bushing included to reduce inlet to 3/8". End position 1/2" inlet. Top mounted inlet and manifold pressure taps. Maximum flow capacity 70,000 BTU. | | | | |
| RS1751005 | Hi-Low Adjustable Regulator, Natural Gas | 12 | | 119.00 | Y |
| RS1751021 | Hi-Low Adjustable Regulator, Propane Gas | 12 | | 119.00 | Y |
| | Use on electric or millivolt controls only. Allows adjustment of the BTU output from the controls. Fits Robertshaw 7000 series valve bodies above. | | | | |
| RS900106 | Gas Pressure Test Kit | | | 424.00 | N |
| RS9204V | Mechanical Thermostat | | | 59.00 | Y |
| | 50 to 90 Degrees, Millivolt Compatible, 24V AC/2 Amps, Positive-Off Switch, J-Box Compatible | | | | |



Millivolt Valve Body



Adjustable Regulator

Maintenance, Installation & Testing Equipment



2
0
2
5
-
2
0
2
6

SIT
Gas Regulators & Controls

820 Nova Valve

The 820 Nova Millivolt combination gas control is an On/Off gas valve suitable for use with gas fireplaces, log sets, gas space heaters and other gas heating equipment. Millivolt control permits complete regulation of the appliance, without requiring main supply voltage. The 820 Nova control features: three-position control knob ("Off/Pilot/On"), thermo-electric flame failure device with re-start interlock, servo controlled pressure regulator, manual "Hi/Lo" adjustment, millivolt operator, pilot outlet with flow adjustment screw, inlet and pilot filters and inlet and outlet pressure test ports. Nova Kit replaces 820/634/652/704/635/706/655/644/654. For use with 3/8" inlet, use RO4886 fitting for 1/2" inlet.

| Item No. | Description | Wt. | Retail | Stocked |
|----------|----------------------------------|-------|----------|---------|
| SC820844 | NG/LP Nova Valve 820 w/Regulator | 1 lb. | \$469.00 | Y |

Accessories for 820 Nova Valve

Highly reliable devices suitable for use with all types of gas appliances. Ignition time is less than 6 seconds.

| | | | | |
|-----------|--|---------|--------|---|
| SC916188 | On/Off Pilot Knob Extension 3.0" | 10 lbs. | \$8.00 | Y |
| SC916189 | Hi/Lo Knob Extension 3.0" | 10 lbs. | 8.00 | Y |
| SC073952 | Piezo with Nut | 10 lbs. | TBD | Y |
| SC290216 | Universal SIT Thermocouple (Vented Product Only) | 10 lbs. | 18.00 | Y |
| SC907201 | 33% NG Manual Hi/Lo Regulator Kit, 3.5-1.6 | 10 lbs. | 97.00 | Y |
| SC907207 | 50% NG Manual Hi/Lo Regulator Kit, 3.5-1.3 | 10 lbs. | 97.00 | Y |
| SC907202 | 33% LP Manual Hi/Lo Regulator Kit, 10.0-6.4 | 10 lbs. | 92.00 | Y |
| SC907206 | 50% LP Manual Hi/Lo Regulator Kit, 10.0-3.6 | 10 lbs. | 97.00 | Y |
| SC73801 | Battery Spark Box w/Switch | 10 lbs. | 55.00 | Y |
| SC2182280 | 1/8" Pilot Tube w/ end Ferules | | 28.00 | Y |

Eurosit Valve

Eurosit Kit Replaces 630 (504/510/553/554/555). Combination gas control with a snap-action modulating thermostat, safety interlock and on/off function. No electrical supply needed. Threaded for 3/8" NPT or 9/16" UNEF gas inlet and outlet connections. Suitable for use in gas space heaters, fireplaces, log sets and all appliances that require accurate temperature control.



| | | | | |
|----------|---|-------|----------|---|
| SC630516 | NG Modulating Valve (Vented Appliances) | 1 lb. | \$403.00 | N |
| SC630509 | LP Modulating Valve (Vented Appliances) | 1 lb. | 393.00 | Y |

820 NOVA TECHNICAL DATA

- Gas Connections 3/8" NPT or 1/2" NPT
- Pilot Connections..... 7/16" UNEF
- Installation Position Multi-position, Never upside Down
- Gas Families LP or NG
- Maximum Gas Inlet Pressure..... 1/2 PSI
- Maximum Outlet Pressure Setting Range 3.5" - 6" w.c., NG; 8" - 12" w.c., LP
- Working Temperature Range 32 - 175°F (optional 32 - 225°F)
- Pressure Regulator Servo Regulated

VALVE DESCRIPTION

- ① Gas cock knob
- ② Manual HI-LO adjustment or pressure regulator adjustment
- ③ Pilot adjustment
- ④ Thermocouple connection
- ⑤ Mounting for piezo & bracket
- ⑥ Inlet pressure test point
- ⑦ Outlet pressure test point
- ⑧ Main operator
- ⑨ Pilot outlet
- ⑩ Main gas outlet
- ⑪ Flange securing screw holes
- ⑫ Additional valve mounting hole
- ⑬ Alternative TC connection point
- ⑭ Thermoelectric unit
- ⑮ INLET



820 NOVA

Maintenance, Installation & Testing Equipment



SIT

Gas Regulators & Controls


| 885 Proflame Valve | | | | |
|--|---|-------|----------|---------|
| Item No. | Description | Wt. | Retail | Stocked |
| SC880001 | Proflame Valve - NG | 1 lb. | \$370.00 | N |
| SC880002 | Proflame Valve - LP | 1 lb. | 361.00 | N |
| Remote Transmitters for 885 Proflame Valve | | | | |
| SC584021 | Proflame GT Transmitter | | \$424.00 | N |
| SC584022 | Proflame GTM Transmitter | | 434.00 | N |
| SC584023 | Proflame TRMF Transmitter | | 434.00 | N |
| SC584026 | Proflame GTMFS Transmitter | | 424.00 | N |
| Accessories for 885 Proflame Valve | | | | |
| SC907012 | LP Servo Valve | | \$239.00 | N |
| SC907013 | Stepper Motor Kit NG | | 245.00 | N |
| SC907843 | Millivolt Stepper Motor NG | | 239.00 | N |
| SC907844 | Millivolt Stepper Motor LP | | 239.00 | N |
| SC584121 | Fan Control Module | | 577.00 | N |
| SC584521 | ProFlame Receiver Kit | | 392.00 | N |
| SC584523 | ProFlame S-Receiver Kit | | 392.00 | N |
| SC584803 | ProFlame White Wall Cover for Receiver | | 8.00 | N |
| SC584912 | Proflame Cold Climate Switch | | 85.00 | N |
| SC584806 | *Receiver Battery Door Cover (SC9999905 / 575-5017) | | 22.00 | N |

885 PROFLAME TECHNICAL DATA

| | |
|----------------------------------|--|
| Gas inlet and outlet connections | 3/8" - 18 NPT ANSI B 1.20.1 5/8" - 18 SAE J512 9/16" - 24 UNEF ANSI B 1.1 |
| Pilot outlet | 7/16" - 24 UNS - 2B ANSI |
| Installation position | Upright, LTD horizontal (Never Upside Down) |
| Gas families | Natural Gas LNG, LPG |
| Maximum gas inlet pressure | 1/2 PSI |
| Outlet pressure setting range | LPG: 10" to 6.4" w.c. (SIT code 0.885.001) NG: 3.5" to 1.6" w.c. (SIT Code 0.885.002) |

VALVE DESCRIPTION

- ① On-Off solenoid EV1 terminals
- ② On-Off solenoid EV2 terminals
- ③ Inlet pressure test point
- ④ Outlet pressure test point
- ⑤ Pressure modulator device
- ⑥ Pilot adjusting screw
- ⑦ Pilot outlet
- ⑧ Gas inlet with protective seal
- ⑨ Gas outlet with protective seal
- ⑩ Ground connection
- ⑪ Mounting holes




Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Maintenance, Installation & Testing Equipment

Ritchie
Testing Equipment

| Item No. | Description | Retail | Stocked |
|--|---|----------|---------|
| RE78060 | Ritchie Complete Gas Pressure Test Kit | \$155.00 | Y |
| Accurately sets manifold pressure for Natural or LP gas. Easier to use than a manometer and more compact too! Special sensitive diaphragm gauge is calibrated in inches of water column. A tube nipple allows easy connection to system manifold. Range: 0-35 inches water column. | | | |
| RE78064 | Brass Adapter | 10.00 | Y |
| RE78080 | Ritchie Gas Test Gauge, 0-30 lbs. | 66.00 | Y |
| Easy-to-read pressure test system for leaks in new construction. Leak is indicated by pressure drop on gauge. 0-30 is in 1/4 lb. increments to meet some inspection regulations. 3/4" NPT pipe end. | | | |
| RE60991 | MINI-SPLIT TOOL KIT, Includes: Heat Pump Manifold, 60" PLUS II Hoses (RYB), 1/4" with 1/4" flare fittings, Eccentric Cone Flare Tool, Hex Key Set, Vacuum /Charge Valve with side port 5/16" x 1/4" x 1/4", Adjustable Metric Torque Wrench 16, 17, 21, 22, 24, 26, 27 and 29 mm flare nuts, Tube Cutter and Deburring Tool | 1,159.00 | Y |



TIF
Testing Equipment

| Item No. | Description | Retail | Stocked |
|--|---------------------------------|----------|---------|
| TI8800X | TIF Combination Gas Detector | \$739.00 | Y |
| Portable; battery operated; UL approved; one-year warranty. Rechargeable battery. Long, flexible probe. Geiger counter signal. 50 ppm sensitivity; replaceable tip; comes complete with case and recharge adapter. | | | |
| TIF8801 | Replacement Tip | 72.00 | Y |
| TI8809 | Nickel Battery Pack for TI8800X | 311.00 | Y |



Dwyer
Testing Equipment

| Item No. | Description | Retail | Stocked |
|---|---|----------|---------|
| DIAES2000-0 | Dwyer Pellet Pressure Magnahelic Gauge | \$180.00 | Y |
| 4" dial, easy-to-read gauge, 0-.5" water column. Featuring a precision made helix, red tipped pointer, pointer stops, "wishbone" assembly, jeweled bearings, die cast aluminum case to withstand 168 hour salt spray corrosion test and more. | | | |
| DIA432 | Portable Accessory Kit for Magnahelic Gauge | 154.00 | Y |
| Includes carry case, 9 feet of 3/16" I.D. rubber tubing, stand hang bracket and terminal tube with holder. | | | |



2
0
2
5
-
2
0
2
6

Maintenance, Installation & Testing Equipment

Service Products

Screws

Installation Screws

| Item No | Description | Retail | Stocked |
|------------|---|---------|---------|
| SR20TORX | #20 Torx with Tamper Proof Divet | \$15.00 | Y |
| | High quality, long lasting nut setters with magnetic tip for professional work. | | |
| MPHW7X1/2Z | Malco 1/2" Zip Screw w/1/4" Hex Head, 1,000 Count | 45.00 | Y |
| | Combination lead double thread design, single starting thread machined down to very tip of screw point, instantly penetrates and engages in heavy gauge sheet metal and layered light gauge. A consistent, heat treated, sharp and tapered point that won't mushroom or break. Installers using lower speed, battery power drills will especially save time, effort and battery life by using the Zip-in Screw. | | |
| SR1 | #7 x 1/2" Black Pipe Screws, "Streakers", 200 Count | 22.00 | Y |
| SR2 | #7 x 1/2" Black Pipe Screws, "Streakers", 500 Count | 54.00 | Y |
| | Professional-looking, 1/4" hex head screws with fast drilling "Streakers" point. Permanent, black oxide finish. 1/4" hex head driver required, not slotted. | | |
| SRDURA | #7 x 1/4" Short Screw, 100 Count | 7.00 | Y |
| | For attaching pellet vent or gas vent together. Will not penetrate inner liner and requires 1/4" hex head driver. | | |
| SR3 | #8 x 1/2" Stainless Steel "Tek" Screw, 50 Count | 14.00 | Y |
| SR4 | #8 x 1/2" Stainless Steel "Tek" Screw, 100 Count | 28.00 | Y |
| | A self-drilling stainless screw for relines. Requires a 1/4" hex head driver. | | |
| SR5 | 1/4" x 3/4" Steel "Tek" Screw, 25 Count | 4.00 | Y |
| SR6 | 1/4" x 3/4" Steel "Tek" Screw, 100 Count | 16.00 | Y |
| | Excellent for mounting glass fireplace doors and screens. This self-drilling screw drills up to 1/4" steel. Requires a 3/8" hex head driver. | | |
| SR7 | 1/4" x 1/2", 1/2" Zinc Thread Cutting Screw, 25 Count | 34.00 | Y |
| SR8 | 1/4" x 1/2", 1/2" Zinc Thread Cutting Screw, 100 Count | 136.00 | Y |
| | Excellent for mounting glass fireplace doors and fireplace screens. 7/32" hole and 3/8" hex head driver required. | | |



SR20TORX



Malco 1/2" Zip Screw



Black Pipe Screw



SRDURA



Stainless Steel "Tek" Screw



Steel "Tek" Screw

Stove Pipe Anchor Screws

Keeps stove pipe firmly in place despite constant expansion and contraction from heat. Self-drilling, built-in drill tip makes for easy one-step installation. Black oxide finish for permanent durability.

| | | | |
|------|---|---------|---|
| SR22 | #8 x 1/2" Stove Pipe Anchor Screws, 200 Count | \$28.00 | Y |
| SR23 | #8 x 1/2" Stove Pipe Anchor Screws, 500 Count | 69.00 | Y |



Zinc Thread Cutting Screw

Lag Bolts

For use with lead expansion shield to mount on masonry or directly drives into wood surfaces 3/8" hex head driver required.

| | | | |
|------|-----------------------------------|-------|---|
| SR11 | 1/4" x 1-1/4" Lag Bolt, 25 Count | 8.00 | Y |
| SR12 | 1/4" x 1-1/4" Lag Bolt, 100 Count | 29.00 | N |



Stove Pipe Anchor Screw

Lead Expansion Shield

For use with 1-1/4" lag bolt to mount on masonry. Requires 5/16" hole.

| | | | |
|------|-------------------------------------|---------|---|
| SR13 | 1" Lead Expansion Shield, 25 Count | \$49.00 | N |
| SR14 | 1" Lead Expansion Shield, 100 Count | 194.00 | N |



Lag Bolt

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Maintenance, Installation & Testing Equipment

Service Products

2
0
2
5
-
2
0
2
6

Cobalt Drill Bits

| Item No. | Description | Pkg. | Retail | Stocked |
|----------|---|------|---------|---------|
| SR15 | 1/8" Drill Bit | | \$9.00 | N |
| | For drilling 1/8" rivets or #8 "Tek" screws into single wall stainless steel liner. | | | |
| SR16 | 5/32" Drill Bit | | \$10.00 | Y |
| | For drilling into stove collars, steel and cast iron. | | | |
| SR17 | 1/4" Drill Bit | | \$18.00 | N |
| | For draft meter holes and cast iron key dampers. | | | |



Cobalt Drill Bits

Stainless Rivets

| | | | | |
|------|---|--|---------|---|
| SR18 | 1/8" x 3/16" Grip Range, 50 Count | | \$19.00 | N |
| SR19 | 1/8" x 3/16" Grip Range, 100 Count | | 37.00 | N |
| | For stainless steel liner to liner installations. | | | |
| SR20 | 1/8" x 3/8" Grip Range, 50 Count | | \$20.00 | Y |
| SR21 | 1/8" x 3/8" Grip Range, 100 Count | | 40.00 | Y |
| | For flex pipe to stainless liner installations. | | | |



Stainless Rivets

Robertshaw
Service Products



Electrical Connectors

UR and CSA approved, clamshell packed.

| Item No. | Description | Pkg. | Retail | |
|----------|---------------------------------|------|---------|---|
| RS11606 | Male Tab, 250 | 10 | \$13.00 | Y |
| RS11610 | Fully Insulated Female Tab, 250 | 10 | 13.00 | Y |



RS11606



RS11610

Maintenance, Installation & Testing Equipment

Malco

LIMITED TO STOCK ON HAND

Install Tools

| Item No. | Description | Wt. | Retail | Stocked |
|----------|---|--------|---------|---------|
| MPM2007 | Offset Cutting Zip Snips, Cuts Right Circles | 2 lbs. | \$78.00 | LTSD |
| | For continuous cuts in sheet metal stock, round and square duct, stovepipe, aluminum and steel siding. These highly maneuverable snips are ideal for flush cuts and for cutting any angle, contour hole or pattern configuration. 5" diameter cuts right and left angles and straight lines. Cuts up to 22-gauge stainless steel. 1.25" cut length. | | | |
| MPM2002 | Aviation Snips, Cuts Right | 2 lbs. | 64.00 | LTSD |
| | Dual serrations, adjustable crossover disk, jam proof latch, lifetime spring and ergonomic handles. Cut length 1.375". | | | |
| MPTB1026 | Tube Bender, 3/8" O.D. Spring | 1 lb. | 14.00 | LTSD |
| | This budget priced tool is for bending soft tubing to any shape without collapsing walls. One end is flared for quick tube insertion and removal. Made of special spring steel that is zinc finished. | | | |
| MPMSH14 | 1/4" Magnetic Hex Chuck Driver | 1 lb. | 10.00 | LTSD |
| | 1/4" hex opening, 1/4" shank diameter, 7/16" nose diameter, 1-3/4" overall length. | | | |
| MPMSH516 | 5/16" Magnetic Hex Chuck Driver | 1 lb. | 11.00 | LTSD |
| | 5/16" hex opening, 1/4" shank diameter, 1/2" nose diameter, 1-3/4" overall length. | | | |



Offset Cutting Zip Snips



Aviation Snips



Tube Benders



Magnetic Hex Chuck Drivers

Maintenance, Installation & Testing Equipment



Chimney Fans & Accessories

2
0
2
5
-
2
0
2
6



RS Chimney Fan

Chimney Fans

- Creates proper draft to eliminate fireplace smoking
- Energy efficient and quiet operation
- Easy installation, maintenance-free
- ISO 9001 certified
- RS Fan for non-solid fuel (gas/oil) - up to 482°F
- RSHT Fan for solid fuel (wood/pellet/coal/etc.) - up to 1000°F

Chimney Fans

For the mechanical venting of fireplaces and stoves. Includes RS-fan with horizontal discharge equipped with bird screen, fan speed control and pre-wired junction box. 120V, 1600 RPM, Axial Vane. To select the proper fan model for your application, a combination of the size and design of the fireplace AND the inner dimension of the flue is used. Please call AES Inside Sales for assistance.



RSHT Chimney Fan

| Item No. | Description | Wt. | Retail | Stocked |
|--|-------------------|---------|------------|---------|
| EX101.0299.1200 | Model RS009, 0.4A | 28 lbs. | \$3,466.00 | Y |
| EX101.0499.1200 | Model RS012, 1.2A | 37 lbs. | 4,090.00 | Y |
| EX101.0699.1200 | Model RS014, 1.4A | 47 lbs. | 4,397.00 | Y |
| EX101.0899.1200 | Model RS016, 3.9A | 61 lbs. | 6,386.00 | Y |
| <i>Recommended for solid fuel applications</i> | | | | |
| EX102.0299.1200 | RS009HT, 0.85A | 28 lbs. | 4,062.00 | N |
| EX102.0499.1200 | RS012HT, 1.25A | 37 lbs. | 4,796.00 | Y |
| EX102.0699.1200 | RS014HT, 3.5A | 28 lbs. | 5,157.00 | Y |
| EX102.0899.1200 | RS016HT, 4.5A | 61 lbs. | 7,487.00 | Y |

"Nothing is more important than proper draft for the safe and clean operation of your fireplace."

ENERVEX has manufactured chimney fans for more than 40 years. Only the best materials and components are used. Housing is made of cast aluminum and all other components are made in stainless steel to assure a long product life and reliability. In addition, all product components, including the motor, are produced by ENERVEX according to certified quality assurance which provides the user with products of uniform quality. ISO 9001 certified. 2-year guarantee against mechanical problems. 10-year warranty against corrosion perforation. 6-month unconditional guarantee.

With ENERVEX's extremely quiet and reliable chimney fan system, your draft problems will be cured. It doesn't matter whether you have a wood or gas-burning fireplace, stove, oven or BBQ!

- Easy to Install - The Chimney Fan is easy to install. No mess from tearing down or rebuilding.
- Low Operating Cost - The Chimney Fan is very energy efficient. In most cases, it consumes less energy than a regular light bulb!
- Easy to Operate - Every Chimney Fan is virtually maintenance-free. All that is required is a periodic cleaning - something your chimney sweep will take care of during the annual chimney inspection.

Maintenance, Installation & Testing Equipment



Chimney Fans & Accessories

Chimney Adapters

Use ENERVEX steel chimney adapters when installing the ENERVEX chimney fan on the top of a single, double or triple wall steel chimney. Adapter is designed to slide into the steel chimney for a tight fit. The outer diameter of the collar is 1/8" smaller than the inner diameter of the steel chimney and has a 5" deep collar. Made of 16-gauge, 304 stainless steel. 2-year warranty. Steel chimney adapters for air cooled chimneys are also available. Please call AES Inside Sales for more information.



Steel Chimney Adapter

Model RS009 Steel Chimney Adapters

| Item No. | Chimney Size | Retail | Stocked |
|-----------------|--------------|----------|---------|
| EX221.0300.2005 | 5" | \$528.00 | N |
| EX221.0300.2006 | 6" | 528.00 | N |
| EX221.0300.2008 | 8" | 528.00 | N |
| EX221.0300.2010 | 10" | 502.00 | N |

Model RS012/RS014 Steel Chimney Adapters

| Item No. | Chimney Size | Retail | Stocked |
|-----------------|------------------------------------|----------|---------|
| EX221.0300.3006 | 6" | \$528.00 | N |
| EX221.0300.3008 | 8" | 528.00 | Y |
| EX221.0300.3010 | 10" | 502.00 | Y |
| EX221.0300.3012 | 12" | 639.00 | Y |
| EX221.0300.3014 | 14" | 639.00 | Y |
| EX222.0400.3011 | 11" Adapter for Air Cooled Chimney | 687.00 | N |

Model RS016 Steel Chimney Adapters

| Item No. | Chimney Size | Retail | Stocked |
|-----------------|-------------------------------------|----------|---------|
| EX221.0300.4008 | 8" | \$654.00 | N |
| EX221.0300.4010 | 10" | 639.00 | N |
| EX221.0300.4012 | 12" | 639.00 | N |
| EX221.0300.4014 | 14" | 639.00 | N |
| EX221.0300.4016 | 16" | 639.00 | Y |
| EX221.0300.4018 | 18" | 639.00 | N |
| EX221.0300.4020 | 20" | 1,122.00 | N |
| EX221.0300.4022 | 22" | 1,122.00 | N |
| EX221.0300.4024 | 24" | 1,122.00 | N |
| EX222.0400.4016 | 16" Adapter for Air Cooled Chimneys | 687.00 | Y |

Parts & Accessories

| Item No. | Description | Retail | Stocked |
|-----------------|--|----------|---------|
| EX301.1001.0000 | Proven Draft Switch, 0.08" - 0.60" W.C. | \$342.00 | Y |
| | An adjustable differential pressure switch for proven fan operation, suitable for switching a circuit on, off or over on changes in actual pressure value relative to the set reference value. The reference value (switching point) is adjusted on a setting wheel provided with a scale. Pressure setting range is .08" W.C. to .60" W.C. Suitable for air, flue and exhaust gases. Maximum load 5 amps @ 120-240VAC. 2-year warranty. | | |
| EX301.0105.1200 | Fan Speed Control, 5 Amp | 99.00 | Y |
| EX301.0108.1200 | Fan Speed Control, 8 Amp | 240.00 | Y |
| | Used in conjunction with all single-phased ENERVEX chimney fans to provide variable speed control of split-capacitor motors. Control is accomplished by reducing the line voltage to the motor and using only the necessary energy to maintain the desired volume of air flow (fan speed). | | |
| EX501.0100.0000 | Dilution Bolts, RDS, Set of 4 | 84.00 | N |
| | Used to lift the fan above the chimney or adapter. Designed to obtain a vibration-free operation and allow dilution air to enter the fan to cool off the flue gases. Used for application where the gas temperature or exhaust exceeds 575°F. 2-year warranty. | | |
| EX302.0100.1200 | ADC100 Universal Control w/Variable Speed & PDS-1 | 1,203.00 | Y |
| EX302.0200.1200 | ADC150 Modulating Fan & Damper Control w/ XTP2 | 2,528.00 | Y |



Fan Control



Dilution Bolts

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities



Chimney Fans & Accessories

2
0
2
5
-
2
0
2
6

Fireplace Dampers

- Prevents backdraft/excess heat from escaping fireplace
- Easy installation, maintenance-free



Mechanical Fireplace Damper

Mechanical Fireplace Dampers

These automated fireplace dampers prevent excess heat from escaping when your gas fireplace is not in use. Made from 304 Stainless Steel, **must be installed along with EX30201001200**

| Item No. | Description | Retail | Stocked |
|-----------------|---|------------|---------|
| EX302.0100.1200 | ADC100 - Universal Control w/Variable Speed & PDS-1 | \$1,203.00 | Y |
| EX216.0100.1208 | 8" MFD for RS9 and RS12, S/S, 120V | 2,716.00 | N |
| EX216.0100.1210 | 10" MFD for RS9 and RS12, S/S, 120V | 2,849.00 | Y |
| EX216.0100.0610 | 10" MFD for RS9 and RS12, S/S, 24V | 2,849.00 | N |
| EX216.0100.0612 | 12" Mechanical Fireplace Damper 24V | 3,040.00 | N |
| EX216.0100.1212 | 12" MFD for RS9 and RS12, S/S, 120V | 3,040.00 | N |
| EX216.0200.1208 | 8" MFD for RS14 and RS16, S/S, 120V | 2,825.00 | N |
| EX216.0200.1210 | 10" MFD for RS14 and RS16, S/S, 120V | 3,040.00 | N |
| EX216.0200.0610 | 10" MFD for RS14 and RS16, 304 S/S, 24V | 3,040.00 | N |
| EX216.0200.1212 | 12" MFD for RS14 and RS16, S/S, 120V | 3,250.00 | Y |
| EX216.0200.1214 | 14" MFD for RS14 and RS16, S/S, 120V | 3,358.00 | Y |
| EX216.0200.1216 | 16" Mechanical Fireplace Damper | 3,702.00 | N |

MFD Slip Rings for Air Cooled Chimneys

| Item No. | Description | Retail | Stocked |
|-----------------|--------------------------|----------|---------|
| EX216.0900.0010 | 10" MFD Slip Ring, 304SS | \$357.00 | N |
| EX216.0900.0011 | 11" MFD Slip Ring, 304SS | 357.00 | N |
| EX216.0900.0012 | 12" MFD Slip Ring, 304SS | 357.00 | N |
| EX216.0900.0013 | 13" MFD Slip Ring, 304SS | 357.00 | N |
| EX216.0900.0014 | 14" MFD Slip Ring, 304SS | 357.00 | N |
| EX216.0900.0016 | 16" MFD Slip Ring, 304SS | 357.00 | N |

| Dealer Showroom Display Items | | |
|-------------------------------|---|---------|
| Item No. | Description | Retail |
| | Chimney Fan Display Package - Includes EXEXH0021 chimney fan, model chimney brochure holder and brochures, press release for local media and full color cloth poster. | \$1,868 |

Skamol

SKAMOLEX FIREBOX LINER REPLACEMENT PANELS




Skamolex firebox liner replacement panels allow you to reline fireplaces and stoves with ease. The panels can be easily cut with everyday wood working tools, even a hand saw will do the job. Simply measure the needed dimensions, and remembering to allow for 1% heat expansion, cut and then insert the new panels into the firebox. These panels withstand heat up to 2012° F and have been tested to UL 127 standards. Panels measure 24" H x 39 5/8" W x 1" D.

Skamol - Skamolex Firebox Replacement Panels

| Item Number | Description | Wt. | Retail | Stocked |
|-------------|---|----------|----------|---------|
| LC620100 | Skamolex Replacement Panel - Brick Pattern - 5 Pack | 145 lbs. | \$888.00 | Y |
| LC6201002 | Skamolex Replacement Panel - Brick Pattern - 2 Pack | 58 lbs. | 406.00 | Y |
| LC620101 | Skamolex Replacement Panel - Herringbone Pattern - 5 Pack | 145 lbs. | 888.00 | N |
| LCSAMPLE | Skamolex Sample | | 0.00 | Y |

*Panels only come in sand color.



Measuring Old Panel



Drilling a Hole for the Gas Line



Cutting the Panel to Size



Before Relining



After Relining

Greenfan

REPLACEMENT FIREPLACE BLOWERS



2
0
2
5
-
2
0
2
6

A customer walks into your store and says that the blower in their (insert brand here) gas fireplace just went out. This is no problem if they bought their fireplace from you-just pull a replacement blower off your back shelf. But what do you do if they have a brand you don't carry or their fireplace is more than 10 years old? Greenfan has the answer for you and your customer.

With just 5 Greenfan replacement blowers on the shelf you can replace blowers on all these brands: *Enviro, Heat-n-Glo, Heatilator, Lennox, Regency, Napoleon, QuadraFire, Archgard, Empire and Continental*. They also have blowers available for Majestic and Monessen fireplaces as well! Instead of having to make a weeks worth of calls to find an outdated fan kit to pull a blower from, why not have the Greenfan on the shelf and have your customer on their way in less than 5 minutes?

| Greenfan Replacement Blowers | | | | |
|------------------------------|---|-----|----------|---------|
| Item Number | Description | Wt. | Retail | Stocked |
| GF120.65LT | (43855SGL) Crossflow - 80 CFM | | \$199.00 | Y |
| GF180.65L | (43839SGL) Crossflow - 110 CFM | | 219.00 | Y |
| GF180.65R | (44240SGL) Crossflow - 110 CFM, Right Hand Motor | | 219.00 | Y |
| GF240.65L | (43840SGL) Crossflow - 130 CFM | | 219.00 | Y |
| GF240.65R | (43841SGL) Crossflow - 130 CFM, Right Hand Motor | | 219.00 | Y |
| GFDCHG | (43742SGL) Dual Centrifugal - Heat-n-Glo mount | | 229.00 | Y |
| GFUWH | (30309SGL) COMBINE WITH ANY REPLACEMENT BLOWER TO CREATE A UNIVERSAL FAN KIT. High-Temp Wiring Harness with 63" Plug-In, Rheostat, Velco Attachment and "Fits Anywhere" Magnetic Thermo Sensor with 53" leads. | | 149.00 | Y |



GFDCHG



GF240.65R



GFUWH w/ GF120.65LT



GF180.65L

Maintenance, Installation & Testing Equipment

Greenfan
REPLACEMENT FIREPLACE FAN KITS



Greenfan Replacement Fan Kits

| Item Number | Description | Wt. | Retail | Stocked |
|-------------|--|-----|----------|---------|
| GF160AKIT | (43856SGL) GFDCHG (Dual Centrifugal - Heat-n-Glo mount) w/Thermal Disk, Rheostat & 24" Plug-In | | \$299.00 | Y |
| GFBL0TKIT | (43873SGL) GF240.65 w/Air Deflector, Thermal Disk, Rheostat & 40" Plug-In | | 329.00 | Y |
| GFBL0TSCKIT | (43872SGL) GF240.65 w/Air Deflector & Velcro Attachment | | 269.00 | Y |
| GFFK12KIT | (43877SGL) GF240.65R w/Velcro Attachment & 40" Plug-In | | 189.00 | Y |
| GFFKB200KIT | (43875SGL) GF240.65L w/Mounting Bracket, Wall Rheostat and 68" Plug-In Cord | | 279.00 | Y |
| GFFKB250KIT | (43876SGL) GF240.65L w/Mounting Bracket, Thermal Disk, Rheostat and 68" Plug-In | | 499.00 | Y |
| GFGZ550KIT | (43878SGL) GF180.65L w/Mounting Bracket, Thermal Disk, Rheostat and 27" Plug-In | | 329.00 | Y |
| GFZ36FKKIT | (43874SGL) GF240.65L w/Mounting Bracket, Thermal Disk, Wall Rheostat and 60" Cord | | 449.00 | Y |
| GF30398 | (30398SGL) 120 Degree Fan Temp Sensor w/Magnetic Mounting Plate | | 44.00 | Y |



GFBL0TKIT



GFFKB250KIT



GFFK12KIT



GFGZ550KIT



GFFKB200KIT



GFZ36FKKIT

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Maintenance, Installation & Testing Equipment

Greenfan
REPLACEMENT BLOWER/FAN KIT MATRIX



2
0
2
5
-
2
0
2
6

| Manufacturer | OEM Blower or Fan Kit | Greenfan Replacement | |
|---|--|----------------------|---|
| | | Blower | Fan Kit |
| Archgard | FK36, FK38 (All Models) | GF18065L | – |
| Continental | GZ550 (All Models) | GF18065L | – |
| Empire Comfort | FBB4 (All American Hearth and White Mountain DV Fireplace Models) | GF24065L | – |
| Enviro | ECO6 (All Models) | GF24065R | – |
| Heat-n-Glo | 160A (All Models) | GFDCHG | GF160AKIT |
| Heatilator | GFK21 (Novus 3630 exclusive - All models possible) | GF12065LT | – |
| | GFK4 (Novus 3933/4236, NXT and Caliber series) | GF1865L | – |
| | 160B (Multi-sided series) | GFDCHG | – |
| Kingsman | Z36, Z35 and Z33 (Respective Models) | GF24065L | GFZ36FKKIT |
| Lennox | 250, 200 and 100 (All Models) | GF24065L | GFFKB200KIT (Wall Rheostat) or GFFKB250KIT (Internal Rheostat & Temperature Sensor) |
| Majestic (Pre 2010) InstaFlame/ Northern Flame | FK12¹ (All Models) | GF24065R | GFF12KIT |
| | FK24¹ (All Models) | GF24065R | – |
| Majestic | BLOT² and BLOTSC² (All Models) | GF24065R | GFBL0TKIT |
| Monessen | BLOT² and BLOTSC² (All Models) | or GF24065L | or GFBL0TSCKIT |
| Napoleon | GZ550 (All Models) | GF18065L | GFGZ550KIT |
| Quadra Fire | 160A (All Models) | GFDCHG | GF160AKIT |
| Regency | 910-331P Fan (U20-31, U32 [1999-2000], U33-39, E21-33, P33-39, P90 and P95) | GF24065R | – |
| | 910-215P Fan (U32 [2001-Current], P40, L234, B36 and B41) | GF18065L | – |

¹Majestic FK12 and FK24 blowers require Velco attachment.
²Monessen BLOT and BLOTSC blowers require air deflector and bracing.

Section 900

2
0
2
5
-
2
0
2
6

| Page Number | Vendor | Product | Sold Regionally | Publish Date |
|----------------|---------------|---|-----------------|--------------|
| 901-903 | Modern Flames | Landscape Pro Multi-Sided Fireplace | | 05/25 |
| 904 | Modern Flames | Landscape Pro Slim Fireplace | | 05/25 |
| 905 | Modern Flames | Spectrum Series Fireplace | | 05/25 |
| 906 | Modern Flames | Redstone Fireplace | | 05/25 |
| 907 | Modern Flames | Challenger Series Fireplace | | 05/25 |
| 908 | Modern Flames | Orion Slim Fireplace | | 05/25 |
| 909-910 | Modern Flames | Orion Multi-Sided Fireplace | | 05/25 |
| 911 | Modern Flames | Orion Traditional Fireplace | | 05/25 |
| NEW 913 | Dimplex | Ignite Ultra Linear Fireplace | | 05/25 |
| NEW 914 | Dimplex | Ignite Aspire Portrait Fireplace | | 05/25 |
| 915 | Dimplex | Ignite XL Bold Linear Fireplace | | 05/25 |
| 916-917 | Dimplex | Ignite Evolve Linear Fireplace | | 05/25 |
| 918 | Dimplex | IgniteXL Linear Fireplace | | 05/25 |
| 919-920 | Dimplex | Revillusion Firebox NEW MODELS COMING 2025 EXISTING INVENTORY LIMITED TO STOCK ON HAND | | 05/25 |
| 921 | Dimplex | Revillusion Log Set | | 05/25 |
| 922 | Dimplex | Multi-Fire XHD Firebox | | 05/25 |
| NEW 923 | Dimplex | Opti-Myst Revive Fireplace | | 05/25 |
| NEW 923 | Dimplex | Opti-Myst Aura Fireplace | | 05/25 |
| 924-925 | Dimplex | Opti-Myst Fireboxes and Cassettes (<i>OLF, GBF & CDFI Series</i>) | | 05/25 |
| 926 | Dimplex | Deluxe Firebox | | 05/25 |
| 926 | Dimplex | Standard Firebox | | 05/25 |
| 927 | Dimplex | Standard Insert | | 05/25 |
| 927 | Dimplex | Winslow Wall Mount or Table Top Fireplace | | 05/25 |
| 929 | Empire | Nexfire Electric Fireplaces (<i>Traditional and Linear</i>) | | 10/24 |

PLEASE NOTE: Not all products are sold throughout all AES territories/regions. If "Sold Regionally" please contact AES Inside Sales for availability 800-682-9722



For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Associated Energy Systems - Serving you with distribution centers in: Kent, WA | West Sacramento, CA | Denver, CO | Dallas, TX | Rogers, MN

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Modern Flames Electric Fireplaces

Landscape Pro Multi-Sided



2
0
2
5
-
2
0
2
6

Landscape Pro Multi-Sided Electric Fireplace

Up to 12 installation configurations ~ Clear acrylic stone media ~ Black smoke acrylic crystals ~ Hand painted canyon driftwood logs ~ RGB flame colors ~ RGB ember bed colors ~ RGB downlighting colors ~ Individually controlled lighting or synchronized ~ Full feature remote control with color wheel and brightness slide bar ~ Whisper quiet, high efficiency PTC ceramic heater with up to 10,000 BTU output ~ Compatible with Modern Flames app "V2" ~ **Units Include 1-Piece Magnetic Trim Kit ~ Outdoor Rated**

| Item Code | Item Name | Weight | Retail Price | Stocked |
|--|--|----------|--------------|---------|
| Landscape Pro Multi 44" | | | | |
| MFLPM4416V2 | 44" Landscape Pro Multi-Sided Fireplace - Outdoor Rated | 145 lbs. | \$ 2,779.00 | Y |
| Landscape Pro Multi 44" Options | | | | |
| MF20029101 | 5-Piece Trim Kit for Multi-Side Installs - fits 44" Model <i>(1-piece kit included w/unit)</i> | - | \$ 111.60 | N |
| MFTWL4244SP | TruWood Premium Timber Log Kit for LPM 44" NEW | - | \$ 350.00 | Y |
| MFWMC44LPMRTF | Ready to Finish Wall Mount Cabinet for LPM4416 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components - <i>Ready to Finish "Pro-Tip" Paint Prior to Install</i> | - | \$ 1,250.00 | N |
| MFWMC44LPMCS | Coastal Sand <i>(Light Tan w/Wood Grain)</i> Wall Mount Cabinet for LPM4416 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components | - | \$ 1,250.00 | N |
| MFWMC44LPMDW | Driftwood Gray <i>(Light/Medium Gray w/Wood Grain)</i> Wall Mount Cabinet for LPM4416 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components | - | \$ 1,250.00 | N |
| MFWMC44LPMWW | Weathered Walnut <i>(Medium Brown w/Wood Grain)</i> Wall Mount Cabinet for LPM4416 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components | - | \$ 1,250.00 | N |
| Landscape Pro Multi 56" | | | | |
| MFLPM5616 | 56" Landscape Pro Multi-Sided Fireplace LIMITED TO STOCK ON HAND | 175 lbs. | \$ 3,199.00 | Y |
| MFLPM5616V2 | 56" Landscape Pro Multi-Sided Fireplace - Outdoor Rated WILL NOT SHIP UNTIL MFLPM5616 STOCK DEPLETED | 175 lbs. | \$ 3,199.00 | Y |

Modern Flames Electric Fireplaces
Landscape Pro Multi-Sided



| Landscape Pro Multi-Sided Electric Fireplace | | | | |
|--|--|----------|--------------|---------|
| Item Code | Item Name | Weight | Retail Price | Stocked |
| Landscape Pro Multi 56" Options | | | | |
| MF20029102 | 5-Piece Trim Kit for Multi-Side Installs - fits 56" Model (1-piece kit included w/unit) | - | \$ 130.80 | N |
| MFTWL5260SP | TruWood Premium Timber Log Kit for LPM 56" NEW | - | \$ 400.00 | Y |
| MFWMC56LPMRTF | Ready to Finish Wall Mount Cabinet for LPM5616 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components - <i>Ready to Finish "Pro-Tip" Paint Prior to Install</i> | - | \$ 1,400.00 | N |
| MFWMC56LPMCS | Coastal Sand (Light Tan w/Wood Grain) Wall Mount Cabinet for LPM5616 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components | - | \$ 1,400.00 | N |
| MFWMC56LPMDW | Driftwood Gray (Light/Medium Gray w/Wood Grain) Wall Mount Cabinet for LPM5616 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components | - | \$ 1,400.00 | N |
| MFWMC56LPMWW | Weathered Walnut (Medium Brown w/Wood Grain) Wall Mount Cabinet for LPM5616 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components | - | \$ 1,400.00 | N |
| Landscape Pro Multi 68" | | | | |
| MFLPM6816V2 | 68" Landscape Pro Multi-Sided Fireplace - Outdoor Rated | 235 lbs. | \$ 3,849.00 | Y |
| Landscape Pro Multi 68" Options | | | | |
| MF20029103 | 5-Piece Trim Kit for Multi-Side Installs - fits 68" Model (1-piece kit included w/unit) | - | \$ 145.20 | N |
| MFTWL6880SP | TruWood Premium Timber Log Kit for LPM 68" NEW | - | \$ 450.00 | Y |
| MFWMC68LPMRTF | Ready to Finish Wall Mount Cabinet for LPM6816 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components - <i>Ready to Finish "Pro-Tip" Paint Prior to Install</i> | - | \$ 1,550.00 | N |
| MFWMC68LPMCS | Coastal Sand (Light Tan w/Wood Grain) Wall Mount Cabinet for LPM6816 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components | - | \$ 1,550.00 | N |
| MFWMC68LPMDW | Driftwood Gray (Light/Medium Gray w/Wood Grain) Wall Mount Cabinet for LPM6816 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components | - | \$ 1,550.00 | N |
| MFWMC68LPMWW | Weathered Walnut (Medium Brown w/Wood Grain) Wall Mount Cabinet for LPM6816 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components | - | \$ 1,550.00 | N |
| Landscape Pro Multi 80" | | | | |
| MFLPM8016 | 80" Landscape Pro Multi-Sided Fireplace LIMITED TO STOCK ON HAND | 170 lbs. | \$ 4,549.00 | Y |
| MFLPM8016V2 | 80" Landscape Pro Multi-Sided Fireplace - Outdoor Rated WILL NOT SHIP UNTIL MFLPM8016 STOCK DEPLETED | 170 lbs. | \$ 4,549.00 | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Modern Flames Electric Fireplaces
Landscape Pro Multi-Sided



2
0
2
5
-
2
0
2
6

| Landscape Pro Multi-Sided Electric Fireplace | | | | |
|--|--|--------|--------------|---------|
| Item Code | Item Name | Weight | Retail Price | Stocked |
| Landscape Pro Multi 80" Options | | | | |
| MF20029104 | 5-Piece Trim Kit for Multi-Side Installs - fits 80" Model (1-piece kit included w/unit) | - | \$ 159.60 | Y |
| MFTWL6880SP | TruWood Premium Timber Log Kit for LPM 80" NEW | - | \$ 450.00 | Y |
| MFWMC80LPMRTF | Ready to Finish Wall Mount Cabinet for LPM8016 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components - <i>Ready to Finish "Pro-Tip" Paint Prior to Install</i> | - | \$ 1,700.00 | N |
| MFWMC80LPMCS | Coastal Sand (Light Tan w/Wood Grain) Wall Mount Cabinet for LPM8016 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components | - | \$ 1,700.00 | N |
| MFWMC80LPMDW | Driftwood Gray (Light/Medium Gray w/Wood Grain) Wall Mount Cabinet for LPM8016 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components | - | \$ 1,700.00 | N |
| MFWMC80LPMWW | Weathered Walnut (Medium Brown w/Wood Grain) Wall Mount Cabinet for LPM8016 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components | - | \$ 1,700.00 | N |
| Landscape Pro Multi 96" | | | | |
| MFLPM9616V2 | 96" Landscape Pro Multi-Sided Fireplace - Outdoor Rated | - | \$ 5,549.00 | Y |
| Landscape Pro Multi 96" Options | | | | |
| MF20029105 | 5-Piece Trim Kit for Multi-Side Installs - fits 96" Model (1-piece kit included w/unit) | - | \$ 186.00 | Y |
| MFTWL96120SP | TruWood Premium Timber Log Kit for LPM 96" NEW | - | \$ 500.00 | Y |
| Landscape Pro Multi 120" | | | | |
| MFLPM12016V2 | 120" Landscape Pro Multi-Sided Fireplace - Outdoor Rated | - | \$ 6,399.00 | Y |
| Landscape Pro Multi 120" Options | | | | |
| MF20029106 | 5-Piece Trim Kit for Multi-Side Installs - fits 120" Model (1-piece kit included w/unit) | - | \$ 238.20 | Y |
| MFTWL96120SP | TruWood Premium Timber Log Kit for LPM 120" NEW | - | \$ 500.00 | Y |
| Additional Options (All Landscape Multi Models) | | | | |
| MFTHWTCPLP | Thermostat and Full Wall Control | 3 lbs. | \$ 120.00 | N |

Modern Flames Electric Fireplaces
Landscape Pro Slim



Landscape Pro Slim Electric Fireplace

Independently controlled flame ~ Up and down lighting ~ Hybrid-FX flame technology ~ Active ember bed ~ Driftwood logs
~ Compatible with Modern Flames app ~ 5,000 BTU heater ~ Remote and wireless control ~ 1-Piece Magnetic Trim Kit ~
Outdoor Rated

| Item Code | Item Name | Weight | Retail Price | Stocked |
|-------------------------------|---|----------|--------------|---------|
| Landscape Pro Slim 44" | | | | |
| MFLPS4414V2 | 44" Landscape Pro Slim Fireplace - Outdoor Rated | 95 lbs. | \$ 2,299.00 | Y |
| 44" Options | | | | |
| MFTWS4452SP | TruWood Slim Premium Timber Log Kit for LPS 44 NEW | - | \$ 250.00 | Y |
| MFSCREEN44LPS | Invisible Non-Glare Mesh Screen for 44" Landscape Pro Slim (Inside Fit w/Magnets) | 3 lbs. | \$ 170.00 | N |
| Landscape Pro Slim 56" | | | | |
| MFLPS5614V2 | 56" Landscape Pro Slim Fireplace - Outdoor Rated | 125 lbs. | \$ 2,499.00 | Y |
| 56" Options | | | | |
| MFTWS5660SP | TruWood Slim Premium Timber Log Kit for LPS 56 NEW | - | \$ 300.00 | Y |
| MFSCREEN56LPS | Invisible Non-Glare Mesh Screen for 56" Landscape Pro Slim (Inside Fit w/Magnets) | 5 lbs. | \$ 180.00 | N |
| Landscape Pro Slim 68" | | | | |
| MFLPS6814V2 | 68" Landscape Pro Slim Fireplace - Outdoor Rated | 165 lbs. | \$ 3,099.00 | Y |
| 68" Options | | | | |
| MFTWS6876SP | TruWood Slim Premium Timber Log Kit for LPS 68 NEW | - | \$ 350.00 | Y |
| MFSCREEN68LPS | Invisible Non-Glare Mesh Screen for 68" Landscape Pro Slim (Inside Fit w/Magnets) | 6 lbs. | \$ 210.00 | N |
| Landscape Pro Slim 80" | | | | |
| MFLPS8014V2 | 80" Landscape Pro Slim Fireplace - Outdoor Rated | 190 lbs. | \$ 3,649.00 | Y |
| 80" Options | | | | |
| MFTWS80100SP | TruWood Slim Premium Timber Log Kit for LPS 80 NEW | - | \$ 400.00 | Y |
| MFSCREEN80LPS | Invisible Non-Glare Mesh Screen for 80" Landscape Pro Slim (Inside Fit w/Magnets) | 8 lbs. | \$ 240.00 | N |
| Landscape Pro Slim 96" | | | | |
| MFLPS9614V2 | 96" Landscape Pro Slim Fireplace - Outdoor Rated | - | \$ 4,649.00 | Y |
| 96" Options | | | | |
| MFTWS80100SP | TruWood Slim Premium Timber Log Kit for LPS 96 NEW | - | \$ 400.00 | Y |
| MFSCREEN96LPS | Invisible Non-Glare Mesh Screen for 96" Landscape Pro Slim (Inside Fit w/Magnets) | - | \$ 320.00 | N |
| Options (All) | | | | |
| MFTHWTCLP | Thermostat and Full Wall Control | 3 lbs. | \$ 120.00 | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Modern Flames Electric Fireplaces
Spectrum Slimline



2
0
2
5
-
2
0
2
6

| Spectrum Slimline Electric Fireplace | | | | |
|--|--|----------|--------------|---------|
| Hybrid-FX flame technology ~ 12 Color flame combinations ~ Glacier glass ember bed and driftwood ~ Touch button controls ~ Remote ~ Variable and thermostatic heat ~ Timer | | | | |
| Item Code | Item Name | Weight | Retail Price | Stocked |
| Spectrum 50" Slimline Electric Fireplace | | | | |
| MFSPS50B | 50" Spectrum Slimline | 75 lbs. | \$ 1,599.00 | Y |
| Spectrum 60" Slimline Electric Fireplace | | | | |
| MFSPS60B | 60" Spectrum Slimline | 100 lbs. | \$ 1,799.00 | Y |
| 60" Spectrum Slimline Allwood Media Wall | | | | |
| MFAFWMAINCS | Coastal Sand (<i>Light Tan w/Wood Grain</i>) Allwood Media Wall for SPS-60B - Includes (2) Main Wall Sections (Top/Bottom) and Installation Components (6'W x 12"D x 7'-10"H) | - | \$ 3,000.00 | N |
| MFAFWSSIDECS | Coastal Sand (<i>Light Tan w/Wood Grain</i>) Allwood Media Wall SIDE SHELF for SBS-60B - Includes (1) Side Shelf Section, (4) Shelves and Installation Components (2'W x 7-10"H) | - | \$ 700.00 | N |
| MFAFWMAINDW | Driftwood Gray (<i>Light/Medium Gray w/Wood Grain</i>) Allwood Media Wall for SBS-60B - Includes (2) Main Wall Sections (Top/Bottom) and Installation Components (6'W x 12"D x 7'-10"H) | - | \$ 3,000.00 | N |
| MFAFWSSIDEDW | Driftwood Gray (<i>Light/Medium Gray w/Wood Grain</i>) Allwood Media Wall SIDE SHELF for SBS-60B - Includes (1) Side Shelf Section, (4) Shelves and Installation Components (2'W x 7-10"H) | - | \$ 700.00 | N |
| MFAFWMAINWW | Weathered Walnut (<i>Medium Brown w/Wood Grain</i>) Allwood Media Wall for SBS-60B - Includes (2) Main Wall Sections (Top/Bottom) and Installation Components (6'W x 12"D x 7'-10"H) | - | \$ 3,000.00 | N |
| MFAFWSSIDEWW | Weathered Walnut (<i>Medium Brown w/Wood Grain</i>) Allwood Media Wall SIDE SHELF for SBS-60B - Includes (1) Side Shelf Section, (4) Shelves and Installation Components (2'W x 7-10"H) | - | \$ 700.00 | N |
| Spectrum 74" Slimline Electric Fireplace | | | | |
| MFSPS74B | 74" Spectrum Slimline | 140 lbs. | \$ 2,299.00 | Y |
| Spectrum 100" Slimline Electric Fireplace | | | | |
| MFSPS100B | 100" Spectrum Slimline | 190 lbs. | \$ 2,889.00 | Y |

Modern Flames Electric Fireplaces

Redstone



Redstone Electric Fireplace

Hybrid-FX flame technology ~ 10 Unique flame colors ~ Ember bed and downlighting ~ Acrylic crystal ember bed ~ Low energy LED flame technology ~ Touch button controls ~ Remote control ~ Variable heat with thermostat ~ Variable flame controls ~ 120 Volt plug ~ Finish trim kit included (1) 5/8" and (1) 1.5"

| Item Code | Item Name | Weight | Retail Price | Stocked |
|-----------------------------|---|--------|--------------|---------|
| Redstone 26" | | | | |
| MFRS2621 | 26" Redstone Electric Fireplace - Viewing Area 23"W x 15 1/2"H | - | \$ 999.00 | Y |
| Redstone 26" Options | | | | |
| MFTWL2630SP | TruWood Premium Timber Log Kit for Redstone 26" | - | \$ 250.00 | Y |
| MFTKRS263324 | Small 5" Trim Kit for Redstone 26" - Covers 33"W x 24"H | - | \$ 175.00 | Y |
| MFTKRS263726 | Large 7" Trim Kit for Redstone 26" - Covers 37"W x 26"H | - | \$ 250.00 | Y |
| Redstone 30" | | | | |
| MFRS3021 | 30" Redstone Electric Fireplace - Viewing Area 28"W x 15 1/2"H | - | \$ 1,179.00 | Y |
| Redstone 30" Options | | | | |
| MFTWL2630SP | TruWood Premium Timber Log Kit for Redstone 30" NEW | - | \$ 250.00 | Y |
| MFTKRS303824 | Small 5" Trim Kit for Redstone 30" - Covers 38"W x 24"H | - | \$ 175.00 | Y |
| MFTKRS304427 | Large 8" Trim Kit for Redstone 30" - Covers 44"W x 27"H | - | \$ 250.00 | Y |
| MFPORS30BLK | Hammered Front, Black, Magnet Install, Fits Over All Trim Kits - 30" Redstone Model Only DISCONTINUED | 7 lbs. | DISCO | N |
| MFPORS30BC | Hammered Front, Burnished Bronze, Magnet Install, Fits Over All Trim Kits - 30" Redstone Model Only DISCONTINUED | - | DISCO | N |
| Redstone 36" | | | | |
| MFRS3626 | 36" Redstone Electric Fireplace - Viewing Area 32 1/2"W x 21"H | - | \$ 1,499.00 | Y |
| Redstone 36" Options | | | | |
| MFTWL36SP | TruWood Premium Timber Log Kit for Redstone 36" NEW | - | \$ 300.00 | Y |
| MFTKRS364128 | Small 4" Trim Kit for Redstone 36" - Covers 41"W x 28"H | - | \$ 175.00 | Y |
| MFTKRS364530 | Large 6" Trim Kit for Redstone 36" - Covers 45"W x 30"H | - | \$ 250.00 | Y |
| Redstone 42" | | | | |
| MFRS4229 | 42" Redstone Electric Fireplace - Viewing Area 38 1/2"W x 24"H | - | \$ 1,699.00 | Y |
| Redstone 42" Options | | | | |
| MFTWL4244SP | TruWood Premium Timber Log Kit for Redstone 42" NEW ETA | - | \$ 350.00 | Y |
| Redstone 54" | | | | |
| MFRS5435 | 54" Redstone Electric Fireplace - 50 1/2"W x 30"H | - | \$ 3,149.00 | Y |
| Redstone 54" Options | | | | |
| MFTWL5260SP | TruWood Premium Timber Log Kit for Redstone 54" NEW | - | \$ 400.00 | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Modern Flames Electric Fireplaces
Challenger



2
0
2
5
-
2
0
2
6

Challenger Series Electric Fireplaces

Flush mount ~ Controlled RGB ember flame ~ Standard media includes glacier crystals ~ 10 Vibrant flame and ember bed colors ~ 5 Selective dimmer options for flame ~ 7 ^{1/2} Hour auto/off timer ~ 3 Heat level options ~ 5.75" Deep ~ 45" x 12" Viewing area

| Item Code | Item Name | Weight | Retail Price | Stocked |
|-----------------------|--|--------|--------------|---------|
| 50" Challenger | | | | |
| MFCEF50B | 50" Challenger Recessed Electric Fireplace | - | \$ 949.00 | Y |
| 60" Challenger | | | | |
| MFCEF60B | 60" Challenger Recessed Electric Fireplace | - | \$ 1,079.00 | Y |

Modern Flames Electric Fireplaces

Orion Slim



Orion Slim Electric Fireplaces

Single sided ~ Slide-in installation into 6" wall or wall mount ~ 15" Tall viewing area ~ 3 Flame patters ~ 6 Flame colors ~ Adjustable flame speed ~ Ambient crackling sound ~ Multi-color ember bed ~ Multi-color downlighting ~ Multi-dimensional flame appearance ~ 5,000 BTU heater ~ Heats up to 1,000 square feet ~ Wi-fi controled via Modern Flames app

| Item Code | Item Name | Weight | Retail Price | Stocked |
|--|--|--------|--------------|---------|
| 52" Orion Slim | | | | |
| MFOR52SLIM | 52" Orion Slim Electric Fireplace | - | \$ 4,279.00 | Y |
| 52" Orion Slim Options | | | | |
| MFTWS4452SP | TruWood Slim Premium Timber Log Kit for OR52 Slim NEW | - | \$ 250.00 | Y |
| 60" Orion Slim | | | | |
| MFOR60SLIM | 60" Orion Slim Electric Fireplace | - | \$ 4,799.00 | Y |
| 60" Orion Slim Options | | | | |
| MFTWS5660SP | TruWood Slim Premium Timber Log Kit for OR60 Slim NEW | - | \$ 300.00 | Y |
| 60" Orion Slim Allwood Media Wall | | | | |
| MFOFWSMAINCS | Coastal Sand (Light Tan w/Wood Grain) Allwood Media Wall for OR60 Slim - Includes (2) Main Wall Sections (Top/Bottom) and Installation Components (6'W x 12"D x 7'-10"H) (MFAFWOMAINCS) | - | \$ 3,000.00 | N |
| MFOFWSIDECS | Coastal Sand (Light Tan w/Wood Grain) Allwood Media Wall SIDE SHELF for OR60 Slim - Includes (1) Side Shelf Section, (4) Shelves and Installation Components (2'W x 7-10"H) (MFAFWOSIDECS) | - | \$ 700.00 | N |
| MFOFWSMAINDW | Driftwood Gray (Light/Medium Gray w/Wood Grain) Allwood Media Wall for OR60 Slim - Includes (2) Main Wall Sections (Top/Bottom) and Installation Components (6'W x 12"D x 7'-10"H) (MFAFWOMAINDW) | - | \$ 3,000.00 | N |
| MFOFWSIDEDW | Driftwood Gray (Light/Medium Gray w/Wood Grain) Allwood Media Wall SIDE SHELF for OR60 Slim - Includes (1) Side Shelf Section, (4) Shelves and Installation Components (2'W x 7-10"H) (MFAFWOSIDEDW) | - | \$ 700.00 | N |
| MFOFWSMAINWW | Weathered Walnut (Medium Brown w/Wood Grain) Allwood Media Wall for OR60 Slim - Includes (2) Main Wall Sections (Top/Bottom) and Installation Components (6'W x 12"D x 7'-10"H) (MFAFWOMAINWW) | - | \$ 3,000.00 | N |
| MFOFWSIDEWW | Weathered Walnut (Medium Brown w/Wood Grain) Allwood Media Wall SIDE SHELF for OR60 Slim - Includes (1) Side Shelf Section, (4) Shelves and Installation Components (2'W x 7-10"H) (MFAFWOSIDEWW) | - | \$ 700.00 | N |
| 76" Orion Slim | | | | |
| MFOR76SLIM | 76" Orion Slim Electric Fireplace | - | \$ 5,999.00 | Y |
| 76" Orion Slim Options | | | | |
| MFTWS6876SP | TruWood Slim Premium Timber Log Kit for OR76 Slim NEW | - | \$ 350.00 | Y |
| 100" Orion Slim | | | | |
| MFOR100SLIM | 100" Orion Slim Electric Fireplace | - | \$ 7,499.00 | Y |
| 100" Orion Slim Options | | | | |
| MFTWS80100SP | TruWood Slim Premium Timber Log Kit for OR100 Slim NEW | - | \$ 400.00 | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Modern Flames Electric Fireplaces

Orion Multi



2
0
2
5
-
2
0
2
6

Orion Multi-Sided Electric Fireplaces

Front, left corner, right corner or bay installation options ~ Built-in clean face or wall mount ~ Wall mount installs only 1 1/2" from the wall ~ 18" Tall viewing area ~ 3 Flame patters ~ 6 Flame colors ~ Adjustable flame speed ~ Ambient crackling sound ~ Multi-color ember bed ~ Multi-color downlighting ~ Multi-dimensional flame appearance ~ Heats up to 1,000 square feet ~ 5,000 or 10,000 BTU heater ~ Wi-fi controled via Modern Flames app

| Item Code | Item Name | Weight | Retail Price | Stocked |
|--------------------------------------|---|--------|--------------|---------|
| 52" Orion Multi-Sided | | | | |
| MFOR52MULTI | 52" Orion Multi-Sided Electric Fireplace | - | \$ 4,799.00 | Y |
| 52" Orion Multi-Sided Options | | | | |
| MFTWL5260SP | TruWood Premium Timber Log Kit for OR52 Multi NEW | - | \$ 400.00 | Y |
| MFUSBLINEARFLAME V3 | TruWood USB Upgrade - for use w/TruWood Logs, Displays Taller Flames, Linear Models Only NEW | - | \$ 40.00 | Y |
| MFWSSOR52RTF | Ready to Finish Wall Mount Cabinet for OR52 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components (64 1/2"W x 30 1/2"H) - <i>Ready to Finish "Pro-Tip" Paint Prior to Install</i> | - | \$ 1,250.00 | N |
| MFWSSOR52CS | Coastal Sand (Light Tan w/Wood Grain) Wall Mount Cabinet for OR52 Multi - Includes Top/Bottom Mantel, "Notch" for Ele ctrical and Installation Components (64 1/2"W x 30 1/2"H) | - | \$ 1,250.00 | N |
| MFWSSOR52DW | Driftwood Gray (Light/Medium Gray w/Wood Grain) Wall Mount Cabinet for OR52 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components (64 1/2"W x 30 1/2"H) | - | \$ 1,250.00 | N |
| MFWSSOR52WW | Weathered Walnut (Medium Brown w/Wood Grain) Wall Mount Cabinet for OR52 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components (64 1/2"W x 30 1/2"H) | - | \$ 1,250.00 | N |
| 60" Orion Multi-Sided | | | | |
| MFOR60MULTI | 60" Orion Multi-Sided Electric Fireplace | - | \$ 5,299.00 | Y |
| 60" Orion Multi-Sided Options | | | | |
| MFTWL5260SP | TruWood Premium Timber Log Kit for OR60 Multi NEW | - | \$ 400.00 | Y |
| MFUSBLINEARFLAME V3 | TruWood USB Upgrade - for use w/TruWood Logs, Displays Taller Flames, Linear Models Only NEW | - | \$ 40.00 | Y |
| MFWSSOR60RTF | Ready to Finish Wall Mount Cabinet for OR60 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components (73"W x 30 1/2"H) - <i>Ready to Finish "Pro-Tip" Paint Prior to Install</i> | - | \$ 1,400.00 | N |
| MFWSSOR60CS | Coastal Sand (Light Tan w/Wood Grain) Wall Mount Cabinet for OR60 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components (73"W x 30 1/2"H) | - | \$ 1,400.00 | N |
| MFWSSOR60DW | Driftwood Gray (Light/Medium Gray w/Wood Grain) Wall Mount Cabinet for OR60 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components (73"W x 30 1/2"H) | - | \$ 1,400.00 | N |

Modern Flames Electric Fireplaces

Orion Multi



Orion Multi-Sided Electric Fireplaces

| Item Code | Item Name | Weight | Retail Price | Stocked |
|--|---|--------|--------------|---------|
| 60" Orion Multi-Sided Options (Continued) | | | | |
| MFWSSOR60WW | Weathered Walnut (<i>Medium Brown w/Wood Grain</i>) Wall Mount Cabinet for OR60 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components (73"W x 30 1/2"H) | - | \$ 1,400.00 | N |
| 76" Orion Multi-Sided | | | | |
| MFOR76MULTI | 76" Orion Multi-Sided Electric Fireplace | - | \$ 7,199.00 | Y |
| 76" Orion Multi-Sided Options | | | | |
| MFTWL6880SP | TruWood Premium Timber Log Kit for OR76 Multi NEW | - | \$ 450.00 | Y |
| MFUSBLINEARFLAME V3 | TruWood USB Upgrade - for use w/TruWood Logs, Displays Taller Flames, Linear Models Only NEW | - | \$ 40.00 | Y |
| MFWSSOR76RTF | Ready to Finish Wall Mount Cabinet for OR76 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components (88"W x 30 1/2"H) - <i>Ready to Finish "Pro-Tip" Paint Prior to Install</i> | - | \$ 1,550.00 | N |
| MFWSSOR76CS | Coastal Sand (<i>Light Tan w/Wood Grain</i>) Wall Mount Cabinet for OR76 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components (88"W x 30 1/2"H) | - | \$ 1,550.00 | N |
| MFWSSOR76DW | Driftwood Gray (<i>Light/Medium Gray w/Wood Grain</i>) Wall Mount Cabinet for OR76 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components (88"W x 30 1/2"H) | - | \$ 1,550.00 | N |
| MFWSSOR76WW | Weathered Walnut (<i>Medium Brown w/Wood Grain</i>) Wall Mount Cabinet for OR76 Multi - Includes Top/Bottom Mantel, "Notch" for Electrical and Installation Components (88"W x 30 1/2"H) | - | \$ 1,550.00 | N |
| 100" Orion Multi-Sided | | | | |
| MFOR100MULTI | 100" Orion Multi-Sided Electric Fireplace | - | \$ 9,999.00 | Y |
| 100" Orion Multi-Sided Options | | | | |
| MFTWL96120SP | TruWood Premium Timber Log Kit for OR100 Multi NEW | - | \$ 500.00 | Y |
| MFUSBLINEARFLAME V3 | TruWood USB Upgrade - for use w/TruWood Logs, Displays Taller Flames, Linear Models Only NEW | - | \$ 40.00 | Y |
| 120" Orion Multi-Sided | | | | |
| MFOR120MULTI | 120" Orion Multi-Sided Electric Fireplace | - | \$ 12,999.00 | Y |
| 120" Orion Multi-Sided Options | | | | |
| MFTWL96120SP | TruWood Premium Timber Log Kit for OR120 Multi NEW | - | \$ 500.00 | Y |
| MFUSBLINEARFLAME V3 | TruWood USB Upgrade - for use w/TruWood Logs, Displays Taller Flames, Linear Models Only NEW | - | \$ 40.00 | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Modern Flames Electric Fireplaces

Orion Traditional



2
0
2
5
-
2
0
2
6

Orion Traditional Electric Fireplaces

Three different flames included ~ Six flame colors (yellow, blue, green, orange, purple and white) ~ Ten different ember bed and downlighting colors ~ Adjustable flame speed ~ Ambient crackling sound ~ WiFi app controls ~ 120V & 240V option on 36", 24" and 54" models ~ Lit RGB logs included ~ Up to 9,000 BTU heater ~ **Installs as Built-In or Insert w/Surround**

| Item Code | Item Name | Weight | Retail Price | Stocked |
|--------------------------------------|--|--------|--------------|---------|
| 26" Orion Traditional | | | | |
| MFOR26TRAD | 26" Orion Traditional Built-In Electric Fireplace (10"Deep - 22-7/16"W x 16-1/4"H Viewing) <i>(was \$2,249, save \$250!)</i> | - | \$ 2,149.00 | Y |
| Orion 26" Traditional Options | | | | |
| MFTWL2630SP | TruWood Premium Timber Log Kit for OR26 Trad NEW | - | \$ 250.00 | Y |
| MFOTKOR26SM | Small 5" Surround (Covers 32-3/4"W x 23-1/4"H - 32-3/4"W x 27"H) <i>Pair w/Orion 26" Traditional Unit Body for Insert Installation</i> | - | \$ 175.00 | Y |
| MFOTKOR26LG | Large 7" Surround (Covers 36-3/4"W x 25-1/4"H - 36-3/4"W x 31"H) <i>Pair w/Orion 26" Traditional Unit Body for Insert Installation</i> | - | \$ 250.00 | Y |
| 30" Orion Traditional | | | | |
| MFOR30TRAD | 30" Orion Traditional Built-In Electric Fireplace (10"Deep - 27-5/8"W x 16-1/4"H Viewing) | - | \$ 2,649.00 | Y |
| Orion 30" Traditional Options | | | | |
| MFTWL2630SP | TruWood Premium Timber Log Kit for OR30 Trad NEW | - | \$ 250.00 | Y |
| MFOTKOR30SM | Small 5" Surround (Covers 38"W x 23-1/4"H - 38"W x 27"H) <i>Pair w/Orion 30" Traditional Unit Body for Insert Installation</i> | - | \$ 175.00 | Y |
| MFOTKOR30LG | Large 7" Surround (Covers 44"W x 26-1/4"H - 44"W x 33"H) <i>Pair w/Orion 30" Traditional Unit Body for Insert Installation</i> | - | \$ 250.00 | Y |
| 36" Orion Traditional | | | | |
| MFOR36TRAD | 36" Orion Traditional Built-In Electric Fireplace (10"Deep - 32-1/8"W x 21-3/8"H Viewing) | - | \$ 3,199.00 | Y |
| Orion 36" Traditional Options | | | | |
| MFTWL36SP | TruWood Premium Timber Log Kit for OR36 Trad NEW | - | \$ 300.00 | Y |
| MFOTKOR36SM | Small 4" Surround (Covers 40-1/2"W x 27-3/8"H - 40 1/2"W x 30"H) <i>Pair w/Orion 36" Traditional Unit Body for Insert Installation</i> | - | \$ 175.00 | Y |
| MFOTKOR36LG | Large 6" Surround (Covers 44-1/2"W x 29 -3/8"H - 44-1/2"W x 34"H) <i>Pair w/Orion 36" Traditional Unit Body for Insert Installation</i> | - | \$ 250.00 | Y |
| 42" Orion Traditional | | | | |
| MFOR42TRAD | 42" Orion Traditional Built-In Electric Fireplace (10"Deep - 38-1/8"W x 24-3/8"H Viewing) | - | \$ 3,799.00 | Y |
| Orion 42" Traditional Options | | | | |
| MFTWL4244SP | TruWood Premium Timber Log Kit for OR42 Trad NEW | - | \$ 350.00 | Y |
| 54" Orion Traditional | | | | |
| MFOR54TRAD | 54" Orion Traditional Built-In Electric Fireplace (12"Deep - 50-1/2"W x 30-1/2"H Viewing) | - | \$ 6,399.00 | Y |
| Orion 54" Traditional Options | | | | |
| MFTWL5260SP | TruWood Premium Timber Log Kit for OR54 Trad NEW | - | \$ 400.00 | Y |

Dimplex Electric Fireplaces
Ignite Ultra Linear



2
0
2
5
-
2
0
2
6

Ignite Ultra Linear Electric Fireplaces

Dynamic-Fire flame effect ~ Includes rhythmic inner-glow logs, pulsating ember bed and crackling sound effect ~ Edge-to-edge viewing area ~ Installs as front, left, right or bay ~ ComfortSaver heater ~ Heats up to 2,000 sq. ft ~ Control via remote or Flame Connect app

| Item Code | Item Name | Ship Weight | Retail Price | MAP | Stock |
|-----------------------------|--|-------------|--------------|-------------|-------|
| 50" Ignite Ultra | | | | | |
| DX500003149 | 50" Ignite Ultra Linear Electric Fireplace NEW AVAILABLE NOW! | 92 lbs. | \$ 4,304.99 | \$ 4,304.99 | Y |
| 60" Ignite Ultra | | | | | |
| DX500003151 | 60" Ignite Ultra Linear Electric Fireplace NEW AVAILABLE NOW! | 97 lbs. | \$ 5,039.99 | \$ 5,039.99 | Y |
| 74" Ignite Ultra | | | | | |
| DX500003152 | 74" Ignite Ultra Linear Electric Fireplace NEW AVAILABLE NOW! | 104 lbs. | \$ 5,774.99 | \$ 5,774.99 | Y |
| 88" Ignite Ultra | | | | | |
| DX500003154 | 88" Ignite Ultra Linear Electric Fireplace NEW AVAILABLE NOW! | 111 lbs. | \$ 5,984.99 | \$ 5,984.99 | Y |
| 100" Ignite Ultra | | | | | |
| DX500003155 | 100" Ignite Ultra Linear Electric Fireplace - NEW AVAILABLE NOW! | 118 lbs. | \$ 6,299.99 | \$ 6,299.99 | Y |
| Accessories | | | | | |
| DX500003421 | Tumbled Glass Ember Bed - Order (x1) for 40-60" Fireplaces, and Order (x2) for 70-100" Fireplaces NEW | 1 lbs. | \$ 104.99 | - | Y |

Dimplex Electric Fireplaces

Ignite Aspire Portrait Fireplace



Ignite Aspire Built-In Portrait Electric Firebox

Dynamic-Fire flame effect ~ Includes rythmic inner-glow logs, pulsating ember bed and crackling sound effect ~ Unique, "portrait" viewing area ~ Installs as front, left, right or bay ~ ComfortSaver heater ~ Heats up to 2,000 sq. ft ~ Control via remote or Flame Connect app

| Item Code | Item Name | Ship Weight | Retail Price | MAP | Stocked |
|--|--|-------------|--------------|-------------|---------|
| 30" Ignite Aspire | | | | | |
| DX500003050 | 30" Ignite Aspire Built-In Portrait Electric Firebox NEW AVAILABLE NOW! | 92 lbs. | \$ 4,514.99 | \$ 4,514.99 | Y |
| 36" Ignite Aspire | | | | | |
| DX500003051 | 36" Ignite Aspire Built-In Portrait Electric Firebox NEW AVAILABLE NOW! | 98 lbs. | \$ 5,459.99 | \$ 5,459.99 | Y |
| 42" Ignite Aspire | | | | | |
| DX500003049 | 42" Ignite Aspire Built-In Portrait Electric Firebox NEW AVAILABLE NOW! | 104 lbs. | \$ 6,299.99 | \$ 6,299.99 | Y |
| 48" Ignite Aspire | | | | | |
| DX500003060 | 48" Ignite Aspire Built-In Portrait Electric Firebox NEW AVAILABLE NOW! | 110 lbs. | \$ 7,769.99 | \$ 7,769.99 | Y |
| Trim Kits - Required for Left, Right or Bay Install | | | | | |
| DX500003783 | Trim Accessory Kit for 30" Ignite Aspire - Required for Left, Right or Bay Install | 12 lbs. | \$ 115.99 | - | Y |
| DX500003784 | Trim Accessory Kit for 36" Ignite Aspire - Required for Left, Right or Bay Install | 13 lbs. | \$ 125.99 | - | Y |
| DX500003785 | Trim Accessory Kit for 42" Ignite Aspire - Required for Left, Right or Bay Install | 14 lbs. | \$ 136.99 | - | Y |
| DX500003786 | Trim Accessory Kit for 48" Ignite Aspire - Required for Left, Right or Bay Install | 15 lbs. | \$ 146.99 | - | Y |
| Accessories | | | | | |
| DX500003421 | Tumbled Glass Ember Bed - Order (x1) for 40-60" Fireplaces, and Order (x2) for 70-100" Fireplaces NEW | 1 lbs. | \$ 104.99 | - | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Dimplex Electric Fireplaces
IgniteXL Bold Linear



2
0
2
5
-
2
0
2
6

IgniteXL Bold Linear Electric Fireplaces

Multi-Fire XD flame effect ~ Media accent and top lighting ~ Modern media bed (acrylic glass and driftwood logs) ~ Large viewing height (16") ~ Heats up to 2,000 sq. ft. ~ Up to 8,530 BTU's ~ Eco/heat boost/air circulation modes ~ Ambient light sensor adjusts firebox lighting ~ Timer ~ Self-diagnostics ~ Hardwire or plug-in (not included) ~ Left, right or front installation configurations ~ Control via remote or Flame Connect app

| Item Code | Item Name | Ship Weight | Retail Price | MAP | Stocked |
|------------------------------|--|-------------|--------------|-------------|---------|
| 50" IgniteXL Bold | | | | | |
| DXXLF5017XD | 50" IgniteXL Bold Linear Electric Fireplace - 50 1/2"W x 12 1/14"D x 23 7/8"H | 121 lbs. | \$ 3,884.99 | \$ 3,884.99 | Y |
| 60" IgniteXL Bold | | | | | |
| DXXLF6017XD | 60" IgniteXL Bold Linear Electric Fireplace - 63 1/8"W x 12 1/14"D x 23 7/8"H | 147 lbs. | \$ 4,535.99 | \$ 4,535.99 | Y |
| 74" IgniteXL Bold | | | | | |
| DXXLF7417XD | 74" IgniteXL Bold Linear Electric Fireplace - 75 5/8"W x 12 1/14"D x 23 7/8"H | 171 lbs. | \$ 5,197.99 | \$ 5,197.99 | Y |
| 88" IgniteXL Bold | | | | | |
| DXXLF8817XD | 88" IgniteXL Bold Linear Electric Fireplace - 88 1/4"W x 12 1/14"D x 23 7/8"H | 179 lbs. | \$ 5,407.99 | \$ 5,407.99 | Y |
| 100" IgniteXL Bold | | | | | |
| DXXLF10017XD | 100" IgniteXL Bold Linear Electric Fireplace - 100 3/4"W x 12 1/14"D x 23 7/8"H | 223 lbs. | \$ 5,774.99 | \$ 5,774.99 | Y |
| Accessories | | | | | |
| DX500003421 | Tumbled Glass Ember Bed - Order (x1) for 40-60" Fireplaces, and Order (x2) for 70-100" Fireplaces NEW | 1 lbs. | \$ 104.99 | - | Y |
| DXXLFXDLINK | Linking Kit Bracket | 1 lbs. | \$ 31.49 | - | Y |
| DXXLFXDPLUG | Plug Kit | 1 lbs. | \$ 83.99 | - | Y |

Dimplex Electric Fireplaces
Ignite Evolve Linear



Ignite Evolve Linear Electric Fireplaces

Multi-Fire XD flame effect ~ Clean face front, edgeless design ~ Includes frosted, tumbled glass and driftwood media ~ Media accent colors (7 "flame themes" and 5 "media bed themes") ~ 5 Flame speed settings ~ 3 Pre-set media modes (prism, kaleidoscope and midnight) ~ Ambient light sensor ~ ComfortSaver heat system (heats up to 2,000 sq. ft.) ~ Heat boost mode (quickly heats room) ~ Smart self-diagnostics ~ Hardwire or plug-in ~ Control via smart device (flame connect app), remote or hidden touch controls

| Item Code | Item Name | Ship Weight | Retail Price | MAP | Stocked |
|-------------------------------|---|-------------|--------------|-------------|---------|
| 50" Ignite Evolve | | | | | |
| DX500002573 | 50" Ignite Evolve Linear Electric Fireplace, Includes Frosted Glass and Driftwood - Up to 8,530 BTU's | 73 lbs. | \$ 3,338.99 | \$ 3,338.99 | Y |
| Accessories | | | | | |
| DXLFRTRIM50 | Black Metal Trim - Allows for Installation into 2" x 4" Wall Construction | 5.9 lbs. | \$ 194.99 | \$ 194.99 | Y |
| DXLF50DWSKIT | Driftwood & River Rock Accessory Kit - Includes Loose River Rock, 1 Large and 1 Small Driftwood Pieces | 5 lbs. | \$ 141.99 | \$ 141.99 | Y |
| DX500003421 | Tumbled Glass Ember Bed - Order (x1) for 40-60" Fireplaces NEW | 1 lbs. | \$ 104.99 | - | Y |
| 60" Ignite Evolve | | | | | |
| DX500002574 | 60" Ignite Evolve Linear Electric Fireplace, Includes Frosted Glass and Driftwood - Up to 8,530 BTU's | 86 lbs. | \$ 3,727.99 | \$ 3,727.99 | Y |
| Accessories | | | | | |
| DXLFRTRIM60 | Black Metal Trim - Allows for Installation into 2" x 4" Wall Construction | 5.8 lbs. | \$ 215.99 | \$ 215.99 | Y |
| DXLF74DWSKIT | Driftwood & River Rock Accessory Kit - Includes Loose River Rock, 2 Large and 1 Small Driftwood Pieces | 8 lbs. | \$ 183.99 | \$ 183.99 | Y |
| DX500003421 | Tumbled Glass Ember Bed - Order (x1) for 40-60" Fireplaces NEW | 1 lbs. | \$ 104.99 | - | Y |
| 74" Ignite Evolve | | | | | |
| DX500002608 | 74" Ignite Evolve Linear Electric Fireplace, Includes Frosted Glass and Driftwood - Up to 8,530 BTU's | 104 lbs. | \$ 4,199.99 | \$ 4,199.99 | Y |
| Accessories | | | | | |
| DXLFRTRIM74 | Black Metal Trim - Allows for Installation into 2" x 4" Wall Construction | 8.5 lbs. | \$ 270.99 | \$ 270.99 | Y |
| DXLF74DWSKIT | Driftwood & River Rock Accessory Kit - Includes Loose River Rock, 2 Large and 1 Small Driftwood Pieces | 8 lbs. | \$ 183.99 | \$ 183.99 | Y |
| DX500003421 | Tumbled Glass Ember Bed - Order (x2) for 70-100" Fireplaces NEW | 1 lbs. | \$ 104.99 | - | Y |
| 100" Ignite Evolve | | | | | |
| DX500002563 | 100" Ignite Evolve Linear Electric Fireplace, Includes Frosted Glass and Driftwood - Up to 8,530 BTU's | 137 lbs. | \$ 4,934.99 | \$ 4,934.99 | Y |
| Accessories | | | | | |
| DXLFRTRIM100 | Black Metal Trim - Allows for Installation into 2" x 4" Wall Construction | 11 lbs. | \$ 325.99 | \$ 325.99 | Y |
| DXLF100DWSKIT | Driftwood & River Rock Accessory Kit - Includes Loose River Rock and 2 Large Driftwood Pieces | 10 lbs. | \$ 283.99 | \$ 283.99 | Y |
| DX500003421 | Tumbled Glass Ember Bed - Order (x2) for 70-100" Fireplaces NEW | 1 lbs. | \$ 104.99 | - | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Dimplex Electric Fireplaces
Ignite Evolve Linear



2
0
2
5
-
2
0
2
6

| Ignite Evolve Linear Electric Fireplaces | | | | | |
|--|---|-------------|--------------|-------------|---------|
| Item Code | Item Name | Ship Weight | Retail Price | MAP | Stocked |
| 100" Ignite Evolve | | | | | |
| DX500002563 | 100" Ignite Evolve Linear Electric Fireplace, Includes Frosted Glass and Driftwood - Up to 8,530 BTU's | 137 lbs. | \$ 4,934.99 | \$ 4,934.99 | Y |
| Accessories | | | | | |
| DXXLFTRIM100 | Black Metal Trim - Allows for Installation into 2" x 4" Wall Construction | 11 lbs. | \$ 325.99 | \$ 325.99 | Y |
| DXLF100DWSKIT | Driftwood & River Rock Accessory Kit - Includes Loose River Rock and 2 Large Driftwood Pieces | 10 lbs. | \$ 283.99 | \$ 283.99 | Y |
| DX500003421 | Tumbled Glass Ember Bed - Order (x2) for 70-100" Fireplaces NEW | 1 lbs. | \$ 104.99 | - | Y |

Dimplex Electric Fireplaces
IgniteXL Linear



| IgniteXL Linear Electric Fireplaces | | | | | |
|---|--|-------------|--------------|-------------|---------|
| Multi-Fire XD flame effect ~ Clean face design ~ Diamond-like acrylic ember bed chunks ~ Red, blue or clear light options ~ Backlit controls hidden when not in use ~ Heat boost delivers timed maximum heat output Multi-function remote control | | | | | |
| Item Code | Item Name | Ship Weight | Retail Price | MAP | Stocked |
| 50" IgniteXL | | | | | |
| DXXL50 | 50" IgniteXL Linear Electric Fireplace - Up to 8,530 BTU's | 70 lbs. | \$ 2,824.99 | \$ 2,824.99 | Y |
| Accessories | | | | | |
| DXXLTRIM50 | Black Metal Trim - Allows for Installation into 2" x 4" Wall Construction | 5.9 lbs. | \$ 194.99 | \$ 194.99 | Y |
| DXLF50DWSKIT | Driftwood & River Rock Accessory Kit - Includes Loose River Rock, 1 Large and 1 Small Driftwood Pieces | 5 lbs. | \$ 141.99 | \$ 141.99 | Y |
| DX500003421 | Tumbled Glass Ember Bed - Order (x1) for 40-60" Fireplaces NEW | 1 lbs. | \$ 104.99 | - | Y |
| 60" IgniteXL | | | | | |
| DXXL60 | 60" IgniteXL Linear Electric Fireplace - Up to 8,530 BTU's | 82 lbs. | \$ 3,149.99 | \$ 3,149.99 | Y |
| Accessories | | | | | |
| DXXLTRIM60 | Black Metal Trim - Allows for Installation into 2" x 4" Wall Construction | 5.8 lbs. | \$ 215.99 | \$ 215.99 | Y |
| DXLF74DWSKIT | Driftwood & River Rock Accessory Kit - Includes Loose River Rock, 2 Large and 1 Small Driftwood Pieces | 8 lbs. | \$ 183.99 | \$ 183.99 | Y |
| DX500003421 | Tumbled Glass Ember Bed - Order (x1) for 40-60" Fireplaces NEW | 1 lbs. | \$ 104.99 | - | Y |
| 74" IgniteXL | | | | | |
| DXXL74 | 74" IgniteXL Linear Electric Fireplace - Up to 8,530 BTU's | 99 lbs. | \$ 3,412.99 | \$ 3,412.99 | Y |
| Accessories | | | | | |
| DXXLTRIM74 | Black Metal Trim - Allows for Installation into 2" x 4" Wall Construction | 8.5 lbs. | \$ 270.99 | \$ 270.99 | Y |
| DXLF74DWSKIT | Driftwood & River Rock Accessory Kit - Includes Loose River Rock, 2 Large and 1 Small Driftwood Pieces | 8 lbs. | \$ 183.99 | \$ 183.99 | Y |
| DX500003421 | Tumbled Glass Ember Bed - Order (x2) for 70-100" Fireplaces NEW | 1 lbs. | \$ 104.99 | - | Y |
| 100" IgniteXL | | | | | |
| DXXL100 | 100" IgniteXL Linear Electric Fireplace - Up to 8,530 BTU's | 131.5 lbs. | \$ 3,884.99 | \$ 3,884.99 | Y |
| Accessories | | | | | |
| DXXLTRIM100 | Black Metal Trim - Allows for Installation into 2" x 4" Wall Construction | 11 lbs. | \$ 325.99 | \$ 325.99 | Y |
| DXLF100DWSKIT | Driftwood & River Rock Accessory Kit - Includes Loose River Rock and 2 Large Driftwood Pieces | 10 lbs. | \$ 283.99 | \$ 283.99 | Y |
| DX500003421 | Tumbled Glass Ember Bed - Order (x2) for 70-100" Fireplaces NEW | 1 lbs. | \$ 104.99 | - | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Dimplex Electric Fireplaces
Revillusion Firebox



2
0
2
5
-
2
0
2
6

| Revillusion Electric Fireboxes & Firebox Accessories | | | | | |
|--|---|-------------|--------------|-------------|---------|
| NEW MODELS COMING 2025 - ALL INFO TBD | | | | | |
| EXISTING REVILLUSION INVENTORY LIMITED TO STOCK ON HAND | | | | | |
| Revillusion flame technology ~ ThruView design ~ Mirage flame panel ~ Realogs ~ Full brick or concrete firebox Mood lighting ~ Color enhancement (red or blue flame base) ~ Brightness/flicker adjustment ~ Ambient light sensor | | | | | |
| Item Code | Item Name | Ship Weight | Retail Price | MAP | Stocked |
| 24" Revillusion | | | | | |
| DXRBF24DLX | 24" Revillusion Electric Firebox - Herringbone LIMITED TO STOCK ON HAND | 55 lbs. | \$ 1,429.99 | \$ 1,429.99 | LIMITED |
| DXRBF24DLXWC | 24" Revillusion Electric Firebox - Weathered Concrete LIMITED TO STOCK ON HAND | 55 lbs. | \$ 1,429.99 | \$ 1,429.99 | LIMITED |
| Accessories | | | | | |
| DXRBF24FC | Fresh Cut Log Set LIMITED TO STOCK ON HAND | 6 lbs. | \$ 409.99 | - | LIMITED |
| DXRBF24BR | Birch Log Set LIMITED TO STOCK ON HAND | 6 lbs. | \$ 409.99 | - | LIMITED |
| DXRBF24TRIM36 | Trim 36" | 12 lbs. | \$ 188.99 | - | Y |
| DXRBF24TRIM40 | Trim 40" | 14 lbs. | \$ 199.99 | - | Y |
| 30" Revillusion | | | | | |
| DX50002388 | 30" Revillusion Electric Firebox - Herringbone - Up to 8,794 BTU's - Includes Glass Front and Plug Kit LIMITED TO STOCK ON HAND | 94 lbs. | \$ 2,059.99 | \$ 2,059.99 | LIMITED |
| DX50002389 | 30" Revillusion Electric Firebox - Weathered Concrete - Up to 8,794 BTU's - Includes Glass Front and Plug Kit LIMITED TO STOCK ON HAND | 94 lbs. | \$ 2,059.99 | \$ 2,059.99 | LIMITED |
| 30" Revillusion Accessories | | | | | |
| DXRBF30FC | Fresh Cut Log Set LIMITED TO STOCK ON HAND | 6 lbs. | \$ 459.99 | - | LIMITED |
| DXRBF30BR | Birch Log Set LIMITED TO STOCK ON HAND | 6 lbs. | \$ 459.99 | - | LIMITED |
| DXRBF30TRIM38 | Trim 38" | 9 lbs. | \$ 230.99 | - | Y |
| DXRBF30TRIM44 | Trim 44" | 14 lbs. | \$ 241.99 | - | Y |
| 36" Revillusion | | | | | |
| DX50002400 | 36" Revillusion Electric Firebox - Herringbone - Up to 8,794 BTU's - Includes Glass Front and Plug Kit LIMITED TO STOCK ON HAND | 101 lbs. | \$ 2,519.99 | \$ 2,519.99 | LIMITED |
| DX50002401 | 36" Revillusion Electric Firebox - Weathered Concrete - Up to 8,794 BTU's - Includes Glass Front and Plug Kit LIMITED TO STOCK ON HAND | 101 lbs. | \$ 2,519.99 | \$ 2,519.99 | LIMITED |
| Accessories | | | | | |
| DXRBF42BR | Birch Log Set - for Revillusion 36/42 LIMITED TO STOCK ON HAND | 8 lbs. | \$ 524.99 | - | LIMITED |
| 36" Portrait Revillusion | | | | | |
| DX50002398 | 36" Revillusion Portrait Electric Firebox - Herringbone - Up to 8,794 BTU's - Includes Glass Front and Plug Kit LIMITED TO STOCK ON HAND | 109 lbs. | \$ 2,559.99 | \$ 2,559.99 | LIMITED |
| DX50002399 | 36" Revillusion Portrait Electric Firebox - Weathered Concrete - Up to 8,794 BTU's - Includes Glass Front and Plug Kit LIMITED TO STOCK ON HAND | 109 lbs. | \$ 2,559.99 | \$ 2,559.99 | LIMITED |
| Accessories | | | | | |
| DXRBF42BR | Birch Log Set - for Revillusion 36/42 LIMITED TO STOCK ON HAND | 8 lbs. | \$ 524.99 | - | LIMITED |

Dimplex Electric Fireplaces
Revillusion Firebox



| Revillusion Continued | | | | | |
|-----------------------------|---|-------------|--------------|-------------|---------|
| 42" Revillusion | | | | | |
| Item Code | Item Name | Ship Weight | Retail Price | MAP | Stocked |
| DX500002410 | 42" Revillusion Electric Firebox - Herringbone - Up to 8,794 BTU's - Includes Glass Front and Plug Kit LIMITED TO STOCK ON HAND | 116 lbs. | \$ 2,889.99 | \$ 2,889.99 | LIMITED |
| DX500002411 | 42" Revillusion Electric Firebox - Weathered Concrete - Up to 8,794 BTU's - Includes Glass Front and Plug Kit LIMITED TO STOCK ON HAND | 116 lbs. | \$ 2,889.99 | \$ 2,889.99 | LIMITED |
| Accessories | | | | | |
| DXRBFL42BR | Birch Log Set - for Revillusion 36/42 LIMITED TO STOCK ON HAND | 8 lbs. | \$ 524.99 | - | LIMITED |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Dimplex Electric Fireplaces
Revillusion Log Sets



2
0
2
5
-
2
0
2
6

| Revillusion Electric Log Sets | | | | | |
|---|--|-------------|--------------|-----|---------|
| Revillusion flame technology ~ Mirage flame panel ~ ThruView full depth design ~ Mood lighting ~ Logs and ember mat (included with 25" log set) ~ Multi-function remote control | | | | | |
| Item Code | Item Name | Ship Weight | Retail Price | MAP | Stocked |
| 20" Revillusion Log Set | | | | | |
| DXRLG20 | 20" Revillusion Electric Log Set with Logs | 14.5 lbs. | \$ 398.99 | - | Y |
| Accessories | | | | | |
| DXREMKIT | Log Grate Ember Mat for 20" Log Set | 1 lbs. | \$ 111.99 | - | Y |
| 25" Revillusion Log Set | | | | | |
| DXRLG25 | 25" Revillusion Electric Log Set with Logs | 15.5 lbs. | \$ 692.99 | - | Y |

Dimplex Electric Fireplaces
Multi-Fire XHD Fireboxes



Multi-Fire XHD Plug-In Electric Firebox

Multi-Fire **XHD** flame effect ~ Realistic logs ~ Customizable flame speed ~ Blue and red ember accents ~ Hidden controls ~ Remote ~ Timer ~ LED lighting ~ Heats 1,000 square feet ~ 5,118 BTU's

| Item Code | Item Name | Ship Weight | Retail Price | MAP | Stocked |
|-----------------------------------|---|-------------|--------------|-----|---------|
| 23" Multi-Fire XHD Plug-In | | | | | |
| DXXHD23L | 23" Firebox, Landscape, Logs | 30 lbs. | \$ 745.99 | - | Y |
| DXXHD23G | 23" Firebox, Landscape, Acrylic Glass | 30 lbs. | \$ 745.99 | - | Y |
| 26" Multi-Fire XHD Plug-In | | | | | |
| DXXHD26L | 26" Firebox, Landscape, Logs | 30 lbs. | \$ 944.99 | - | Y |
| DXXHD26G | 26" Firebox, Landscape, Acrylic Glass | 30 lbs. | \$ 944.99 | - | Y |
| 28" Multi-Fire XHD Plug-In | | | | | |
| DXXHD28L | 28" Firebox, Landscape, Logs | 37 lbs. | \$ 1,102.99 | - | Y |
| DXXHD28G | 28" Firebox, Landscape, Acrylic Glass | 37 lbs. | \$ 1,102.99 | - | Y |
| 33" Multi-Fire XHD Plug-In | | | | | |
| DXXHD33L | (500001756) 33" Firebox, Landscape, Logs | 46 lbs | \$ 1,364.99 | - | Y |
| DXXHD33G | (500001757) 33" Firebox, Landscape, Acrylic Glass | 46 lbs | \$ 1,364.99 | - | Y |
| Accessories | | | | | |
| DX500001758 | Driftwood and River Rock Ember Bed | - | \$ 393.99 | - | Y |

Dimplex Electric Fireplaces
Opti-Myst Revive and Aura



2
0
2
5
-
2
0
2
6

| Opti-Myst Revive Fireplace | | | | | |
|---|--|-------------|--------------|-------------|---------|
| True 3D flame effect (<i>water vapor and light</i>) ~ Single-sided, traditional fireplace ~ Pull-out drawer for water refills (<i>no plumbing required</i>) ~ Heats 1,000 square feet ~ Glowing logs ~ Remote control (<i>not app compatible</i>) | | | | | |
| Item Code | Item Name | Ship Weight | Retail Price | MAP | Stocked |
| 25" Revive | | | | | |
| DX500003863 | 25" Opti-Myst Revive Fireplace w/Logs, Remote, Heater and Pull-Out Water Reservoir Drawer NEW ETA JULY 2025 | - | \$ 1,994.99 | \$ 1,994.99 | TBD |



| Opti-Myst Aura Fireplace | | | | | |
|---|--|-------------|--------------|-------------|---------|
| True 3D flame effect (<i>water vapor and light</i>) ~ 4 Install configurations (<i>single, left, right or bay</i>) ~ Pull-out drawer for water refills (<i>no plumbing required</i>) ~ Heats 1,000 square feet ~ Standard logs ~ Customizable flame (<i>change color, speed and on/off crackling sound</i>) ~ Control via remote or Dimplex Flame Connect App | | | | | |
| Item Code | Item Name | Ship Weight | Retail Price | MAP | Stocked |
| 28" Aura | | | | | |
| DX500003866 | 28" Opti-Myst Aura Fireplace w/Logs, Remote, Heater and Pull-Out Water Reservoir Drawer NEW ETA JULY 2025 | - | \$ 3,884.99 | \$ 3,884.99 | TBD |

Dimplex Electric Fireplaces

Opti-Myst Fireboxes and Cassettes



Opti-Myst Built-In Electric Fireboxes and Cassettes

Cassette with customizable flame width ~ Single sided or see-through ~ Adjustable flame intensity ~ Supplemental heat ~ Optional plumbed water supply kit ~ Crackling sound effects ~ Remote ~ Front glass pane ~ Media tray

| Item Code | Item Name | Ship Weight | Retail Price | MAP | Stocked |
|---|--|-------------|--------------|-------------|---------|
| OLF Series | | | | | |
| 46" Opti-Myst Pro (Firebox and Cassette) | | | | | |
| DX136786 | (OLF46-AM) 46" Opti-Myst Pro Linear Electric Firebox and Cassette - Includes Adjustable Flame Color, Driftwood Logs, Acrylic "Ice" Media and Flame Connect App Control | 122 lbs | \$ 5,879.99 | \$ 5,879.99 | Y |
| 66" Opti-Myst (Firebox and Cassette) | | | | | |
| DX136793 | (OLF66-AM) 66" Opti-Myst Linear Electric Firebox and Cassette - Includes Adjustable Flame Color, Driftwood Logs, Acrylic "Ice" Media and Flame Connect App Control | 177 lbs | \$ 8,084.99 | \$ 8,084.99 | Y |
| 86" Opti-Myst (Firebox and Cassette) | | | | | |
| DX136809 | (OLF86-AM) 86" Opti-Myst Linear Electric Firebox and Cassette - Includes Adjustable Flame Color, Driftwood Logs, Acrylic "Ice" Media and Flame Connect App Control | 232 lbs | \$ 9,029.99 | \$ 9,029.99 | Y |
| Accessories | | | | | |
| DXOLFPLUG | 120 V Plug Kit (for OLF86/66/46-AM Models) | 1 lbs. | \$ 83.99 | - | Y |
| DX500003421 | Tumbled Glass Ember Bed - Order (x1) for 40-60" Fireplaces, and Order (x2) for 70-100" Fireplaces NEW | 1 lbs. | \$ 104.99 | - | Y |
| DX00275 | Air Intake Grille | - | \$ 33.49 | - | N |
| GBF Series | | | | | |
| 40" Opti-Myst Pro (Firebox and Cassette) | | | | | |
| DXGBF1000PRO | 40" Opti-Myst Pro Built-In Electric Firebox and Cassette | 128 lbs. | \$ 5,669.99 | \$ 5,669.99 | Y |
| Accessories | | | | | |
| DXGBF1000GLASS | Rear Glass Pane for See-Through Application (for 40" Opti-Myst Pro GBF Series/GBF1000PRO) | 9 lbs. | \$ 367.99 | \$ 367.99 | Y |
| DX00275 | Air Intake Grille | - | \$ 33.49 | - | N |
| 60" Opti-Myst Pro (Firebox and Cassette) | | | | | |
| DXGBF1500PRO | 60" Opti-Myst Pro Built-In Electric Firebox and Cassette | 132 lbs. | \$ 8,714.99 | \$ 8,714.99 | Y |
| Accessories | | | | | |
| DXGBF1500GLASS | Rear Glass Pane for See-Through Application (for 60" Opti-Myst Pro GBF Series/GBF1500PRO) | 13 lbs | \$ 608.99 | \$ 608.99 | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Dimplex Electric Fireplaces
Opti-Myst Fireboxes and Cassettes



2
0
2
5
-
2
0
2
6

| Opti-Myst Fireboxes and Cassettes Continued | | | | | |
|--|---|-------------|--------------|-------------|---------|
| CDFI Series | | | | | |
| Item Code | Item Name | Ship Weight | Retail Price | MAP | Stocked |
| 20" Opti-Myst Pro (Cassette Only) | | | | | |
| DXCDFI500PRO | (X-2113053) 20" Opti-Myst Pro Electric Cassette (1 Flame Color Only; Yellow) LIMITED TO STOCK ON HAND | 24 lbs. | \$ 2,129.99 | \$ 2,129.99 | LIMITED |
| 20" RGB Opti-Myst Pro (Cassette Only) | | | | | |
| DX500004172 | 20" Opti-Myst Pro Electric Cassette (Multiple Flame Colors) NEW ETA Q2 2025, COMING SOON! | 24 lbs. | \$ 2,129.99 | \$ 2,129.99 | TBD |
| Accessories | | | | | |
| DXCDFILOG | (X-206176) Logs (for CDFI100 order 2, for CDFI1500 order 3) | 28 lbs. | \$ 377.99 | - | Y |
| DXCDFI500DWSKIT | Driftwood Logs (for CDFI500) | 6 lbs | \$ 151.99 | - | Y |
| DXCDFI500BLKRCK | Black Rock Media (for CDFI1500 Models) | 6 lbs | \$ 136.99 | - | Y |
| DXCDFI500RVRCK | River Rock Media (for CDFI500 Models) | 6 lbs | \$ 136.99 | - | Y |
| Additional Accessories | | | | | |
| DXCDFIPLUMBKIT | (X-206213) Plumbing Kit for Continuous Water Supply | 1 lbs. | \$ 109.99 | - | Y |
| DXCDFIPLUGKIT | Plug Kit - For CDFI500 models | - | \$ 83.99 | - | Y |
| DXCDFITMHEAT | Independent Built-in Heater - Can be used independently or can be paired with CDFI1000-PRO or CDFI500-PRO | 8 lbs. | \$ 236.99 | - | Y |
| DXCDFIBX1000 | 40" Firebox Only w/Heat - REQUIRES (2x) 20" Cassettes (DX2113053/DXCDFI500PRO) - Glass <i>not</i> Included | 75 lbs. | \$ 1,049.99 | \$ 1,049.99 | Y |
| DXCDFIBX1500 | 60" Firebox Only w/Heat - REQUIRES (3x) 20" Cassettes (DX2113053/DXCDFI500PRO) - Glass <i>not</i> Included | 99 lbs | \$ 1,732.99 | \$ 1,732.99 | Y |
| DXFG1000 | Pro Box Front Glass Pane for 40" Firebox | 13 lbs. | \$ 367.99 | \$ 367.99 | Y |
| DXFG1500 | Pro Box Front Glass Pane for 60" Firebox | 9 lbs. | \$ 608.99 | \$ 608.99 | Y |
| DX00275 | Air Intake Grille | - | \$ 33.49 | - | N |

Dimplex Electric Fireplaces
Deluxe Built-In and Standard Fireboxes



| Deluxe Built-In Electric Firebox | | | | | |
|--|---|-------------|--------------|-------------|---------|
| Pulsating embers and LED inner glow logs ~ Refractory brick lining ~ Thermostatic blower | | | | | |
| Item Code | Item Name | Ship Weight | Retail Price | MAP | Stocked |
| 33" Deluxe | | | | | |
| DXBF33DXP | (X-781052045781) 33" Deluxe Built-In Electric Firebox - Up to 9,200 BTU's | 75 lbs. | \$ 1,154.99 | - | Y |
| Accessories | | | | | |
| DXBFSDOOR33BLK | Swing Glass Door with Black Accents | 14 lbs. | \$ 449.99 | - | Y |
| DXBFDOOR33BLKSM | Black, Single Pane, Bi-Fold Glass Door | 13 lbs. | \$ 293.99 | - | Y |
| DXBFGLOSS33BLK | Black, Single Pane, Tamperproof Glass Door | 12 lbs. | \$ 304.99 | - | Y |
| DXBF4TRIM33 | 4 Piece Black Decorative Trim | 3.5 lbs. | \$ 178.99 | - | Y |
| DXBFPLUGE | Plug Kit to Convert to Outlet - 120V Only | 1 lbs. | \$ 83.99 | - | Y |
| 39" Deluxe | | | | | |
| DXBF39DXP | 39" Deluxe Built-In Electric Firebox - Up to 9,200 BTU's | 82 lbs. | \$ 1,396.99 | \$ 1,396.99 | Y |
| Accessories | | | | | |
| DXBFSDOOR39BLK | Swing Glass Door with Black Accents | 14 lbs. | \$ 472.99 | - | Y |
| DXBFDOOR39BLKSM | Black, Single Pane, Bi-Fold Glass Door | 18 lbs. | \$ 367.99 | - | Y |
| DXBFGLOSS39BLK | Black, Single Pane, Tamperproof Glass Door | 24 lbs. | \$ 367.99 | - | Y |
| DXBF4TRIM39 | 4 Piece Black Decorative Trim | 3.8 lbs. | \$ 183.99 | - | Y |
| DXBFPLUGE | Plug Kit to Convert to Outlet - 120V Only | 1 lbs. | \$ 83.99 | - | Y |
| 45" Deluxe | | | | | |
| DXBF45DXP | 45" Deluxe Built-In Electric Firebox - Up to 9,200 BTU's | 100 lbs. | \$ 1,690.99 | - | Y |
| Accessories | | | | | |
| DXBFDOOR45BLKSM | Black, Single Pane, Bi-Fold Glass Door | 18 lbs. | \$ 409.99 | - | Y |
| DXBF4TRIM45 | 4 Piece Black Decorative Trim | 3.9 lbs. | \$ 188.99 | - | Y |
| DXBFPLUGE | Plug Kit to Convert to Outlet - 120V Only | 1 lbs. | \$ 83.99 | - | Y |

| Standard Built-In Electric Firebox | | | | | |
|---|---|-------------|--------------|-----|---------|
| Flame effect ~ Inner glow logs ~ 3-Stage remote | | | | | |
| Item Code | Item Name | Ship Weight | Retail Price | MAP | Stocked |
| 39" Standard | | | | | |
| DXBF39STP | 39" Standard Built-In Electric Firebox | 84 lbs. | \$ 1,301.99 | - | Y |
| Accessories | | | | | |
| DXBFSDOOR39BLK | Swing Glass Door with Black Accents | 14 lbs. | \$ 472.99 | - | Y |
| DXBFDOOR39BLKSM | Black, Single Pane, Bi-Fold Glass Door | 18 lbs. | \$ 367.99 | - | Y |
| DXBFGLOSS39BLK | Black, Single Pane, Tamperproof Glass Door | 24 lbs. | \$ 367.99 | - | Y |
| DXBF4TRIM39 | 4 Piece Black Decorative Trim | 3.8 lbs. | \$ 183.99 | - | Y |
| DXBFPLUGE | Plug Kit to Convert to Outlet - 120V Only | 1 lbs. | \$ 83.99 | - | Y |

Stock: Y = Stock, N or * = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

Dimplex Electric Fireplaces
Standard Insert and Winslow Fireplaces



2
0
2
5
-
2
0
2
6

| Standard Electric Insert | | | | | |
|---|--|-------------|--------------|-----|---------|
| Flame effect ~ Inner glow logs ~ Thermostat control ~ On/off remote | | | | | |
| Item Code | Item Name | Ship Weight | Retail Price | MAP | Stocked |
| 23" Standard Insert | | | | | |
| DXDFI2310 | Firebox 23" Insert With LED Log Set, On/Off Remote Control | 28.2 lbs. | \$ 509.99 | - | Y |
| Accessories | | | | | |
| DXDFI23TRIMX | Expandable Trim Kit - Includes Trim and Spark Screen | 15 lbs. | \$ 325.99 | - | Y |

| Winslow Linear Electric Fireplaces - Wall Mount or Table Top | | | | | |
|---|---|-------------|--------------|-----|----------------|
| High contrast flames ~ Interchangeable media bed between the three included options (crystals, logs or pebbles) ~ Eight ember bed colors ~ Timer ~ Hidden controls ~ Remote | | | | | |
| Item Code | Item Name | Ship Weight | Retail Price | MAP | Stocked |
| 36" Winslow | | | | | |
| DXSWM3520 | 36" Winslow Linear Electric Fireplace - 4,777 BTU's LIMITED TO STOCK ON HAND | 37 lbs. | \$ 499.99 | - | LIMITED |
| 42" Winslow | | | | | |
| DXSWM4220 | 42" Winslow Linear Electric Fireplace - 4,777 BTU's LIMITED TO STOCK ON HAND | 42 lbs. | \$ 599.99 | - | LIMITED |
| 48" Winslow | | | | | |
| DXSWM4820 | 48" Winslow Linear Electric Fireplace - 4,777 BTU's LIMITED TO STOCK ON HAND | 50 lbs. | \$ 649.99 | - | LIMITED |

Nexfire
Electric Fireplaces



2
0
2
5
-
2
0
2
6

| Nexfire Traditional Electric Fireplace | | | | |
|---|---|-------------|--------------|---------|
| Must be framed into the wall or installed in a mantel | | | | |
| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
| Unit Body | | | | |
| EHEF39 | 39" Electric Fireplace w/Glowing Logs, Brick Effect Liner and Mesh Pull Liner - 4,198 BTU's | 87 lbs. | \$ 1,249.00 | Y |
| Accessories | | | | |
| EHEFGLASS | Black Door with Glass | 26.5 lbs. | \$ 349.00 | Y |
| EHEFRC | Remote Control | 1.1 lbs. | \$ 139.00 | Y |
| EHBFPUDGE | Plug Kit, Converts EF39 to Plug-In | 0.5 lbs. | \$ 72.00 | Y |

| Nexfire Linear Electric Fireplace | | | | |
|---|--|-------------|--------------|---------|
| Must be framed into the wall or surface mounted ~ Requires 1 sq. ft. of media for EHEBL34/EHEBL50 and 3 sq. ft. for EHEBL74 | | | | |
| Item Code | Item Name | Ship Weight | Retail Price | Stocked |
| Unit Body | | | | |
| EHEBL34 | 34" Linear Electric Fireplace w/On/Off Color Remote and Decorative Media - 4,198 BTU's | 39 lbs. | \$ 1,059.00 | Y |
| EHEBL50 | 50" Linear Electric Fireplace w/On/Off Color Remote and Decorative Media - 4,198 BTU's | 86.4 lbs. | \$ 1,699.00 | Y |
| EHEBL74 | 74" Linear Electric Fireplace w/On/Off Color Remote and Decorative Media - 4,198/8,290 BTU's | 134.5 lbs. | \$ 2,399.00 | Y |
| Decorative Media | | | | |
| EHDG1CLF | Crushed Glass, Clear Frost - 1 Sq. Ft. | 2.5 lbs. | \$ 78.00 | N |
| EHDG1BCR | Crushed Glass, Copper Reflective - 1 Sq. Ft. | 2.5 lbs. | \$ 78.00 | N |
| EHDG1BZR | Crushed Glass, Bronze Reflective - 1 Sq. Ft. | 2.5 lbs. | \$ 78.00 | N |
| EHDG1BKP | Crushed Glass, Black Polished - 1 Sq. Ft. | 2.5 lbs. | \$ 78.00 | N |
| EHDG1BUC | Crushed Glass, Blue Clear - 1 Sq. Ft. | 2.5 lbs. | \$ 78.00 | N |
| EHDG1GC | Droplets, 1/2-in., Glacier Ice - 1 Sq. Ft. | 3 lbs. | \$ 46.00 | N |
| EHDG1NXS | Drops 1-in., Onyx Solid - 1 Sq. Ft. | 3.8 lbs. | \$ 64.00 | N |
| EHDR1FMA | Decorative Rocks Assortment - 1 Sq. Ft. | 1.8 lbs. | \$ 169.00 | N |
| EHDRFPA | Decorative Pebble Assortment - 1/2 Sq. Ft. | 0.5 lbs. | \$ 169.00 | N |
| EHEK1 | Ember Kit - 3 Sq. Ft. | 7 lbs. | \$ 89.00 | Y |
| EHEKBF | Blacksmith Forge Ember Kit - 8 Sq Ft. | 25 lbs. | \$ 539.00 | N |
| EHEKCK | Kindling Crumble Ember Kit - 8 Sq. Ft. | 25 lbs. | \$ 539.00 | N |
| Accessories | | | | |
| EHEBL34TK | Surround for 34" Linear, Black | 15.8 lbs. | \$ 339.00 | Y |
| EHEBL50TK | Surround for 50" Linear, Black | 20.5 lbs. | \$ 599.00 | Y |
| EHEBL74TK | Surround for 74" Linear, Black | 33 lbs. | \$ 799.00 | Y |

