



# AES



Order Online at:  
[order.aes4home.com](http://order.aes4home.com)

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX



## 2025 RETAIL Price Book

INDEX	PAGE
FDV200S Freestanding Stove .....	3-4
FDV350 Freestanding Stove .....	5
FDV451 Freestanding Stove .....	6-7
ZCV3622 Zero Clearance Clean View Fireplace .....	8-9
ZCVRB3622 Zero Clearance Clean View Fireplace .....	10-11
ZCVRB47 Zero Clearance Clean View Fireplace .....	12-13
ZCVRB60 Zero Clearance Fireplace .....	14-15
ZCVRB72 Zero Clearance Fireplace .....	16-17
HBZDV3624 Zero Clearance Fireplace .....	18-19
HBZDV3628 Zero Clearance Fireplace .....	20-21
HBZDV4224 Zero Clearance Fireplace .....	22-23
HBZDV4228 Zero Clearance Fireplace .....	24-25
HBZDV4736 Zero Clearance Fireplace .....	26-27
ZCV34/H Zero Clearance Clean View Fireplace .....	28-31
ZCV39/H Zero Clearance Clean View Fireplace .....	32-35
ZCV42/H Zero Clearance Clean View Fireplace .....	36-39
MCVP42/H Multi-Sided Clean View Peninsula Fireplace .....	40-42
MCVST42/H Multi-Sided Clean View See-Through Fireplace .....	43-46
IDV24 Fireplace Insert .....	47-48
IDV26 Fireplace Insert .....	49-50
IDV34 Fireplace Insert .....	51-52
IDV44 Fireplace Insert .....	53-54
4/7" Venting Accessories .....	55
5/8" Venting Accessories .....	56
5/8" Power Vent Accessories .....	57
Literature .....	58
Dealer Service Support Policy.....	END

**Special Order** = Model is not regularly stocked at AES. Please call for availability and allow extra time for delivery.

**Limited** = Factory Discontinued Model. Availability is limited to supply on hand.





Order Online at:  
order.aes4home.com

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

Effective: May 6th, 2025

Last Edited: May 5th, 2025

## KINGSMAN PRODUCTS PRICE LIST



### KFFDV200S - Freestanding Direct Vent Gas Stoves

Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, Ceramic Glass, Glowing Embers, Hi/Lo SIT Valve, On/Off Switch, Leg Model, Uses KFZDVDKA Adapter 4/7" Top Flue, Safety Screen, 30,000 BTU NG, 26,000 BTU LP

#### Best Selling Package

#### Retail

FDV200S Freestanding Stove Proflame 2, NG, Remote, Thermostat, Fan, Log Set and Refractory Liner (KFFDV200SNE2, KFLOGF200 and KFFDV200RL)

\$ 4,051.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Unit Body (Required)</b>				
KFFDV200SN	Free Standing Stove - Millivolt - NG - Black	N/A	\$ 2,614.00	N
KFFDV200SLP	Free Standing Stove - Millivolt - LP - Black	N/A	\$ 2,674.00	N
KFFDV200SNE2	Free Standing Stove - <b>Proflame 2</b> IPI - Includes-Remote-Thermostat-Mod-Fan - NG	N/A	\$ 3,437.00	N
KFFDV200SLPE2	Free Standing Stove - <b>Proflame 2</b> IPI - Includes-Remote-Thermostat-Mod-Fan - LP	N/A	\$ 3,498.00	N
KF200DVCKLP	Conversion Kit - Millivolt - To LP	N/A	\$ 97.00	N
KF200DVCKNG	Conversion Kit - Millivolt - To NG	N/A	\$ 97.00	N
KF200DVCKLP2	Conversion Kit - IPI <b>Proflame 2</b> - To LP	N/A	\$ 209.00	N
KF200DVCKNG2	Conversion Kit - IPI <b>Proflame 2</b> - To NG	N/A	\$ 209.00	N
<b>Log Set (Required)</b>				
KFLOGF200	Log Set - Five Piece Fiber Split Oak	N/A	\$ 351.00	Y
<b>Optional Accessories</b>				
KFF45FK	Fan Kit w/Variable Speed Control (Temperature Sensing)	6 lbs.	\$ 392.00	Y
KFFDV200RL	Refractory Liner	N/A	\$ 263.00	N
KFZDVDKA	Dura-Vent Adapter	2 lbs.	\$ 85.00	Y



Order Online at:  
[order.aes4home.com](http://order.aes4home.com)

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFFDV200S - Freestanding Direct Vent Gas Stoves

Item Code	Item Name	Ship Weight	Retail Price	Stocked
Thermostats, Remote Controls				
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	Y
KFZ80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	0.5 lbs.	\$ 188.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	1 lbs.	\$ 219.00	Y
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	Y
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 231.00	N



Order Online at:  
order.aes4home.com

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFFDV350 - Freestanding Direct Vent Gas Stoves

Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, Fan, Bay Viewing Area, Black Louver, Adjustable SIT Valve, **Uses**  
**KFZDVDKA Adapter, 4/7" Top Flue**, 37,000 BTU NG, 35,000 BTU LP

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Unit Body (Required)</b>				
KFFDV350N	Free Standing Stove - Millivolt - NG	120 lbs.	\$ 2,270.00	Y
KFFDV350LP	Free Standing Stove - Millivolt - LP	120 lbs.	\$ 2,350.00	N
KFFDV350NE2	Free Standing Stove - <b>Proflame 2</b> IPI - Remote-Thermostat-Mod-Fan - NG	130 lbs.	\$ 3,504.00	N
KFFDV350LPE2	Free Standing Stove - <b>Proflame 2</b> IPI - Remote-Thermostat-Mod-Fan - LP	130 lbs.	\$ 3,585.00	N
KF350DVCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 97.00	Y
KF350DVCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 97.00	N
KF350DVCKLPI2	Conversion Kit - IPI Proflame 2 - To LP	1 lbs.	\$ 209.00	N
KF350DVCKNGI2	Conversion Kit - IPI Proflame 2 - To NG	1 lbs.	\$ 209.00	N
<b>Door Front (Required)</b>				
KFF35DB	Door Frame and Ceramic Glass - Black	15 lbs.	\$ 776.00	Y
<b>Log Set (Required)</b>				
KFLOGF35	Log Set - Fiber Split Oak	12 lbs.	\$ 447.00	Y
<b>Accessories</b>				
KFF45FK	Fan Kit - PF1/MV w/Variable Speed Control (Temperature Sensing)	6 lbs.	\$ 392.00	Y
KFF35RL	Refractory Liner	12 lbs.	\$ 205.00	Y
KFZDVDKA	Dura-Vent Adapter	2 lbs.	\$ 85.00	Y
KFF35BVC	B-Vent Converter (4/7" DV to 4" B-Vent)	1 lbs.	\$ 289.00	N
<b>Thermostats and Remote Controls</b>				
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	Y
KFZ80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	0.5 lbs.	\$ 188.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	1 lbs.	\$ 219.00	Y
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	Y
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 231.00	N



## KFFDV451 - Freestanding Direct Vent Gas Stoves

Freestanding Direct Vent Gas Stove, Listed for USA/Canada as a Gas Fired Direct Vent Room Heater, Includes Dual Burner, Ceramic Glass, Glowing Embers, Hi/Lo SIT Valve, On/Off Switch, Efficiency above 70% NG/LP, Safety Screen Barrier, Approved for Mobile Home (Direct Vent Model Only), Approved for Bedroom or Bed Sitting Room

Uses KFZDVDKA Adapter, 4/7" Inch Top Flue

### Best Selling Package

### Retail

FDV451 Freestanding Stove Proflame 2, NG, Charcoal Door Front, Flat Black Posts and Charcoal Side Doors (KFFDV451NE2, KFF450FBL, KFF451SDSBL and KFLOGF451)

\$ 4,845.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
-----------	-----------	-------------	--------------	---------

### Unit Body (Required)

KFFDV451N	Freestanding Stove - Millivolt - 34,500 BTU for NG - Charcoal	125 lbs.	\$ 2,171.00	N
KFFDV451LP	Freestanding Stove - Millivolt - 31,000 BTU for LP - Charcoal	125 lbs.	\$ 2,250.00	N
KFFDV451NE2	Free Standing Stove - <b>Proflame 2</b> IPI - Includes Remote-Thermostat-Mod-Fan - NG	125 lbs.	\$ 3,400.00	Y
KFFDV451LPE2	Free Standing Stove - <b>Proflame 2</b> IPI - Includes Remote-Thermostat-Mod-Fan - LP	125 lbs.	\$ 3,481.00	N
KF450DVCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 97.00	Y
KF450DVCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 97.00	N
KF450DVCKLP2	Conversion Kit - IPI <b>Proflame 2</b> - To LP	1 lbs.	\$ 209.00	Y
KF450DVCKNG2	Conversion Kit - IPI <b>Proflame 2</b> - To NG	1 lbs.	\$ 209.00	N

### Door Fronts (Required for Each Unit)

KFF450FBL	Door Face & Vent Lid - Charcoal w/Flat Black Posts & Safety Screen	32 lbs.	\$ 566.00	Y
-----------	--------------------------------------------------------------------	---------	-----------	---

### Side Doors (Required for Each Unit)

KFF451SDSBL	Charcoal Solid Panel w/Black Frame	23 lbs.	\$ 365.00	Y
-------------	------------------------------------	---------	-----------	---

### Media (1 Required for Each Unit)

KFLOGF451	Log Set - Oak	9 lbs.	\$ 514.00	Y
KFZ5GC	Glass Media - 1/2" Bronze - 5 lbs. (Maximum Glass 15 lbs.)	5 lbs.	\$ 114.00	Y
KFRBCB1	Cannonballs - Assorted Size and Colors	16.5 lbs.	\$ 417.00	Y

### Accessories

KFF45FK	Fan Kit w/Variable Speed Control (Temperature Sensing)	6 lbs.	\$ 392.00	Y
KFF451RLT	Refractory Liner - Traditional	10 lbs.	\$ 429.00	N
KFF451RLH	Refractory Liner - Herringbone	10 lbs.	\$ 429.00	N
KFF451PL	Porcelain Liner - 3 Piece	13 lbs.	\$ 490.00	N
KFF7DBC	Decorative Black Collar 7"	2 lbs.	\$ 44.00	N
KFF7DTP	Decorative Black Wall Trim Plate	4 lbs.	\$ 46.00	N
KFF45LG	Log Grate	1.2 lbs.	\$ 142.00	N
KFF35BVC	B-Vent Converter (4/7" DV to 4" B-Vent)	N/A	\$ 289.00	N
KFZDVDKA	Dura-Vent Adapter	2 lbs.	\$ 85.00	Y

### Thermostats and Remote Controls

KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	Y
--------	---------------------------------------------------	--------	-----------	---



# AES



Order Online at:  
[order.aes4home.com](http://order.aes4home.com)

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFFDV451 - Freestanding Direct Vent Gas Stoves

Item Code	Item Name	Ship Weight	Retail Price	Stocked
Thermostats and Remote Controls				
KFZ80PT	Thermostat Programmable Digital Millivolt Wall Mount (1F80-40)	0.5 lbs.	\$ 188.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	1 lbs.	\$ 219.00	Y
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	Y
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 231.00	N





Order Online at:  
order.aes4home.com

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFZCV3622 - Zero Clearance Clean View Direct Vent Gas Fireplace

Listed for USA/Canada, Includes: Tempered Glass, Tube Burner, SIT Valve w/ Hi/Lo Adjustment, Wall Switch, Safety Screen,  
**Uses KFZDVDF/ICTM4AA4 Adapters, 4/7" Angled Flue, Framing 36 3/8" W x 37 1/4" H x 17 1/2"D**

For Complete Unit: Order Unit and Log Set

Basic Package	Retail
ZCV3622 Fireplace IPI, NG and Log Set (KFZCV3622NE, KFLOGC51) (Suggested Remote ST1001A)	\$ 2,602.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Unit</b>				
KFZCV3622N	Fireplace, Millivolt Valve (as above) NG, 21,000 BTU	94 lbs.	\$ 1,842.00	Y
KFZCV3622LP	Fireplace, Millivolt Valve (as above) LP 21,000 BTU	94 lbs.	\$ 1,922.00	Y
KFZCV3622NE	Fireplace, IPI Valve (as above) NG, 21,000 BTU <b>LIMITED TO STOCK ON HAND</b>	94 lbs.	\$ 2,188.00	Y
KFZCV3622LPE	Fireplace, IPI Valve (as above) LP 21,000 BTU <b>LIMITED TO STOCK ON HAND</b>	94 lbs.	\$ 2,267.00	Y
KFZCV3622NEDX	Fireplace, IPI <b>Dexen</b> PF1 Valve (as above) NG <b>WILL NOT SHIP UNTIL SIT IPI STOCK IS DEPLETED (KFZCV3622NE)</b>	94 lbs.	\$ 2,188.00	Y
KFZCV3622LPEDX	Fireplace, IPI <b>Dexen</b> PF1 Valve (as above) LP <b>WILL NOT SHIP UNTIL SIT IPI STOCK IS DEPLETED (KFZCV3622LPE)</b>	94 lbs.	\$ 2,267.00	Y
KF3622CKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 97.00	Y
KF3622CKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 97.00	N
KF3622CKLPI	Conversion Kit - IPI - To LP	1 lbs.	\$ 114.00	Y
KF3622CKNGI	Conversion Kit - IPI - To NG	0.4 lbs.	\$ 114.00	N
KF3622CKLPIDX	Conversion Kit - <b>Dexen</b> IPI- To LP	1 lbs.	\$ 114.00	N
KF3622CKNGIDX	Conversion Kit - <b>Dexen</b> IPI - To NG	1 lbs.	\$ 114.00	N
<b>Log Set (Required for Each Unit)</b>				
KFLOGC51	Log Set - Split Oak (ZCV3622)	8 lbs.	\$ 414.00	Y
<b>Surround</b>				
KFZCV36S1BL	Surround - Black - Coverage 34 1/16" H x 39" W - Covers Framing Dimensions - Unit Must be Installed Flush to Wall	12 lbs.	\$ 302.00	N
KFZCV36SWFBL	Flat Surround - Black - Covers Framing Dimensions of Solara II - Clean View - Unit Must be Finished Flush to Drywall	N/A	\$ 474.00	Y





Order Online at:  
order.aes4home.com

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFZCV3622 - Zero Clearance Clean View Direct Vent Gas Fireplace

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Accessories/Options</b>				
KFZCV3622PRL	Porcelain Reflective Panel Liner (3 PCE)	7.5 lbs.	\$ 330.00	Y
KFZCV3622ML	Metal Brick Liner (3 PCE)	4 lbs.	\$ 244.00	Y
KFZ36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 386.00	Y
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	Y
KFZ80PT	Thermostat Programmable Digital Millivolt Wall Mount (1F80-40)	0.5 lbs.	\$ 188.00	N
KFDCHS	Heat Shield - Required for Millivolt Remote Receivers	1 lbs.	\$ 24.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	1 lbs.	\$ 219.00	Y
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	Y
KFGTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,232.00	Y
KFEGTRC	Remote Control IPI Proflame 1 - Thermostat	1.3 lbs.	\$ 644.00	Y
KFEGTMRCN	Remote Control IPI Proflame 1 - Thermostat/Modulating - NG	1.3 lbs.	\$ 876.00	Y
KFEGTMRCP	Remote Control IPI Proflame 1 - Thermostat/Modulating - LP	1.3 lbs.	\$ 876.00	Y
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 231.00	N
KFGTRCDX	Remote Control - Thermostat - <b>Dexen</b>	#N/A	\$ 561.00	N
KF1023PBSW1	Toggle Switch for <b>Dexen</b> - Toggle Between AC Power and Battery Backup	#N/A	\$ 24.00	N
KF1023P055L	Cold Climate Switch (CPI/IPI) for <b>Dexen</b>	N/A	TBD	N
KFZDVDFFA	DuraVent Fireplace Adapter - 23.5 Degree	2.5 lbs.	\$ 133.00	Y
ICTM4AA4	ICC Angled Adapter	2 lbs.	\$ 215.00	Y
<b>Decorate the Bottom of Your Fireplace with Log Bits</b>				
KFVLBIT6	Log Bits - Small Six Piece Kit	2 lbs.	\$ 139.00	Y



# AES



Order Online at:  
[order.aes4home.com](http://order.aes4home.com)

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFZCVRB3622 - Zero Clearance Clean View Direct Vent Gas Fireplace

Listed for USA/Canada as a Vented Gas Fireplace, Includes: Linear Burner, Decorative Bronze Glass, SIT Valve with Hi/Lo Adjustment, Wall Switch, **Uses KFZDVDF/ICTM4AA4 Adapters, 4/7" Angled Flue**, Tempered Glass, Safety Screen, 17,500 BTU, Framing 36 3/8" W x 37 1/4" H x 17 1/2"

For Complete Unit: Order Unit and Surround

### Basic Package

### Retail

ZCVRB3622 Fireplace Dexen IPI, NG and Bronze Glass (KFZCVRB3622NEDX) (Suggested Remote ST1001A)

\$ 2,350.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Unit</b>				
KFZCVRB3622N	Fireplace Linear, Millivolt Valve (as above) NG	97 lbs.	\$ 2,000.00	Y
KFZCVRB3622LP	Fireplace Linear, Millivolt Valve (as above) LP	97 lbs.	\$ 2,082.00	N
KFZCVRB3622NE	Fireplace, IPI <b>Dexen</b> PF1 Valve (as above) NG	97 lbs.	\$ 2,350.00	Y
KFZCVRB3622LPE	Fireplace, IPI <b>Dexen</b> PF1 Valve (as above) LP	97 lbs.	\$ 2,431.00	N
KF3622RBCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 97.00	Y
KF3622RBCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 97.00	N
KF3622RBCKLPIDX	Conversion Kit - <b>Dexen</b> IPI- To LP	#N/A	TBD	N
KF3622RBCKNGIDX	Conversion Kit - <b>Dexen</b> IPI - To NG	#N/A	TBD	N

### Surround (Covers 36"W x 22-1/2"H)

The fireplace must be covered up to an 1/8" of the opening with noncombustible materials.

KFZCVRB36SBL	Surround Trim Kit -1 1/2" Wide - Black	13 lbs.	\$ 429.00	Y
KFZCVRB36SSS	Surround Trim Kit - 1 1/2" Wide - Stainless Steel	10 lbs.	\$ 713.00	Y
KFZCVRB36SWFBL	Flat Surround - Covers Framing Dimensions of Skyline - Clean View - Unit Must be Finished Flush to Drywall	N/A	\$ 474.00	Y



Order Online at:  
order.aes4home.com

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFZCVRB3622 - Zero Clearance Clean View Direct Vent Gas Fireplace

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Accessories/Options</b>				
KFULK2	Universal Light Kit - Two Lamps	5 lbs.	\$ 328.00	Y
KFZ3622PRL	Porcelain Reflective Panel Liner (3 PCE)	10 lbs.	\$ 330.00	Y
KFZ36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 386.00	Y
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	Y
KFZ80PT	Thermostat Programmable Digital Millivolt Wall Mount (1F80-40)	0.5 lbs.	\$ 188.00	N
KFDCHS	Heat Shield - Required for Millivolt Remote Receivers	1 lbs.	\$ 24.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	1 lbs.	\$ 219.00	Y
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	Y
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 231.00	N
KFGTRCDX	Remote Control - Thermostat - <b>Dexen</b>	#N/A	\$ 561.00	N
KF1023PBSW1	Toggle Switch for <b>Dexen</b> - Toggle Between AC Power and Battery Backup	#N/A	\$ 24.00	N
KF1023P055L	Cold Climate Switch (CPI/IPI) for <b>Dexen</b>	N/A	TBD	N
KFZDVDF A	Duravent Fireplace Adapter - 23.5 Degree	2.5 lbs.	\$ 133.00	Y
ICTM4AA4	ICC Angled Adapter	2 lbs.	\$ 215.00	Y



## KFZCVRB47 Zero Clearance Direct Vent Gas Fireplace 47" Wide

Listed for USA/Canada as a Vented Gas Fireplace, Includes: Linear Burner, Bronze Glass Media, SIT Valve with Hi/Lo Adjustment, **Uses KFZDVKDA Adapter, 4/7" Top Flue**, Tempered Glass 40 5/8" W x 13 7/8" H, Safety Screen, Framing 47" W x 36 1/2" H x 18 1/4" D, 23,000 BTU, Max Media 5 LBS

**The Fireplace Enclosure May Be Ventilated for Cool Touch Walls and reduced Mantel Clearances. Ventilation up to 105 Sq./Inches will be required. Minimum Enclosure Height is 70", see Manual for details. NOTE: To vent the chase, removal of vent shields is required.**

### Basic Package

### Retail

ZCVRB47 Fireplace IPI, NG, Bronze Glass and Front Grill (KFZCVRB47NE and Kfv46EG)  
(Suggested Remote ST1001A)

\$ 4,386.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Unit</b>				
KFZCVRB47N	Fireplace Linear, Millivolt Valve (as above) NG	N/A	\$ 3,831.00	Y
KFZCVRB47LP	Fireplace Linear, Millivolt Valve (as above) LP	N/A	\$ 3,895.00	N
KFZCVRB47NE	Fireplace Linear, IPI Valve (as above) NG	N/A	\$ 4,166.00	Y
KFZCVRB47LPE	Fireplace Linear, IPI Valve (as above) LP	N/A	\$ 4,228.00	N
KF46ZRBCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 97.00	N
KF46ZRBCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 97.00	N
KF46ZRBCKLPI	Conversion Kit - IPI - To LP	1 lbs.	\$ 114.00	Y
KF46ZRBCKNGI	Conversion Kit - IPI - To NG	1 lbs.	\$ 114.00	N

### Optional - When Ventilating Enclosure - Ventilation up to 105 Sq. Inches

CHOOSE GRILL OR CUSTOM GRILL OR ADEQUATE OPENING AS PER MANUAL

KFVL60EGS	Grill - Side Enclosure (Pair) - Unfinished (15 1/4" W X 6 5/8" H)	N/A	\$ 373.00	N
KFV46EG	Grill - Front of Enclosure - Unfinished (46 9/16" W x 2 1/2" H)	14 lbs.	\$ 220.00	Y

### Optional Wall Surround (Covers 44 5/8"W X 17 3/4"H)

KFZCVRB47S1BL	Surround Trim Kit -1 1/2" Wide - Black	N/A	\$ 429.00	Y
KFZCVRB47S1SS	Surround Trim Kit - 1 1/2" Wide - Stainless Steel	N/A	\$ 713.00	N

### Optional Fireplace Accessories

KFZCVRB47PL	Porcelain Reflective Panel Liner (3 PCE)	N/A	\$ 479.00	Y
KFRBCB1	Cannonballs - Assorted size and colors	16.5 lbs.	\$ 417.00	Y
KFZ46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 386.00	Y
KFULK2	Universal Light Kit - Two Lamps (For Millivolt/PF1)	5 lbs.	\$ 328.00	Y
KFV47PTLK	Tile Lip Kit	N/A	\$ 78.00	N
KFZDVKDA	Dura-Vent Adapter	N/A	\$ 85.00	Y



Order Online at:  
order.aes4home.com

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFZCVRB47 Zero Clearance Direct Vent Gas Fireplace 47" Wide

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Thermostats and Remote Controls</b>				
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	Y
KFZ80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	0.5 lbs.	\$ 188.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	1 lbs.	\$ 219.00	Y
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	Y
KFGTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,232.00	Y
KFGTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,232.00	Y
KFEGTRC	Remote Control IPI Proflame 1 - Thermostat	1.3 lbs.	\$ 644.00	Y
KFEGTMRCN	Remote Control IPI Proflame 1 - Thermostat/Modulating - NG	1.3 lbs.	\$ 876.00	Y
KFEGTMRCP	Remote Control IPI Proflame 1 - Thermostat/Modulating - LP	1.3 lbs.	\$ 876.00	Y
KFEGTFRCN	Remote Control IPI - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,175.00	Y
KFEGTFRCP	Remote Control IPI - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,175.00	Y
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 231.00	N





Order Online at:  
order.aes4home.com

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFZCVRB60 Zero Clearance Direct Vent Gas Fireplace 60" Wide

Listed for USA/Canada as a Vented Gas Fireplace, Includes: Linear Burner, Bronze Glass Media, SIT Valve with Hi/Lo Adjustment, **5/8" Angled Flue**, Tempered Glass 60" W x 17 7/8" H, Safety Screen, Framing 66 9/16" W x 43" H x 19 1/4" D, 35,000 BTU, Max Media 10 LBS

**The Fireplace Enclosure May Be Ventilated for Cool Touch Walls and reduced Mantel Clearances. Ventilation up to 200 Sq./Inches will be required. Minimum Enclosure Height is 76", see Manual for details. NOTE: To vent the chase, removal of vent shields is required.**

### Basic Package

### Retail

ZCVRB60 Fireplace IPI, NG, Bronze Glass and Front Grill (KFZCVRB60NE and KFVL60EG)  
(Suggested Remote ST1001A)

\$ 5,369.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Unit</b>				
KFZCVRB60N	Fireplace Linear, Millivolt Valve (as above) NG	N/A	\$ 4,703.00	N
KFZCVRB60LP	Fireplace Linear, Millivolt Valve (as above) LP	N/A	\$ 4,774.00	N
KFZCVRB60NE	Fireplace Linear, IPI Valve (as above) NG	N/A	\$ 5,026.00	Y
KFZCVRB60LPE	Fireplace Linear, IPI Valve (as above) LP	N/A	\$ 5,086.00	N
KF60ZCVRBCKLP	Conversion Kit - Millivolt - To LP	N/A	\$ 97.00	N
KF60ZCVRBCKNG	Conversion Kit - Millivolt - To NG	N/A	\$ 97.00	N
KF60ZCVRBCKLPI	Conversion Kit - IPI - To LP	N/A	\$ 114.00	N
KF60ZCVRBCKNGI	Conversion Kit - IPI - To NG	N/A	\$ 114.00	N
<b>Optional - When Ventilating Enclosure - Ventilation up to 200 Sq./Inches</b>				
CHOOSE GRILL OR CUSTOM GRILL OR ADEQUATE OPENING AS PER MANUAL				
KFVL60EGS	Grill - Enclosure Side (Pair) - Unfinished (15 1/4" W X 6 5/8" H)	N/A	\$ 373.00	N
KFVL60EG	Grill - Front for Enclosure -Unfinished (60 5/8" W x 3 5/8" H)	N/A	\$ 343.00	Y
<b>Optional Wall Surround (COVERS 64"W X 23"H)</b>				
KFZCVRB60S1BL	Surround Trim Kit -1 1/2" Wide - Black	N/A	\$ 768.00	Y
KFZCVRB60S1SS	Surround Trim Kit - 1 1/2" Wide - Stainless Steel	N/A	\$ 1,061.00	N
<b>Optional Fireplace Accessories</b>				
KFZCVRB60PL	Porcelain Reflective Panel Liner (3 PCE)	N/A	\$ 568.00	Y
KFRBCB1	Cannonballs - Assorted size and colors	16.5 lbs.	\$ 417.00	Y
KFZ46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 386.00	Y
KFULK64	Universal Light Kit - Four Lamps (For Millivolt/PF1)	N/A	\$ 545.00	N
KFV60PTLK	Tile Lip Kit for Promat Board	N/A	\$ 97.00	Y





Order Online at:  
[order.aes4home.com](http://order.aes4home.com)

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFZCVRB60 Zero Clearance Direct Vent Gas Fireplace 60" Wide

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Thermostats and Remote Controls</b>				
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	Y
KFZ80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	0.5 lbs.	\$ 188.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	1 lbs.	\$ 219.00	Y
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	Y
KFGTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,232.00	Y
KFGTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,232.00	Y
KFEGTRC	Remote Control IPI Proflame 1 - Thermostat	1.3 lbs.	\$ 644.00	Y
KFEGTMRCN	Remote Control IPI Proflame 1 - Thermostat/Modulating - NG	1.3 lbs.	\$ 876.00	Y
KFEGTMRCP	Remote Control IPI Proflame 1 - Thermostat/Modulating - LP	1.3 lbs.	\$ 876.00	Y
KFEGTFRCN	Remote Control IPI - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,175.00	Y
KFEGTFRCP	Remote Control IPI - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,175.00	Y
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire	1 lbs.	\$ 231.00	N



Order Online at:  
order.aes4home.com

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFZCVRB72 Zero Clearance Direct Vent Gas Fireplace 72" Wide

Listed for USA/Canada as a Vented Gas Fireplace, Includes: Linear Burner, Bronze Glass Media, SIT Valve with Hi/Lo Adjustment, **5/8" Top Flue**, Ceramic Glass 73 1/16" W x 17 7/8" H, Invisi-Mesh Safety Screen, Framing 79 1/8" W x 42" H x 19" D (unvented chase), 50,000 BTU

**Note: If using ICC hard pipe, a starter piece of DuraVent must be used at flue of fireplace**

**The Fireplace Enclosure May Be Ventilated for Cool Touch Walls and reduced Mantel Clearances. Minimum ventilation of 285 sq. inches is required. Minimum Enclosure Height is 79", see Manual for details. NOTE: To vent the chase, removal of vent shields is required.**

### Basic Package

### Retail

ZCVRB72 Fireplace IPI, NG, Bronze Glass and Front Grill (KFZCVRB72NE and KFVL72EG)  
(Suggested Remote ST1001A)

\$ 8,998.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Unit</b>				
KFZCVRB72N	Fireplace Linear, Millivolt Valve (as above) NG <b>NEW</b>	N/A	TBD	N
KFZCVRB72LP	Fireplace Linear, Millivolt Valve (as above) LP <b>NEW</b>	N/A	TBD	N
KFZCVRB72NE	Fireplace Linear, IPI Valve (as above) NG <b>NEW</b>	N/A	\$ 8,612.00	N
KFZCVRB72LPE	Fireplace Linear, IPI Valve (as above) LP <b>NEW</b>	N/A	TBD	N
KF72ZCVRBCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	TBD	N
KF72ZCVRBCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	TBD	N
KF72ZCVRBCKLPI	Conversion Kit - IPI - To LP	1 lbs.	TBD	N
KF72ZCVRBCKNGI	Conversion Kit - IPI - To NG	1 lbs.	TBD	N

### Optional - When Ventilating Enclosure - Ventilation up to 285 Sq./Inches

CHOOSE GRILL OR CUSTOM GRILL OR ADEQUATE OPENING AS PER MANUAL

KFVL72EGS	Grill - Enclosure Side (Pair) - Unfinished (15 1/4" W x 9" H)	N/A	\$ 386.00	N
KFVL72EG	Grill - Front for Enclosure - Unfinished (78 5/8" W x 3 5/8" H)	N/A	\$ 386.00	N

### Optional Wall Surround (COVERS 64"W X 23"H)

KFZCVRB72S1BL	Surround Trim Kit - 1 1/2" Wide - Black	N/A	\$ 886.00	N
KFZCVRB72S1SS	Surround Trim Kit - 1 1/2" Wide - Stainless Steel	N/A	TBD	N

### Optional Fireplace Accessories

KFZCVRB72PL	Porcelain Reflective Panel Liner (5 PCE)	N/A	\$ 731.00	N
KFRBCB1	Cannonballs - Assorted size and colors	16.5 lbs.	\$ 417.00	Y
KFZ46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 386.00	Y
KFULK64	Universal Light Kit - Four Lamps (For Millivolt/PF1)	N/A	\$ 545.00	N
KF72ZRBTLK	Tile Lip Kit for Promat Board	N/A	TBD	N



Order Online at:  
[order.aes4home.com](http://order.aes4home.com)

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFZCVRB72 Zero Clearance Direct Vent Gas Fireplace 72" Wide

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Thermostats and Remote Controls</b>				
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	Y
KFZ80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	0.5 lbs.	\$ 188.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	1 lbs.	\$ 219.00	Y
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	Y
KFGTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,232.00	Y
KFGTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,232.00	Y
KFEGTRC	Remote Control IPI Proflame 1 - Thermostat	1.3 lbs.	\$ 644.00	Y
KFEGTMRCN	Remote Control IPI Proflame 1 - Thermostat/Modulating - NG	1.3 lbs.	\$ 876.00	Y
KFEGTMRCP	Remote Control IPI Proflame 1 - Thermostat/Modulating - LP	1.3 lbs.	\$ 876.00	Y
KFEGTFRCN	Remote Control IPI - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,175.00	Y
KFEGTFRCP	Remote Control IPI - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,175.00	Y
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire	1 lbs.	\$ 231.00	N



Order Online at:  
order.aes4home.com

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFHBZDV3624 - Zero Clearance Direct Vent Gas Fireplace

Listed for USA/Canada, Dual Burner, SIT Nova Valve with Hi/Lo Adjustment, Wall Switch, Tempered Glass, Safety Screen, Framing 36 3/8" W x 35" H x 17" D, **Uses KFZDVDF/ICTM4AA4 Adapter, 4"/7" Angled Flue**

For Complete Unit: Order Unit, Log Set and Grill or Designer Clean View Kit

### Best Selling Package

### Retail

HBZDV3624 Fireplace Millivolt, NG, Burnt Oak Log Set, Clean View Kit, Traditional Liner and Fan Kit (KFHBZDV3624N, KFLOGC44, KFHB36CVCK, KFHB36RLT and KFZ36FK) (Suggested Remote ST1001A)

\$ 3,517.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Unit</b>				
KFHBZDV3624N	Fireplace Decorative Top Flue, Millivolt, NG, 24,000 BTU	98 lbs.	\$ 2,020.00	Y
KF3624HBCKLP	Conversion Kit-From NG to LP	1 lbs.	\$ 97.00	Y
KFHBZDV3624NE	Fireplace Decorative Top Flue, IPI, NG, 24,000 BTU	98 lbs.	\$ 2,364.00	Y
KF3624HBCKLPI	Conversion Kit-From NG to LP IPI	1 lbs.	\$ 114.00	Y
<b>Log Set (Required for Each Unit)</b>				
KFLOGC44	Log Set - Eight Piece - Burnt Oak (3320, 3624/28, 4224/28 Series)	14 lbs.	\$ 375.00	Y
<b>Grill Kit or Designer Clean View Kit (Required for Each Unit)</b>				
KFHB36CVCK	Designer Clean View Circulating Kit	18 lbs.	\$ 434.00	Y
KFHB36GBL	Grill Kit - Black	4.5 lbs.	\$ 110.00	Y
<b>Accessories/Options</b>				
KFHB36RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	25 lbs.	\$ 302.00	Y
KFHB36RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	25 lbs.	\$ 302.00	Y
KFHB36PL	Porcelain Reflective Panel Liner (3 PCE)	15 lbs.	\$ 496.00	N
KFZ36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 386.00	Y
KFZDVDF	DuraVent Fireplace Adapter - 23.5 Degree	2.5 lbs.	\$ 133.00	Y
ICTM4AA4	ICC Angled Adapter	2 lbs.	\$ 215.00	Y
KFDCHS	Remote Control Heat shield - (For Z1RC, ZART)	1 lbs.	\$ 24.00	N
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	Y
KFZ80PT	Thermostat Programmable Digital Millivolt Wall Mount	0.5 lbs.	\$ 188.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	1 lbs.	\$ 219.00	Y
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	Y
KFGTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,232.00	Y
KFGTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,232.00	Y
KFEGTRC	Remote Control IPI Proflame 1 - Thermostat	1.3 lbs.	\$ 644.00	Y

**AES**

**Order Online at:**  
[order.aes4home.com](http://order.aes4home.com)

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFHBZDV3624 - Zero Clearance Direct Vent Gas Fireplace

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Accessories/Options</b>				
KFEGTMRCN	Remote Control IPI Proflame 1 - Thermostat/Modulating - NG	1.3 lbs.	\$ 876.00	Y
KFEGTMRCP	Remote Control IPI Proflame 1 - Thermostat/Modulating - LP	1.3 lbs.	\$ 876.00	Y
KFEGTFRCN	Remote Control IPI - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,175.00	Y
KFEGTFRCP	Remote Control IPI - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,175.00	Y
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 231.00	N
<b>Decorative Surrounds - For Louvered Units Only (Coverage 41 1/8"W x 35 1/2"H)</b>				
KFHB36SBL	Surround - Black	5 lbs.	\$ 302.00	N
<b>Decorate the Bottom of your Fireplace with Log Bits</b>				
KFVLBIT6	Log Bits - Small Six Piece Kit	2 lbs.	\$ 139.00	Y





## KFHBZDV3628 - Zero Clearance Direct Vent Gas Fireplace

Listed for USA/Canada, Includes: Dual Burner, Millivolt Nova SIT with Hi/Lo Adjustment, Wall Switch, Ceramic Glass, Safety Screen, Framing 36 3/8" W x 35" H x 17" D, **Uses KFZDVFDA/ICTM4AA4 Adapter, 4"/7" Angled Flue**

For Complete Unit: Order Unit, Log Set and Grill or Designer Clean View Kit

### Best Selling Package

Retail

HBZDV3628 Fireplace IPI, NG, Burnt Oak Log Set, Clean View Kit, Traditional Liner and Fan Kit (KFHBZDV3628NE, KFLOGC44, KFHB36CVCK, KFHB36RLT and KFZ36FK) (Suggested Remote ST1001A)

\$ 4,690.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Unit</b>				
KFHBZDV3628N	Fireplace Heater Rated Top Flue, Millivolt, NG, Ceramic Glass, 28,000 BTU @ 75% Efficient. Approved for Bedroom and Mobile Home	98 lbs.	\$ 2,846.00	N
KF3628HBCKLP	Conversion Kit-From NG to LP	1 lbs.	\$ 97.00	Y
KFHBZDV3628NE	Fireplace Heater Rated Top Flue, IPI, NG, Ceramic Glass, 28,000 BTU @ 75% Efficient. Approved for Bedroom and Mobile Home	98 lbs.	\$ 3,193.00	N
KF3628HBCKLPI	Conversion Kit-From NG to LP IPI	1 lbs.	\$ 114.00	Y
<b>Log Set (Required for Each Unit)</b>				
KFLOGC44	Log Set - Eight Piece - Burnt Oak (3320, 3624/28, 4224/28 Series)	14 lbs.	\$ 375.00	Y
<b>Grill Kit or Designer Clean View Kit (Required for Each Unit)</b>				
KFHB36CVCK	Designer Clean View Circulating Kit	18 lbs.	\$ 434.00	Y
KFHB36GBL	Grill Kit - Black	4.5 lbs.	\$ 110.00	Y
<b>Accessories/Options</b>				
KFHB36RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	25 lbs.	\$ 302.00	Y
KFHB36RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	25 lbs.	\$ 302.00	Y
KFHB36PL	Porcelain Reflective Panel Liner (3 PCE)	15 lbs.	\$ 496.00	N
KFZ36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 386.00	Y
KFZDVFDA	DuraVent Fireplace Adapter - 23.5 Degree	2.5 lbs.	\$ 133.00	Y
ICTM4AA4	ICC Adapter	2 lbs.	\$ 215.00	Y
<b>Accessories/Options</b>				
KFDCHS	Remote Control Heat Shield - (For Z1RC, ZART)	1 lbs.	\$ 24.00	N
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	N
KFZ80PT	Thermostat Programmable Digital Millivolt Wall Mount	0.5 lbs.	\$ 188.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	1 lbs.	\$ 219.00	Y
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	Y
KFGTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,232.00	Y
KFGTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,232.00	Y





Order Online at:  
[order.aes4home.com](http://order.aes4home.com)

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFHBZDV3628 - Zero Clearance Direct Vent Gas Fireplace

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Accessories/Options</b>				
KFEGTRC	Remote Control IPI Proflame 1 - Thermostat	1.3 lbs.	\$ 644.00	Y
KFEGTMRCN	Remote Control IPI Proflame 1 - Thermostat/Modulating - NG	1.3 lbs.	\$ 876.00	Y
KFEGTMRCP	Remote Control IPI Proflame 1 - Thermostat/Modulating - LP	1.3 lbs.	\$ 876.00	Y
KFEGTFRCN	Remote Control IPI - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,175.00	Y
KFEGTFRCP	Remote Control IPI - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,175.00	Y
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 231.00	N
<b>Surrounds - For Louvered Units Only (Coverage 41 1/8"W x 35 1/2"H)</b>				
KFHB36SBL	Surround - Black	5 lbs.	\$ 302.00	N
<b>Decorate the Bottom of your Fireplace with Log Bits</b>				
KFVLBIT6	Log Bits - Small Six Piece Kit	2 lbs.	\$ 139.00	Y



Order Online at:  
order.aes4home.com

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFHBZDV4224 - Zero Clearance Direct Vent Gas Fireplace

Listed for USA/Canada, Dual Burner, SIT Nova Valve with Hi/Lo Adjustment, Wall Switch, Tempered Glass, Safety Screen, Framing 42 3/8" W x 37 1/4" H x 17" D, **Uses KFZDVFDA/ICTM4AA4 Adapter, 4/7" Angled Flue**

For Complete Unit: Order Unit, Log Set and Grill or Designer Clean View Kit

### Best Selling Package

Retail

HBZDV4224 Fireplace Millivolt, NG, Burnt Oak Log Set, Clean View Kit, Traditional Brick Liner and Fan Kit (KFHBZDV4224N, KFLOGC44, KFHB42CVCK, KFHB42RLT and KFZ36FK) (Suggested Remote ST1001A)

\$ 3,913.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Unit</b>				
KFHBZDV4224N	Fireplace Decorative Top Flue, Millivolt, NG, 24,000 BTU	113 lbs.	\$ 2,328.00	Y
KFHBZDV4224NE	Fireplace Decorative Top Flue, IPI, NG, 24,000 BTU (In California Only)	113 lbs.	\$ 2,674.00	Y
KF4224HBCKLP	Conversion Kit-From NG to LP	1 lbs.	\$ 97.00	Y
KF4224HBCKLPI	Conversion Kit-From NG to LP IPI	1 lbs.	\$ 114.00	Y
<b>Log Set (Required for Each Unit)</b>				
KFLOGC44	Log Set - Eight Piece - Burnt Oak (3320, 3624/28, 4224/28 Series)	14 lbs.	\$ 375.00	Y
<b>Grill Kit or Designer Clean View Kit (Required for Each Unit)</b>				
KFHB42CVCK	Designer Clean View Circulating Kit	20 lbs.	\$ 477.00	Y
KFHB42GBL	Grill Kit - Black	5 lbs.	\$ 120.00	Y
<b>Accessories/Options</b>				
KFHB42RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	25 lbs.	\$ 347.00	Y
KFHB42RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	25 lbs.	\$ 347.00	Y
KFHB42PL	Porcelain Reflective Panel Liner (3 PCE)	15 lbs.	\$ 546.00	Y
KFZ36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 386.00	Y
KFZDVFDA	Duravent Fireplace Adapter - 23.5 Degree	2.5 lbs.	\$ 133.00	Y
ICTM4AA4	ICC Adapter	2 lbs.	\$ 215.00	Y
KFDCHS	Remote Control Heat Shield - (For Z1RC, ZART)	1 lbs.	\$ 24.00	N
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	Y
KFZ80PT	Thermostat Programmable Digital Millivolt Wall Mount	0.5 lbs.	\$ 188.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	1 lbs.	\$ 219.00	Y
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	Y
KFGTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,232.00	Y
KFGTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,232.00	Y
KFEGTRC	Remote Control IPI Proflame 1 - Thermostat	1.3 lbs.	\$ 644.00	Y



Order Online at:  
[order.aes4home.com](http://order.aes4home.com)

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFHBZDV4224 - Zero Clearance Direct Vent Gas Fireplace

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Accessories/Options</b>				
KFEGTMRCN	Remote Control IPI Proflame 1 - Thermostat/Modulating - NG	1.3 lbs.	\$ 876.00	Y
KFEGTMRCP	Remote Control IPI Proflame 1 - Thermostat/Modulating - LP	1.3 lbs.	\$ 876.00	Y
KFEGTFRCN	Remote Control IPI - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,175.00	Y
KFEGTFRCP	Remote Control IPI - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,175.00	Y
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 231.00	N
<b>Surrounds - For Louvered Units Only (Coverage 45 1/8"W x 37 5/8"H)</b>				
KFHB42SBL	Surround - Black	7 lbs.	\$ 318.00	N
<b>Decorate the Bottom of your Fireplace with Log Bits</b>				
KFVLBIT6	Log Bits - Small Six Piece Kit	2 lbs.	\$ 139.00	Y
For Venting, please see Kingsman venting page or use one of the following adapters: <b>KFZDV DFA - Dura-Vent</b> // <b>ICTM4AA4 - ICC</b>				



Order Online at:  
order.aes4home.com

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFHBZDV4228 - Zero Clearance Direct Vent Gas Fireplace

Listed for USA/Canada, Dual Burner, SIT Nova Valve with Hi/Lo Adjustment, Wall Switch, Ceramic Glass, Safety Screen, Framing 42 3/8" W x 37 1/4" H x 17" D, Uses KFZDVDF/ICTM4AA4 Adapter, 4/7" Angled Flue

### Best Selling Package

### Retail

HBZDV4228 Fireplace Millivolt, NG, Burnt Oak Log Set, Clean View Kit, Traditional Brick Liner and Fan Kit (KFHBZDV4228N, KFLOGC44, KFHB42CVCK, KFHB42RLT and KFZ36FK) (Suggested Remote ST1001A)

\$ 5,099.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Unit</b>				
KFHBZDV4228N	Fireplace, Millivolt Valve, NG, 28,000 BTU	113 lbs.	\$ 3,514.00	N
KFHBZDV4228LP	Fireplace, Millivolt Valve, LP, 26,000 BTU	113 lbs.	\$ 3,574.00	N
KFHBZDV4228NE	Fireplace, IPI Valve, NG, 28,000 BTU	113 lbs.	\$ 3,857.00	N
KFHBZDV4228LPE	Fireplace, IPI Valve, LP, 26,000 BTU	113 lbs.	\$ 3,920.00	N
KF4228HBCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 97.00	Y
KF4228HBCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 97.00	N
KF4228HBCKLPI	Conversion Kit - IPI - To LP	1 lbs.	\$ 114.00	Y
KF4228HBCKNGI	Conversion Kit - IPI - To NG	1 lbs.	\$ 114.00	N
<b>Log Set (Required for Each Unit)</b>				
KFLOGC44	Log Set - Eight Piece - Burnt Oak (3320, 3624/28, 4224/28 Series)	14 lbs.	\$ 375.00	Y
<b>Grill Kit or Designer Clean View Kit (Required for Each Unit)</b>				
KFHB42CVCK	Designer Clean View Circulating Kit	20 lbs.	\$ 477.00	Y
KFHB42GBL	Grill Kit - Black	5 lbs.	\$ 120.00	Y
<b>Fireplace Accessory Options</b>				
KFHB42RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	25 lbs.	\$ 347.00	Y
KFHB42RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	25 lbs.	\$ 347.00	Y
KFHB42PL	Porcelain Reflective Panel Liner (3 PCE)	15 lbs.	\$ 546.00	Y
KFZ36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 386.00	Y
KFZDVDF	DuraVent Fireplace Adapter - 23.5 Degree	2.5 lbs.	\$ 133.00	Y
ICTM4AA4	ICC Adapter	2 lbs.	\$ 215.00	Y
KFDCHS	Remote Control Heat Shield - (For Z1RC, ZART)	1 lbs.	\$ 24.00	N
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	Y
KFZ80PT	Thermostat Programmable Digital Millivolt Wall Mount	0.5 lbs.	\$ 188.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	1 lbs.	\$ 219.00	Y
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	Y
KFGTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,232.00	Y
KFGTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,232.00	Y



Order Online at:  
order.aes4home.com

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFHBZDV4228 - Zero Clearance Direct Vent Gas Fireplace

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Fireplace Accessory Options</b>				
KFEGTRC	Remote Control IPI Proflame 1 - Thermostat	1.3 lbs.	\$ 644.00	Y
KFEGTMRCN	Remote Control IPI Proflame 1 - Thermostat/Modulating - NG	1.3 lbs.	\$ 876.00	Y
KFEGTMRCP	Remote Control IPI Proflame 1 - Thermostat/Modulating - LP	1.3 lbs.	\$ 876.00	Y
KFEGTFRCN	Remote Control IPI - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,175.00	Y
KFEGTFRCP	Remote Control IPI - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,175.00	Y
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 231.00	N
<b>Decorative Surrounds - For Louvered Units Only (Coverage 45 1/8"W x 37 5/8"H)</b>				
KFHB42SBL	Surround - Black	7 lbs.	\$ 318.00	N
<b>Decorative Log Bits</b>				
KFVLBIT6	Log Bits - Small Six Piece Kit	2 lbs.	\$ 139.00	Y
For Venting, please see Kingsman venting page or use one of the following adapters: <b>KFZDVDFDA - Dura-Vent</b> // <b>ICTM4AA5 - ICC</b>				





Order Online at:  
order.aes4home.com

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFHBZDV4736 - Zero Clearance Direct Vent Gas Fireplace 47"

Listed for USA/Canada, Dual Burner, Milli Volt Sit Valve with Hi/Lo Adjustment Wall Switch, Tempered Glass, Safety Screen,  
Uses KFZDVDFFA/ICTM4AA4 Adapter, 4/7" Angled Flue, Framing (Louvered) 47 3/8" W x 43 1/8" H x 19 1/2" D

### Best Selling Package

### Retail

HBZDV4736 Fireplace Millivolt, NG, Oak Log Set, Clean View Kit, Traditional Brick Liner and Fan  
Kit (KFHBZDV4736N, KFLOGF36, KFHB47CVCK, KFHB47RLT and KFZ36FK (Suggested Remote  
ST1001A)

\$ 5,083.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Unit</b>				
KFHBZDV4736N	Fireplace, Millivolt (as above) NG, 40,000 BTU	135 lbs.	\$ 3,071.00	N
KFHBZDV4736LP	Fireplace, Millivolt (as above) LP, 36,000 BTU	135 lbs.	TBD	N
KFHBZDV4736NE	Fireplace, IPI (as above) NG, 40,000 BTU	135 lbs.	\$ 3,416.00	N
KFHBZDV4736LPE	Fireplace, IPI (as above) LP, 36,000 BTU	135 lbs.	TBD	N
KF4740HBCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 97.00	Y
KF4740HBCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 97.00	N
KF4740HBCKLPI	Conversion Kit - IPI - To LP	1 lbs.	\$ 114.00	Y
KF4740HBCKNGI	Conversion Kit - IPI - To NG	1 lbs.	\$ 114.00	N
<b>Log Set (Required for Each Unit)</b>				
KFLOGF36	Log Set - Fiber Split Oak	12 lbs.	\$ 596.00	Y
<b>Grill Kit or Designer Clean View Kit (Required for Each Unit)</b>				
KFHB47CVCK	Designer Clean View Circulating Kit	20 lbs.	\$ 536.00	Y
KFHB47GBL	Grill Kit - Black	6 lbs.	\$ 140.00	N
<b>Optional Brick or Porcelain Liners</b>				
KFHB47RLT	Refractory Fiber Brick Liner (4 PCE) - Traditional	25 lbs.	\$ 494.00	Y
KFHB47RLH	Refractory Fiber Brick Liner (4 PCE) - Herringbone	25 lbs.	\$ 494.00	Y
KFHB47RRH	Refractory Fiber Brick Liner (4 PCE) - Red Herringbone	25 lbs.	\$ 494.00	N
KFHB47PL	Porcelain Reflective Panel Liner (3 PCE)	15 lbs.	\$ 773.00	N
<b>Optional Fireplace Accessories</b>				
KFZ36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 386.00	Y
KFZDVDFFA	DuraVent Fireplace Adapter - 23.5 Degree	2.5 lbs.	\$ 133.00	Y
ICTM4AA4	ICC Adapter	2 lbs.	\$ 215.00	Y
<b>Decorate the Bottom of Your Fireplace with Log Bits</b>				
KFVLBIT6	Log Bits - Small Six Piece Kit	2 lbs.	\$ 139.00	Y





Order Online at:  
[order.aes4home.com](http://order.aes4home.com)

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFHBZDV4736 - Zero Clearance Direct Vent Gas Fireplace 47"

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Optional Thermostats and Remote Controls</b>				
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	Y
KFZ80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	0.5 lbs.	\$ 188.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	1 lbs.	\$ 219.00	Y
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	Y
KFGTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,232.00	Y
KFGTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,232.00	Y
KFEGTRC	Remote Control IPI Proflame 1 - Thermostat	1.3 lbs.	\$ 644.00	Y
KFEGTMRCN	Remote Control IPI Proflame 1 - Thermostat/Modulating - NG	1.3 lbs.	\$ 876.00	Y
KFEGTMRCP	Remote Control IPI Proflame 1 - Thermostat/Modulating - LP	1.3 lbs.	\$ 876.00	Y
KFEGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,175.00	Y
KFEGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,175.00	Y
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 231.00	N



## KFZCV34 - Zero Clearance Clean View Direct Vent Gas Fireplace

Listed for USA/Canada as a Decorative Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment, Wall Switch  
Tempered Glass Viewing Area 25 1/4" W x 20 3/4" H, Safety Screen, Framing 33 1/4" W x 36 1/8" H x 18 1/8" D, 19,000 BTU's NG,  
18,000 BTU's LP.

Uses KFZDVDA/ICTM4AA4 Adapter, 4/7" Angled Flue

### Most Popular Package

### Retail

ZCV34 Fireplace, IPI, NG, Eight Piece Log Set, Fan Kit and Remote (KFZCV34NE, KFLOGC44,  
KFZ46FK and KFEGTRC)

\$ 4,018.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Unit</b>				
KFZCV34N	Fireplace, Millivolt Valve (as above) NG	N/A	\$ 2,272.00	Y
KFZCV34LP	Fireplace, Millivolt Valve (as above) LP	N/A	\$ 2,356.00	N
KFZCV34NE	Fireplace, IPI PF1 Valve (as above) NG	N/A	\$ 2,613.00	Y
KFZCV34LPE	Fireplace, IPI PF1 Valve (as above) LP	N/A	\$ 2,697.00	N
KF34ZCVCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 97.00	N
KF34ZCVCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 97.00	N
KF34ZCVCKLPI	Conversion Kit - IPI - To LP	1 lbs.	\$ 114.00	N
KF34ZCVCKNGI	Conversion Kit - IPI - To NG	1 lbs.	\$ 114.00	N

### Choose Grill for Ventilation or Other Optional Chase Solutions

KFV34EGS	Grill - Enclosure Side (Pair) - Unfinished (11 1/4" W X 6" H)	N/A	\$ 355.00	Y
KFV34EG	Grill - Enclosure Front - Unfinished (32 5/16" W X 4 3/8" H)	N/A	\$ 266.00	Y

### Choose Log Set or Glass Media Accessories

KFLOGC44	Log Set - Eight Piece - Burnt Oak	14 lbs.	\$ 375.00	Y
KFZ5GC	Glass Media - 1/2" Bronze - 5 lbs.	5 lbs.	\$ 114.00	Y

### Optional Media Accessories

KFRBCB1	Cannonballs - Assorted Size and Colors	16.5 lbs.	\$ 417.00	Y
KFVLBIT6	Log Bits - Small Six Piece Kit	2 lbs.	\$ 139.00	Y

### Optional Liners

KFZCV34RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	N/A	\$ 398.00	N
KFZCV34RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	N/A	\$ 398.00	N
KFZCV34PL	Porcelain Reflective Panel Liner (3 PCE)	N/A	\$ 546.00	N

### Optional Electrical Components

KFZ46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 386.00	Y
---------	-------------------------------------------------------------------	--------	-----------	---

### Surrounds and Tile Lip Kit

KFZCV34S1BL	Surround - Hearth Mount 2 3/4" Wide (Covers 33 7/8" W x 30 3/4" H)	N/A	\$ 413.00	N
KFZCV34S1PFBL	Surround - Picture Frame 4" Wide (Covers 36 5/16" W x 33 3/8" H)	N/A	\$ 413.00	N
KFZCV34S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 31 11/16" W x 28 3/4" H)	N/A	\$ 382.00	N
KF34ZCVTLK	Tile Lip Kit	N/A	\$ 77.00	N



Order Online at:  
[order.aes4home.com](http://order.aes4home.com)

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFZCV34 - Zero Clearance Clean View Direct Vent Gas Fireplace

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Optional Thermostats and Remote Controls</b>				
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	Y
KFZ80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	0.5 lbs.	\$ 188.00	Y
KFWMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2	1 lbs.	\$ 231.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	1 lbs.	\$ 219.00	Y
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	N
KFEGTRC	Remote Control IPI Proflame 1 - Thermostat	1 lbs.	\$ 644.00	Y
KFEGTMRCN	Remote Control IPI Proflame 1 - Thermostat/Modulating - NG	1 lbs.	\$ 876.00	Y
KFEGTMRCP	Remote Control IPI Proflame 1 - Thermostat/Modulating - LP	1 lbs.	\$ 876.00	Y
<b>Non-Vented Chase with Horizontal Venting Requires a Wall Thimble Shield</b>				
KFZ58WTS	Horizontal Wall Thimble Shield (for Non Vented Chase)	4.5 lbs.	\$ 49.00	N



## KFZCV34H - Zero Clearance Clean View Direct Vent Gas Fireplace

Listed for USA/Canada as a Decorative Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment, Wall Switch  
Ceramic Glass Viewing Area 25 1/4" W x 20 3/4" H, Safety Screen, Framing 33 1/4" W x 36 1/8" H x 18 1/8" D, 19,000 BTU's NG, 18,000 BTU's LP.

Uses KFZDVDA/ICTM4AA4 Adapter, 4/7" Angled Flue

### Most Popular Package

### Retail

ZCV34 Fireplace, Millivolt, NG, Front Grill and Eight Piece Log Set (KFZCV34NH, KVV34EG and KFLOGC44) (Suggested Remote ST1001A)

\$ 3,409.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Unit</b>				
KFZCV34NH	Fireplace, Millivolt Valve (as above) NG	N/A	\$ 2,768.00	N
KFZCV34LPH	Fireplace, Millivolt Valve (as above) LP	N/A	\$ 2,852.00	N
KFZCV34NHE	Fireplace, IPI PF1 Valve (as above) NG	N/A	\$ 3,109.00	N
KFZCV34LPHE	Fireplace, IPI PF1 Valve (as above) LP	N/A	\$ 3,193.00	N
KF34ZCVCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 97.00	N
KF34ZCVCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 97.00	N
KF34ZCVCKLPI	Conversion Kit - IPI - To LP	1 lbs.	\$ 114.00	N
KF34ZCVCKNGI	Conversion Kit - IPI - To NG	1 lbs.	\$ 114.00	N
<b>Choose Grill for Ventilation or Other Optional Chase Solutions</b>				
KVV34EGS	Grill - Enclosure Side (Pair) - Unfinished (11 1/4" W X 6" H)	N/A	\$ 355.00	N
KVV34EG	Grill - Enclosure Front - Unfinished (32 5/16" W X 4 3/8"H)	N/A	\$ 266.00	N
<b>Choose Log Set or Glass Media</b>				
KFLOGC44	Log Set - Eight Piece - Burnt Oak	14 lbs.	\$ 375.00	Y
KFZ5GC	Glass Media - 1/2" Bronze - 5 lbs.	5 lbs.	\$ 114.00	Y
<b>Choose Media Accessories</b>				
KFRBCB1	Cannonballs - Assorted size and colors	16 .5 lbs.	\$ 417.00	Y
KFVLBIT6	Log Bits - Small Six Piece Kit	2 lbs.	\$ 139.00	Y
<b>Optional Liners</b>				
KFZCV34RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	N/A	\$ 398.00	N
KFZCV34RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	N/A	\$ 398.00	N
KFZCV34PL	Porcelain Reflective Panel Liner (3 PCE)	N/A	\$ 546.00	N
<b>Optional Electrical Components</b>				
KFZ46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 386.00	Y
<b>Surrounds and Tile Lip Kit</b>				
KFZCV34S1BL	Surround - Hearth Mount 2 3/4" Wide (Covers 33 7/8" W x 30 3/4" H)	N/A	\$ 413.00	N
KFZCV34S1PFBL	Surround - Picture Frame 4" Wide (Covers 36 5/16" W x 33 3/8" H)	N/A	\$ 413.00	N
KFZCV34S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 31 11/16" W x 28 3/4" H)	N/A	\$ 382.00	N
KF34ZCVTLK	Tile Lip Kit	N/A	\$ 77.00	N



Order Online at:  
[order.aes4home.com](http://order.aes4home.com)

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFZCV34H - Zero Clearance Clean View Direct Vent Gas Fireplace

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Optional Thermostats and Remote Controls</b>				
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	Y
KFZ80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	0.5 lbs.	\$ 188.00	Y
KFWMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2	1 lbs.	\$ 231.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	1 lbs.	\$ 219.00	Y
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	N
KFEGTRC	Remote Control IPI Proflame 1 - Thermostat	1 lbs.	\$ 644.00	Y
KFEGTMRCN	Remote Control IPI Proflame 1 - Thermostat/Modulating - NG	1 lbs.	\$ 876.00	Y
KFEGTMRCP	Remote Control IPI Proflame 1 - Thermostat/Modulating - LP	1 lbs.	\$ 876.00	Y
<b>Non-Vented Chase with Horizontal Venting Requires a Wall Thimble Shield</b>				
KFZ58WTS	Horizontal Wall Thimble Shield (for Non Vented Chase)	4.5 lbs.	\$ 49.00	N





## KFZCV39 - Zero Clearance Clean View Direct Vent Gas Fireplace

Listed for USA/Canada as a Decorative Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment, Wall Switch, Tempered Glass, Viewing Area 29 5/8" W x 24 1/8" H, Safety Screen, Framing 39 1/2" W x 37 7/8" H x 18 1/2" D, **Uses KFZDVDA/ICTM4AA4 Adapter, 4/7" Angled Flue**

**FOR UNIT BODIES W/"VENTILATED CHASE COMPATIBLE" IN DESCRIPTION - The Fireplace Chase may be Vented for Cool Touch Walls and Reduced Mantel Clearances. Ventilation Plates Must be Removed from Top of Appliance. Minimum Enclosure Height for a Vented Chase is 72". See Installation Manual for Details.**

### Best Selling Package

### Retail

ZCV39 Fireplace IPI, NG, Five Piece Log Set, Brick Herringbone Liner, Fan Kit and Remote (KFZCV39NE, KFLOGF3, KFZCV39RLH, KFZ46FK and KFEGTRC)

\$ 4,476.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
-----------	-----------	-------------	--------------	---------

### Unit

KFZCV39N	Fireplace, Millivolt Valve, <b>Ventilated Chase Compatible</b> (as above) NG, 25,000 BTU	150 lbs.	\$ 2,448.00	Y
KFZCV39LP-NONVC	Fireplace, Millivolt Valve, (as above) LP, 25,000 BTU <b>LIMITED TO STOCK ON HAND</b>	#N/A	\$ 2,532.00	N
KFZCV39LP	Fireplace, Millivolt Valve, <b>Ventilated Chase Compatible</b> (as above) LP, 25,000 BTU <b>WILL NOT SHIP UNTIL KFZCV39LP-NONVC STOCK DEPLETED</b>	150 lbs.	\$ 2,532.00	TBD
KFZCV39NE	Fireplace, IPI Valve, <b>Ventilated Chase Compatible</b> (as above) NG, 25,000 BTU	150 lbs.	\$ 2,789.00	Y
KFZCV39LPE	Fireplace, IPI Valve, <b>Ventilated Chase Compatible</b> (as above) LP, 25,000 BTU	150 lbs.	\$ 2,874.00	Y
KF39ZCVCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 97.00	Y
KF39ZCVCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 97.00	N
KF39ZCVCKLPI	Conversion Kit - IPI - To LP	1 lbs.	\$ 114.00	Y
KF39ZCVCKNGI	Conversion Kit - IPI - To NG	1 lbs.	\$ 114.00	N

### Ventilating Enclosure - Choose Grill or Other Chase Option Per Manual

KFV39EGS	<b>FOR VENTILATED UNITS ONLY</b> - Grill - Enclosure Side (Pair) - Unfinished - (Opening 12 1/2" x 6 1/8")	-	\$ 390.00	Y
KFV39EG	<b>FOR VENTILATED UNITS ONLY</b> - Grill - Enclosure Front - Unfinished - (Opening 36 1/2" x 3 5/8" )	-	\$ 276.00	Y

### Log Set, Rock Set, or Glass Set (One Required for Each Unit)

KFLOGF3	Log Set - Five Piece - Fiber Split Oak	7 lbs.	\$ 436.00	Y
KFLOGC3	Log Set - Five Piece - Glo-Cast (Concrete) Split Oak <b>LIMITED TO STOCK ON HAND</b>	20 lbs.	\$ 345.00	Y
KFZCV39GT	Glass Tray for KFZCV39 - (Requires 15 lbs. of Glass Media)	8 lbs.	\$ 184.00	Y
KFZ5GC	Glass Media - 1/2" Bronze - 5 lbs.	5 lbs.	\$ 114.00	Y
KFRBCB1	Cannonballs - Assorted Size and Colors	16.5 lbs.	\$ 417.00	Y
KFULK2	Universal Light Kit - Two Lamps (for use with KFZCV39GT Glass Tray)	5 lbs.	\$ 328.00	Y

### Surrounds and Safety Screens

KFZCV39S1BL	Surround - Hearth Mount 4" Wide (Covers 40 5/8" W x 35" H)	11 lbs.	\$ 435.00	Y
KFZCV39S1PFBL	Surround - Picture Frame 4" Wide (Covers 40 5/8" x 37" H)	15 lbs.	\$ 435.00	N
KFZCV39S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 36 1/8" W x 32 1/2" H)	15 lbs.	\$ 397.00	Y





Order Online at:  
order.aes4home.com

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFZCV39 - Zero Clearance Clean View Direct Vent Gas Fireplace

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Fireplace Accessories Options</b>				
KFZCV39RLT	Refractory Fiber Brick Liner (3PCE) - Traditional	15 lbs.	\$ 436.00	Y
KFZCV39RLH	Refractory Fiber Brick Liner (3PCE) - Herringbone	15 lbs.	\$ 436.00	Y
KFZCV39RRH	Refractory Fiber Brick Liner (3PCE) - Red Herringbone	15 lbs.	\$ 436.00	Y
KFZCV39RLS	Refractory Fiber Brick Liner (3PCE) - Stacked Brick	15 lbs.	\$ 436.00	Y
KFZCV39PL	Porcelain Reflective Panel Liner (3PCE)	22 lbs.	\$ 536.00	Y
KFZ46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 386.00	Y
KFZDVDFDA	Duravent Fireplace Adapter - 23.5 Degree	2.5 lbs.	\$ 133.00	Y
ICTM4AA4	ICC Adapter	2 lbs.	\$ 215.00	Y
KFZCVTLK	Tile Lip Kit (for Finishing Materials - Tile and Brick)	3 lbs.	\$ 77.00	Y
<b>Log Bit Decorations</b>				
KFVLBIT6	Log Bits - Small Six Piece Kit	2 lbs.	\$ 139.00	Y
<b>Thermostats and Remote Controls</b>				
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	Y
KFZ80PT	Thermostat Programmable Digital Millivolt Wall Mount	0.5 lbs.	\$ 188.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	1 lbs.	\$ 219.00	Y
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	Y
KFGTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,232.00	Y
KFGTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,232.00	Y
KFEGTRC	Remote Control IPI Proflame 1 - Thermostat	1.3 lbs.	\$ 644.00	Y
KFEGTMRCN	Remote Control IPI Proflame 1 - Thermostat/Modulating - NG	1.3 lbs.	\$ 876.00	Y
KFEGTMRCP	Remote Control IPI Proflame 1 - Thermostat/Modulating - LP	1.3 lbs.	\$ 876.00	Y
KFEGTFRCN	Remote Control IPI - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,175.00	Y
KFEGTFRCP	Remote Control IPI - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,175.00	Y
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 231.00	N



## KFZCV39H - Zero Clearance Clean View Direct Vent Gas Fireplace

Listed for USA/Canada as a Vented Gas Fireplace Heater, SIT Valve with Hi/Lo Flame Adjustment, Wall Switch, Ceramic Glass, Viewing Area 29 5/8" W x 24 1/8" H, Safety Screen, Framing 39 1/2" W x 37 7/8" H x 18 1/2" D, **Uses KFZDVDA/ICTM4AA4 Adapter, 4/7" Angled Flue**

**FOR UNIT BODIES W/"VENTILATED CHASE COMPATIBLE" IN DESCRIPTION - The Fireplace Chase may be Vented for Cool Touch Walls and Reduced Mantel Clearances. Ventilation Plates Must be Removed from Top of Appliance. Minimum Enclosure Height for a Vented Chase is 72". See Installation Manual for Details.**

### Best Selling Package

### Retail

ZCV39 Fireplace Millivolt, NG, Five Piece Log Set, Brick Herringbone Log Set and Fan Kit  
(KFZCV39NH, KFLOGF3, KFZCV39RLH and KFZ46FK) (Suggested Remote ST1001A)

\$ 4,781.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Unit</b>				
KFZCV39NH	Fireplace, Millivolt Valve <b>Ventilated Chase Compatible</b> (as above) NG, 28,000 BTU	150 lbs.	\$ 3,216.00	Y
KFZCV39LPH	Fireplace, Millivolt Valve <b>Ventilated Chase Compatible</b> (as above) LP, 29,000 BTU	150 lbs.	\$ 3,302.00	N
KFZCV39NHE	Fireplace, IPI Valve, <b>Ventilated Chase Compatible</b> (as above) NG, 28,000 BTU	150 lbs.	\$ 3,560.00	Y
KFZCV39LPHE	Fireplace, IPI Valve, <b>Ventilated Chase Compatible</b> (as above) LP, 29,000 BTU	150 lbs.	\$ 3,646.00	N
KF39ZCVCKLPH	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 97.00	Y
KF39ZCVCKNGH	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 97.00	N
KF39ZCVCKLPHI	Conversion Kit - IPI - To LP	1 lbs.	\$ 114.00	Y
KF39ZCVCKNHI	Conversion Kit - IPI - To NG	1 lbs.	\$ 114.00	N

### Ventilating Enclosure - Choose Grill or Other Chase Option Per Manual

KFV39EGS	<b>FOR VENTILATED UNITS ONLY</b> - Grill - Enclosure Side (Pair) - Unfinished - (Opening 12 1/2" x 6 1/8")	-	\$ 390.00	Y
KFV39EG	<b>FOR VENTILATED UNITS ONLY</b> - Grill - Enclosure Front - Unfinished - (Opening 36 1/2" x 3 5/8" )	-	\$ 276.00	Y

### Log Set, Rock Set, or Glass Set (One Required for Each Unit)

KFLOGF3	Log Set - Five Piece - Fiber Split Oak	7 lbs.	\$ 436.00	Y
KFLOGC3	Log Set - Five Piece - Glo-Cast (Concrete) Split Oak <b>LIMITED TO STOCK ON HAND</b>	20 lbs.	\$ 345.00	Y
KFZCV39GT	Glass Tray for KFZCV39 - (Requires 15 lbs. of Glass Media)	8 lbs.	\$ 184.00	Y
KFZ5GC	Glass Media - 1/2" Bronze - 5 lbs.	5 lbs.	\$ 114.00	Y
KFRBCB1	Cannonballs - Assorted Size and Colors	16.5 lbs.	\$ 417.00	Y
KFULK2	Universal Light Kit - Two Lamps (for use with KFZCV39/42GT Glass Tray)	5 lbs.	\$ 328.00	Y

### Surrounds and Safety Screens

KFZCV39S1BL	Surround - Hearth Mount 4" Wide (Covers 40 5/8" W x 35" H)	11 lbs.	\$ 435.00	Y
KFZCV39S1PFBL	Surround - Picture Frame 4" Wide (Covers 40 5/8" x 37 H)	15 lbs.	\$ 435.00	N
KFZCV39S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 36 1/8" W x 32 1/2" H)	15 lbs.	\$ 397.00	Y



## KFZCV39H - Zero Clearance Clean View Direct Vent Gas Fireplace

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Fireplace Accessories Options</b>				
KFZCV39RLT	Refractory Fiber Brick Liner (3PCE) - Traditional	15 lbs.	\$ 436.00	Y
KFZCV39RLH	Refractory Fiber Brick Liner (3PCE) - Herringbone	15 lbs.	\$ 436.00	Y
KFZCV39RRH	Refractory Fiber Brick Liner (3PCE) - Red Herringbone	15 lbs.	\$ 436.00	Y
KFZCV39RLS	Refractory Fiber Brick Liner (3PCE) - Stacked Brick	15 lbs.	\$ 436.00	Y
KFZCV39PL	Porcelain Reflective Panel Liner (3PCE)	22 lbs.	\$ 536.00	Y
KFZ46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 386.00	Y
KFZDVDF	DuraVent Fireplace Adapter - 23.5 Degree	2.5 lbs.	\$ 133.00	Y
ICTM4AA4	ICC Adapter	2 lbs.	\$ 215.00	Y
KFZCVTLK	Tile Lip Kit (for Finishing Materials - Tile and Brick)	3 lbs.	\$ 77.00	Y
<b>Log Bit Decorations</b>				
KFVLBIT6	Log Bits - Small Six Piece Kit	2 lbs.	\$ 139.00	Y
<b>Thermostats and Remote Controls</b>				
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	Y
KFZ80PT	Thermostat Programmable Digital Millivolt Wall Mount	0.5 lbs.	\$ 188.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	1 lbs.	\$ 219.00	Y
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	Y
KFGTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,232.00	Y
KFGTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,232.00	Y
KFEGTRC	Remote Control IPI Proflame 1 - Thermostat	1.3 lbs.	\$ 644.00	Y
KFEGTMRCN	Remote Control IPI Proflame 1 - Thermostat/Modulating - NG	1.3 lbs.	\$ 876.00	Y
KFEGTMRCP	Remote Control IPI Proflame 1 - Thermostat/Modulating - LP	1.3 lbs.	\$ 876.00	Y
KFEGTFRCN	Remote Control IPI - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,175.00	Y
KFEGTFRCP	Remote Control IPI - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,175.00	Y
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 231.00	N



## KFZCV42 - Zero Clearance Clean View Direct Vent Gas Fireplace

Listed for USA/Canada as a Decorative Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment, Wall Switch, Tempered Glass, Viewing Area 33 5/8" W x 27 1/4" H, Safety Screen, Framing 42 1/2" W x 41" H x 18 1/2" D, **Uses KFZDVDA/ICTM4AA4 Adapter, 4/7" Angled Flue**

**FOR UNIT BODIES W/"VENTILATED CHASE COMPATIBLE" IN DESCRIPTION - The Fireplace Chase may be Vented for Cool Touch Walls and Reduced Mantel Clearances. Ventilation Plates Must be Removed from Top of Appliance. Minimum Enclosure Height for a Vented Chase is 72". See Installation Manual for Details.**

### Best Selling Package

### Retail

ZCV42 Fireplace IPI, Five Piece Log Set, Brick Herringbone Liner and Fan Kit (KFZCV42NE, KFLOGF3, KFZCV42RLH, KFZ46FK) (Suggested Remote ST1001A)

\$ 4,387.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Unit</b>				
KFZCV42N	Fireplace, Millivolt Valve <b>Ventilated Chase Compatible</b> (as above) NG, 25,000 BTU	154 lbs.	\$ 2,745.00	Y
KFZCV42LP	Fireplace, Millivolt Valve, <b>Ventilated Chase Compatible</b> (as above) LP, 25,000 BTU	154 lbs.	\$ 2,832.00	Y
KFZCV42NE	Fireplace, IPI Valve, <b>Ventilated Chase Compatible</b> (as above) NG, 25,000 BTU	154 lbs.	\$ 3,090.00	Y
KFZCV42LPE	Fireplace, IPI Valve, <b>Ventilated Chase Compatible</b> (as above) LP, 25,000 BTU	154 lbs.	\$ 3,176.00	N
KF42ZCVCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 97.00	Y
KF42ZCVCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 97.00	N
KF42ZCVCKLPI	Conversion Kit - IPI - To LP	1 lbs.	\$ 114.00	Y
KF42ZCVCKNGI	Conversion Kit - IPI - To NG	1 lbs.	\$ 114.00	N

### Ventilating Enclosure - Choose Grill or Other Chase Option Per Manual

KFV39EGS	<b>FOR VENTILATED UNITS ONLY</b> - Grill - Enclosure Side (Pair) - Unfinished - (Opening 12 1/2" x 6 1/8")	-	\$ 390.00	Y
KFV39EG	<b>FOR VENTILATED UNITS ONLY</b> - Grill - Enclosure Front - Unfinished - (Opening 36 1/2" x 3 5/8" )	-	\$ 276.00	Y

### Log Set, Rock Set, Or Glass Set (One Required for Each Unit)

KFLOGF3	Log Set - Five Piece - Fiber Split Oak	7 lbs.	\$ 436.00	Y
KFLOGC3	Log Set - Five Piece - Glo-Cast (Concrete) Split Oak <b>LIMITED TO STOCK ON HAND</b>	20 lbs.	\$ 345.00	Y
KFZCV42GT	Glass Tray for KFZCV42 - (Requires 20 lbs. of Glass Media)	8 lbs.	\$ 193.00	Y
KFZ5GC	Glass Media - 1/2" Bronze - 5 lbs.	5 lbs.	\$ 114.00	Y
KFRBCB1	Cannonballs - Assorted Size and Colors	16.5 lbs.	\$ 417.00	Y
KFULK2	Universal Light Kit - Two Lamps (for use with KFZCV39/42GT Glass Tray)	5 lbs.	\$ 328.00	Y

### Surrounds and Safety Screens

KFZCV42S1BL	Surround - Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H)	11 lbs.	\$ 492.00	Y
KFZCV42S1PFBL	Surround - Picture Frame 4" Wide (Covers 44 5/8" x 40 1/8" H)	15 lbs.	\$ 492.00	Y
KFZCV42S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H)	15 lbs.	\$ 435.00	Y





## KFZCV42 - Zero Clearance Clean View Direct Vent Gas Fireplace

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Fireplace Accessories Options</b>				
KFZCV42RLT	Refractory Fiber Brick Liner (3PCE) - Traditional	15 lbs.	\$ 475.00	Y
KFZCV42RLH	Refractory Fiber Brick Liner (3PCE) - Herringbone	15 lbs.	\$ 475.00	Y
KFZCV42RRH	Refractory Fiber Brick Liner (3PCE) - Red Herringbone	15 lbs.	\$ 475.00	N
KFZCV42RLS	Refractory Fiber Brick Liner (3PCE) - Stacked Brick	15 lbs.	\$ 475.00	Y
KFZCV42PL	Porcelain Reflective Panel Liner (3PCE)	22 lbs.	\$ 577.00	Y
KFZ46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 386.00	Y
KFZDVDF	DuraVent Fireplace Adapter - 23.5 Degree	2.5 lbs.	\$ 133.00	Y
ICTM4AA4	ICC Adapter	2 lbs.	\$ 215.00	Y
KFZCVTLK	Tile Lip Kit (for Finishing Materials - Tile and Brick)	3 lbs.	\$ 77.00	Y
<b>Log Bit Decorations</b>				
KFVLBIT6	Log Bits - Small Six Piece Kit	2 lbs.	\$ 139.00	Y
<b>Thermostats and Remote Controls</b>				
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	Y
KFZ80PT	Thermostat Programmable Digital Millivolt Wall Mount	0.5 lbs.	\$ 188.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	1 lbs.	\$ 219.00	Y
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	Y
KFGTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,232.00	Y
KFGTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,232.00	Y
KFEGTRC	Remote Control IPI Proflame 1 - Thermostat	1.3 lbs.	\$ 644.00	Y
KFEGTMRCN	Remote Control IPI Proflame 1 - Thermostat/Modulating - NG	1.3 lbs.	\$ 876.00	Y
KFEGTMRCP	Remote Control IPI Proflame 1 - Thermostat/Modulating - LP	1.3 lbs.	\$ 876.00	Y
KFEGTFRCN	Remote Control IPI - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,175.00	Y
KFEGTFRCP	Remote Control IPI - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,175.00	Y
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 231.00	N



## KFZCV42H - Zero Clearance Clean View Direct Vent Gas Fireplace

Listed for USA/Canada as a Vented Gas Fireplace Heater, SIT Valve with Hi/Lo Flame Adjustment, Wall Switch, Ceramic Glass Viewing Area 33 5/8" W x 27 1/4" H, Safety Screen, Framing 42 1/2" W x 41" H x 18 1/2" D, **Uses KFZDVDA/ICTM4AA4 Adapter, 4/7" Angled Flue**

**FOR UNIT BODIES W/"VENTILATED CHASE COMPATIBLE" IN DESCRIPTION - The Fireplace Chase may be Vented for Cool Touch Walls and Reduced Mantel Clearances. Ventilation Plates Must be Removed from Top of Appliance. Minimum Enclosure Height for a Vented Chase is 72". See Installation Manual for Details.**

### Best Selling Package

### Retail

ZCV42 Fireplace IPI, NG, Five Piece Log Set, Brick Herringbone Liner and Fan Kit (KFZCV42NHE, KFLOGF3, KFZCV42RLH and KFZ46FK) (Suggested Remote ST1001A)

\$ 5,558.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Unit</b>				
KFZCV42NH	Fireplace, Millivolt Valve <b>Ventilated Chase Compatible</b> (as above) NG, 29,500 BTU	154 lbs.	\$ 3,919.00	N
KFZCV42LPH	Fireplace, Millivolt Valve <b>Ventilated Chase Compatible</b> (as above) LP, 29,000 BTU	154 lbs.	\$ 4,004.00	N
KFZCV42NHE	Fireplace, IPI Valve, <b>Ventilated Chase Compatible</b> (as above) NG, 29,500 BTU	154 lbs.	\$ 4,261.00	N
KFZCV42LPHE	Fireplace, IPI Valve, <b>Ventilated Chase Compatible</b> (as above) LP, 29,000 BTU	154 lbs.	\$ 4,346.00	N
KF42ZCVCKLPH	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 97.00	N
KF42ZCVCKNGH	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 97.00	N
KF42ZCVCKLPHI	Conversion Kit - IPI - To LP	1 lbs.	\$ 114.00	Y
KF42ZCVCKNGHI	Conversion Kit - IPI - To NG	1 lbs.	\$ 114.00	N

### Ventilating Enclosure - Choose Grill or Other Chase Option Per Manual

KFV39EGS	<b>FOR VENTILATED UNITS ONLY</b> - Grill - Enclosure Side (Pair) - Unfinished - (Opening 12 1/2" x 6 1/8")	-	\$ 390.00	Y
KFV39EG	<b>FOR VENTILATED UNITS ONLY</b> - Grill - Enclosure Front - Unfinished - (Opening 36 1/2" x 3 5/8" )	-	\$ 276.00	Y

### Log Set, Rock Set, or Glass Set (One Required for Each Unit)

KFLOGF3	Log Set - Five Piece - Fiber Split Oak	7 lbs.	\$ 436.00	Y
KFLOGC3	Log Set - Five Piece - Glo-Cast (Concrete) Split Oak <b>LIMITED TO STOCK ON HAND</b>	20 lbs.	\$ 345.00	Y
KFZCV42GT	Glass Tray for KFZCV42 - (Requires 20 lbs. of Glass Media)	8 lbs.	\$ 193.00	Y
KFZ5GC	Glass Media - 1/2" Bronze - 5 lbs.	5 lbs.	\$ 114.00	Y
KFRBCB1	Cannonballs - Assorted Size and Colors	16.5 lbs.	\$ 417.00	Y
KFULK2	Universal Light Kit - Two Lamps (for use with KFZCV39/42GT Glass Tray)	5 lbs.	\$ 328.00	Y

### Surrounds and Safety Screens

KFZCV42S1BL	Surround - Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H)	11 lbs.	\$ 492.00	Y
KFZCV42S1PFBL	Surround - Picture Frame 4" Wide (Covers 44 5/8" x 40 1/8" H)	15 lbs.	\$ 492.00	Y
KFZCV42S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H)	15 lbs.	\$ 435.00	Y





Order Online at:  
order.aes4home.com

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFZCV42H - Zero Clearance Clean View Direct Vent Gas Fireplace

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Fireplace Accessories Options</b>				
KFZCV42RLT	Refractory Fiber Brick Liner (3PCE) - Traditional	15 lbs.	\$ 475.00	Y
KFZCV42RLH	Refractory Fiber Brick Liner (3PCE) - Herringbone	15 lbs.	\$ 475.00	Y
KFZCV42RRH	Refractory Fiber Brick Liner (3PCE) - Red Herringbone	15 lbs.	\$ 475.00	N
KFZCV42RLS	Refractory Fiber Brick Liner (3PCE) - Stacked Brick	15 lbs.	\$ 475.00	Y
KFZCV42PL	Porcelain Reflective Panel Liner (3PCE)	22 lbs.	\$ 577.00	Y
KFZ46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 386.00	Y
KFZDVDFDA	DuraVent Fireplace Adapter - 23.5 Degree	2.5 lbs.	\$ 133.00	Y
ICTM4AA4	ICC Adapter	2 lbs.	\$ 215.00	Y
KFZCVTLK	Tile Lip Kit (for Finishing Materials - Tile and Brick)	3 lbs.	\$ 77.00	Y
<b>Log Bit Decorations</b>				
KFVLBIT6	Log Bits - Small Six Piece Kit	2 lbs.	\$ 139.00	Y
<b>Thermostats and Remote Controls</b>				
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	Y
KFZ80PT	Thermostat Programmable Digital Millivolt Wall Mount	0.5 lbs.	\$ 188.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	1 lbs.	\$ 219.00	Y
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	Y
KFGTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,232.00	Y
KFGTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,232.00	Y
KFEGTRC	Remote Control IPI Proflame 1 - Thermostat	1.3 lbs.	\$ 644.00	Y
KFEGTMRCN	Remote Control IPI Proflame 1 - Thermostat/Modulating - NG	1.3 lbs.	\$ 876.00	Y
KFEGTMRCP	Remote Control IPI Proflame 1 - Thermostat/Modulating - LP	1.3 lbs.	\$ 876.00	Y
KFEGTFRCN	Remote Control IPI - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,175.00	Y
KFEGTFRCP	Remote Control IPI - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,175.00	Y
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 231.00	N

For Venting, please see Kingsman venting page or use one of the following adapters: **KFZDVDFDA - Dura-Vent** // **ICTM4AA5 - ICC**



## KFMCVP42 - Multi-Sided Clean View Peninsula Direct Vent Gas Fireplace

Listed for USA/Canada as a Vented Gas Fireplace Includes: ANSI Z21.50, RH Burner, Three Sides Open, SIT Nova Valve with Hi/Lo Adjustment, Wall Switch, Safety Screens, Tempered Glass, Back, **Uses KFZ58DFA/ICTM5AA1 Adapter, 5/8" Angled Flue**

For Complete Unit: Order Unit, Log Grate and Oak Log Set OR Glass Tray and Glass Media or Driftwood Log Set

### Best Selling Package

Retail

MCVP42 Peninsula Fireplace IPI, NG, Log Grate and Oak Log Set (KFMCVP42NE, KFM42LG and KFM42LOG4)

\$ 6,581.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Unit</b>				
KFMCVP42N	Peninsula Fireplace, Millivolt (as above) NG, 30,250 BTU	260 lbs.	\$ 5,101.00	N
KFMCVP42LP	Peninsula Fireplace, Millivolt (as above) LP, 28,500 BTU	260 lbs.	\$ 5,185.00	N
KFMCVP42NE	Peninsula Fireplace, IPI (as above) NG, 30,250 BTU	260 lbs.	\$ 5,443.00	Y
KF42MPCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 97.00	Y
KF42MPCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 97.00	N
KF42MPCKLPI	Conversion Kit - IPI - To LP	1 lbs.	\$ 114.00	Y
KF42MPCKNGI	Conversion Kit - IPI - To NG	1 lbs.	\$ 114.00	N
<b>Choose Log Grate &amp; Log Set or Glassy Tray &amp; Media (Required for Each Unit)</b>				
KFM42LG	Log Grate (need to choose log set) - <b>Not for Use with LP</b>	28 lbs.	\$ 193.00	Y
KFM42LOG4	Log Set - Oak - <b>Not for Use with LP</b>	13 lbs.	\$ 945.00	Y
KFMP42GT	Glass Tray for MCPV42 (requires 10 lbs. of glass media)	11 lbs.	\$ 193.00	Y
KFM42LOG3	Log Set - Driftwood - This Log Set Can Only be Used with Glass Tray KFMST42GT	16 lbs.	\$ 945.00	N
KFZ5GC	Glass Media - 1/2" Bronze - 5 lbs.	5 lbs.	\$ 114.00	N
KFRBCB1	Cannonballs - Assorted size and colors	16.5 lbs.	\$ 417.00	Y
KFULK3	Universal Light Kit - Two Lamps (for use with Glass Tray)	7 lbs.	\$ 328.00	Y
<b>Fireplace Accessories Options</b>				
KFMP42RLT	Refractory Fiber Brick Liner - Traditional	5 lbs.	\$ 218.00	N
KFMP42PL	Porcelain Reflective Panel Liner	6 lbs.	\$ 220.00	Y
KF42MCVPTLK	Tile Lip Kit - 8 Piece	#N/A	TBD	N
KFVLBIT6	Log Bits - Small Six Piece Kit	2 lbs.	\$ 139.00	Y
KFZ58DFA	Dura-Vent Hard Pipe Adapter - <b>REQUIRED WHEN USING RIGID VENTING ON MCVP42</b>	3 lbs.	\$ 167.00	Y
ICTM5AA1	ICC Adapter	6 lbs.	\$ 154.00	Y
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 231.00	N

For Venting, please see Kingsman venting page or use one of the following adapters: **KFZ58DFA - Dura-Vent // ICTM5AA1 - ICC**



Order Online at:  
order.aes4home.com

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFMCPV42H - Multi-Sided Clean View Peninsula Direct Vent Gas Fireplace

Listed for USA/Canada as a Vented Gas Fireplace Includes: ANSI Z21.88, RH Burner, Three Sides Open, SIT Nova Valve with Hi/Lo Adjustment, Wall Switch, Ceramic Glass, Safety Screens, Back, **Uses KFZ58DFA/ICTM5AA1 Adapter, 5/8" Angled Flue**

For Complete Unit: Order Unit, Log Grate and Oak Log Set OR Glass Tray and Glass Media or Driftwood Log Set

### Best Selling Package

### Retail

MCVP42 Peninsula Fireplace IPI, NG, Log Grate, Oak Log Set and Remote Control w/Thermostat  
(KFMCPV42NHE, KFM42LG, KFM42LOG4 and KFEGTRC)

\$ 9,619.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Unit</b>				
KFMCVP42NH	Peninsula Fireplace, Millivolt (as above) NG, 31,250 BTU	260 lbs.	\$ 7,495.00	N
KFMCVP42LPH	Peninsula Fireplace, Millivolt (as above) LP, 29,000 BTU	260 lbs.	\$ 7,579.00	N
KFMCVP42NHE	Peninsula Fireplace, IPI (as above) NG, 31,250 BTU	260 lbs.	\$ 7,837.00	N
KFMCVP42LPHE	Peninsula Fireplace, IPI (as above) LP, 29,000 BTU	260 lbs.	\$ 7,922.00	N
KF42MPCKLPH	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 97.00	Y
KF42MPCKNGH	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 97.00	N
KF42MPCKLPHI	Conversion Kit - IPI - To LP	1 lbs.	\$ 114.00	Y
KF42MPCKNGHI	Conversion Kit - IPI - To NG	1 lbs.	\$ 114.00	N

### Choose Log Grate & Log Set or Glass Tray & Media (Required for Each Unit)

KFM42LG	Log Grate (need to choose log set) - <b>Not for Use with LP</b>	28 lbs.	\$ 193.00	Y
KFM42LOG4	Log Set - Oak - <b>Not for Use with LP</b>	13 lbs.	\$ 945.00	Y
KFMP42GT	Glass Tray for MCPV42 (requires 10 lbs. of glass media)	11 lbs.	\$ 193.00	Y
KFM42LOG3	Log Set - Driftwood - This Log Set Can Only be Used with Glass Tray KFMST42GT	16 lbs.	\$ 945.00	N
KFZ5GC	Glass Media - 1/2" Bronze - 5 lbs.	5 lbs.	\$ 114.00	N
KFRBCB1	Cannonballs - Assorted size and colors	16.5 lbs.	\$ 417.00	Y
KFULK3	Universal Light Kit - Two Lamps (for use with glass tray)	7 lbs.	\$ 328.00	Y
KF42MVB258	Pilot Shield - for Glass Tray and Log Grate (replacement part)	N/A	\$ 62.00	N

### Fireplace Accessories Options

KFMP42RLT	Refractory Fiber Brick Liner - Traditional	5 lbs.	\$ 218.00	N
KFMP42PL	Porcelain Reflective Panel Liner	6 lbs.	\$ 220.00	Y
KF42MCVPTLK	Tile Lip Kit - 8 Piece	#N/A	TBD	N
KFVLBIT6	Log Bits - Small Six Piece Kit	2 lbs.	\$ 139.00	Y
KFZ58DFA	Dura-Vent Hard Pipe Adapter - <b>REQUIRED WHEN USING RIGID VENTING ON MCVP42</b>	3 lbs.	\$ 167.00	Y
ICTM5AA1	ICC Adapter	6 lbs.	\$ 154.00	Y



Order Online at:  
order.aes4home.com

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFMCPV42H - Multi-Sided Clean View Peninsula Direct Vent Gas Fireplace

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Thermostats &amp; Remote Controls</b>				
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	Y
KFZ80PT	Thermostat Programmable Digital Millivolt Wall Mount	0.5 lbs.	\$ 188.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	1 lbs.	\$ 219.00	Y
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	Y
KFGTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,232.00	Y
KFGTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,232.00	Y
KFEGTRC	Remote Control IPI Proflame 1 - Thermostat	1.3 lbs.	\$ 644.00	Y
KFEGTMRCN	Remote Control IPI Proflame 1 - Thermostat/Modulating - NG	1.3 lbs.	\$ 876.00	Y
KFEGTMRCP	Remote Control IPI Proflame 1 - Thermostat/Modulating - LP	1.3 lbs.	\$ 876.00	Y
KFEGTFRCN	Remote Control IPI - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,175.00	Y
KFEGTFRCP	Remote Control IPI - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,175.00	Y
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 231.00	N

For Venting, please see Kingsman venting page or use one of the following adapters: **KFZ58DFA - Dura-Vent** // **ICTM5AA1 - ICC**





## KFMCVST42 - Multi-Sided Clean View See-Through Direct Vent Fireplace

Listed for USA/Canada as a Vented Gas Fireplace Includes: ANSI Z21.50, RH Burner, SIT Nova Valve with Hi/Lo Adjustment, Wall Switch, Safety Screens, Tempered Glass, Back, **Uses KFZ58FA/ICTM5AA1 Adapter, 5/8" Angled Flue**

For Complete Unit: Order Unit, Log Grate and Oak Log Set OR Glass Tray and Glass Media or Driftwood Log Set

### Best Selling Package

### Retail

MCVST42 See-Through Fireplace IPI, NG, Log Grate, Oak Log Set and Remote Control w/Thermostat (KFMCVST42NE, KFM42LG, KFM42LOG4 and KFEGTRC)

\$ 7,348.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Unit</b>				
KFMCVST42N	See Through Fireplace, Millivolt (as above) NG, 31,000 BTU	260 lbs.	\$ 5,221.00	N
KFMCVST42LP	See Through Fireplace, Millivolt (as above) LP, 29,250 BTU	260 lbs.	\$ 5,311.00	N
KFMCVST42NE	See Through Fireplace, IPI (as above) NG, 31,000 BTU	260 lbs.	\$ 5,566.00	Y
KFMCVST42LPE	See Through Fireplace, IPI (as above) LP, 29,250 BTU	260 lbs.	\$ 5,674.00	N
KF42MSTCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 97.00	Y
KF42MSTCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 97.00	N
KF42MSTCKLPI	Conversion Kit - IPI - To LP	1 lbs.	\$ 114.00	Y
KF42MSTCKNGI	Conversion Kit - IPI - To NG	1 lbs.	\$ 114.00	N

### Choose Log Grate & Log Set or Glass Tray & Media (Required for Each Unit)

KFM42LG	Log Grate (need to choose log set)	28 lbs.	\$ 193.00	Y
KFM42LOG4	Log Set - Oak	13 lbs.	\$ 945.00	Y
KFMST42GT	Glass Tray for MCPV42 (requires 10 lbs. of glass media)	10 lbs.	\$ 193.00	Y
KFM42LOG3	Log Set - Driftwood - This Log Set Can Only be Used with Glass Tray KFMST42GT	16 lbs.	\$ 945.00	N
KFZ5GC	Glass Media - 1/2" Bronze - 5 lbs.	5 lbs.	\$ 114.00	N
KFRBCB1	Cannonballs - Assorted size and colors	16.5 lbs.	\$ 417.00	Y
KFULK3	Universal Light Kit - Two Lamps (for use with glass tray)	7 lbs.	\$ 328.00	Y
KF42MVB258	Pilot Shield - for Glass Tray and Log Grate (replacement part)	N/A	\$ 62.00	N

### Surrounds & Designer Doors

KFZCV42S1BL	Surround - Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H)	11 lbs.	\$ 492.00	Y
kFZCV42S1PFBL	Surround - Picture Frame 4" Wide (Covers 44 5/8" W x 40 1/8" H)	15 lbs.	\$ 492.00	Y
kFZCV42S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H)	15 lbs.	\$ 435.00	Y

### Fireplace Accessories Options

KFZCVTLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	3 lbs.	\$ 77.00	Y
KFMST42RLT	Refractory Fiber Brick Liner (2 PCE) - Traditional	12 lbs.	\$ 417.00	Y
KFMST42PL	Porcelain Reflective Panel Liner (2 PCE)	15 lbs.	\$ 439.00	Y
KFZ46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 386.00	Y
KFVLBIT6	Log Bits - Small Six Piece Kit	2 lbs.	\$ 139.00	Y
KFZ58DFA	Dura-Vent Hard Pipe Adapter - <b>REQUIRED WHEN USING RIGID VENTING ON MCVST42</b>	3 lbs.	\$ 167.00	Y
ICTM5AA1	ICC Adapter	6 lbs.	\$ 154.00	Y

### Thermostats & Remote Controls

KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	Y
KFZ80PT	Thermostat Programmable Digital Millivolt Wall Mount	0.5 lbs.	\$ 188.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	1 lbs.	\$ 219.00	Y
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y



Order Online at:  
[order.aes4home.com](http://order.aes4home.com)

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFMCVST42 - Multi-Sided Clean View See-Through Direct Vent Fireplace

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Thermostats &amp; Remote Controls</b>				
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	Y
KFGTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,232.00	Y
KFGTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,232.00	Y
KFEGTRC	Remote Control IPI Proflame 1 - Thermostat	1.3 lbs.	\$ 644.00	Y
KFEGTMRCN	Remote Control IPI Proflame 1 - Thermostat/Modulating - NG	1.3 lbs.	\$ 876.00	Y
KFEGTMRCP	Remote Control IPI Proflame 1 - Thermostat/Modulating - LP	1.3 lbs.	\$ 876.00	Y
KFEGTFRCN	Remote Control IPI - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,175.00	Y
KFEGTFRCP	Remote Control IPI - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,175.00	Y
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 231.00	N

For Venting, please see Kingsman venting page or use one of the following adapters: **KFZ58DFA - Dura-Vent** // **ICTM5AA1 - ICC**





Order Online at:  
order.aes4home.com

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFMCVST42H - Multi-Sided Clean View See-Through Direct Vent Fireplace

Listed for USA/Canada as a Vented Gas Fireplace Includes: ANSI Z21.88, RH Burner, SIT Nova Valve with Hi/Lo Adjustment, Wall Switch, Safety Screens, Ceramic Glass, Back, **Uses KFZ58DFA/ICTM5AA1 Adapter, 5/8" Angled Flue**

For Complete Unit: Order Unit, Log Grate and Oak Log Set OR Glass Tray and Glass Media or Driftwood Log Set

### Best Selling Package

Retail

MCVST42 See-Through Fireplace IPI, NG, Log Grate, Oak Log Set and Remote Control w/Thermostat (KFMCVST42NHE, KFM42LG, KFM42LOG4 and KFEGTRC)

\$ 9,548.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Unit</b>				
KFMCVST42NH	See Through Fireplace, Millivolt (as above) NG, 31,000 BTU	260 lbs.	\$ 7,425.00	N
KFMCVST42LPH	See Through Fireplace, Millivolt (as above) LP, 29,250 BTU	260 lbs.	\$ 7,509.00	N
KFMCVST42NHE	See Through Fireplace, IPI (as above) NG, 31,000 BTU	260 lbs.	\$ 7,766.00	Y
KFMCVST42LPHE	See Through Fireplace, IPI (as above) LP, 29,250 BTU	260 lbs.	\$ 7,851.00	N
KF42MSTCKLPH	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 97.00	Y
KF42MSTCKNGH	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 97.00	N
KF42MSTCKLPHI	Conversion Kit - IPI - To LP	1 lbs.	\$ 114.00	Y
KF42MSTCKNGHI	Conversion Kit - IPI - To NG	1 lbs.	\$ 114.00	N

### Choose Log Grate & Log Set or Glass Tray & Media (Required for Each Unit)

KFM42LG	Log Grate (need to choose log set)	28 lbs.	\$ 193.00	Y
KFM42LOG4	Log Set - Oak	13 lbs.	\$ 945.00	Y
KFMST42GT	Glass Tray for MCPV42 (requires 10 lbs. of glass media)	10 lbs.	\$ 193.00	Y
KFM42LOG3	Log Set - Driftwood - This Log Set Can Only be Used with Glass Tray KFMST42GT	16 lbs.	\$ 945.00	N
KFZ5GC	Glass Media - 1/2" Bronze - 5 lbs.	5 lbs.	\$ 114.00	N
KFRBCB1	Cannonballs - Assorted size and colors	16.5 lbs.	\$ 417.00	Y
KFULK3	Universal Light Kit - Two Lamps (for use with glass tray)	7 lbs.	\$ 328.00	Y
KF42MVB258	Pilot Shield - for Glass Tray and Log Grate (replacement part)	N/A	\$ 62.00	N

### Surrounds & Designer Doors

KFZCV42S1BL	Surround - Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H)	11 lbs.	\$ 492.00	Y
kFZCV42S1PFBL	Surround - Picture Frame 4" Wide (Covers 44 5/8" W x 40 1/8" H)	15 lbs.	\$ 492.00	Y
kFZCV42S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H)	15 lbs.	\$ 435.00	Y

### Fireplace Accessories Options

KFZCVTLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	3 lbs.	\$ 77.00	Y
KFMST42RLT	Refractory Fiber Brick Liner (2 PCE) - Traditional	12 lbs.	\$ 417.00	Y
KFMST42PL	Porcelain Reflective Panel Liner (2 PCE)	15 lbs.	\$ 439.00	Y
KFZ46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	5 lbs.	\$ 386.00	Y
KFVLBIT6	Log Bits - Small Six Piece Kit	2 lbs.	\$ 139.00	Y
KFZ58DFA	Dura-Vent Hard Pipe Adapter - <b>REQUIRED WHEN USING RIGID VENTING ON MCVST42</b>	3 lbs.	\$ 167.00	Y
ICTM5AA1	ICC Adapter	6 lbs.	\$ 154.00	Y



Order Online at:  
order.aes4home.com

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFMCVST42H - Multi-Sided Clean View See-Through Direct Vent Fireplace

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Thermostats &amp; Remote Controls</b>				
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	Y
KFZ80PT	Thermostat Programmable Digital Millivolt Wall Mount	0.5 lbs.	\$ 188.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	1 lbs.	\$ 219.00	Y
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	Y
KFGTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,232.00	Y
KFGTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,232.00	Y
KFEGTRC	Remote Control IPI Proflame 1 - Thermostat	1.3 lbs.	\$ 644.00	Y
KFEGTMRCN	Remote Control IPI Proflame 1 - Thermostat/Modulating - NG	1.3 lbs.	\$ 876.00	Y
KFEGTMRCP	Remote Control IPI Proflame 1 - Thermostat/Modulating - LP	1.3 lbs.	\$ 876.00	Y
KFEGTFRCN	Remote Control IPI - Thermostat/Modulating/Fan - NG	1.3 lbs.	\$ 1,175.00	Y
KFEGTFRCP	Remote Control IPI - Thermostat/Modulating/Fan - LP	1.3 lbs.	\$ 1,175.00	Y
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 231.00	N

For Venting, please see Kingsman venting page or use one of the following adapters: **KFZ58DFA - Dura-Vent** // **ICTM5AA1 - ICC**



Order Online at:  
order.aes4home.com

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFIDV24 - Direct Vent Gas Fireplace Insert

Listed for USA/Canada as a Vented Gas Fireplace, Includes Dual Burner with Glowing Embers, Ceramic Glass, Adjustable Valve, Blower, Two Three Inch Flues, 24,000 BTU/HR, Minimum Fireplace Opening (24 1/4" W x 18 1/2" H x 14" D)

For Complete Unit: Order Unit, Log Set or Glass Set and Clean View with Surround

### Best Selling Package

Retail

IDV24 Proflame 2 Insert, NG, Split Oak Log Set, Clean View Front and Surround (KFIDV24NE2, KFLOGF24OAK, KFI24CV1BL and KFI24S3827)

\$ 4,259.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
-----------	-----------	-------------	--------------	---------

### Unit

KFIDV24N	Insert Direct Vent - Millivolt - NG	-	\$ 2,171.00	N
KFIDV24LP	Insert Direct Vent - Millivolt - LP	-	\$ 2,224.00	N
KFIDV24NE	Insert Direct Vent - IPI PF1 - NG	-	\$ 2,480.00	N
KFIDV24LPE	Insert Direct Vent - IPI PF1 - LP	-	\$ 2,533.00	N
KFIDV24NE2	Insert Direct Vent - IPI <b>PF2</b> - Remote-Thermostat-Mod-Fan-Lights - NG	-	\$ 3,012.00	Y
KFIDV24LPE2	Insert Direct Vent - IPI <b>PF2</b> - Remote-Thermostat-Mod-Fan-Lights - LP	-	\$ 3,083.00	N
KF24IDVCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 97.00	Y
KF24IDVCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 97.00	N
KF24IDVCKLPI	Conversion Kit - IPI - To LP	1 lbs.	\$ 114.00	N
KF24IDVCKNGI	Conversion Kit - IPI - To NG	1 lbs.	\$ 114.00	N
KF24IDVCKLP2	Conversion Kit - IPI <b>Proflame 2</b> - To LP	1 lbs.	\$ 209.00	Y
KF24IDVCKNG2	Conversion Kit - IPI <b>Proflame 2</b> - To LP	1 lbs.	\$ 209.00	N

### Choose Log Set or Glass Media (Required)

KFLOGF24OAK	Log Set - Fiber Split Oak	#N/A	\$ 518.00	Y
KFZ5GC	Glass Media - 1/2" Bronze - 5 lbs.	5 lbs.	\$ 114.00	Y
KFRBCB1	Cannonballs - Assorted size and colors	16.5 lbs.	\$ 417.00	Y

### Choose Clean View Front and Appropriate Surround (Required)

KFI24CV1BL	Clean View - Black - c/w Safety Screen - 35 1/4" W x 24 3/16" H x 13/16" D	#N/A	\$ 528.00	Y
KFI24S3827	Surround - Black (Covers 37 13/16" W x 27" H)	#N/A	\$ 201.00	Y
KFI24SPF3829	Surround - Picture Frame - Black (Covers 37 13/16" W x 28 7/8" H)	#N/A	\$ 254.00	N
KFI24SU4541	Surround Universal - Black (Covers 45" W x 41" H)	#N/A	\$ 213.00	Y

### Options and Accessories

KFI34R40	Riser For Surround (Raises Coverage Height 2 1/2") x 40" W	1 lbs.	\$ 174.00	N
KFIDV24RLT	Refractory Brick Liner (3 PCE)	#N/A	\$ 398.00	N



Order Online at:  
[order.aes4home.com](http://order.aes4home.com)

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFIDV24 - Direct Vent Gas Fireplace Insert

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Thermostats and Remote Controls</b>				
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	Y
KFZ80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	0.5 lbs.	\$ 188.00	N
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y
KFEGTRC	Remote Control IPI Proflame 1 - Thermostat	1.3 lbs.	\$ 644.00	Y
KFEGTMRCN	Remote Control IPI Proflame 1 - Thermostat/Modulating - NG	1.3 lbs.	\$ 876.00	Y
KFEGTMRCP	Remote Control IPI Proflame 1 - Thermostat/Modulating - LP	1.3 lbs.	\$ 876.00	Y
<b>Venting Components - 3"x3"</b>				
KFIDVVT36	Vertical Vent Termination - (3/3"), Mill Pac and Screws	3.5 lbs.	\$ 220.00	Y
KFIDVFK25	Flex Pipe Kit ( 2 x 3" Dia x 25' Gas Flex Liner)	19 lbs.	\$ 479.00	Y
KFIDVLCP	Block Off Plate - For Lower Chase (11 3/4" x 14 3/4")	5 lbs.	\$ 45.00	N
KFZDV3FC	Flex Connector 3" Diameter	1 lbs.	\$ 24.00	N
<b>Venting Components - 2"x3"</b>				
KFIDVVT36	Vertical Vent Termination - (3/3"), Mill Pac and Screws	3.5 lbs.	\$ 220.00	Y
KFI23FK25	Flex Pipe Kit ( 2"x 25' & 3" x 25' Gas Flex Liner)	#N/A	TBD	N
KFI23FAK	Flue Adaptor Kit - 2 x 2" to 3" Increaser and 6" to 7" Increaser	#N/A	TBD	N
KFIDVLCP	Block Off Plate - For Lower Chase (11 3/4" x 14 3/4")	5 lbs.	\$ 45.00	N
KFZDV2FC	Flex Connector 2" Diameter	#N/A	TBD	N
KFZDV3FC	Flex Connector 3" Diameter	1 lbs.	\$ 24.00	N





## KFIDV26 - Direct Vent Gas Fireplace Insert

Listed for USA/Canada as a Vented Gas Fireplace Heater, Includes Dual Burner with Glowing Embers, Ceramic Glass, Safety Screen, Millivolt Valve, Variable Speed with Thermostat Controlled Blower, 30,000 BTU/HR NG, 28,500 BTU/HR LP, Efficiency of 75%, (Minimum Size of Fireplace for Component "Out" Installation 28" W x 19 1/2" H x 14 1/8"D. Minimum Size of Fireplace for Component "In" installation 31" W x 19 1/2" H x 14 1/8"D) **3" Intake 3" Exhaust**  
For Complete Unit: Order Unit, Log Set or Glass Set and Clean View or Grill Kit

### Best Selling Package

IDV26 Proflame 2 Insert, NG, Split Oak Log Set and Slim Clean View Front (KFIDV26NE2, KFLOGF27 and KFI26CV1BL)

### Retail

\$ 4,483.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Unit</b>				
KFIDV26NE2	Insert Direct Vent - <b>Proflame 2</b> IPI - Remote-Thermostat-Mod-Fan - NG	96 lbs.	\$ 3,662.00	N
KFIDV26LPE2	Insert Direct Vent - <b>Proflame 2</b> IPI - Remote-Thermostat-Mod-Fan - LP	96 lbs.	\$ 3,733.00	N
KF26IDVCKLP2	Conversion Kit - IPI <b>Proflame 2</b> - To LP	N/A	\$ 209.00	N
KF26IDVCKNG2	Conversion Kit - IPI <b>Proflame 2</b> - To NG	N/A	\$ 209.00	N
KFIDV26N	Insert Direct Vent, Millivolt, NG	109 lbs.	\$ 2,789.00	Y
KFIDV26LP	Insert Direct Vent, Millivolt, LP	109 lbs.	\$ 2,862.00	N
KF26IDVCKLP	NG to LP Millivolt Conversion Kit	1 lbs.	\$ 97.00	Y
<b>Log Set or Glass Support Platform (One Required for Each Unit)</b>				
KFLOGF27	Log Set - Fiber Split Oak (IDV26)	5.8 lbs.	\$ 507.00	Y
KFRSP10	Glass Support Platform w/Bronze Decorative Glass for IDV26	21 lbs.	\$ 605.00	Y
<b>Choose Your Clean View Kit (One Required)</b>				
Clean View Front - Slim - Measures 35 5/8"W x 22 3/4"H				
KFI26CV1BL	Clean View Front, Slim - Black - 1 3/4" Depth	12 lbs.	\$ 314.00	Y
KFI26CV3BL	Clean View Front - Slim - Black - 3 1/2" Depth	13 lbs.	\$ 364.00	N
KFI26S1BL	Surround - Slim - Black - (Covers 42" W x 27 1/2"H)	10 lbs.	\$ 209.00	Y
KFI26SUBL	Surround Universal - Black - (Picture Frame Size 47 1/2" W x 35 5/8"H, Three Sided 47 1/2"W x 28 5/8" H)	16 lbs.	\$ 299.00	N
SERIES 1 - CLEAN VIEW FRONT - PICTURE FRAME 35 5/8"W X 25 7/8"H				
KFI26CVPF1BL	Clean View Front - Slim - Picture Frame - Black	12 lbs.	\$ 415.00	N
KFI26SPF1BL	Surround Picture Frame - Slim - Black - (Covers 39 3/8"W x 29 3/4" H)	10 lbs.	\$ 282.00	N
KFI26SUBL	Surround Universal - Black - (Picture Frame Size 47 1/2" W x 35 5/8"H, Three Sided 47 1/2"W x 28 5/8" H)	16 lbs.	\$ 299.00	N
SERIES 2 - CLEAN VIEW FRONT - WIDE - MEASURES 44 5/8"W X 26 5/8"H				
KFI26CV2BL	Clean View Front - Wide - Black	16 lbs.	\$ 357.00	N
KFI26CVPF2BL	Clean View Front - Wide - Picture Frame - Black	23 lbs.	\$ 473.00	N
KFI26SUBL	Surround Universal - Black - (Picture Frame Size 47 1/2" W x 35 5/8"H, Three Sided 47 1/2"W x 28 5/8" H)	16 lbs.	\$ 299.00	N
<b>Accessories/Options</b>				
KFI33R40	Riser For Surround (2 1/2") - For Use on KFI33S4028B	3 lbs.	\$ 174.00	N
KFI33R44	Riser For Surround (2 1/2") - For Use on KFI33S4430B	3 lbs.	\$ 174.00	N
SD3DFAFC	3" Flex Connector - Normal SD discount applies - *Order 2*	N/A	\$ 29.72	Y
KFIDV26RL	Refractory Brick Liner (3 Pce)	6 lbs.	\$ 353.00	N
KFIDV26PRL	Porcelain Reflective Panel Liner (3 Pce)	10 lbs.	\$ 396.00	Y
KFI33CS	Mantel Clearance Shield	7 lbs.	\$ 46.00	N



Order Online at:  
[order.aes4home.com](http://order.aes4home.com)

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFIDV26 - Direct Vent Gas Fireplace Insert

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Accessories/Options</b>				
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	Y
KFZ80PT	Thermostat Programmable Digital Millivolt Wall Mount	0.5 lbs.	\$ 188.00	N
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	Y
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	1 lbs.	\$ 219.00	Y
<b>Venting Components</b>				
KFIDVVT36	Vertical Vent Termination - (3/3")	3.5 lbs.	\$ 220.00	Y
KFIDVFK25	Flex Pipe Kit ( 2 x 3" Dia x 25' Gas Flex Liner)	19 lbs.	\$ 479.00	Y
KFIDVLCP	Block Off Plate - For Lower Chase (11 3/4" x 14 3/4")	5 lbs.	\$ 45.00	N
KFZDV3FC	Flex Connector 3" Diameter	1 lbs.	\$ 24.00	N
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 231.00	N





## KFIDV34 - Direct Vent Gas Fireplace Inserts

Listed for USA/Canada as a Vented Gas Fireplace, Includes Dual Burner with Glowing Embers, Ceramic Glass, SIT Valve, Variable Controlled Blower, Two Three Inch Flues, 31,000 BTU/HR NG, 28,500 BTU/HR LP, Minimum Fireplace Opening Required 28 5/8" W x 21 1/2" H x 17 3/4" D

For Complete Unit: Order Unit, Log Set or Glass Set and Clean View Kit

### Best Selling Package

### Retail

IDV34 Proflame 2 Insert, NG, Split Oak Log Set and Clean View Kit (KFIDV34NE2, KFLOGF35 and KFI34CV1BL)

\$ 4,283.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Unit</b>				
KFIDV34NE2	Insert Direct Vent - <b>Proflame 2</b> IPI - Remote-Thermostat-Mod-Fan - NG	N/A	\$ 3,290.00	Y
KFIDV34LPE2	Insert Direct Vent - <b>Proflame 2</b> IPI - Remote-Thermostat-Mod-Fan - LP	N/A	\$ 3,353.00	N
KF33IDVCKLP2	Conversion Kit - IPI <b>Proflame 2</b> - To LP	#N/A	\$ 209.00	N
KF33IDVCKNG2	Conversion Kit - IPI <b>Proflame 2</b> - To NG	N/A	\$ 209.00	N
KFIDV34N	Insert Direct Vent ( as above) - Millivolt - NG	N/A	\$ 2,419.00	Y
KFIDV34LP	Insert Direct Vent ( as above) - Millivolt - LP	N/A	\$ 2,480.00	N
KFIDV34NE	Insert Direct Vent ( as above) - IPI - NG	96 lbs.	\$ 2,764.00	Y
KFIDV34LPE	Insert Direct Vent ( as above) - IPI - LP	N/A	\$ 2,825.00	N
KF33IDVCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 97.00	Y
KF33IDVCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 97.00	N
KF33IDVCKLPI	Conversion Kit - IPI - To LP	1 lbs.	\$ 114.00	Y
KF33IDVCKNGI	Conversion Kit - IPI - To NG	1 lbs.	\$ 114.00	N
<b>Log Set or Glass Support (Required for Each Unit)</b>				
KFLOGF35	Log Set - Fiber Split Oak	12 lbs.	\$ 447.00	Y
KFRSP10	Glass Support Platform - with Bronze Decorative Glass	21 lbs.	\$ 605.00	Y
<b>Clean View CV1 - (Required for Each Unit)</b>				
KFI34CV1BL	Clean View - Black - c/w Safety Screen - 35 1/4" W x 24 3/16" H x 13/16" D	N/A	\$ 546.00	Y
<b>Surrounds (for Additional Coverage)</b>				
KFI34S3927BL	Surround - Black (Covers 39" W x 27 5/16" H)	N/A	\$ 207.00	Y
KFI34SPF4131BL	Surround - Picture Frame - Black (Covers 41 1/8" W x 31 3/8" H)	N/A	\$ 266.00	Y
KFI34SU4541BL	Surround Universal - Black (Covers 45" W x 41" H)	N/A	\$ 220.00	N
<b>Clean View CV5/6 - (Minimum Fireplace Opening - 26 1/4" W x 21 3/8"H x 14 3/8"D)</b>				
KFI34CV6BL	Clean View w/ Backer Surround - Safety Screen - Black - (Covers 37 5/8"W x 26 15/16"H x 2 3/4"D) - Allows for an IDV34 to fit in the Same Opening as an IDV33	N/A	\$ 760.00	N
<b>Riser for Surrounds (Raises Coverage Height by 2 1/2")</b>				
KFI34R40	Riser For Surround (2 1/2") x 40" W	N/A	\$ 174.00	N
KFI44R45	Riser For Surround (2 1/2") x 45" W	N/A	\$ 174.00	N
<b>Fireplace Accessory Options</b>				
KFIDV33RL	Refractory Brick Liner (3 PCE)	22 lbs.	\$ 209.00	Y
KFIDV33PRL	Porcelain Reflective Panel Liner (3 PCE)	25 lbs.	\$ 460.00	Y



Order Online at:  
[order.aes4home.com](http://order.aes4home.com)

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFIDV34 - Direct Vent Gas Fireplace Inserts

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Thermostats, Remote Controls and Venting Components</b>				
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	Y
KFZ80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	0.5 lbs.	\$ 188.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	1 lbs.	\$ 219.00	Y
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	Y
KFEGTRC	Remote Control IPI Proflame 1 - Thermostat	1.3 lbs.	\$ 644.00	Y
KFEGTMRCN	Remote Control IPI Proflame 1 - Thermostat/Modulating - NG	1.3 lbs.	\$ 876.00	Y
KFEGTMRCP	Remote Control IPI Proflame 1 - Thermostat/Modulating - LP	1.3 lbs.	\$ 876.00	Y
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 231.00	N
KFIDVVT36	Vertical Vent Termination - (3/3"), Mill Pac and Screws	3.5 lbs.	\$ 220.00	Y
KFIDVFK25	Flex Pipe Kit ( 2 x 3" Dia x 25FTGas Flex Liner)	19 lbs.	\$ 479.00	Y
KFIDVLCP	Block Off Plate - For Lower Chase (11 3/4" x 14 3/4")	5 lbs.	\$ 45.00	N
KFZDV3FC	Flex Connector 3" Diameter	1 lbs.	\$ 24.00	N



## KFIDV44 - Direct Vent Gas Fireplace Insert

Listed for USA/Canada as a Vented Gas Fireplace, Includes Dual Burner with Glowing Embers, Ceramic Glass, SIT Valve, Variable Speed Blower, 3" Air Intake 4" Exhaust, 34,250 BTU NG, 30,000 BTU LP, Minimum Fireplace Opening: 32 7/8" W x 25 3/4" H x 18"D

For Complete Unit: Order Unit, Log Set or Glass Set and Clean View Kit

### Best Selling Package

### Retail

IDV44 Proflame 2 Insert, NG, Split Oak Log Set, Clean View Kit (KFIDV44NE2, KFLOGF36 and KFI44CV1BL)

\$ 4,960.00

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Unit</b>				
KFIDV44NE2	Insert Direct Vent - <b>Proflame 2</b> IPI - Remote-Thermostat-Mod-Fan - NG	N/A	\$ 3,831.00	Y
KFIDV44LPE2	Insert Direct Vent - <b>Proflame 2</b> IPI - Remote-Thermostat-Mod-Fan - LP	N/A	\$ 3,897.00	N
KF43IDVCKLP2	Conversion Kit - IPI <b>Proflame 2</b> - To LP	N/A	TBD	N
KF43IDVCKNG2	Conversion Kit - IPI <b>Proflame 2</b> - To NG	N/A	TBD	N
KFIDV44N	Insert Direct Vent ( as above) - Millivolt - NG	N/A	\$ 2,961.00	N
KFIDV44LP	Insert Direct Vent ( as above) - Millivolt - LP	N/A	\$ 3,023.00	N
KFIDV44NE	Insert Direct Vent ( as above) - IPI - NG	N/A	\$ 3,306.00	Y
KFIDV44LPE	Insert Direct Vent ( as above) - IPI - LP	N/A	\$ 3,366.00	N
KF36IDVCKLP	Conversion Kit - Millivolt - To LP	1 lbs.	\$ 97.00	Y
KF36IDVCKNG	Conversion Kit - Millivolt - To NG	1 lbs.	\$ 97.00	N
KF36IDVCKLPI	Conversion Kit - IPI - To LP	1 lbs.	\$ 114.00	Y
KF36IDVCKNGI	Conversion Kit - IPI - To NG	1 lbs.	\$ 114.00	N
<b>Log Set or Glass Support Platform (Required for Each Unit)</b>				
KFLOGF36	Log Set - Fiber Split Oak	12 lbs.	\$ 596.00	Y
KFRSP10	Glass Support Platform - with Bronze Decorative Glass - IDV26/33/43	21 lbs.	\$ 605.00	Y
<b>Clean View (Required for Each Unit)</b>				
KFI44CV1BL	Clean View - Black - C/W Safety Screen - 39 9/16" W x 28 1/2"H x 13/16"D	N/A	\$ 533.00	Y
<b>Surrounds (for Additional Coverage)</b>				
KFI44S4432BL	Surround - Black (Covers 44" W x 32 1/16" H)	N/A	\$ 253.00	Y
KFI44SPF4436BL	Surround Picture Frame - Black (Covers 44" W x 36" H)	N/A	\$ 314.00	Y
KFI44SU4742BL	Surround Universal - Black (Covers 47" W x 42" H)	N/A	\$ 258.00	N
<b>Riser for Surrounds (Raises Coverage Height by 2 1/2")</b>				
KFI44R45	Riser For Surround (2 1/2") x 45" W	N/A	\$ 174.00	N
<b>Fireplace Accessory Options</b>				
KFIDV36RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	22 lbs.	\$ 265.00	Y
KFIDV36RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone <b>LIMITED TO STOCK ON H</b>	22 lbs.	\$ 265.00	<b>LTSD</b>
KFIDV36PRL	Porcelain Reflective Panel Liner (3 PCE)	14 lbs.	\$ 589.00	Y



Order Online at:  
[order.aes4home.com](http://order.aes4home.com)

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## KFIDV44 - Direct Vent Gas Fireplace Insert

Item Code	Item Name	Ship Weight	Retail Price	Stocked
<b>Thermostats, Remote Controls and Venting Components</b>				
KFZ2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	1 lbs.	\$ 120.00	Y
KFZ80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	0.5 lbs.	\$ 188.00	N
ST1001A	Remote Control On/Off - Millivolt (Section 800 AES Hearth Catalog)	1 lbs.	\$ 219.00	Y
KFGTRC	Remote Control Millivolt - Thermostat	1 lbs.	\$ 547.00	Y
KFGTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	1 lbs.	\$ 775.00	Y
KFGTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	1 lbs.	\$ 775.00	Y
KFEGTRC	Remote Control IPI Proflame 1 - Thermostat	1.3 lbs.	\$ 644.00	Y
KFEGTMRCN	Remote Control IPI Proflame 1 - Thermostat/Modulating - NG	1.3 lbs.	\$ 876.00	Y
KFEGTMRCP	Remote Control IPI Proflame 1 - Thermostat/Modulating - LP	1.3 lbs.	\$ 876.00	Y
KFWMBH	Wall Mount Battery Holder - Includes Mounting Bracket and 16ft Wire Harness	1 lbs.	\$ 231.00	N
KFIDVVT43	Vertical Vent Termination - (4/3"), (Mill Pac and screws)	4 lbs.	\$ 231.00	N
KFI43FK25	Flex Pipe Kit (3&4" Dia x 25FT Gas Flex Liner)	13 lbs.	\$ 490.00	Y
KFI43LCP	Block Off Plate - For Lower Chase (11 3/4" x 14 3/4")	1 lbs.	\$ 45.00	N
KFZDV3FC	Flex Connector 3" Diameter	1 lbs.	\$ 24.00	N
KFZDV4FC	Flex Connector 4" Diameter	1 lbs.	\$ 24.00	Y





## 4/7" Venting Accessories

Item Code	Item Name	Ship Weight	Retail Price	Stocked
KFZDVHSHK	Horizontal Round Termination Vent Starter Kit - 3 FT Length	10 lbs.	\$ 307.00	Y
	Horizontal Vent Termination, Wall Thimble, 36" Flex Pipe, Screws, Mill Pac.			
KFZDVHSHKSQ	Horizontal Square Termination Vent Starter Kit - 3 FT Length	10 lbs.	\$ 361.00	Y
	Horizontal Vent Termination, Wall Thimble, 36" Flex Pipe, Screws, Mill Pac.			
KFZDVHSHK5	Horizontal Round Termination Vent Starter Kit - 5 FT Length	11.5 lbs.	\$ 379.00	Y
	Horizontal Vent Termination, Wall Thimble, 60" Flex Pipe, Screws, Mill Pac.			
KFZDVHSHKSQ5	Horizontal Square Termination Vent Starter Kit - 5 FT Length	11.5 lbs.	\$ 436.00	Y
	Horizontal Vent Termination, Wall Thimble, 60" Flex Pipe, Screws, Mill Pac.			
KFZDVFK5	Flex Kit (4" Stainless & 7" Aluminum - Dia.) 5 FT	5 lbs.	\$ 208.00	Y
KFZDVFK8	Flex Kit (4" Stainless & 7" Aluminum - Dia.) 8 FT	8.3 lbs.	\$ 292.00	Y
KFZDVFK20	Flex Kit (4" Stainless & 7" Aluminum - Dia.) 20 FT	19 lbs.	\$ 551.00	Y
	*Kits are complete with Springs, Screws, Mill Pac.			
KFFDVVT40	Vertical Vent Termination - Convertible Between 15' & 40' Vertical	3.5 lbs.	\$ 225.00	Y
KFFDVHT	Horizontal Vent Termination	3 lbs.	\$ 209.00	Y
KFFDVHSQ	Horizontal Square Vent Termination	3 lbs.	\$ 258.00	Y
KFFDVHSS	Horizontal Stucco Shield	3 lbs.	\$ 68.00	N
KFFDVHSCU	Safety Cage Universal for Horizontal Termination	2 lbs.	\$ 136.00	N
KFZDV4FC	Flex Connector 4" Diameter	1 lbs.	\$ 24.00	Y
KFZDV7FC	Flex Connector 7" Diameter	1 lbs.	\$ 35.00	Y
KFZDV4FCL	Flex Clamp 4"	1 lbs.	\$ 19.00	Y
KFZDV7FCL	Flex Clamp 7"	1 lbs.	\$ 20.00	Y
KFZDV4SS	Spring 4" Standoff Spacer	0.1 lbs.	\$ 19.00	Y
KFMDV38IS	Insulation Sleeve 3' - for Low Enclosures	1 lbs.	\$ 65.00	N
KFZDVAIS	Attic Insulation Shield	4.5 lbs.	\$ 113.00	Y
KFZDVVOS	Offset Support	1 lbs.	\$ 48.00	Y
KFZDVFS	Firestop Spacer	1 lbs.	\$ 48.00	Y
KFZDVRS	Roof Support	3 lbs.	\$ 69.00	Y
KFZDVWT	Wall Thimble (Horizontal Venting)	4.5 lbs.	\$ 105.00	Y
KFZDVSS	Siding Shield - Heat Deflector for KFFDVHT Round Termination	2 lbs.	\$ 34.00	Y
KFZDVSSLR	Siding Shield - Large Return - 2003	1.5 lbs.	\$ 81.00	Y
KFZ47GP36	Galvanized Pipe 4/7"x 36" (Vertical Installations)	5 lbs.	\$ 221.00	Y
KFZDVAAF	Flashing 7" c/w Storm Collar (1/12 to 7/12)	3 lbs.	\$ 134.00	Y
KFZDVAF2	Flashing 7" c/w Storm Collar (8/12 to 12/12)	3 lbs.	\$ 152.00	Y
KFZDVAF3	Flashing 7" c/w Storm Collar Flat	3 lbs.	\$ 177.00	Y
KFZDV7SC	Storm Collar 7"	1 lbs.	\$ 27.00	Y
KFZDVDKA	Dura-Vent Stove Adapter (for Direct Vent Stoves and ZCVRB47)	2 lbs.	\$ 85.00	Y
KFZDVDFFA	Dura-Vent/ICC Fireplace Adapter (for MDV31, HBZDV36/42/47, ZCV39/42, ZCV3622, ZCVRB3622)	2.5 lbs.	\$ 133.00	Y
KFZ58DFA	5/8" Hard Pipe Adapter	3 lbs.	\$ 167.00	Y
KFZDV DIA	DuraVent Hard Pipe Adapter - Used to Connect 4x6-5/8" to 5/8" Hard Pipe at Termination End	1.3 lbs.	\$ 199.00	Y
ICTM4AA4	4" Angled Kingsman Adapter	2 lbs.	\$ 215.00	Y
ICTM4AA5	4/7" Straight Kingsman Adapter	1.2 lbs.	\$ 154.00	Y





## 5/8" Venting Accessories

Item Code	Item Name	Ship Weight	Retail Price	Stocked
KFZ58HSK5	Horizontal Vent Starter Kit - 5/8" X 5 FT Flex, Termination, Wall Thimble	11.5 lbs.	\$ 435.00	Y
KFZ58HT	Horizontal Round Vent Termination - 5/8	4 lbs.	\$ 231.00	N
KFZ58WTS	Horizontal Wall Thimble Shield (For Low Enclosures)	4.5 lbs.	\$ 49.00	N
KFFDVHSCU	Horizontal Safety Cage	2 lbs.	\$ 136.00	N
KFZ58WT	Horizontal Wall Thimble	4.5 lbs.	\$ 105.00	N
KFZ58SS	Siding Shield - Heat Deflector for Horizontal Round Termination	1.5 lbs.	\$ 34.00	N
KFZ58SSLR	Siding Shield - Large Return - for Square or Round Terminations	1.5 lbs.	\$ 81.00	N
KFZ58VT	Vertical Vent Termination - 5/8	4 lbs.	\$ 254.00	Y
KFZ58AIS24	Attic Insulation Shield - 24"	8 lbs.	\$ 157.00	Y
KFZDVVOS	Offset Support	1 lbs.	\$ 48.00	Y
KFZ58FS	Firestop Spacer	1 lbs.	\$ 59.00	Y
KFZ58RS	Roof Support	3 lbs.	\$ 89.00	N
KFZ58GP36	Galvanized Pipe 5/8" Dia. x 36" (Vertical Installations)	5 lbs.	\$ 256.00	Y
KFZ58AAF	Flashing 8" c/w Storm Collar (1/12 to 7/12)	3 lbs.	\$ 195.00	Y
KFZ58AF2	Flashing 8" c/w Storm Collar (8/12 to 12/12)	3 lbs.	\$ 219.00	N
KFZ58AF3	Flashing 8" c/w Storm Collar - Flat	3 lbs.	\$ 195.00	N
KFZDV8SC	Storm Collar 8"	1 lbs.	\$ 42.00	N
KFZ58FK5	Flex Kit (5" & 8" Dia.) x 5' Expanded (c/w Springs, Screws, Mill Pac)	5 lbs.	\$ 222.00	N
KFZ58FK8	Flex Kit (5" & 8" Dia.) x 8' Expanded (c/w Springs, Screws, Mill Pac)	8.25 lbs.	\$ 314.00	Y
KFZ58FK20	Flex Kit (5" & 8" Dia.) x 20' Expanded (c/w Springs, Screws, Mill Pac)	19 lbs.	\$ 602.00	Y
KFZDV5FC	Flex Connector 5" Diameter	1 lbs.	\$ 30.00	Y
KFZDV8FC	Flex Connector 8" Diameter	1 lbs.	\$ 40.00	Y
KFZDV5FCL	Flex Clamp 5"	1 lbs.	\$ 20.00	Y
KFZDV8FCL	Flex Clamp 8"	1 lbs.	\$ 22.00	N
KFZDV4SS	Spring - Standoff Spacer for Inner Pipe	0.1 lbs.	\$ 19.00	Y
KFZ58DFA	Hard Pipe Adapter - 5/8" - MCVST42/MCVP42	3 lbs.	\$ 167.00	Y
ICTM5AA1	5" Kingsman Adapter	6 lbs.	\$ 154.00	Y



## 5/8" Power Vent Accessories

Note: Must use a one foot section of 5/8 DV hard pipe connected to the power vent on all installations.

Item Code	Item Name	Ship Weight	Retail Price	Stocked
KFPVH58	Horizontal Power Vent Starter Kit - Termination, Wall Thimble, 20 Ft Wiring Harness and Mill Pac - Control Module Required (not Included)	18 lbs.	\$ 2,050.00	Y
KFPVH58FM	Horizontal Power Vent Kit - Flush Mount - Termination, Wall Thimble, 20 FT Harness, Mill Pac - Control Module Required (not Included)	N/A	\$ 2,406.00	N

### Must Choose Power Vent Control Module Type

KFPVC58MV	Power Vent Control Module - Required for Millivolt models	4.35 lbs.	\$ 1,595.00	N
KFPVC58IPI	Power Vent Control Module - Required for IPI models	2.75 lbs.	\$ 1,161.00	N
KF584X12	Harness for Proflame 2 IPI - Deluxe Models	N/A	\$ 135.00	Y

### Choose Appropriate Length of Extension Harness

(Distance from the power vent to the appliance)

KFPVH20H	Harness Extension - 20 FT	3 lbs.	\$ 423.00	Y
KFPVH50H	Harness Extension - 50 FT	N/A	TBD	N

### Choose Type of Venting - Hard Pipe or Flex Vent

KFZ58DFA	Hard Pipe Adapter - 5/8" - MCVST42/MCVP42	3 lbs.	\$ 167.00	Y
KFZ58PVA	Flex Pipe Adapter Kit - (to adapt flex pipe to power vent to hard pipe. (Must use a one foot section of 5/8 DV hard pipe connected to the power vent on all installations.)	1.3 lbs.	\$ 68.00	N

### Adapters

KFZDVEDRA	Duravent - REDUCER - 5/8" TO 4x6 5/8" ADAPTER (Used at Flue of Fireplace)	N/A	\$ 199.00	N
KFZDVEDIA	Duravent Hard Pipe Adapter - (Used to Connect 4x6-5/8 to 5/8 Hard Pipe)	1.3 lbs.	\$ 199.00	Y

### Flex Venting Kits

KFZ58FK5	Flex Kit (5" & 8" Dia.) x 5' Expanded (c/w Springs, Screws, Mill Pac)	5 lbs.	\$ 222.00	N
KFZ58FK8	Flex Kit (5" & 8" Dia.) x 8' Expanded (c/w Springs, Screws, Mill Pac)	8.25 lbs.	\$ 314.00	Y
KFZ58FK20	Flex Kit (5" & 8" Dia.) x 20' Expanded (c/w Springs, Screws, Mill Pac)	19 lbs.	\$ 602.00	Y
KFZDV5FC	Flex Connector 5" Diameter	1 lbs.	\$ 30.00	Y
KFZDV8FC	Flex Connector 8" Diameter	1 lbs.	\$ 40.00	Y
KFZDV5FCL	Flex Clamp 5"	1 lbs.	\$ 20.00	Y
KFZDV8FCL	Flex Clamp 8"	1 lbs.	\$ 22.00	N
KFZDV4SS	Spring - Standoff Spacer for Inner Pipe	0.1 lbs.	\$ 19.00	Y
KFPVH58WT	Wall Thimble for Power Vent	4.5 lbs.	\$ 142.00	N



# AES



Order Online at:  
[order.aes4home.com](http://order.aes4home.com)

Serving you with Five Distribution Centers - Seattle, WA - Sacramento, CA - Denver, CO - Minneapolis, MN - Dallas, TX

## Literature

### Kingsman Literature

KFZBROB016	Kingsman Gas Fireplace Full Brochure
KFZBROB017	Kingsman Gas Fireplaces, Inserts and Freestanding Stoves Brochures
KFZBROB030	Kingsman FDV350 Freestanding Direct Vent Gas Stove Brochure
KFZBROB034	Kingsman ZDV3318/3622 Zero Clearance Direct Vent Gas Fireplace Brochure
KFZBROB042	Kingsman VFI2525/VFI30 Vented Gas Fireplace Insert Brochures
KFZBROB043	Kingsman IDV33/IDV36 Direct Vent Gas Fireplace Insert Brochures
KFZBROB045	Kingsman FDV200S Vented Freestanding Gas Stove Brochures
KFZBROB048	Kingsman MDV33/39 Direct Vent See-Thru Fireplace Brochures
KFZBROB050	Kingsman HBZDV3624/28/4224/28 Zero Clearance Gas Fireplace Brochures
KFZBROB051	Kingsman HBZDV4740/4232/3632 Zero Clearance Gas Fireplace Brochures
KFZBROB073	Kingsman KFZDVRB3622 Zero Clearance Direct Vent Gas Fireplace Brochure
KFZBROB076	Kingsman IDV26/36 Direct Vent Brochure
KFZBROB078	Kingsman ZRB46 Skyline II Brochure
KFZBROB080	Kingsman ZCV34/39/42 Brochure
KFZBROB084	Kingsman MCVP42 Brochure
KFZBROB085	Kingsman MCVST42 Brochure
KFZBROB086	Kingsman ZVFCV39/42/47 Vent Free Brochure
KFZBROB087	Kingsman FDV451 Brochure
KFZBROB098	Kingsman VRB46 Brochure
KFZBROB099	Kingsman HBZDV4736 Brochure
KFZBROB102	Kingsman ZCVRB47/60 Brochure
KFZBROB103	Kingsman IDV24/34/44 Brochure
ZZKFBANNER	Kingsman Banner w/Stand



## Dealer Service Support Policy

AES and our Appliance Vendor will provide our dealers technical training to ensure safe installation and professional service on our products. This training will be provided at the time you are set up as a dealer, at the time we introduce new products or at special training events conducted from time to time. We will provide this training to your installation and service staff at your place of business or an AES facility at a mutually agreeable time. It is your responsibility to get your staff to this training as needed and make the scheduling commitment so they can receive this training. It is the dealers responsibility to provide their service and installation personnel with the tools, installation and testing equipment needed to provide safe installation and professional service on hearth appliances.

The training we provide is product specific and does not replace the general level of training required for safe installation and professional service that can only be obtained through HPBA "Hearth" supported certification training that provides a general level of understanding of installation and service practices for our industry's equipment.

### Service Support

Our vendors, for the most part, will **not** provide technical support directly to dealers and, for sure, **not** to consumers. AES will provide technical support on the products we sell to our dealers or their personnel, but we will **not** provide that support to consumers. Each consumer contact will be directed back to the closest authorized dealer. In the event that a dealer is no longer in business to service a product, AES Inside Sales will assist a consumer on how to contact another servicing dealer in the area.

AES does not sell appliances over the internet, nor do we support our dealers selling appliances over the internet. A consumer should only be buying our appliances from a local servicing authorized dealer who is approved and has training and support to sell and service our products. If a consumer buys a product outside of a dealer's service area or through a non-approved channel, or if they do the installation themselves, they have made the decision to provide their own service and technical support. AES does not support any sales channel other than our approved dealer list.

### AES Phone Support

Dealers should contact any AES inside sales personnel Monday - Friday between the hours of 8:00 – 5:00 to gain technical support on products we sell. All AES sales staff receive technical training from our vendors and most are already NFI certified (the rest have been working to become "Hearth Certified"). We are committed to providing industry leading support to our dealers.

Prior to providing technical support on the phone our inside sales staff will require the dealer to have on hand the unit serial number along with the product model number and installation specific's. We request the dealer have an internet/smart phone connection at the time they call in, if at all possible, or at a minimum to have on hand a copy of the owner's manual for the product. Experience has shown that a picture or other information which can be quickly shared over the internet can aid in effective and accurate communication for both sides of the phone call. It is our goal to review technical issues/questions while the tech is on the jobsite and hopefully avoid any further call backs.

### **AES Personnel Support**

AES personnel will not make field service calls without a qualified dealer representative or the paid designated installing contractor who did the installation or service. AES personnel will not make field calls at the direction of consumers or to any consumer who bought a product other than through our approved dealer list. Further, AES personnel will not make a field service call on any appliance that was installed by anyone other than our dealer or their designated installer.

### **Field Service Call Procedure**

The products we sell will require field service. This will be required either as a normal service call or as a warranty service. The following is the process by which AES will make calls with a dealer to a product installed in a consumer's home.

- 1) First Service Call on any appliance is expected to be made by the selling dealer. If the dealer is not able to affect a successful result or diagnosis, the dealer should contact AES Inside Sales staff while at the consumer's home in an attempt to get support needed to resolve the service issue at this time.
- 2) Second Service Call for the same appliance on the same issue is expected to be made by the selling dealer. Prior to the second call – which is required because the repair could not be affected during the first call – the dealer service personnel should contact AES Inside Sales staff. Obviously, it does not make sense to go out to the home a second time without having additional information to support a more thorough and successful second service call. If the repair is not affected at the time of the second service call – do not leave the site! Call AES Inside Sales again for support on the installation. Attempt to talk with the same inside sales person for support as you did prior.
- 3) Third Service Call – If AES Inside Sales have been involved in the first two service calls and have obtained complete information from the dealer – which may include photo's – and a successful repair has not been achieved, then AES Inside Sales will direct the AES Outside Territory manager to make a service call at the installation site at the soonest possible time. Dealer service personnel will be required to be on site with the AES staff. It is the dealer's responsibility to have their own testing and calibration equipment during this service call.

