

## Section 200

### Pellet

Page Number	Vendor	Product	Sold Regionally	Publish Date
200-202	M & G DuraVent	PelletVent Pro 3" & 4" Systems		05/25
203-204	Reliance Liner	Freestanding Pellet Accessories		08/21
205-206	Reliance Liner	Pellet Insert Accessories		08/21
207	Z-Flex	Stainless Steel Flex Liner Kits, Liner and Accessories		02/24
208	Miscellaneous Flex Liner Components	Liner and Installation Accessories		05/14

**PLEASE NOTE:** Not all products are sold throughout all AES territories/regions. If "Sold Regionally" please contact AES Inside Sales for availability 800-682-9722

Or by visiting...



**DuraVent**  
Member of  M&G Group



For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Associated Energy Systems - Serving you with distribution centers in: Kent, WA | West Sacramento, CA | Denver, CO | Dallas, TX | Rogers, MN

Stock: Y = Stock, N or \* = Non-Stock, LTSD = Limited to Stock on Hand

Non-Stock Item Notice: Items marked non-stock must be ordered in case quantities

2  
0  
2  
5  
-  
2  
0  
2  
6

## Pellet Vent, Liner &amp; Custom Parts

## M &amp; G Dura-Vent

PelletVent Pro™

Dura-Vent PelletVent Pro provides a combination of both rigid and flexible pipe and accessories to provide the homeowner with a wide range of installation options, including:

- Horizontal through the wall installations
- Vertical through the ceiling and roof installations
- A-frame cathedral ceiling installations
- Chimney relining for pellet stove inserts

Dura-Vent PelletVent Pro is tested and listed to U.L. Standard 641, Type L and designed for venting pellet stoves, pellet inserts, pellet heaters and oil fired appliances.

## Dura-Vent PelletVent Pro features:

- Heavy duty construction for safe, trouble-free performance.
- 100% rivet construction, no spot weld corrosion.
- Laser Welded inside and out - for a sleek appearance and a silicone free installation. No silicone means a faster install and vent that is easy to take apart.
- 1" Clearance to combustibles for a low profile wall thimble.
- Swivel horizontal termination cap - for ultimate control of fly ash.
- Double wall, air insulated design with twist-lock connections on pipe and fittings.
- .012" 430 stainless steel inner liner resists heat and corrosive flue gases, .018" galvalume steel outer wall.
- Pipe joints sealed with ceramic gaskets, fittings sealed with high temperature silicone to prevent fly ash leakage.
- Heavy duty stainless flex for chimney relining.
- Pellet Vent is U.L. and U.L.C. listed.
- 25-year warranty.



For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or \* = Non-Stock, LTSD = Limited to Stock on Hand

## Pellet Vent, Liner &amp; Custom Parts

## M &amp; G Dura-Vent

3" &amp; 4" PelletVent Pro


  
Member of  M&G Group
*PelletVent Pro is not compatible with traditional pellet vent.*

## Pipe Lengths

For stock status, please visit [order.aes4home.com](http://order.aes4home.com) or call 800-682-9722

Item No.	Description	Pkg.	3"		4"	
			Wt./Cs.	Retail	Wt./Cs.	Retail
SD_PVP06	6" Straight Length Pipe	6	5 lbs.	\$55.93	6 lbs.	\$59.85
SD_PVP12	12" Straight Length Pipe	6	8 lbs.	80.12	11 lbs.	85.57
SD_PVP24	24" Straight Length Pipe	6	16 lbs.	105.84	20 lbs.	133.66
SD_PVP36	36" Straight Length Pipe	6	22 lbs.	145.16	30 lbs.	173.59
SD_PVP60	60" Straight Length Pipe	6	38 lbs.	207.48	47 lbs.	235.29
SD_PVP12A	12" Adjustable Length Pipe	6	9 lbs.	108.86	11 lbs.	120.36
SD_PVP18A	18" Adjustable Length Pipe	6	9 lbs.	167.23	11 lbs.	185.09
SD_PVP48A	48" Adjustable Length Pipe	6	9 lbs.	219.15	11 lbs.	260.25
SD_PVP60F	60" Flex Pipe	1	3 lbs.	356.59	24 lbs.	510.26

## Pipe Lengths - Black (Special Order in Case Quantities Only)

SD_PVP06B	6" Straight Length Pipe (Black)	6	5 lbs.	\$78.61	6 lbs.	\$97.68
SD_PVP12B	12" Straight Length Pipe (Black)	6	8 lbs.	105.23	11 lbs.	135.17
SD_PVP24B	24" Straight Length Pipe (Black)	6	16 lbs.	131.54	20 lbs.	182.36
SD_PVP36B	36" Straight Length Pipe (Black)	6	23 lbs.	164.21	30 lbs.	213.84
SD_PVP60B	60" Straight Length Pipe (Black)	6	38 lbs.	245.89	41 lbs.	283.38
SD_PVP12AB	12" Adjustable Length Pipe (Black)	6	9 lbs.	130.03	11 lbs.	170.86
SD_PVP18AB	18" Adjustable Length Pipe (Black)	6	9 lbs.	199.90	11 lbs.	262.82
SD_PVP48AB	48" Adjustable Length Pipe (Black)	6	9 lbs.	287.64	11 lbs.	328.73

## Supports and Firestops

SD_PVPCS	Cathedral Ceiling Support Box	1	7 lbs.	\$240.20	7 lbs.	\$240.20
SD_PVPFS	Ceiling Support Firestop Spacer (For 1" Clearance)	6	11 lbs.	115.83	12 lbs.	135.17
SD3PVPWTC	Ceiling Support Cover/Wall Thimble Cover	1	3 lbs.	124.28	-	-

Installed where Pellet Vent passes through a floor or ceiling and centers pipe to provide proper clearances.

SD_PVPWT	Wall Thimble (For 1" Clearance)	6	17 lbs.	151.20	17 lbs.	162.41
SD_PVPWTI	4" Wall Thimble Air Intake Kit (Includes SD_PVPWT, 2" Aluminum Flex and 2 Hose Clamps.)	6	16 lbs.	353.57	17 lbs.	379.88
SD_PVPHS	House Shield	6	6 lbs.	60.46	6 lbs.	89.22

For blower discharge protection in horizontal venting situations.

## Caps and Flashings

SD_PVPVC	Vertical Cap	6	7 lbs.	\$131.54	8 lbs.	\$140.31
SD_PVPHC2	Horizontal Cap	6	6 lbs.	99.60	6 lbs.	112.59
SD_PVPF6	Adjustable Roof Flashing	6	14 lbs.	45.33	12 lbs.	50.50
SD_PVPFF	Tall Cone Roof Flashing	6	2 lbs.	60.46	18 lbs.	66.82
SD_PVPSC	Storm Collar	6	1.7 lbs.	12.98	2 lbs.	15.10

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or \* = Non-Stock, LTSD = Limited to Stock on Hand

2  
0  
2  
5  
-  
2  
0  
2  
6

## Pellet Vent, Liner &amp; Custom Parts

M & G Dura-Vent  
3" & 4" PelletVent Pro, Continued

## Tees and Elbows

 For stock status, please visit [order.aes4home.com](http://order.aes4home.com) or call 800-682-9722

Item No.	Description	Qty.	3"		4"	
			Wt./Cs.	Retail	Wt./Cs.	Retail
SD__PVPT1	Single Tee w/Clean-Out Tee Cap	6	15 lbs.	\$237.12	15 lbs.	\$248.01
SD4PVPT31	Increaser Tee w/Clean-Out Tee Cap	6	-	-	11 lbs.	241.33
SD__PVPCO1	Clean-Out Tee Cap	6	3 lbs.	89.22	15 lbs.	89.22
SD4PVPTAD1	Adapter Tee w/Clean-Out Tee Cap	6	11 lbs.	237.13	15 lbs.	-
SD__PVPDBT1	Double Tee w/Clean-Out Tee Cap	6	11 lbs.	462.94	15 lbs.	495.83
SD__PVPWS	Wall Strap	6	7 lbs.	54.13	6 lbs.	58.66
SD__PVPWSA	Adjustable Wall Strap	6	7 lbs.	58.95	6 lbs.	63.80
SD__PVPE45	45° Elbow	6	5 lbs.	141.53	8 lbs.	160.29
SD__PVPE90	90° Elbow	6	8 lbs.	176.93	11 lbs.	222.61

## Tees and Elbows - Black (Special Order in Case Quantities Only)

SD3PVPTB1	Single Tee w/Clean-Out Tee Cap (Black)	6	11 lbs.	\$257.68*	15 lbs.	-
SD4PVPT3B1	Increaser Tee w/Clean-Out Tee Cap (Black)	6	-	-	11 lbs.	270.69*
SD__PVPCOB1	Clean-Out Tee Cap (Black)	6	3 lbs.	102.95*	15 lbs.	109.82*
SD3PVPTADB1	Adapter Tee w/Clean-Out Tee Cap (Black)	6	-	257.67*	15 lbs.	-
SD3PVPDBTB1	Double Tee w/Clean-Out Tee Cap (Black)	6	-	462.94*	15 lbs.	-
SD__PVPE45B	45° Elbow (Black)	6	5 lbs.	150.33*	8 lbs.	199.32*
SD__PVPE90B	90° Elbow (Black)	6	8 lbs.	199.32*	11 lbs.	259.48*

## Accessories

SD__PVPIS	Attic Insulation Shield	1	5 lbs.	\$121.87	5 lbs.	\$121.87
SD__PVPX6	Chimney Adapter - 6"	6	12 lbs.	192.96	12 lbs.	202.63
SD__PVPX8	Chimney Adapter - 8"	6	14 lbs.	238.31	9 lbs.	245.28
SD__PVPAD	Appliance Adapter	1	1 lbs.	43.53	4 lbs.	47.16
SD__PVPADFF	Female Flex Adapter	6	3 lbs.	54.90	3 lbs.	45.33
SD__PVPADFM	Male Flex Adapter	6	3 lbs.	75.50	3 lbs.	82.35
SD__PVPRC	Reduction Collar	6	3 lbs.	48.03	3 lbs.	48.03
SD3PVPX4	Increaser 3" - 4"	6	7 lbs.	137.27	-	-
SD3PVPX4AD	Appliance Adapter/Increaser 3" - 4"	6	6 lbs.	159.07	-	-

## Accessories - Black (Special Order in Case Quantities Only)

SD__PVPADB	Appliance Adapter (Black)	1	1 lbs.	\$65.31	4 lbs.	\$123.54*
SD3PVPX4ADB	Appliance Adapter/Increaser 3" - 4" (Black)	6	6 lbs.	207.16	-	-

## PelletVent Pro Kits

SD__PVPKHA	PelletVent Pro Horizontal Kit (includes: Round Horizontal Cap, Wall Thimble [For 1" Clearance], Appliance Adapter)	1	15 lbs.	\$423.43	19 lbs.	\$528.31
SD__PVPKVA	PelletVent Pro Vertical Kit - Flat Ceiling (includes: Vertical Cap, Storm Collar, Ceiling Support Firestop Spacer [For 1" Clearance], Adjustable Flashing, Appliance Adapter)	1	16 lbs.	562.58	19 lbs.	604.92
SD__PVPKVB	PelletVent Pro Vertical Kit - Cathedral (includes: Vertical Cap, Storm Collar, Cathedral Ceiling Support Box, Adjustable Flashing, Appliance Adapter)	1	16 lbs.	441.58	19 lbs.	792.47

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or \* = Non-Stock, LTSD = Limited to Stock on Hand

## Liner Accessories by American Hearth

### Pellet Vent Liner Systems




American Hearth is the leading Northwest supplier of pellet liner systems providing AES with custom relining components since 1972. Because of the unique and long lasting relationship between the two companies, we are able to stock the most extensive variety of reline components for both freestanding and pellet insert retrofitting and new installations into an existing chimney or fireplace.

All lining components are made of 24-gauge 304 stainless steel welded seam construction and are tested to UL 1777 standards.

Reliance Liner also offers Masonry Liner Systems for woodburning appliances. With over 30 years of experience with chimney relines, American Hearth Products "Reliance Liner" has developed a reputation in the Northwest for fast and capable fabrication of almost any custom element of a chimney reline system.

For assistance building your next reline system call AES Inside Sales.



For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or \* = Non-Stock, LTSD = Limited to Stock on Hand

2  
0  
2  
5  
-  
2  
0  
2  
6

**Pellet Vent, Liner & Custom Parts****Liner Accessories by American Hearth**

3" - 4" Freestanding Pellet Vent Liner Systems

**Class A Chimney Conversion Reducers**

Sized for Dura-Vent pellet vent to Class A Chimney. Seals for a complete vent system. For exterior use.

Item No.	Description	Chimney Size	Retail	Stocked
RM38REDDV	3" x 8-1/8" Conversion Reducer	8" O.D.	\$61.00	Y
RM310REDDV	3" x 10-1/8" Conversion Reducer	10" O.D.	56.00	Y
RM48REDDV	4" x 8-1/8" Conversion Reducer	8" O.D.	61.00	Y
RM410REDDV	4" x 10-1/8" Conversion Reducer	10" O.D.	56.00	Y

**Base Conversion Adapters**

Universal fit sized for Class A chimney, painted black. Includes trim ring. Connects pellet or gas vent to the base of existing chimneys. For interior use.

RM36BCADV	3" Base Conversion Adapter for DuraVent	6" I.D.	\$71.00	Y
RM37BCADV	3" Base Conversion Adapter for DuraVent	7" I.D.	75.00	Y
RM38BCADV	3" Base Conversion Adapter for DuraVent	8" I.D.	77.00	Y
RM46BCADV	4" Base Conversion Adapter for DuraVent	6" I.D.	73.00	Y
RM47BCADV	4" Base Conversion Adapter for DuraVent	7" I.D.	77.00	Y
RM48BCADV	4" Base Conversion Adapter for DuraVent	8" I.D.	79.00	Y
RM410BCADV	4" Base Conversion Adapter for DuraVent	10" I.D.	82.00	Y
RM36BCAIC	3" Base Conversion Adapter for ICC for DuraVent	6" I.D.	71.00	Y
RM38BCAIC	3" Base Conversion Adapter for ICC for DuraVent	8" I.D.	77.00	Y
RM46BCAIC	4" Base Conversion Adapter for ICC for DuraVent	6" I.D.	73.00	Y
RM48BCAIC	4" Base Conversion Adapter for ICC for DuraVent	8" I.D.	79.00	Y

**Accessories**

RM158BLKTC	1-7/8" I.D. Black Interior Trim Collar	\$14.00	Y
RM2BLKTC	2-1/4" I.D. Black Interior Trim Collar	15.00	Y

To finish interior holes of outside air vent pass through.

RM134WH	Exterior Wind Hood - 1 7/8" Hole - For use w/ Rodent Screen	17.00	Y
RM214RS	Rodent Screen, 2-1/4"	8.00	Y

Designed to keep debris and rodents clear of vent passage.

**Aluminum Flex and Galvanized Steel Flex for Outside Air**

ZAF225	(ZF1TLXXXX0225) 2" x 25' Outside Air Aluminum Flex	\$91.00	Y
--------	--	---------	---



Intake Flex



Trim Collar



Conversion Reducer



Base Conversion Adapter

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or \* = Non-Stock, LTSD = Limited to Stock on Hand

## Liner Accessories by American Hearth

## 3" Pellet Insert Liner System



2  
0  
2  
5  
-  
2  
0  
2  
6

## 3" Vent Pieces


Item No.	Description	Retail	Stocked
RM312	12" Length	\$30.00	N
RM3X6BLK	3" x 6" Reducer-Increaser, Black	37.00	Y
RM3X8BLK	3" x 8" Reducer-Increaser, Black	42.00	Y
Matte black. Small end undersized. One piece spun collar.			



Length

## 3" Termination Caps

RM3DC	Drawband Cap	\$47.00	N
Adjusts for secure fit.			
RM3WB	Weatherband Cap	66.00	N
For high wind applications. Design naturally induces draft.			



45° Elbow

## 3" Storm Collars

RM3SC	3" Storm Collar	\$25.00	N
-------	-----------------	---------	---

Wind  
Directional  
Cap

## 3" Flat Plates

Diameter is oversized to accommodate flex. Spin collar on Dura-Vent Flat Plates is 3/4" larger than regular Flat Plates.

RM31616FP	16" x 16" Flat Plate	57.00	Y
RM32424FP	24" x 24" Flat Plate	68.00	Y
RM31616FPDV	16" x 16" Flat Plate for Dura-Vent	57.00	N

Weatherband  
Cap

## 3" Tees

RM3TR	3" True Tee Inlet, Fits Most Pellet Exhausts	\$43.00	Y
ZF2ZPT03	3" Tee for Enviro, Whitfield, With Quick Connect Band	95.00	Y
RM3EXT	8" Long Extension for OC3T, fits Breckwell Pellet Inserts	22.00	Y



Pellet Tee

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or \* = Non-Stock, LTSD = Limited to Stock on Hand

## Pellet Vent, Liner &amp; Custom Parts

## Liner Accessories by American Hearth

## 4" Pellet Insert Liner System

**AMERICAN**  
HEARTH PRODUCTS  
Reliance Liner

## 4" Vent Pieces

Item No.	Description	Retail	Stocked
RM412	12" Length	\$30.00	N
RM424	24" Length	57.00	N
RM436	36" Length	76.00	N

Eliminates cutting with 14" of adjustability.

RM4X6BLK	4" x 6" Reducer-Increaser	35.00	Y
RM4X8BLK	4" x 8" Reducer-Increaser	38.00	Y

Matte black. Small end undersized. One piece spun collar.



90° Elbow

## 4" Termination Caps

RM4DC	Drawband Cap	\$47.00	N
-------	--------------	---------	---

Adjusts for secure fit.

RM4WB	Weatherband Cap	76.00	N
-------	-----------------	-------	---

For high wind applications. Design naturally induces draft.

RM4WD	Wind Directional Cap	125.00	N
-------	----------------------	--------	---

Reduces downdrafts for high wind applications and extreme weather conditions.

## 4" Storm Collars

RM4SC	4" Storm Collar	\$26.00	Y
-------	-----------------	---------	---



Reducer-Increaser

## 4" Flat Plates

Diameter is oversized to accommodate flex.

RM41616FP	16" x 16" Flat Plate	57.00	Y
RM42424FP	24" x 24" Flat Plate	71.00	Y

## 4" Tees

RM4T	4" Tee for Enviro, Whitfield, With Quick Connect Band	\$58.00	Y
RM3X4T	3" x 4" Tee for Whitfield, 3" Inlet Slightly Undersized	30.00	Y
RM3X4TR	3" x 4" True Tee, 3" True Inlet, Fits Most Pellet Exhausts	67.00	Y
RM4TR	4" True Tee Inlet, Fits Most Pellet Exhausts	58.00	Y
RM3X4W	3" x 4" Increaser for Whitfield, 3" Inlet Slightly Undersized	30.00	Y

Use with RM4TR to increase exhaust sizing.

Wind  
Directional  
CapDrawband Cap  
w/Spark ScreenWeatherband  
Cap

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or \* = Non-Stock, LTSD = Limited to Stock on Hand

## Z-Flex

Flexible Stainless Steel Liners &amp; Liner Kits



## Z-Flex Stainless Steel liners

.005 thickness, 316TI stainless steel, U.L. listed. Lighter weight, welded design provides greater flexibility for standard installations.

Item No.	Description	Wt.	Retail	Stocked
ZF320KSN	(ZF2ZPK0320) 3" x 20' Stainless Steel Flex Liner Kit w/18"x18" Flat Plate and Cap	16 lbs.	\$400.00	Y
ZF325KSN	(ZF2ZPK0325) 3" x 25' Stainless Steel Flex Liner Kit w/18"x18" Flat Plate and Cap	17 lbs.	500.00	Y
ZF325LSN	(ZF2ZLSSXX0325AES) 3" x 25' Corrugated Stainless Steel Flex Liner Only	12 lbs.	470.00	Y
ZF350LSN	(ZF2ZLSSXX0350AES) 3" x 50' Stainless Steel Flex Liner Only	20 lbs.	842.00	Y
ZF3T	(ZF2ZPT03) 3" Tee for Enviro, Whitfield, with Quick Connect Band	1 lb.	95.00	Y
ZF3X4T	(ZF2ZPT43) 3" X 4" Tee with Cap and Quick Disconnect Band	1 lb.	115.00	Y
ZFQCLF3	(ZF2CNNTRC03) 3" Quick Flex Connector	1 lb.	68.00	Y
ZFTPNS31818	(ZF2AFCX03) 3" No Sag Top Plate 18" x 18"	4.8 lbs.	99.00	N
ZFCSLF3	(ZF2ZMRC503) 3" Quick Cap With Screen	1 lb.	97.00	Y
ZF420KSN	(ZF2ZPK0420) 4" x 20' Stainless Steel Flex Liner Kit w/18"x18" Flat Plate and Cap	18 lbs.	523.00	Y
ZF425KSN	(ZF2ZPK0425) 4" x 25' Stainless Steel Flex Liner Kit w/18"x18" Flat Plate and Cap	20 lbs.	650.00	Y
ZF435KSN	(ZF2ZPK0435) 4" x 35' Stainless Steel Flex Liner Kit w/18"x18" Flat Plate and Cap	24 lbs.	651.00	Y
ZF425LSN	(ZF2ZLSSXX0425) 4" x 25' Corrugated Stainless Steel Flex Liner Only	15 lbs.	623.00	Y
ZF450LSN	(ZF2ZLSSXX0450AES) 4" x 50' Corrugated Stainless Steel Flex Liner Only		1,357.00	Y
ZFQCLF4	(ZF2CNNTRC04) 4" Quick Flex Connector	1 lb.	70.00	Y
ZFTPNS41818	(ZF2AFCX04) 4" No Sag Top Plate 18" x 18"		99.00	N
ZFCSLF4	(ZF2ZMRC504) 4" Quick Cap With Screen	1 lb.	100.00	N



For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or \* = Non-Stock, LTSD = Limited to Stock on Hand

2  
0  
2  
5  
-  
2  
0  
2  
6

## Flex Liner

### Components & Accessories

## Flex Liner

### Nose Cone

To assist in the installation of difficult relines with offsets or other obstructions. Reliance brand, 24-gauge, 304 stainless steel. Recommended for use with Hi-Per-Flex liners.

Item No.	Description	Retail	Stocked
RM3NC	3" Nose Cone	\$47.00	N



Nose Cone

### Aluminum Flex and Galvanized Steel Flex for Outside Air

ZFAF225	(ZF1TLXXXX0225) 2" x 25' Outside Air Aluminum Flex	\$91.00	Y
---------	--	---------	---

### Installation Supplies

AT2150	2" x 150' Aluminum Tape	\$26.90	Y
For wrapping each pellet pipe joint.			
SRDURA	#7 x 1/4" Short Screw (100 pkg.)	19.00	Y

## Installation Supplies

For attaching pellet vent or gas vent together. Will not penetrate inner liner. Requires 1/4" hex head driver.

Item No.	Description	Retail	Stocked
RT76R	600° RTV Silicone Super Red, 10 oz. Cartridge	\$19.30	Y
RT76RT	600° RTV Silicone Super Red, 3 oz. Tube	9.00	Y
Forms a tough rubbery seal, keeps its flexibility up to 550° F.			
RT641	800° Seal it Right Silicone Sealant, 10.3 oz. Cartridge	\$17.93	Y




Aluminum Tape

### Stainless Steel Flex Coupler

Reliance brand, 24-gauge, 304 stainless steel. Used to join flexible lining material to liner.

Item No.	Description	Retail	Stocked
RM3FC	3" Stainless Steel Flex Coupler	\$23.00	N



Flex Coupler

For same day shipping, place order by: 1pm (CO), 2pm (CA, WA) and 11am (MN, TX). Give us a call at 1-800-682-9722

Stock: Y = Stock, N or \* = Non-Stock, LTSD = Limited to Stock on Hand